Biogeosciences Discuss., 12, 3505–3545, 2015 www.biogeosciences-discuss.net/12/3505/2015/ doi:10.5194/bgd-12-3505-2015 © Author(s) 2015. CC Attribution 3.0 License.



This discussion paper is/has been under review for the journal Biogeosciences (BG). Please refer to the corresponding final paper in BG if available.

# The contribution of tephra constituents during biogenic silica determination: implications for soil and paleoecological studies

W. Clymans<sup>1</sup>, L. Barão<sup>2</sup>, N. Van der Putten<sup>1</sup>, S. Wastegård<sup>3</sup>, G. Gísladóttir<sup>4</sup>, S. Björck<sup>1</sup>, B. Moine<sup>5</sup>, E. Struyf<sup>2</sup>, and D. J. Conley<sup>1</sup>

<sup>1</sup>Department of Geology, Lund University, Sölvegatan 12, 22362 Lund, Sweden <sup>2</sup>Department of Biology, Ecosystem Management, University of Antwerp, Universiteitsplein 1, 2610 Wilrijk, Belgium

<sup>3</sup>Department of Physical Geography, Stockholm University, 10691 Stockholm, Sweden
 <sup>4</sup>Department of Geography and Tourism, Institute of Earth Sciences, and the Nordic Volcanological Center, University of Iceland, Sturlugata 7, 101 Reykjavík, Iceland
 <sup>5</sup>Université de Lyon, Magmas et Volcans (UBP-UJM-CNRS-IRD), 23 rue Dr. P. Michelon, 42023 Saint-Etienne, France



Received: 7 November 2014 – Accepted: 13 February 2015 – Published: 25 February 2015 Correspondence to: W. Clymans (wim.clymans@geol.lu.se)

Published by Copernicus Publications on behalf of the European Geosciences Union.



## Abstract

Biogenic silica (BSi) is used as a proxy by soil scientists to identify biological effects on the Si cycle and by paleoecologists to study environmental changes. Alkaline extractions are typically used to measure BSi in both terrestrial and aquatic environ-

- ments. The dissolution properties of volcanic glass in tephra deposits and their nanocrystalline weathering products are hypothesized to overlap those of BSi, however, data to support this behavior are lacking. The understanding that the Si-bearing fractions that dissolve in alkaline media (Si<sub>Alk</sub>) do not necessarily correspond to BSi, question the applicability of BSi as a proxy. Here, analysis of 15 samples reported as tephra-
- <sup>10</sup> containing allows us to reject the hypothesis that tephra constituents produce an identical dissolution signal to that of BSi during alkaline extraction. We found that dissolution of volcanic glass shards is incomplete during alkaline dissolution. Simultaneous measurement of AI and Si used here during alkaline dissolution provides an important parameter to enable us to separate glass shard dissolution from dissolution of BSi and
- other Si-bearing fractions. The contribution from volcanic glass shard (between 0.2– 4 wt.% SiO<sub>2</sub>), the main constituent of distal tephra, during alkaline dissolution can be substantial depending on the total Si<sub>Alk</sub>. Hence, soils and lake sediments with low BSi concentrations are highly sensitive to the additional dissolution from tephra constituents and its weathering products. We advise evaluation of the potential for volcanic or other per biogenia contributions for all times of studies using BSi as an anvironmental provide

<sup>20</sup> non-biogenic contributions for all types of studies using BSi as an environmental proxy.

## 1 Introduction

25

Many plant and algae species take up dissolved silica (DSi) from the environment and produce biogenic silica (BSi), a hydrated, amorphous  $SiO_2$  polymorph that provides structural and physiological benefits (Guntzer et al., 2012). BSi is regularly estimated by soil scientists or paleoecologists using various alkaline extraction techniques. These

Discussion **BGD** 12, 3505-3545, 2015 Paper Implications for soil and paleoecological studies **Discussion** Paper W. Clymans et al. **Title Page** Introduction Abstract Conclusions References **Discussion Paper** Tables Figures Back Close Full Screen / Esc **Discussion** Paper **Printer-friendly Version** Interactive Discussion

techniques are applied to a range of environments and archives, including soils, peat

deposits, lake and marine sediments, wetland and floodplain deposits and suspended matter in rivers (Andresen et al., 2004; Clymans et al., 2011a, b; Cornelis et al., 2010; Fernández et al., 2013; Frings et al., 2014b; Verschuren et al., 2002). In terrestrial ecosystems vegetation may buffer DSi delivery to streams and rivers (Churchman and

Lowe, 2012; Struyf and Conley, 2012). Hence, the magnitude of BSi accumulation in soils is a key component in the biological buffering capacity of the Si cycle in an ecosystem. Paleoecologists use BSi as a proxy for diatom productivity, and apply this to infer changes in e.g. nutrient availability (Conley et al., 1993; Heathcote et al., 2014), hydrology (Andresen et al., 2004), atmospheric circulation (Harper et al., 1986; Johnson et al., 2011; Verschuren et al., 2002) and temperature (Adams and Finkelstein, 2010; Prokopenko et al., 2006).

The methods vary in detail but all assume a difference in dissolution rate that forms the basis of the separation of Si from mineral silicates and amorphous biological fractions. Within the range of alkaline solutions used in the experiments a fraction of the meterical may release. Si at a class and amorphot rate over the duration of

material may release Si at a slow and apparently constant rate over the duration of the extraction (from here on referred to as a "linearly dissolving fraction"). This corresponds to dissolution of mineral silicates (Conley and Schelske, 2001; Koning et al., 2002). Some fractions may rapidly release some or all of their Si within the duration of the extraction (from here on "non-linearly dissolving fractions") and this non-linear fraction is conventionally interpreted as the BSi fraction (DeMaster, 1981).

Unfortunately, various non-BSi fractions also release Si either completely or partly in a non-linear manner in alkaline media, questioning the interpretation of the non-linear part as biological in origin (Cornelis et al., 2011a; Gehlen and van Raaphorst, 1993; Koning et al., 2002). Cornelis et al. (2011b) reviewed sources that may completely dis-

solve and find that in addition to biogenic remains (e.g. phytoliths, diatoms), inorganic forms such as Al-Si precipitates, volcanic glass shards, adsorbed Si on amorphous Feoxides and nanocrystalline fractions such as allophanes and imogolite, can comprise a substantial portion of the non-linearly dissolving Si. Partial dissolution of clays can also rapidly release Si (Barão et al., 2015; Koning et al., 2002). We introduce a proce-



dural term "Si<sub>Alk</sub>" (alkaline extracted Si) to refer to the full range of Si-bearing phases that dissolve non-linearly under normal experimental conditions. It is becoming apparent that Si<sub>Alk</sub> does not necessarily correspond only to the BSi fraction, and thus caution is warranted due to its implications for interpretation of the putative BSi record in both soil and paleoecological studies.

Several studies have suggested that glass shards and their weathering products (e.g. nanocrystalline minerals and secondary clays) could affect Si<sub>Alk</sub> measurements, as their dissolution characteristics in alkaline solutions can overlap with the biogenic fraction (Barão et al., 2015; Hashimoto and Jackson, 1958; Sauer et al., 2006). Discrete volcanic ash deposits, composed of shards, minerals together with pumice and rock fragments, known as tephra are common in sedimentary archives; indeed, they form the basis of tephrochronology (e.g. Lowe, 2011), a powerful technique for establishing age-equivalence between sites. If dissolving glass (or mineral grain) in a tephra releases Si in a similar way to BSi during dissolution in alkaline solutions, it has the po-

10

- <sup>15</sup> tential to make interpretation of Si<sub>Alk</sub> difficult, since a change will not uniquely represent a change in environmental conditions but also perhaps periods of volcanic activity. Additionally, because of their often rapid dissolution, glass, pumice, and other constituents in tephra can potentially induce elevated DSi concentrations in lakes, causing shifts in phytoplankton communities (Lotter et al., 1995; Hickman and Reasoner, 1994). Such
- <sup>20</sup> a shift in the sedimentary record may be incorrectly ascribed to a change in environmental conditions providing a secondary indirect pathway to biased interpretations.

Here, we investigate volcanic glass shards and their weathering products as a confounding factor during  $Si_{Alk}$  determination. We tested (1) dissolution characteristics of glass in tephra deposits, and (2) whether tephra-derived constituents contribute to  $Si_{Alk}$ 

<sup>25</sup> measurements during alkaline extraction, and (3) how such contributions affect the Si<sub>Alk</sub> measurements in soils, sediments and peats. We find that glass shards do not produce an identical dissolution signal to that of BSi during alkaline extractions. However, the contribution of glass shards to BSi can be substantial when low BSi concentrations



are encountered in environmental archives with important repercussions for soil and paleoecological studies.

# 2 Materials and methods

# 2.1 Tephra samples

<sup>5</sup> Fifteen samples reported as tephra-containing and covering a representative range of chemical composition (basaltic to rhyolitic), eruption dates (from 2010 AD until 48 kaBP), geographical provenance (northern and southern latitudes) and environments (fresh deposits, soils, lakes and peat archives) have been retrieved from archived samples (Table 1; Fig. 1). We used tephra collections from tephra deposits
 <sup>10</sup> described previously in soil and paleoecological studies representing a gradient in weathering state.

# 2.2 Sample treatment

All samples were split in two parts to develop two distinct sample sets: untreated vs. treated. Untreated samples were immediately subjected to alkaline extraction (Sect. 2.3). The goal of treating samples is to isolate relatively pure biogenic and volcanic glass derived fractions, which will allow us to evaluate the robustness of the inferences made from the dissolution of the untreated samples. Samples were subjected to standard pre-treatment and heavy-liquid separation, described below, with additional magnetic separation or sieving steps where necessary (Mackie et al., 2002; Morley et al., 2004; Turney, 1998).

2.2.1 Pre-treatment

A 0.5–1 g subsample was weighed into a 15 mL centrifuge tube to which 30 % hydrogen peroxide ( $H_2O_2$ ) was repeatedly added to remove organic matter at 80 °C until



reaction cessation. One millilitre of 10 % HCl solution was added to disaggregate the material and dissolve any soluble inorganics (e.g. carbonates) and left until the reaction ceased. After each treatment step, the sample was washed three times in deionized water (MilliQ).

#### 5 2.2.2 Heavy-liquid separation

Heavy liquid separation is used to obtain concentrated siliceous organism samples (i.e. diatoms and sponges) (Morley et al., 2004) and concentrated glass shard samples (e.g. Turney, 1998). The biogenic part is concentrated by centrifuging in sodium polytungstate (SPT) having a relative density of 2.3 g cm<sup>-3</sup>. Prior to each centrifuge
step, samples were thoroughly mixed, and if necessary placed in an ultrasonic bath to disaggregate the material. The floating material (< 2.3 g cm<sup>-3</sup>) was dried (70 °C) and assessed with SEM for purity, i.e. biogenic material, or possible contamination from pumice and other non-biogenic light fractions. The residue (> 2.3 g cm<sup>-3</sup>) was centrifuged in SPT at a relative density of 2.5 g cm<sup>-3</sup>. Both floating material (between 2.3 and 2.5 g cm<sup>-3</sup>) and residue (> 2.6 g cm<sup>-3</sup>) were washed with MilliQ. The latter should contain heavy minerals, and only a limited amount of glass shards, which should instead be concentrated within the 2.3 to 2.5 g cm<sup>-3</sup> bracket. All residues were microscopically checked for their purity.

The separation only rarely resulted in high-purity end-products. Additional ad hoc sample specific treatments were conducted to improve the separation. In case of high concentration of low-density shards (e.g. pumice) within the biogenic sample (< 2.3 g cm<sup>-3</sup>), a wet-sieving step was used to separate the biogenic siliceous bodies from shards. Size-distributions for each fraction were determined using light microscopy (Nikon SMZ1500, x16) and the NIS-Elements software for size measurements. The selected mesh size corresponded with the point of minimum overlap. In case of basaltic tephra shards (i.e. > 2.7 g cm<sup>-3</sup>) magnetic separation of the > 2.6 g cm<sup>-3</sup> (Mackie et al., 2002) was applied to concentrate pure basaltic shards.



#### 2.3 Alkaline extraction techniques

Two different alkaline extractions were used to determine the Si<sub>Alk</sub> content and dissolution characteristics of the untreated and the isolated tephra and biogenic silica fractions of the treated samples: the sequential 0.1 MNa<sub>2</sub>CO<sub>3</sub> and the continuous 0.5 MNaOH 5 method.

## 2.3.1 Sequential wet-alkaline extraction method: 0.1 M Na<sub>2</sub>CO<sub>3</sub>

The  $Na_2CO_3$  extraction is a weak-base method developed by DeMaster (1981) who described that while alumino-silicates release Si linearly over time, most BSi dissolves completely within the first 2h of the digestion. In our analysis (Conley and Schelske, 2001), approximately 30 mg of dried sample (< 2 mm) was mixed in 40 mL 10 of 0.1 MNa<sub>2</sub>CO<sub>3</sub> solution and digested for 5 h at 85 °C. A 0.5 mL aliquot was removed after 3, 4 and 5 h and neutralized with 4.5 mL of 0.021 M HCl, before DSi determination by the automated molybdate-blue method (Grasshoff et al., 1983) using a Smartchem 200 (AMS Systea) discrete analyser. The Si<sub>Alk</sub> was calculated by determining the intercept of the regression between total extracted Si and extraction time. Extrapolating the 15 Si release to the intercept is assumed to correct for mineral dissolution of Si. To evaluate its suitability to correct for mineral dissolution, the typical subsampling scheme was prolonged to 24 h and additional 0.5 mL subsamples were taken at 9, 10 and 11 h and again at 20, 22 and 24 h, and diluted in 9.5 mL 0.010 M HCl instead of 4.5 mL to obtain optimal dilution. 20

## 2.3.2 Continuous extraction method: 0.5 M NaOH

25

We applied a stronger NaOH (0.5 M) digestion protocol (Barão et al., 2014; Koning et al., 2002) with continuous monitoring of the extracted Si and aluminium (Al) concentration through time. Briefly, between 20 and 100 mg of a sample was mixed with 180 mL of 0.5 M NaOH (pH = 13.7) in a stainless steel vessel. The vessel was incu-



bated in a water bath at a constant temperature of 85 °C and continuously stirred with a rotor to obtain a homogeneous mixture. The vessel was sealed to prevent evaporation. The extraction fluid was fed into a Skalar continuous flow analyzer at 0.42 mLmin<sup>-1</sup>. Si and Al concentrations were determined simultaneously using the spectrophotometric molybdate–blue method for Si (Grasshoff et al., 1983) and lumo-gallion fluorescence for Al (Hydes and Liss, 1976) for 30–40 min.

A simultaneous fit of dissolved Si and Al curves was performed using Eq. (1).

$$Si_{t} = \left(\sum_{x=1}^{n} Si_{Alk,x} \times (1 - e^{-k_{x} \times t})\right) + b \times t$$

$$Al_{t} = \left(\sum_{x=1}^{n} \frac{Si_{Alk,x}}{Si : Al_{x}} \times (1 - e^{-k_{x} \times t})\right) + \frac{b \times t}{Si : Al_{min}}$$
(1)

- <sup>10</sup> where Si<sub>t</sub> and Al<sub>t</sub> is the pool of extracted silica and aluminum at time t ( $\mu$ mol L<sup>-1</sup>); Si<sub>Alk,x</sub> is the total pool of Si<sub>Alk</sub> ( $\mu$ mol L<sup>-1</sup>) of fraction x; k is a parameter that reflects the non-linear reactivity of the sample (min<sup>-1</sup>); b reflects the linear reactivity and Si : Al<sub>x</sub> and Si : Al<sub>min</sub> represent their respective Si : Al ratios. The dissolution curves of Si and Al were used to identify fractions based on their Si : Al ratios. This principle was first applied by Koning et al. (2002) in marine sediment samples, where almost all alkaline extracted Si has a biogenic source, overprinted by a low Si : Al<sub>x</sub> component from clay minerals dissolution. They showed that some fractions that would be considered as biogenic using linear phase extrapolation (i.e. the sequential extraction, above) were actually clay contamination, based on the low Si : Al<sub>x</sub> ratios (between 1 and 4) in these
- <sup>20</sup> fractions. We hypothesize that glass from tephra will resemble such behaviour because of their relatively high Al content.

The number of fractions (x) in the first order model was determined by consecutively allowing an extra fraction to obtain an optimal model fit (i.e. reducing the RMSE using the Solver function within Microsoft Excel).



## 3 Results

## 3.1 Sequential wet-alkaline extraction method: 0.1 M Na<sub>2</sub>CO<sub>3</sub>

Alkaline silica (Si<sub>Alk</sub>) extracted from a total of 14 tephra-containing samples (EFJ2010\_1504 not included) based on the 3–5 h mineral dissolution slope (MDS) vary <sup>5</sup> between 0.3 and 16.7 wt.% SiO<sub>2</sub> with an average of 3.01±3.91 wt.% SiO<sub>2</sub>. MDS ranges between 0.03 and 0.65 wt.% SiO<sub>2</sub> h<sup>-1</sup> with an average of 0.35±0.21 wt.% SiO<sub>2</sub> h<sup>-1</sup>. This high standard deviation suggests variability within samples, but is heavily influenced by two outliers (Reclus R<sub>1</sub> and Tuhua tephra); median Si<sub>Alk</sub> and MDS are 1.56 wt.% SiO<sub>2</sub>

and 0.28 wt.% SiO<sub>2</sub>  $h^{-1}$ , respectively.

- <sup>10</sup> The median Si<sub>Alk</sub> using the 20–24 h MDS was 3.63 wt.% SiO<sub>2</sub> with a median slope of 0.12 wt.% SiO<sub>2</sub> h<sup>-1</sup>. A paired *t* test (signed rank) showed that both (corrected) Si<sub>Alk</sub> concentrations and MDS differed significantly between the 3–5 h and the 20–24 h sampling intervals.
- There is a large variability in the shape of the curves in extracted Si through time (Fig. 2). Some samples exhibit a continuously gently decreasing slope with time (Fig. 2a), while others show initial rapid dissolution followed by a steep linear increase (Fig. 2b), whereas others increase rapidly but are followed by no increase or only a minimal increase in Si extracted with time (Fig. 2.c). Numerically, we define this gradient through comparing the Si<sub>Alk</sub> after 3–5 h with those obtained after 20–24 h (Table 2): we
  observe respectively high (3.0–7.1), medium (1.5–2.5) and low (1–1.8) ratios. Ideally, constant mineral dissolution with no additional amorphous Si extracted after 3 h would correspond to a ratio of 1.



## 3.2 Continuous alkaline extraction method: 0.5 M NaOH

## 3.2.1 Curve decomposition

15

Results of curve fitting the continuous monitored Si and Al data during the extractions are presented in Table 3 and Figs. 2 and 3. Si<sub>Alk</sub> concentrations vary between 0.27 and  $_{5}$  23.4 wt.% SiO<sub>2</sub> with an average of  $4.54 \pm 6.08$  wt.% SiO<sub>2</sub> and a median of 2.31 wt.% SiO<sub>2</sub>. These values are significantly higher than those measured during the Na<sub>2</sub>CO<sub>3</sub> 3–5 h extraction (Sect. 3.1; p = 0.0016), but do not differ significantly with the Na<sub>2</sub>CO<sub>3</sub> 20–24 h extraction (p = 0.1540; non-parametric *t* test). However, relative differences between the two values can be up to factor 2–5, and values tend to be lower than those measured during the Na<sub>2</sub>CO<sub>3</sub> 20–24 h extraction.

The shape of the dissolution curves suggests the presence of three distinct dissolution patterns similar to using the  $Na_2CO_3$  methodology. A first set of curves show a gently decreasing slope with time, and limited contribution of AI (Fig. 2d – Group 1). The second set of curves shows a rapid increase at the onset for both Si and AI, and afterwards evolves towards a more linear increase (Fig. 2e – Group 2). The final set is characterized by a rapid increase at the onset with varying contributions of AI, but

mostly an order of magnitude lower than extracted Si concentrations with a near zero or high mineral dissolution slope (Fig. 2f – Group 3).

Optimal fits of the model to predict the dissolution curve included between one to three different Si<sub>Alk</sub> fractions each with a specific *k* parameter and Si to Al ratio (Table 3). We used the number of non-linear fractions (first order – see Eq. 1) and their Si : Al<sub>x</sub> to group the samples (see discussion, Fig. 2d–f, and Table 3). One group of samples exhibited one non-linear fraction that was released slowly with a *k* between 0.05 and 0.5 min<sup>-1</sup>. The linear dissolution is responsible for the majority of the increase

<sup>25</sup> in Si and Al concentrations through time. Si :  $AI_x$  ratios for both fractions are approximately equal and range between 3 and 5.

A second group has two fractions that dissolve non-linearly. The non-linear fractions evolve rapid ( $k > 0.7 \text{ min}^{-1}$ ) and slow ( $k < 0.5 \text{ min}^{-1}$ ), respectively, towards complete



dissolution. The Si : Al<sub>x</sub> ratio of the slow fraction falls between 1 and 2.5. The rapid reaction releases typically more Al leading to low Si : Al ratios (< 1). The Si : Al<sub>min</sub> ratio of the linear fraction ranges between 1 and 3.5. Finally, two fractions that dissolve non-linearly typify a third set of samples: a rapid ( $k > 0.7 \text{ min}^{-1}$ ) fraction with Si : Al<sub>x</sub> mostly below 1 and a slow fraction ( $k < 0.5 \text{ min}^{-1}$ ) with Si : Al<sub>x</sub> above 8. One exception (Reclus R<sub>1</sub>) has three fractions but no mineral fraction and differs by having two slow fractions instead of one.

## 3.2.2 Validation of curve decomposition procedure

Dissolution curves using 0.5 M NaOH for all concentrated shard samples (rhyolitic: between 2.3 to 2.5 g cm<sup>-3</sup>; basaltic > 2.5 g cm<sup>-3</sup>) were best approximated with a single non-linear fraction and a linear (i.e. mineral) fraction indicating successful physical separation of shards (see Table 4). Mineral dissolution contributions were typically large in total Si and Al release, being the main source after on average 5 min of dissolution for Al release. The initial Si and Al release appears to be faster than before the cleaning and separation treatment. This is reflected in higher Si : Al<sub>x</sub> ratios and k values. One exception – the Reclus R<sub>1</sub> sample – did not contain a retrievable amount of shards. The BSi rich samples (< 2.3 g cm<sup>-3</sup>) were fitted with a single non-linear fraction in absence of a linear fraction. The only exception is the Tuhua tephra where two non-

linear fractions with varying dissolution rate were fitted: defined as a rapid (0.47) and slow (0.05) k. All Si :  $AI_x$  were higher than 100. The total extracted Si content averaged on 72 ± 11 wt.% SiO<sub>2</sub>.

#### 4 Discussion

5

Earlier studies have hypothesized that volcanic glass shards substantially contribute to measured Si<sub>Alk</sub> (Cornelis et al., 2011b; Lyle and Lyle, 2002; Sauer et al., 2006). In the following, we discuss the specific dissolution characteristics of glass shards, during



alkaline extraction and implications for soil and paleoecological studies. We formulate guidelines for the use of alkaline extraction techniques to determine BSi in soils and sediments.

## 4.1 Incomplete dissolution during digestion

In theory, Si<sub>Alk</sub> should be insensitive to the choice of aliquot times during Na<sub>2</sub>CO<sub>3</sub> extraction, if the dissolution of minerals does not violate the two key assumptions of the original protocol outlined by DeMaster (1981): (i) complete dissolution of all Si<sub>Alk</sub> fractions within three hours, and (ii) the mineral fraction should exhibit linear behavior during the course of the dissolution experiment. The linear behavior is assumed to be caused by minimal changes in reactive surface area of crystalline minerals during dissolution in a weak base, e.g. 0.1 MNa<sub>2</sub>CO<sub>3</sub>.

Higher Si<sub>Alk</sub> concentrations (Table 2) and lower MDS values after 20–24 h for our samples suggest a prolonged non-linear behavior. We interpret this as evidence for incomplete dissolution of alkali extractable fractions within the first 3 h of extraction.

- <sup>15</sup> Complete dissolution of glass takes considerably longer than 3 h causing Si<sub>Alk</sub> to be underestimated when sub-sampling only over the 3–5 h time period. In addition, a decrease in reactivity during the 24 h extraction violates the second assumption. Our samples must contain another fraction that violates the second assumption, and only reaches a state of apparent linear dissolution after the 5 h sampling.
- We observe a gradient in the severity (high degree, medium degree and low degree) of incomplete dissolution expressed as the deviation from an ideal Si<sub>Alk</sub> (22– 24 h/3–5 h) ratio of 1. Samples were grouped according to their extent of deviation from the ideal. Most samples are not newly formed pure volcanic deposits but instead are a complex set of samples from lakes, soils and peat bogs (Table 1). We suggest
- that the differences in the extent of dissolution and in their dissolution curves represent variations in composition and abundance of different Si<sub>Alk</sub> sources. Unfortunately, the Na<sub>2</sub>CO<sub>3</sub> method cannot define the origin of the different Si<sub>Alk</sub> fractions. This makes quantification of the contribution of volcanic material to BSi impossible.



## 4.2 Towards separation of the different fractions

The use of Si : Al ratios using the continuous NaOH extraction methodology can improve the interpretation of dissolution and uncertainty of the Si source (Barão et al., 2014). NaOH should also be more efficient in dissolving all amorphous and nanocrystalline material present (Müller and Schneider, 1993; Gehlen and van Raaphorst, 1993). We combine dissolution parameters in NaOH with microscopy to attribute specific dissolving or releasing fractions to our three defined groups (see Sect. 3.2.1 and Fig. 3).

## 4.2.1 A shard signature

Group 1 represents relatively pure tephra samples (Fig. 2a and d) where dissolution of glass shards dominates. Our data suggests that glass shards release the majority of Si and AI at a rapid and a constant rate during the time period (ca. 30 min) we monitor dissolution in NaOH. In contrast to Na<sub>2</sub>CO<sub>3</sub>, the stronger NaOH seems to obtain apparent linear dissolution within the course of the experiment, after an initial non-linear release corroborates previous observations describing the stoichiometric dissolution of glass shards (Oelkers and Gislason, 2001; Stephens and Hering, 2004). Si : AI ratios of the non-linear Si<sub>Alk</sub> and linear fraction coincide with Si : AI ratios from unweathered glass shards (Si : Al<sub>Solid</sub>). Si : AI ratios of the pure tephra samples (presumably mainly 20 glass) are plotted along the 1 : 1 line demonstrating stoichiometric behavior (Fig. 4a).

Oelkers and Gislasson (2001) delivered a theoretical framework for volcanic glass shard dissolution at acidic and alkaline conditions that adequately describes our observed dissolution patterns in both Na<sub>2</sub>CO<sub>3</sub> and NaOH solutions. Initially, proton exchange reactions will lead to the removal of univalent and divalent cations from the shard surfaces, followed by a partial removal of AI from the framework through the same process. Finally, Si liberation is possible through the weakened state of Si as it is present in Si tetrahedrals, i.e. only partially attached to the framework by only one



or two bridging oxygen atoms primarily located at the edges and tips of the shard. As smoothening of the shards progresses, and depending on the abundance of hydrated sites, the weakened state of Si at the edges can lead to faster release of Si at the onset, which decreases as the edges become rounded. The rounding of edges is responsi-

- <sup>5</sup> ble for the observed Si<sub>Alk</sub> content when glass shards are dissolved. Afterwards, glass shards will continue to release Si and Al at a steady stoichiometric rate (see also Hodder et al., 1990). Hence, the dissolution pattern reflects the continuous but incomplete dissolution of glass shards. This process makes the dissolution of glass shards distinct from the dissolution of other non-biogenic (e.g. nanocrystalline minerals) or biogenic
   <sup>10</sup> fractions and adsorbed Si and Al release. These processes occur rapidly at the onset
- of NaOH extraction but do not lead to a fast constant release after unspecified time (Barão et al., 2014; Hashimoto and Jackson, 1958).

Based on the pure samples of tephra (i.e. glass rich), we suggest that shards have a distinct dissolution signature discernable using continuous monitoring during

- <sup>15</sup> a 0.5 M NaOH extraction. The three defining characteristics are: (1) the mineral dissolution slope is extremely high (0.028–0.120 wt.% SiO<sub>2</sub> min<sup>-1</sup>) with (2) a Si : Al ratio in the extracted aqueous phase between 3 and 5 equal to that of un-weathered shards confirming stoichiometric dissolution and its volcanic origin, and (3) a slow non-linear fraction with (Si :  $AI_{aq}/Si : AI_{solid}$ ) = ±1 indicates an initial stoichiometric dissolution un-
- <sup>20</sup> til edges are rounded (Table 3; Fig. 4). Re-analysis with the NaOH method of isolated glass shards is consistent with a constant and stoichiometric dissolution of shards with time (Fig. 5b). Unfortunately, chemical pre-treatment with HCl and  $H_2O_2$  has affected the dissolution characteristics of the shards creating an initial more rapid release of Si and Al.
- <sup>25</sup> We propose that acidic conditions during the cleaning procedure lead to partial dissolution of the volcanic glass shards as shown by Wolff-Boenisch et al. (2004) in acidic and far-from-equilibrium conditions for a range of shards (low and high SiO<sub>2</sub> content). The process at acid conditions can be equally described as for alkaline solutions through the two phase process of deprotonation of Al followed by liberation



of Si (Oelkers and Gislason, 2001). However, Al is preferentially released due to the formation of a silica gel layer at pH < 9 with a thickness depending on the exposure time to acids (Pollard et al., 2003). Of course, addition to an alkaline environment led to a rapid dissolution of any enriched silica gel coating. This provides an explanation for the high Si : Al<sub>x</sub> ratios and rapid Si release rates after pre-treatment (Table 4). We

advise against chemical pre-treatment when analyzing for BSi, because it causes the extraction of non-biogenic fractions.

#### 4.2.2 Discerning a shard signature from non-biogenic Si<sub>Alk</sub>

In group 2 and 3 (Fig. 2), multiple non-linear fractions were observed when modelling dissolution curves. We attribute the contribution of shards to the  $Si_{Alk}$  fraction that evolves slowest to constant release (i.e. lowest *k*) while a low Si : Al<sub>x</sub> ratio suggests a non-biogenic source for the more rapid second Si<sub>Alk</sub> fraction.

Group 2 and 3 are samples from lake, soil and peat records. Here, shards are mixed with a variety of materials during deposition including organic carbon, miner-<sup>15</sup> als and siliceous organisms. The tephra samples with the highest contribution of the secondary Si<sub>Alk</sub> fraction (e.g. Katla, Reykjanes, Saksunarvatn) have a lower stability according to Pollard's theoretical stability modeling (2003). Likewise, the Parker index value for the Tuhua tephra indicates a higher propensity for rapid weathering (Lowe, 1988). We suggest that enhanced weathering in these environments leads to the for-

- <sup>20</sup> mation of secondary mineral and nanocrystalline fractions (Hodder et al., 1990). This would create an additional non-biogenic, alkaline extractable source. Such weathering products are typically enriched in Al with structural Si :  $AI_x$  ratios between 1–3 for clay minerals (Dixon and Weed, 1989) and below 1 for nanocrystalline structures (Levard et al., 2012). In fact, they dissolve or release Si and Al more rapidly, and sometimes
- incongruently, at the beginning of a NaOH extraction (Hashimoto and Jackson, 1958; Koning et al., 2002). This explains why we observe a large range in Si : Al<sub>x</sub> ratios (0.5– 4) initially during the extraction. We suggest it either represents the non-linear part of



clay dissolution (Si : Al<sub>x</sub> ratio: 1–4) or complete dissolution of nanocrystalline minerals (Si : Al<sub>x</sub> ratio: 0.5-1).

Clay minerals will dissolve at a constant rate after an initial rapid release (Koning et al., 2002) similar to primary glass shards. Consequently, the linear part of the disso-<sup>5</sup> lution will reflect stoichiometric dissolution of glass shards (Si : Al<sub>min</sub> ratio: 3–5) and clay minerals (Si : Al<sub>min</sub> ratio: 1–3). Samples with increased abundance of clay contribution will have lowered Si : Al<sub>min</sub> ratios compared to un-weathered shards (Fig. 4a).

## 4.2.3 Discerning a shard signature from biogenic Si<sub>Alk</sub>

In group 3, higher Si :  $AI_x$  ratios > 5 for the slower fraction suggest the presence of an additional biogenic Si<sub>Alk</sub> fraction. Biogenic fractions including diatoms, sponge spicules and phytoliths were identified in these samples microscopically. BSi measurements of the separated biogenic fraction using the continuous NaOH methodology had a single non-linear Si<sub>Alk</sub> fraction, except Tuhua, with on average 72 wt.% SiO<sub>2</sub>. This fraction contains negligible amounts of Al and mineral dissolution is absent confirming the bio-

genic nature of the separated material. The combined presence of diatoms and sponge spicules in the Tuhua samples explains the observation of two distinct BSi fractions (based on reactivity), as alkaline dissolution rates are known to vary between different siliceous organisms (Conley and Schelske, 2001).

Hence, it seems that the rounding of glass shards overlaps with the dissolution of <sup>20</sup> biogenic material, having similar reactivity but higher Si :  $AI_x$  ratios. The distinct pattern of pure shards can be used to make a minimum estimate of its contribution to the slower reacting fraction. Identification of glass shards' dissolution behavior is essential to evaluate the methods ability to estimate the biogenic Si<sub>Alk</sub> content and evaluate the relative contribution of shard dissolution to Si<sub>Alk</sub>. The separation is based on the near <sup>25</sup> to one ratio between Si :  $AI_x$  with the Si :  $AI_{Solid}$  (Fig. 4).

Assumption 1: Si : Al corresponding to the slow fraction  $({\rm Si}_{Alk,\ 1})$  equals the Si : Al of shards



OR

 $\left(\frac{\text{Si}}{\text{AI}}\right)_{1} \approx \left(\frac{\text{Si}}{\text{AI}}\right)_{\text{Solid}}$ 

Assumption 2: All Al originates from shards for the slow fraction i.e. no Al release from the biogenic fraction. This leads to an overestimation of Al as small amounts (< 0.05 wt.%) of Al are found in phytoliths and diatoms (Kameník et al., 2013; Van Cappellen et al., 2002).

$$AI_1 = AI_{Bsi} + AI_{Solid}$$
 with  $AI_{BSi} = 0$ 

So,

 $AI_1 = AI_{Solid}$ 

<sup>10</sup> The Si coming from shards can then be calculated by substitution:

$$Si_{Solid} = \left(\frac{Si}{AI}\right)_{Solid} \cdot AI_1$$

We know that,

 $Si_1 = Si_{BSi} + Si_{Solid}$ 

This delivers:

15  $Si_{Bsi} = Si_1 - Si_{Solid}$ 

The results of this separation exercise combined with the observed difference in other fractions are provided in Fig. 5. Significant shards contribution to  $Si_{Alk}$  is observed for all samples except Reclus  $R_1$ . Although we have no definitive explanation why our Reclus



 $R_1$  sample did not contain observable amounts of shards, our results support the physical observation of no retrievable shard fraction by heavy liquid separation. If anything, it supports the appropriateness of the chemical analysis to detect the occurrence of shards.

- Initial dissolution of shard edges varies between 0.1 to 8 wt.% SiO<sub>2</sub> with a median contribution of 1.8 wt.% SiO<sub>2</sub>. The variation in contribution depends on how fragmented and weathered (i.e. partially dissolved) the glass shards are. There will be a decrease in its contribution if edges have been smoothed during natural dissolution processes. It shows that dissolution of glass shards can contribute substantially to the determination
- <sup>10</sup> of BSi. Likewise, the non-biogenic Si sources (defined as "minerals" here) contribute between 0.2 to 5 wt.% SiO<sub>2</sub> with a median contribution equal to 0.89 wt.% SiO<sub>2</sub>. The combined effect potentially exceeds the biogenic fraction (e.g. K1500), while for others it contributes to less than 10 % of the total extracted Si pool (e.g. Armor1000 and Reclus R<sub>1</sub>).

## **4.3** The tephra factor in soil and paleoecological studies

## 4.3.1 Implications for soil scientists

The global median  $Si_{Alk}$  in the top 1 m of the soil column using alkaline extraction techniques ranges between 0.79–1.12 wt.%  $SiO_2$  (e.g. Melzer et al., 2012; Saccone et al., 2007; Sommer et al., 2013). The magnitude overlaps with  $Si_{Alk}$  content attributed to tenbra, to the initial rapid dissolution of clay minorals and/or complete dissolution of

- to tephra, to the initial rapid dissolution of clay minerals and/or complete dissolution of nanocrystalline fractions in our experiments (Fig. 5). A similar magnitude of Si release between soil samples and our untreated tephra samples during alkaline extraction, implies that the combined dissolution of glass shard, and their weathering products, if present, can disguise the environmental signal of the BSi proxy.
- <sup>25</sup> Glass shards are an important direct source of methodological bias in tephra-based soils, that include Andosols (ISSS-ISRIC-FAO, 1998). Andosols have a limited spatial extent covering about 1–2 % of the land surface. Likewise, volcanic bedrock formed at



the surface covers 6.6% of the land surface (Hartmann and Moosdorf, 2012) and is known to contain limited amounts of glass shards, which are a potential source of  $Si_{Alk}$ in soils. Further, glass shards can be an important component of soils developed in aeolian deposits in the Great Plains, USA (Reyerson, 2012). The inheritance of glass shards in some types of aeolian material might partly explain high  $Si_{Alk}$  in aeolian

deposits measured by other studies (e.g. 4 wt.% SiO<sub>2</sub>; Saccone et al., 2007).

Limited knowledge of the mineralogical composition of our samples could have aided our classification of the non-biogenic fractions. Weathering products of glass shards are proposed to be the largest contributor to the  $Si_{Alk}$  fraction. A Si : Al<sub>x</sub> ratio between

- 10 0.39 and 1.02 (5 out of 8 samples) for this fraction suggest its source to be nanocrystalline fractions. These fractions are typically described as allophanes and imogolites with a Si : Al<sub>x</sub> ratio between 0.5–1 (Levard et al., 2012), and dissolve completely within the first 5 min of alkaline extraction (Hashimoto and Jackson, 1958; Kamatani and Oku, 2000). Various studies have shown that these nanocrystalline minerals also develop in
- soils without a volcanic origin (Gustafsson et al., 1999; Parfitt, 2009). For example, in podzols supersaturation of AI species at ambient dissolved Si concentration leads to the formation of allophanes and imogolites. Nanocrystalline structures are stable at ambient pH conditions above 5 (Parfitt, 2009). Extraction of Si<sub>Alk</sub> will include them in the biological pools (Clymans et al., 2014) and lead to an overestimation of BSi in both volcanic and non-volcanic soils at ambient pH conditions.

We recommend caution when interpreting Si<sub>Alk</sub> measurements from Andosols, or soils developed on volcanic bedrock, at sites where inheritance of volcanic material through aeolian or water deposition is likely. The NaOH method (after Koning et al., 2002) proved its ability to pinpoint problematic samples, and to separate the biogenic

<sup>25</sup> from non-biogenic fractions. The method delivers an excellent opportunity to improve the determination of BSi pools in soil profiles.



#### 4.3.2 Implications for paleoecological studies

Biogenic silica, estimated as Si<sub>Alk</sub>, has proven to be a valuable tool in paleoecological studies as an indicator of environmental changes (e.g. changes in productivity, climate, precipitation and nutrient supply). In lacustrine sediment cores, BSi content can range from the detection limit to > 70 wt.% SiO<sub>2</sub> (Frings et al., 2014a). The downcore variations in BSi through time vary from as little as 2 wt.% SiO<sub>2</sub> (Adams and Finkelstein, 2010; Ampel et al., 2008) to a high of 10–20 wt.% SiO<sub>2</sub> (Johnson et al., 2011; Prokopenko et al., 2006) and depends on several interacting factors such as mineral matter or organic matter accumulation, diatom productivity and preservation/dissolution
processes. Hence, these processes control the relative effect that tephra constituents (< 3 wt.% SiO<sub>2</sub>, Fig. 5) have on Si<sub>Alk</sub> determination. In paleorecords, where there is a several interaction of the several several down.

- a potential contribution of tephra combined with low  $Si_{Alk}$  concentrations or small downcore variations in  $Si_{Alk}$ , the use of  $Si_{Alk}$  as an environmental proxy should be used with caution.
- The accuracy of the alkaline extraction methods as a proxy for BSi concentrations in sediment will depend on the origin of the mineral matter. Koning et al. (2002) suggested that good results with the NaOH method can be obtained for BSi/clay ratios of about 0.005, whereas for Na<sub>2</sub>CO<sub>3</sub> good values can be obtained from a 0.02 ratio. We show that for tephra samples it is a bit more complicated as rounding of the glass shards edges and dissolution of its weathering products (i.e. nanocrystalline minerals and secondary minerals) also contribute to the apparent BSi fraction. Obviously, the spatial and therefore temporal extent of potential contribution is restricted to core sections representing episodes of (1) direct tephra deposition, and subsequent in-situ reworking; or (2) indirect contribution through mobilization of tephra and its weathering
- <sup>25</sup> products in a tephra covered landscape.

Tephra deposition in lakes and peatlands can alter the diatom community composition and diatom abundance (Harper et al., 1986; Hickman and Reasoner, 1994; Lotter et al., 1995), but not always (Telford et al., 2004). Tephra input can induce a change in



water chemistry, causing altered diatom growth and/or preservation (for a review see Harper et al., 1986). In such case, the increase in BSi accumulation can be attributed to tephra deposition rather than to environmental changes. Reported timeframes wherein sustained effects of tephra on diatom productivity can be observed varies between 7

and more than 100 yr (cit. Barsdate and Dugdale, 1972 in Hickman and Reasoner, 1994). This temporal resolution can only be obtained in systems with a high accumulation rate and an excellent chronological constraint, e.g. in varved records (Lotter et al., 1995). On longer timescales, the effect of tephra deposition will be minimized and consequently BSi remains a stable and valid proxy (Hickman and Reasoner, 1994; Johnson et al., 2011).

We suggest that paleoecological studies reporting high temporally resolved records should rely on multiple proxies to reduce the risk of overestimation of the BSi content. The methods used in our study cannot distinguish between tephra induced diatom blooms and those resulting from short- or long-term environmental change. Nevertheless, zones in a sediment record potentially prone to a tephra-induced bloom can be highlighted based on reconnaissance of glass shard contributions. This research topic

15

warrants further investigation.

- 4.3.3 Implications for pre-treatment steps of EPMA during tephrochronological studies
- Tephrochronology requires geochemical fingerprinting of tephra through electron probe microanalysis (EPMA) (Lowe, 2011). EPMA on tephra requires that they are unaltered by natural or laboratory processes. Unfortunately, tephra shards are sensitive to dissolution at high and low pH, conditions that are both naturally occurring and frequently applied during pre-treatment (e.g. Blockley et al., 2005; Dugmore et al., 1992). There-
- fore, corrosive chemical pre-treatment is increasingly avoided in tephrochronological studies and has been replaced by heavy liquid floatation protocols (Blockley et al., 2005; Turney, 1998). The use of NaOH (typical 0.3 M in tephra preparation studies) for cleaning tephra samples of biogenic Si (Davies et al., 2003; Rose et al., 1996; Wulf



et al., 2013) should be used with great caution. Our study demonstrates that alkaline treatments lead to severe dissolution of shards, and can negatively affect the reconnaissance of shards for EPMA analysis. Our data show that dissolution of the shards was equivalent to  $4 \text{ wt.} \% \text{ SiO}_2$  in the first 40 min (Fig. 2a) and that a complete dissolu-

- tion is attained in less than a day. The severity of the dissolution effect depends on the duration of extraction, the temperature at which extraction is performed and the molarity of the solution used (Müller and Schneider, 1993). Good criteria for NaOH cleaning are that extraction times should (1) allow complete BSi dissolution, and (2) limit shard dissolution to a maximum of 10 wt.% SiO<sub>2</sub> so that a sufficient number of undamaged
- shards remain for EPMA analysis. Finally, the Si and Al data suggest stoichiometric dissolution of shards implying that their geochemical composition will remain unaltered. We cannot be conclusive as modeled Si : Al are too imprecise and the release of other dominant constituents (e.g. Na, K) were not monitored. EPMA on samples before and after alkaline treatment (preferentially NaOH) could resolve this issue.

#### 15 5 Conclusions

20

Various wet chemical alkaline extraction techniques commonly used to measure  $Si_{Alk}$  content have been criticized for their usefulness outside marine sciences. Problems are attributed to dissolution of non-biogenic fractions and incomplete dissolution of the biogenic fraction. We evaluated two alkaline extraction techniques using 0.1 MNa<sub>2</sub>CO<sub>3</sub> and 0.5 M NaOH solutions for measuring  $Si_{Alk}$  as a proxy for environmental change in soil, peat and lake records with volcanic inputs.

Alkaline extraction techniques should be used with caution in tephra-based soil profiles, soils developed on volcanic bedrock or soils with aeolian input containing volcanic material. The influence of the dissolution of glass shards on BSi measurements

in paleoecological records can be significant in oligotrophic environments with a low BSi sediment content. Here, concomitant accumulation of volcanic material will lead to significant contribution of a non-biogenic fraction during the determination of Si<sub>Alk</sub>. Oth-



erwise,  $Si_{Alk}$  determined with traditional alkaline methods can be freely used as a proxy to evaluate environmental changes, especially when part of a multi-proxy studies.

Determination of the time course of dissolution during the first 5 h of extraction using  $0.1 \text{ MNa}_2\text{CO}_3$  has proven to be a sensitive indicator of other forms of Si<sub>Alk</sub>. In addition,

- the sequential Na<sub>2</sub>CO<sub>3</sub> extraction is a rather simple method and the results show a high recovery of the biogenic Si fraction (Meunier et al., 2014; Saccone et al., 2007). The main advantage of the method is that a relatively large number of samples can be measured in a relatively short time span. In environments with a high BSi content, the 0.1 MNa<sub>2</sub>CO<sub>3</sub> method is the preferred one.
- We also show that the continuous monitoring of Si and Al extraction in NaOH addresses the main disadvantages of the sequential Na<sub>2</sub>CO<sub>3</sub> method. Our analysis of pure tephra (i.e. mainly containing glass shards) samples provided important information about the dissolution characteristics of volcanic glass shards. Our study confirms that the dissolution of tephra contributes to Si<sub>Alk</sub> determination, but the distinct signature of glass shard dissolution can help to isolate its contribution to the biogenic
- fraction. Continuous monitoring of Si and Al is promoted to analyze complex samples from any environmental record to reduce uncertainty on biological reactive fractions. Future studies should address the reliability and precision of the separation of different fractions through modelling of dissolution parameters.
- Author contributions. W. Clymans, N. Van der Putten, D. J. Conley were responsible for the concept and design of this study. S. Wastegård, S. Björck, N. Van der Putten, B. Moine and G. Gísladóttir advised on, and helped with sample collection. W. Clymans, L. Barão and N. Van der Putten prepared and analyzed samples. W. Clymans was responsible for data analysis and interpretation with inputs on methodology of L. Barão, E. Struyf and D. J. Conley, and interpretation of paleoecological data by all other authors. W. Clymans provided a first draft. All authors contributed to the writing of the paper.

Acknowledgements. The following people are thanked for their invaluable assistance: S. R. Gíslason for providing fresh tephra (Eyjafjallajökull). A. Cools, D. U. Belmonte for assistance during the continuous extractions. A. Gosh helping with microscopic analysis. G. Fontorbe, P. Abbott, S. Davies for advice on sample preparation. Comments by P. Frings,

30



G. Fontorbe, H. Alfredsson, B. Alvarez de Glasby, and J. Stadmark improved the manuscript. This research was funded by the Knut & Alice Wallenberg Foundation, FWO en Belspo (SOGLO). LB thanks Special Research Funding from the University of Antwerp (BOF-UA and NOI) for the PhD fellowship funding.

#### 5 References

15

25

Adams, J. K. and Finkelstein, S. A.: Watershed-scale reconstruction of middle and late Holocene paleoenvironmental changes on Melville Peninsula, Nunavut, Canada, Quaternary Sci. Rev., 29, 2302–2314, doi:10.1016/j.quascirev.2010.05.033, 2010.

Ampel, L., Wohlfarth, B., Risberg, J., and Veres, D.: Paleolimnological response to mil-

- Iennial and centennial scale climate variability during MIS 3 and 2 as suggested by the diatom record in Les Echets, France, Quaternary Sci. Rev., 27, 1493–1504, doi:10.1016/j.quascirev.2008.04.014, 2008.
  - Andresen, C. S., Björck, S., Bennike, O., and Bond, G.: Holocene climate changes in southern Greenland: evidence from lake sediments, J. Quaternary Sci., 19, 783–795, doi:10.1002/jgs.886, 2004.
  - Barão, A., Vandevenne, F., Clymans, W., Frings, P., Ragueneau, O., Meire, P., Conley, D. J., and Struyf, E.: Alkaline-extractable silicon from land to ocean: a challenge for biogenic Silicon determination., Limnol. Oceanogr.-Meth., in press, 2015.

Barão, L., Clymans, W., Vandevenne, F., Meire, P., Conley, D., and Struyf, E.: Pedogenic and

- <sup>20</sup> biogenic alkalineextracted silicon distributions along a temperate landuse gradient, Eur. J. Soil Sci., 65, 693–705, 2014.
  - Björck, S., Rittenour, T., Rosén, P., França, Z., Möller, P., Snowball, I., Wastegård, S., Bennike, O., and Kromer, B.: A Holocene lacustrine record in the central North Atlantic: proxies for volcanic activity, short-term NAO mode variability, and long-term precipitation changes, Quaternary Sci. Rev., 25, 9–32, doi:10.1016/j.guascirev.2005.08.008, 2006.
  - Blockley, S. P. E., Pyne-O'Donnell, S. D. F., Lowe, J. J., Matthews, I. P., Stone, A., Pollard, A. M., Turney, C. S. M., and Molyneux, E. G.: A new and less destructive laboratory procedure for the physical separation of distal glass tephra shards from sediments, Quaternary Sci. Rev., 24, 1952–1960, doi:10.1016/j.quascirev.2004.12.008, 2005.



Churchman, J. and Lowe, D. J.: Alteration, formation, and occurrence of minerals in soils, in:, Handbook of Soil Sciences, vol. 1: Properties and Processes, 2nd edn., edited by: Huang, P. and Li, Y., CRC Press, Boca Raton, FL, 20.1–20.71, 2012.

Clymans, W., Govers, G., Van Wesemael, B., Meire, P., and Struyf, E.: Amorphous silica analysis in terrestrial runoff samples, Geoderma, 167–168, 228–235, 2011a.

ysis in terrestrial runoff samples, Geoderma, 167–168, 228–235, 2011a. Clymans, W., Struyf, E., Govers, G., Vandevenne, F., and Conley, D. J.: Anthropogenic impact on amorphous silica pools in temperate soils, Biogeosciences, 8, 2281–2293, doi:10.5194/bg-8-2281-2011, 2011b.

Clymans, W., Lehtinen, T., Gísladóttir, G., Lair, G., Barão, L., Ragnarsdóttir, K., Struyf, E., and

- <sup>10</sup> Conley, D.: Si precipitation during weathering in different icelandic andosols, Procedia Earth Planet. Sci., 10, 260–265, 2014.
  - Conley, D. and Schelske, C.: Biogenic silica, in: Tracking Environmental Change Using Lake Sediments: Biological Methods and Indicators, edited by: Smol, J., Birks, H., and Last, W., Kluwer Academic Press, Dordrecht, the Netherlands, 281–293, 2001.
- <sup>15</sup> Conley, D., Schelske, C., and Stoermer, E.: Modification of the biogeochemical cycle of silica with eutrophication, Mar. Ecol.-Prog. Ser., 101, 179–192, 1993.
  - Cornelis, J. T., Ranger, J., Iserentant, A., and Delvaux, B.: Tree species impact the terrestrial cycle of silicon through various uptakes, Biogeochemistry, 97, 231–245, doi:10.1007/s10533-009-9369-x, 2010.
- <sup>20</sup> Cornelis, J.-T., Titeux, H., Ranger, J., and Delvaux, B.: Identification and distribution of the readily soluble silicon pool in a temperate forest soil below three distinct tree species, Plant Soil, 342, 369–378, doi:10.1007/s11104-010-0702-x, 2011a.
  - Cornelis, J.-T., Delvaux, B., Georg, R. B., Lucas, Y., Ranger, J., and Opfergelt, S.: Tracing the origin of dissolved silicon transferred from various soil-plant systems towards rivers: a review, Biogeosciences, 8, 89–112, doi:10.5194/bg-8-89-2011, 2011b.
  - Davies, S. M., Wastegård, S., and Wohlfarth, B.: Extending the limits of the Borrobol Tephra to Scandinavia and detection of new early Holocene tephras, Quaternary Res., 59, 345–352, 2003.

25

30

DeMaster, D.: The supply and accumulation of silica in the marine-environment, Geochim. Cosmochim. Ac., 45, 1715–1732, 1981.

Dixon, J. B. and Weed, S. B.: Minerals in Soil Environments, 2nd edn., Soil Sci Soc Am J, Madison, WI, USA, 1989.



Dugmore, A. J., Newton, A. J., Sugden, D. E., and Larsen, G.: Geochemical stability of finegrained silicic Holocene tephra in Iceland and Scotland, J. Quaternary Sci., 7, 173-183, doi:10.1002/jqs.3390070208, 1992.

Fernández, M., Björck, S., Wohlfarth, B., Maidana, N. I., Unkel, I., and Van der Putten, N.: Di-

- atom assemblage changes in lacustrine sediments from Isla de los Estados, southernmost 5 South America, in response to shifts in the southwesterly wind belt during the last deglaciation, J. Paleolimnol., 50, 433–446, doi:10.1007/s10933-013-9736-4, 2013.
  - Frings, P., Clymans, W., Jeppesen, E., Lauridsen, T., Struyf, E., and Conley, D.: Lack of steadystate in the global biogeochemical Si cycle: emerging evidence from lake Si sequestration, Biogeochemistry, 117, 255-277, doi:10.1007/s10533-013-9944-z, 2014a.
- Frings, P. J., Clymans, W., and Conley, D. J.: Amorphous Silica Transport in the Ganges Basin: Implications for Si Delivery to the Oceans, Procedia Earth Planet. Sci., 10, 271–274, 2014b. Gehlen, M. and van Raaphorst, W.: Early diagenesis of silica in sandy North sea sediments: guantification of the solid phase, Mar. Chem., 42, 71-83, doi:10.1016/0304-4203(93)90238-J. 1993.
- 15

10

Gísladóttir, G., Erlendsson, E., Lal, R., and Bigham, J.: Erosional effects on terrestrial resources over the last millennium in Revkjanes, southwest Iceland, Quaternary Res., 73, 20-32, doi:10.1016/j.yqres.2009.09.007, 2010.

Gislason, S. R., Alfredsson, H. A., Eiriksdottir, E. S., Hassenkam, T., and Stipp, S. L. S.:

- Volcanic ash from the 2010 Eyjafjallajökull eruption, Appl Geochem, 26, S188-S190, 20 doi:10.1016/j.apgeochem.2011.03.100, 2011a.
  - Gislason, S. R., Hassenkam, T., Nedel, S., Bovet, N., Eiriksdottir, E. S., Alfredsson, H. A., Hem, C. P., Balogh, Z. I., Dideriksen, K., Oskarsson, N., Sigfusson, B., Larsen, G., and Stipp, S. L.: Characterization of Eyjafjallajokull volcanic ash particles and a protocol for rapid
- risk assessment, P. Natl. Acad. Sci. USA, 108, 7307–7312, doi:10.1073/pnas.1015053108, 25 2011b.
  - Grasshoff, K., Ehrhardt, M., and Kremling, K.: Methods of Sea Water Analysis, Verlag Chemie, Weinheim, Germany, 314 pp., 1983.

Gudmundsson, A., Oskarsson, N., Gronvold, K., Saemundsson, K., Sigurdsson, O., Stefans-

- son, R., Gislason, S., Einarsson, P., Brandsdottir, B., Larsen, G., Johannesson, H., and Thor-30 darson, T.: The 1991 eruption of Hekla, Iceland, B. Volcanol., 54, 238-246, 1992.
  - Guntzer, F., Keller, C., and Meunier, J.-D.: Benefits of plant silicon for crops: a review, Agron. Sustain. Dev., 32, 201-213, 2012.



BGD 12, 3505–3545, 2015 Implications for soil and paleoecological studies W. Clymans et al. Paper **Title Page** Introduction Abstract Conclusions References Discussion Paper Tables **Figures** Back Close Full Screen / Esc **Discussion** Paper **Printer-friendly Version** Interactive Discussion

Discussion

Paper

Discussion

Gustafsson, J. P., Bhattacharya, P., and Karltun, E.: Mineralogy of poorly crystalline aluminium phases in the B horizon of Podzols in southern Sweden, Appl. Geochem., 14, 707–718, doi:10.1016/S0883-2927(99)00002-5, 1999.

Haflidason, H., Larsen, G., and Olafsson, G.: The recent sedimentation history of Thingvallavatn, Iceland, Oikos, 64, 80-95, doi:10.2307/3545044, 1992.

5

Harper, M. A., Howorth, R., and McLeod, M.: Late Holocene diatoms in Lake Poukawa: effects of airfall tephra and changes in depth, New Zeal. J. Mar. Fresh., 20, 107-118, doi:10.1080/00288330.1986.9516135.1986.

Hartmann, J. and Moosdorf, N.: The new global lithological map database GLiM: A repre-

sentation of rock properties at the Earth surface, Geochem. Geophy. Geosy., 13, Q12004, 10 doi:10.1029/2012GC004370.2012.

Hashimoto, I. and Jackson, M.: Rapid dissolution of allophane and kaolinite-halloysite after dehydration, in: 7th Natl. Conf. on Clays and Clay Minerals, Washington, 102-113, 1958.

Heathcote, A., Ramstack Hobbs, J., Anderson, N. J., Frings, P., Engstrom, D., and Downing, J.:

Diatom floristic change and lake paleoproduction as evidence of recent eutrophication in 15 shallow lakes of the midwestern USA, J. Paleolimnol., 53, 17-34, doi:10.1007/s10933-014-9804-4, 2014.

Heyng, A. M., Mayr, C., Lücke, A., Striewski, B., Wastegård, S., and Wissel, H.: Environmental changes in northern New Zealand since the Middle Holocene inferred from stable isotope

records ( $\delta^{15}$ N,  $\delta^{13}$ C) of Lake Pupuke, J. Paleolimnol., 48, 351–366, doi:10.1007/s10933-20 012-9606-5, 2012.

Hickman, M. and Reasoner, M. A.: Diatom responses to late Quaternary vegetation and climate change, and to deposition of two tephras in an alpine and a sub-alpine lake in Yoho National Park, British Columbia, J. Paleolimnol., 11, 173–188, 1994.

Hodder, A., Green, B., and Lowe, D.: A two-stage model for the formation of clay minerals from 25 tephra-derived volcanic glass, Clay Miner., 25, 313-327, 1990.

Hydes, D. and Liss, P.: Fluorimetric method for the determination of low concentrations of dissolved aluminium in natural waters, Analyst, 101, 922-931, 1976.

ISSS-ISRIC-FAO: World Reference Base for Soil Resources, World Soil Resources Reports, edited by: FAO, Rome, 1998. 30

Johansson, H. and Wastegård, S.: Proximal tephra glass geochemistry from eruptions in the Azores archipelago and possible links with sites in Ireland, Holocene, submitted, 2015.

- Johnson, T. C., Brown, E. T., and Shi, J.: Biogenic silica deposition in Lake Malawi, East Africa over the past 150 000 years, Palaeogeogr. Palaeocl., 303, 103–109, doi:10.1016/j.palaeo.2010.01.024, 2011.
- Kamatani, A. and Oku, O.: Measuring biogenic silica in marine sediments, Mar. Chem., 68, 219–229, 2000.

10

15

20

- Kameník, J., Mizera, J., and Řanda, Z.: Chemical composition of plant silica phytoliths, Environ. Chem. Lett., 11, 189–195, doi:10.1007/s10311-012-0396-9, 2013.
- Koning, E., Epping, E., and Van Raaphorst, W.: Determining biogenic silica in marine samples by tracking silicate and aluminium concentrations in alkaline leaching solutions, Aquat. Geochem., 8, 37–67, 2002.
- Le Bas, M., Le Maitre, R., Streckeisen, A., and Zanettin, B.: A chemical classification of volcanic rocks based on the total alkali-silica diagram, J. Petrol., 27, 745–750, 1986.
- Levard, C., Doelsch, E., Basile-Doelsch, I., Abidin, Z., Miche, H., Masion, A., Rose, J., Borschneck, D., and Bottero, J. Y.: Structure and distribution of allophanes, imogolite and proto-imogolite in volcanic soils, Geoderma, 183–184, 100–108, doi:10.1016/j.geoderma.2012.03.015, 2012.
- Lind, E. M. and Wastegård, S.: Tephra horizons contemporary with short early Holocene climate fluctuations: new results from the Faroe Islands, Quatern. Int., 246, 157–167, 2011.

Lotter, A., Birks, H., and Zolitschka, B.: Late-glacial pollen and diatom changes in response to two different environmental perturbations: volcanic eruption and Younger Dryas cooling, J. Paleolimnol., 14, 23–47, 1995.

- Lowe, D. J.: Stratigraphy, age, composition, and correlation of late Quaternary tephras interbedded with organic sediments in Waikato lakes, North Island, New Zealand, New Zealand J. Geol. Geop., 31, 125–165, 1988.
- Lowe, D. J.: Tephrochronology and its application: A review, Quat. Geochronol., 6, 107–153, doi:10.1016/j.quageo.2010.08.003, 2011.
  - Lyle, A. O. and Lyle, M. W.: Determination of biogenic opal in pelagic marine sediments: a simple method revisited, edited by: Lyle, M. W., Wilson, P. A., Janecek, T. R., Backman, J., Busch, W. H., Coxall, H. C., Faul, K., Gaillot, P., Hovan, S.A., Knoop, P., Kruse, S., Lanci, L.,
- Lear, C., Moore, T. C., Nigrini, C. A., Nishi, H., Nomura, R., Norris, R.D., Pälike, H., Parés, J. M., Quintin, L., Raffi, I., Rea, B. R., Rea, D. K., Steiger, T. H., Tripati, A., Vanden Berg, M. D., and Wade, B., Proc. ODP, Init. Repts., 199: College Station, TX (Ocean Drilling Program), 1–21, doi:10.2973/odp.proc.ir.199.106.2002, 2002.



- Mackie, E. A., Davies, S. M., Turney, C. S., Dobbyn, K., Lowe, J. J., and Hill, P. G.: The use of magnetic separation techniques to detect basaltic microtephra in last glacial–interglacial transition (LGIT; 15–10 ka cal. BP) sediment sequences in Scotland, Scot. J. Geol., 38, 21–30, 2002.
- <sup>5</sup> Melzer, S. E., Chadwick, O. A., Hartshorn, A. S., Khomo, L. M., Knapp, A. K., and Kelly, E. F.: Lithologic controls on biogenic silica cycling in South African savanna ecosystems, Biogeochemistry, 108, 317–334, 2012.
  - Meunier, J. D., Keller, C., Guntzer, F., Riotte, J., Braun, J. J., and Anupama, K.: Assessment of the 1 % Na<sub>2</sub>CO<sub>3</sub> technique to quantify the phytolith pool, Geoderma, 216, 30–35, doi:10.1016/j.geoderma.2013.10.014, 2014.

15

25

30

Morley, D. W., Leng, M. J., Mackay, A. W., Sloane, H. J., Rioual, P., and Battarbee, R. W.: Cleaning of lake sediment samples for diatom oxygen isotope analysis, J. Paleolimnol., 31, 391–401, 2004.

Müller, P. and Schneider, R.: An automated leaching method for the determination of opal in sediments and particulate matter. Deep-Sea Res. Pt I. 40, 425–444, 1993.

- Norddahl, H. and Haflidason, H.: The Skogar tephra, a Younger Dryas marker in north Iceland, Boreas, 21, 23–41, 1992.
  - Oelkers, E. H. and Gislason, S. R.: The mechanism, rates and consequences of basaltic glass dissolution: I. An experimental study of the dissolution rates of basaltic glass as a function
- of aqueous Al, Si and oxalic acid concentration at 25 °C and pH = 3 and 11, Geochim. Cosmochim. Ac., 65, 3671–3681, 2001.
  - Parfitt, R.: Allophane and imogolite: role in soil biogeochemical processes, Clay Miner., 44, 135–155, 2009.

Pollard, A., Blockley, S., and Ward, K.: Chemical alteration of tephra in the depositional environment: theoretical stability modelling, J. Quaternary Sci., 18, 385–394, 2003.

Prokopenko, A. A., Hinnov, L. A., Williams, D. F., and Kuzmin, M. I.: Orbital forcing of continental climate during the Pleistocene: a complete astronomically tuned climatic record from Lake Baikal, SE Siberia, Quaternary Sci. Rev., 25, 3431–3457, 2006.

Reyerson, P.: Reactive Silica in Loess-Derived Soils of Central North America, Ph.D. thesis, Geography, University of Wisconsin-Madison, 187 pp., 2012.

Rose, N., Golding, P., and Battarbee, R.: Selective concentration and enumeration of tephra shards from lake sediment cores, Holocene, 6, 243–246, 1996.



- 3535
- Lond. B Bio., 269, 289-294, 2002. Wastegård, S., Björck, S., Possnert, G., and Wohlfarth, B.: Evidence for the occurrence of Vedde Ash in Sweden: radiocarbon and calendar age estimates, J. Quaternary Sci., 13, 271-274, 1998. Wolff-Boenisch, D., Gislason, S. R., Oelkers, E. H., and Putnis, C. V.: The dissolution rates of
- 30 natural glasses as a function of their composition at pH 4 and 10.6, and temperatures from 25 to 74°C, Geochim. Cosmochim. Ac., 68, 4843–4858, 2004.

- Saccone, L., Conley, D., Koning, E., Sauer, D., Sommer, M., Kaczorek, D., Blecker, S., and Kelly, E.: Assessing the extraction and quantification of amorphous silica in soils of forest and grassland ecosystems, Eur. J. Soil Sci., 58, 1446–1459, 2007.
- Sauer, D., Saccone, L., Conley, D., Herrmann, L., and Sommer, M.: Review of methodologies
- for extracting plant-available and amorphous Si from soils and aquatic sediments, Biogeo-5 chemistry, 80, 89-108, 2006.
  - Sommer, M., Jochheim, H., Höhn, A., Breuer, J., Zagorski, Z., Busse, J., Barkusky, D., Meier, K., Puppe, D., Wanner, M., and Kaczorek, D.: Si cycling in a forest biogeosystem - the importance of transient state biogenic Si pools, Biogeosciences, 10, 4991-5007, doi:10.5194/bg-10-4991-2013, 2013,
- 10

- Stephens, J. C. and Hering, J. G.: Factors affecting the dissolution kinetics of volcanic ash soils: dependencies on pH, CO<sub>2</sub>, and oxalate, Appl. Geochem., 19, 1217–1232, 2004.
- Struyf, E. and Conley, D.: Emerging understanding of the ecosystem silica filter, Biogeochemistry, 107, 9–18, 2012.
- Telford, R. J., Barker, P., Metcalfe, S., and Newton, A.: Lacustrine responses to tephra deposi-15 tion: examples from Mexico, Quaternary Sci. Rev., 23, 2337-2353, 2004.
  - Turney, C. S.: Extraction of rhyolitic component of Vedde microtephra from minerogenic lake sediments, J. Paleolimnol., 19, 199-206, 1998.

Unkel, I., Björck, S., and Wohlfarth, B.: Deglacial environmental changes on Isla de los Estados (54.4 S), southeastern Tierra del Fuego, Quaternary Sci. Rev., 27, 1541–1554, 2008.

20 Van Cappellen, P., Dixit, S., and van Beusekom, J.: Biogenic silica dissolution in the oceans: reconciling experimental and fieldbased dissolution rates, Global Biogeochem. Cy., 16, 23-21-23-10, 2002.

Verschuren, D., Johnson, T., Kling, H., Edgington, D., Leavitt, P., Brown, E., Talbot, M., and

- Hecky, R.: History and timing of human impact on Lake Victoria, East Africa, P. Roy. Soc.



Discussion

Paper

**Discussion** Paper

**Discussion** Paper



Wulf, S., Ott, F., Słowiński, M., Noryśkiewicz, A. M., Dräger, N., Martin-Puertas, C., Czymzik, M., Neugebauer, I., Dulski, P., and Bourne, A. J.: Tracing the Laacher See Tephra in the varved sediment record of the Trzechowskie palaeolake in central Northern Poland, Quaternary Sci. Rev., 76, 129–139, 2013.



**Table 1.** The provenance, origin of the sample, eruption date and composition of the specific tephra deposits analyzed.

Tephra	Origin	Profile	Age (cal BP) Composition		Reference
Hekla1991	Iceland	Fresh deposit	23 <sup>ª</sup>	Basaltic-Andesite	Gudmundsson et al. (1992)
EFJ2010_SJV	Iceland	Fresh deposit	4 <sup>a</sup>	Trachy-andesite	Unpublished data <sup>c</sup>
EFJ2010_1504	Iceland	Fresh deposit	4 <sup>a</sup>	Trachy-andesite	Gislason et al. (2011a and b)
Fogo A	Azores, Portugal	Buried Soil	5000	Dacite	Johansson and Wastegård (2015)
PAS-2T39	Argentina	Lake	48750	Rhyolite	Wastegård et al. (2013)
TC09_48a	Kerguelen Island	Buried Soil	1000	Trachyte	Unpublished data <sup>d</sup>
Pompeii	Italy	Buried Soil	1871	Tephri-phonolite	Unpublished data
Vedde Ash	Iceland	Fresh deposit	12100	Mixed Basalt and Rhyolite	Norddahl and Haflidason (1992) <sup>b</sup>
Reykjanes1226	Iceland	Soil	722	Basalt	Gísladóttir et al. (2010)
Cav-A	Azores, Portugal	Peat bog	1000	Tephrite	Björck et al. (2006)
Saksunarvatn	Faroe Island	Lake	10200	Basalt	Lind and Wastegård (2011) +
					Tephrabase
Tuhua	New Zealand	Lake	7000	Peralkaline Rhyolite	Heyng et al. (2012)
Armor1000	Kerguelen Island	Peat bog	1000	Trachyte	Unpublished data <sup>d</sup>
Katla1500	Iceland	Soil	450	Basalt	Haflidason et al. (1992)
Reclus R <sub>1</sub>	Argentina	Lake	15000	Rhyolite	Unkel et al. (2008)

<sup>a</sup> Expressed as years before 2014.

<sup>b</sup> Referred to as the Skógar Tephra.

<sup>c</sup> Used data Gislason et al. (2011b) for typical ash.

<sup>d</sup> Publication in preparation.



**Discussion** Paper

**Discussion** Paper

**Discussion** Paper

**Table 2.** Comparison of Si<sub>Alk</sub> (wt.% SiO<sub>2</sub> ± SD; n = 5) of 14 selected tephra deposits for two commonly applied methods: 0.1 MNa<sub>2</sub>CO<sub>3</sub> based on mineral dissolution slope 3–5 h and 20–24 h and 0.5 M NaOH. Note: Sample EFJ2010\_1504 is not included.

Name Tephra	3–5 h Na <sub>2</sub> CO <sub>3</sub>	20–24 h $Na_2CO_3$	NaOH	Si <sub>Alk, 20–24 h</sub> / Si <sub>Alk, 3–5 h</sub>
Hekla1991	$0.49 \pm 0.27$	2.75	0.27	5.61
EFJ2010_SJV	$0.30 \pm 0.15$	$2.14 \pm 0.25$	0.30	7.13
Fogo A	$0.91 \pm 0.29$	$2.66 \pm 0.23$	1.68	2.92
PAS-2T39	$1.35 \pm 0.31$	4.82	2.32	3.57
TC09_48a	$1.13 \pm 0.27$	6.00	4.34	5.31
Pompeii	$1.08 \pm 0.05$	$2.73 \pm 0.46$	0.90	2.53
Reykjanes1226	$1.31 \pm 0.40$	0.87	2.30	0.66
Vedde Ash	$1.54 \pm 0.41$	3.86	1.86	2.51
Saksunarvatn	$5.82 \pm 1.13$	8.23	5.57	1.41
Cav-A	$1.13 \pm 0.19$	1.91	1.60	1.69
Tuhua	$7.73 \pm 0.59$	14.00	10.53	1.81
Armor1000	$4.09 \pm 0.37$	$4.96 \pm 1.09$	3.51	1.21
Katla1500	$2.18 \pm 0.48$	$3.39 \pm 1.04$	4.89	1.56
Reclus R <sub>1</sub>	$16.68 \pm 1.32$	18.10	23.47	1.09

BGD 12, 3505-3545, 2015 Implications for soil and paleoecological studies W. Clymans et al. **Title Page** Abstract Introduction Conclusions References **Tables** Figures 14 • Back Close Full Screen / Esc Printer-friendly Version Interactive Discussion  $(\mathbf{\hat{n}})$ 

**Discussion** Paper

**Discussion** Paper

**Discussion Paper** 

**Table 3.** Modeled dissolution parameters after alkaline (NaOH) extraction of untreated samples. For each fraction (Si<sub>Alk,x</sub>; wt.% SiO<sub>2</sub>) the Si : Al<sub>x</sub> ratios, rate of non-linear dissolution/release  $k_x$  (min<sup>-1</sup>) for fraction x and b (wt.% SiO<sub>2</sub>min<sup>-1</sup>) the slope of the mineral dissolution with a Si : Al<sub>min</sub> ratio are given for all samples. Additional column representing the Si and Al ratio of unweathered shards based on available EMPA data (Si : Al<sub>solid</sub>).

Sample	Fraction 1		F	Fraction 2			Fraction 3			ineral	Total	EMPA*	
	Si <sub>Alk, 1</sub>	<i>k</i> <sub>1</sub>	Si : Al <sub>1</sub>	Si <sub>Alk, 2</sub>	<i>k</i> <sub>2</sub>	Si : Al <sub>2</sub>	Si <sub>Alk, 3</sub>	k <sub>3</sub>	Si : Al <sub>3</sub>	b	$\mathrm{Si}:\mathrm{Al}_{\mathrm{min}}$	Si <sub>Alk, tot</sub>	Si : Al <sub>solid</sub>
Hekla1991	0.27	0.45	4.03	-	-	-	-	-	-	0.032	3.25	0.27	3.35
EFJ2010_SJV	0.30	0.15	3.41	-	_	-	-	_	-	0.027	4.08	0.30	3.41
EFJ2010_1504	1.24	0.16	3.53	-	_	-	-	_	-	0.116	3.59	1.24	3.44
Fogo A	1.68	0.11	3.98	-	_	-	-	_	-	0.108	3.12	1.68	3.44
PAS 2T39	2.32	0.11	4.92	-	_	-	-	_	-	0.130	4.17	2.32	4.89
TC09_48a	3.58	0.05	3.59	0.76	1.01	0.95	-	-	-	0.188	3.57	4.34	3.86
Pompeii	0.45	0.23	1.19	0.45	1.77	2.17	-	-	-	0.041	1.58	0.90	2.35
Vedde Ash	0.90	0.11	1.73	0.96	0.94	4.40	-	_	-	0.057	3.54	1.86	3.94
Reykjanes1226	0.68	0.05	2.15	1.62	1.65	1.03	-	_	-	0.038	1.19	2.30	3.84
Saksunarvatn	2.15	0.21	2.31	3.42	1.89	3.55	-	-	-	0.057	3.71	5.57	3.31
Cav-A	0.58	0.05	8.00	1.02	1.05	0.46	-	_	-	0.017	2.13	1.60	2.97
Tuhua	8.01	0.14	26.26	2.52	0.74	22.40	-	-	-	0.201	8.71	10.53	7.21
Armor1000	2.89	0.19	26.83	0.61	1.12	0.37	-	-	-	0.079	4.31	3.51	3.58
Katla1500	2.01	0.16	13.42	2.88	0.46	0.91	-	-	-	0.038	2.36	4.89	3.57
Reclus R <sub>1</sub>	10.31	0.19	9.03	13.12	0.18	18.05	0.04	0.31	0.60	0.000	0.01	23.47	N/A

\* Electron Microprobe Analysis data is based on available data (overview Table 1; Fig. 1).

<b>B(</b> 12, 3505–4	<b>BGD</b> 12, 3505–3545, 2015										
Implicatio and paleo stue	Implications for soil and paleoecological studies										
W. Clym	W. Clymans et al.										
Title	Page										
Abstract	Introduction										
Conclusions	References										
Tables	Figures										
14	►I.										
•	•										
Back	Close										
Full Scre	een / Esc										
Printer-frier	Printer-friendly Version										
Interactive	Discussion										
CC ①											

**Discussion Paper** 

**Discussion** Paper

**Discussion Paper** 

**Table 4.** Modeled dissolution parameters after alkaline (NaOH) extraction of heavy liquid separated (a) volcanic glass shards and (b) biogenic silica fractions. For each fraction (Si<sub>Alk,x</sub>; wt.% SiO<sub>2</sub>) the Si/Al<sub>x</sub> ratios, rate of non-linear dissolution/release  $k_x$  (min<sup>-1</sup>) for fraction x and b (wt.% SiO<sub>2</sub>min<sup>-1</sup>) the slope of the mineral dissolution with a Si/Al<sub>min</sub> ratio are given for all samples.

			Volcanic	glass sh	ards		Biogenic Si									
	Fraction 1		Mineral		Total	Fraction 1			Fraction 2			Mi	Mineral			
Sample	Si <sub>Alk, 1</sub>	<i>k</i> <sub>1</sub>	Si : Al <sub>1</sub>	b	$\mathrm{Si}:\mathrm{Al}_{\mathrm{min}}$	Si <sub>Alk, tot</sub>	Si <sub>Alk, 1</sub>	<i>k</i> <sub>1</sub>	Si : Al <sub>1</sub>	Si <sub>Alk, 2</sub>	<i>k</i> <sub>2</sub>	Si : Al <sub>2</sub>	b	$\mathrm{Si}:\mathrm{Al}_{\mathrm{min}}$	Si <sub>Alk, tot</sub>	
Hekla1991	3.45	0.58	20.08	0.049	1.92	3.45	-	-	-	-	-	_	-	-	-	
EFJ2010_SJV	2.31	0.68	98.43	0.042	4.22	2.31	-	-	-	-	-	-	-	-	-	
EFJ2010_1504	15.70	0.96	80.60	0.215	3.65	15.70	-	_	-	-	-	-	-	-	-	
Vertical bFogo A	2.51	0.39	70.76	0.263	3.02	2.51	-	_	-	-	-	-	-	-	-	
PAS 2T39	2.24	0.28	15.92	0.339	4.15	2.24	-	-	-	-	-	-	-	-	-	
TC09_48a	1.25	0.65	42.51	0.294	3.81	1.25	-	-	-	-	-	-	-	-	-	
Pompeii	22.59	0.90	110.64	0.027	1.45	22.59	-	-	-	-	-	-	-	-	-	
Vedde Ash	0.54	1.27	657.58	0.031	3.78	0.54	-	-	-	-	-	-	-	-	-	
Reykjanes1226	3.39	0.94	38.61	0.066	4.08	3.39	-	-	-	-	-	-	-	-	-	
Saksunarvatn	4.95	1.15	59.77	0.023	2.33	4.95	79.25	0.28	20 504	-	-	-	-	-	79.25	
Cav-A	3.80	0.71	142.89	0.023	2.59	3.80	-	-	-	-	-	-	-	-	-	
Tuhua	3.84	0.19	17.00	0.206	6.59	3.84	23.50	0.47	390	30.38	0.05	7.50	-	-	53.88	
Armor1000	1.82	0.43	371.55	0.097	2.53	1.82	79.78	0.37	361	-	-	-	-	-	79.78	
Katla1500	4.60	0.97	37.72	0.095	3.33	4.60	66.66	0.90	155	-	-	-	0.063	4.37	66.66	
Reclus R <sub>1</sub>	-	-	-	-	-	-	77.33	0.23	111	-	-	-	-	-	77.33	







**BGD** 

Figure 1. Composition of glass shards in our tephra samples presented on a total alkali silica diagram (SiO<sub>2</sub> vs. Na<sub>2</sub>O + K<sub>2</sub>O). Geochemical boundaries are according to Le Bas et al. (1986). Data are normalized averages of EMPA analysis. No data are available for Reclus R<sub>1</sub> Sample.



**Figure 2.** Dissolution curves of untreated tephra deposits grouped by characteristic features during the semi continuous extraction with  $Na_2CO_3$  (**a**–**c**) for Si and continuous extraction NaOH (**d**–**f**) for Si, Al and Si : Al ratio. Note: groups are the same between methods but time unit *x* axis differs between (**a**–**c**) and (**d**–**f**). For NaOH only 1 representative curve per group is presented Group 1 contains Hekla1991, both EFJ2010, Fogo A, PAS-2T39 and TC09\_48a; Group 2 contains Reykjanes1226, Cav-A, Pompeii and Vedde Ash; Group 3 contains Saksunarvatn, Tuhua, Armor1000, Katla1500 and Reclus R<sub>1</sub>.





**Figure 3.** Separation in non-linear (Si<sub>Alk</sub> and Al<sub>Alk</sub>) and linear (Si<sub>Min</sub> and Al<sub>Min</sub>) fractions based modeling the continuous dissolution curves of Si and Al using Eq. (1), grouped by their specific characteristics. Grouped by dominant fraction (in bold): Shards (solid circles), Minerals (open circles, i.e. nanocrystalline and clay minerals) or Biogenic Si (triangles). Group 1 contains Hekla1991, both EFJ2010, Fogo A PAS-2T39 and TC09\_48a; Group 2 contains Reykjanes1226, Cav-A, Pompeii and Vedde Ash; Group 3 contains Saksunarvatn, Tuhua, Amor1000, Katla1500 and Reclus R<sub>1</sub>.





**Figure 4.** Comparison of Si :  $AI_{solid}$  (from EMPA) and Si :  $AI_{min}$  during alkaline dissolution (Table 3). Grouped by dominant fraction: Shards (solid circles), Minerals (open circles, i.e. nanocrystalline and clay minerals) or Biogenic Si (triangles). No data are available for Reclus  $R_1$  Sample.





Figure 5. Separation of biogenic vs. non-biogenic (i.e. mineral or shard) fractions during alkaline extractions for all selected tephra deposits. Note: TC09\_48a was reclassified to group 2 as it has a non-biogenic Si<sub>Alk</sub> source.

**Printer-friendly Version** 

Interactive Discussion