

Average chemical composition (wt%) of S-type cosmic spherules collected from central Indian ocean basin and blue ice region near Maitri Station (Antarctica).

Sample No.	Type	Na2O	MgO	Al2O3	SiO2	P2O5	SO2	K2O	CaO	TiO2	Cr2O3	MnO	FeO	CoO	NiO	Total
AAS-38/43-P40	Scoriaceous	0.1	22.5	2.0	31.0	0.0	1.1	0.0	0.1	0.1	0.9	0.3	39.8	0.1	0.9	99.0
AAS-38/43-P55	Scoriaceous	0.1	24.5	1.0	32.1	0.1	0.0	0.0	0.4	0.1	0.7	0.2	36.3	0.1	0.5	96.1
AAS-38/43-P59	Scoriaceous	0.2	24.7	0.7	31.4	0.3	0.2	0.0	0.1	0.1	0.4	0.2	39.1	0.1	0.6	98.0
AAS-38-164-P61	Scoriaceous	0.2	35.4	2.6	37.3	0.3	0.0	0.1	0.6	0.1	0.3	0.3	21.0	0.0	0.2	98.4
AAS-38-167#1/P122	Scoriaceous	0.0	34.0	1.0	36.0	0.2	0.1	0.0	0.6	0.1	3.1	0.2	25.4	0.1	1.3	102.0
AAS-38-170-P141	Scoriaceous	0.0	20.2	1.2	31.7	0.3	0.1	0.0	0.1	0.0	0.0	0.2	44.4	0.1	0.9	99.4
AAS-38-173-P44	Scoriaceous	0.1	21.6	2.2	29.2	0.1	0.9	0.1	0.5	0.1	0.5	0.4	36.9	0.1	0.9	93.5
AAS-38-173-P56	Scoriaceous	0.1	30.6	1.2	35.8	0.5	0.1	0.1	1.6	0.1	0.3	0.2	26.2	0.0	0.1	96.9
AAS-38-173-P140	Scoriaceous	0.1	25.2	1.6	32.1	0.2	0.0	0.0	0.7	0.1	1.1	0.4	34.7	0.1	0.1	96.4
AAS-38-173-P167	Scoriaceous	0.1	22.8	0.7	31.6	0.1	1.4	0.1	0.4	0.1	0.5	0.5	38.7	0.1	0.3	97.1
AAS-38-182-P5	Scoriaceous	0.0	27.1	1.3	32.8	0.1	0.0	0.0	0.7	0.1	0.3	0.2	33.6	0.1	0.6	97.0
AAS-38-187-P23	Scoriaceous	0.1	19.1	2.6	30.2	0.1	1.2	0.1	1.4	0.1	0.4	0.3	40.7	0.1	0.4	96.8
AAS-38-188-P52	Scoriaceous	0.1	28.6	0.3	33.3	0.1	0.0	0.1	0.4	0.0	0.1	0.3	32.3	0.1	0.6	96.2
AAS-38-188-P72	Scoriaceous	0.1	20.3	1.0	32.0	0.1	0.0	0.0	0.2	0.1	0.2	0.2	42.2	0.1	0.8	97.3
AAS-38-92-P25	Scoriaceous	0.0	27.3	0.8	34.5	0.8	0.4	0.1	0.1	0.1	0.5	0.4	36.7	0.1	0.2	101.8
AAS-62-9-P43	Scoriaceous	0.0	22.2	1.3	30.4	0.1	0.0	0.1	0.2	0.1	0.4	0.2	38.5	0.1	0.4	94.2
AAS-62-9-P51	Scoriaceous	0.1	22.6	1.0	33.1	0.2	0.0	0.1	0.5	0.1	0.4	0.3	38.7	0.1	0.5	97.6
AAS-62-9-P54	Scoriaceous	0.5	21.9	3.4	38.5	0.3	0.6	0.1	1.2	0.1	0.7	0.3	29.8	0.1	0.0	97.4
AAS-62-32-P48	Scoriaceous	0.2	23.4	2.4	36.0	0.4	0.4	0.0	1.1	0.1	0.3	0.3	36.6	0.1	0.7	101.8
AAS-62-32-P68	Scoriaceous	0.1	22.7	0.9	31.8	0.2	3.1	0.0	0.2	0.0	0.2	0.3	39.7	0.2	1.6	101.2
AAS-62-32-P106	Scoriaceous	0.2	23.6	1.5	29.9	0.3	0.1	0.0	0.1	0.2	2.0	0.2	35.1	0.1	2.5	95.8
AAS-62-40-P167	Scoriaceous	0.1	18.9	1.2	28.9	0.2	3.1	0.2	0.2	0.1	0.2	0.2	33.1	0.2	5.9	92.5
AAS-62-51-P-19	Scoriaceous	0.1	24.7	0.4	33.4	0.2	0.4	0.0	0.8	0.0	0.1	0.3	35.3	0.1	0.3	96.1
AAS-62-51-P-38	Scoriaceous	0.1	26.3	0.4	34.0	0.0	1.3	0.0	0.2	0.0	0.4	0.4	36.6	0.0	0.1	99.8
AAS-62-61-P52	Scoriaceous	0.0	26.2	0.8	32.3	0.1	0.0	0.1	0.1	0.1	0.3	0.3	33.5	0.2	1.7	95.7
AAS-62-61-P64	Scoriaceous	0.2	21.5	1.7	32.9	0.3	0.3	0.1	0.7	0.1	0.4	0.2	36.1	0.1	0.8	95.5
AAS-38-143-1 p44	Scoriaceous	0.1	21.6	0.8	35.6	0.1	0.1	0.0	0.1	0.0	0.2	0.3	38.0	0.1	0.4	97.4
AAS-38-143-1 p97	Scoriaceous	0.0	16.8	2.0	35.5	0.1	0.1	0.0	0.3	0.1	0.2	0.2	39.0	0.1	0.7	94.9

AAS-38-177 p120	Scoriaceous	0.0	22.7	1.5	30.2	0.0	0.0	0.0	0.3	0.1	1.4	0.3	37.3	0.1	0.7	94.7
AAS-38-184 p10	Scoriaceous	0.1	29.2	1.6	33.6	0.1	0.8	0.0	2.5	0.1	0.4	0.5	30.4	0.1	0.6	99.8
AAS-38-185 p15	Scoriaceous	0.2	26.3	2.3	32.9	0.2	0.1	0.0	0.5	0.1	0.4	0.2	32.2	0.1	0.6	96.0
AAS-38-193 p45	Scoriaceous	0.1	22.7	2.5	36.5	0.3	0.5	0.0	1.8	0.1	0.4	0.3	35.9	0.1	0.1	101.2
AAS-38-193 p48	Scoriaceous	0.1	19.7	3.7	29.9	0.1	0.1	0.1	0.5	0.1	0.5	0.2	41.1	0.2	0.3	96.5
AAS-38-195 p19	Scoriaceous	0.1	23.6	3.2	32.1	0.4	0.2	0.1	0.2	0.0	0.6	0.3	32.5	0.1	0.4	93.8
AAS-38-195 p26	Scoriaceous	0.0	23.6	1.9	34.9	0.2	0.1	0.1	0.3	0.0	0.4	0.3	37.7	0.1	0.2	99.7
AAS-38-196 p10	Scoriaceous	0.0	21.0	3.3	29.9	0.1	0.0	0.1	0.2	0.1	0.3	0.3	39.2	0.1	0.3	94.9
AAS-38-199 p11	Scoriaceous	0.2	24.3	2.7	33.6	0.2	0.0	0.0	1.1	0.1	0.6	0.3	35.5	0.1	0.5	99.3
AAS-38-199 p80	Scoriaceous	0.1	24.6	0.2	32.0	0.0	1.6	0.0	0.4	0.1	0.4	0.4	37.7	0.1	0.4	97.9
P11	Scoriaceous	0.1	17.1	3.0	32.2	0.1	0.2	0.0	0.9	0.0	0.2	0.2	45.6	0.0	1.3	101.1
P37	Scoriaceous	0.2	17.6	3.6	29.9	0.1	2.2	0.0	1.2	0.0	0.2	0.2	43.6	0.1	3.1	101.9
P40	Scoriaceous	0.3	28.7	2.7	40.0	0.6	0.0	0.0	1.1	0.0	1.6	0.2	24.8	0.0	1.0	100.9
P51	Scoriaceous	0.0	30.5	3.0	28.4	0.2	2.4	0.0	2.4	0.0	0.6	1.3	29.3	0.0	0.6	98.7
P65	Scoriaceous	0.1	26.8	2.9	34.8	0.4	0.2	0.0	2.3	0.0	3.0	0.2	27.5	0.1	0.7	99.0
P78	Scoriaceous	0.1	18.8	2.7	33.1	0.1	0.3	0.0	2.1	0.0	0.4	0.3	36.8	0.1	0.5	95.3
P82	Scoriaceous	0.0	34.8	2.6	34.1	0.0	1.1	0.0	0.5	0.0	0.5	0.1	24.4	0.0	0.7	98.9
P122	Scoriaceous	0.3	22.7	3.3	30.9	0.5	14.4	0.0	1.4	0.0	0.6	0.3	28.6	0.0	1.0	103.9
P124	Scoriaceous	0.1	33.9	2.8	42.8	0.3	0.4	0.0	1.9	0.0	0.5	0.2	13.8	0.0	0.1	96.7
P146	Scoriaceous	0.2	21.6	2.9	35.2	0.2	0.1	0.0	3.6	0.0	0.3	0.2	32.9	0.1	0.7	97.9
P147	Scoriaceous	0.0	36.0	1.3	45.3	0.1	0.7	0.0	1.1	0.0	0.6	0.3	12.7	0.0	0.4	98.6
P152	Scoriaceous	0.3	21.6	2.2	30.1	0.0	12.5	0.0	3.5	0.0	1.2	0.3	28.5	0.0	0.3	100.6
P166	Scoriaceous	0.1	26.1	2.9	36.8	0.2	0.3	0.0	1.7	0.0	0.3	0.4	25.3	0.0	0.0	94.2
P231	Scoriaceous	0.2	18.5	4.1	30.7	0.4	1.6	0.0	4.0	0.0	2.2	0.2	32.4	0.1	0.5	94.8
P233	Scoriaceous	0.3	19.9	2.8	34.1	0.1	9.3	0.1	1.1	0.0	0.7	0.2	34.5	0.0	0.3	103.5
P235	Scoriaceous	0.2	21.6	3.2	34.1	0.2	0.2	0.0	5.0	0.0	0.3	0.3	29.5	0.1	0.6	95.4
P315	Scoriaceous	0.0	19.3	3.1	30.6	0.1	0.2	0.0	0.2	0.0	0.3	0.3	38.9	0.0	0.7	93.7
P337	Scoriaceous	0.4	20.0	4.0	37.0	0.0	0.0	0.1	0.6	0.0	0.4	0.2	31.0	0.0	0.4	94.0
P340	Scoriaceous	0.1	34.6	3.2	46.2	0.0	0.1	0.0	3.0	0.0	0.4	0.4	10.3	0.0	0.0	98.4
P350	Scoriaceous	0.1	30.4	0.8	43.3	0.0	0.3	0.0	0.9	0.0	0.3	0.3	21.5	0.0	0.2	98.2
P373	Scoriaceous	0.4	18.5	3.6	28.5	0.0	0.1	0.0	0.4	0.1	0.4	0.2	34.7	0.1	0.5	87.6
P377	Scoriaceous	0.2	21.1	3.4	32.0	0.1	0.1	0.0	0.4	0.0	0.2	0.2	36.3	0.1	1.1	95.1
P402	Scoriaceous	0.0	24.7	2.8	31.8	0.0	0.2	0.0	1.1	0.0	0.2	0.3	34.7	0.1	0.5	96.4

P417	Scoriaceous	0.5	20.1	4.8	32.0	0.0	0.6	0.1	1.4	0.0	0.4	0.2	35.2	0.0	1.1	96.4
P454	Scoriaceous	0.1	17.7	2.3	28.3	0.0	0.2	0.0	1.2	0.0	0.2	0.2	42.0	0.0	0.6	92.9
P464	Scoriaceous	0.5	17.6	4.5	29.4	0.1	1.5	0.1	1.1	0.0	0.2	0.2	24.4	0.1	1.0	80.7
P491	Scoriaceous	0.1	31.6	3.3	35.1	0.1	0.2	0.0	1.4	0.0	0.3	0.2	24.1	0.0	0.6	97.1
P547	Scoriaceous	0.1	21.8	2.8	30.3	0.0	2.4	0.0	2.1	0.0	0.2	0.3	35.0	0.1	1.7	96.9
P620	Scoriaceous	0.1	19.9	3.6	30.1	0.0	0.3	0.0	3.4	0.0	0.5	0.2	37.3	0.0	0.8	96.1
P636	Scoriaceous	0.0	34.3	4.4	47.9	0.0	0.1	0.0	2.7	0.0	0.4	0.3	7.5	0.0	0.0	97.8
P665	Scoriaceous	0.5	18.6	3.1	30.3	0.1	1.1	0.1	0.2	0.0	0.4	0.3	30.8	0.1	1.0	86.4
P696	Scoriaceous	0.1	28.7	4.1	33.6	0.0	0.3	0.0	0.5	0.0	0.3	0.3	28.9	0.0	0.7	97.6
P737	Scoriaceous	0.3	18.9	2.7	31.0	0.1	0.4	0.1	0.7	0.0	0.3	0.3	35.1	0.1	0.8	90.7
P754	Scoriaceous	0.1	20.2	3.2	29.4	0.0	0.2	0.0	0.3	0.0	0.2	0.2	42.3	0.0	1.1	97.0
P804	Scoriaceous	0.3	25.4	2.5	37.3	0.2	0.0	0.0	1.6	0.1	0.4	0.2	27.1	0.1	2.3	97.6
P834	Scoriaceous	0.0	23.9	2.2	32.8	0.0	0.1	0.0	0.9	0.0	0.2	0.2	37.1	0.1	0.5	97.9
P837	Scoriaceous	0.1	28.2	2.3	38.7	0.0	0.0	0.0	5.8	0.0	0.1	0.5	23.7	0.0	0.4	100.0
P841	Scoriaceous	0.3	21.7	3.1	33.2	0.0	0.4	0.1	1.0	0.0	0.5	0.3	28.6	0.1	0.7	90.0
P859	Scoriaceous	0.2	27.6	2.6	38.4	0.0	0.3	0.0	0.1	0.0	0.2	0.2	26.3	0.1	1.4	97.5
P902	Scoriaceous	0.4	18.2	3.7	27.8	0.0	0.0	0.0	0.6	0.0	0.2	0.3	36.3	0.1	0.9	88.5
P932	Scoriaceous	0.0	17.4	3.1	27.7	0.0	0.9	0.0	0.3	0.0	0.2	0.2	44.6	0.1	2.0	96.5
P934	Scoriaceous	0.3	22.1	4.1	38.7	0.1	0.1	0.0	2.6	0.0	0.3	0.3	29.3	0.0	0.1	98.0
P986	Scoriaceous	0.1	27.3	1.6	32.5	0.1	0.2	0.0	2.5	0.0	0.2	0.8	29.8	0.0	0.4	95.6
P992	Scoriaceous	0.1	21.8	2.5	34.4	0.0	0.1	0.0	2.7	0.0	0.2	0.2	34.6	0.1	0.4	96.9
P1051	Scoriaceous	0.3	26.5	2.5	38.0	0.0	0.0	0.0	0.8	0.0	0.3	0.2	27.0	0.1	0.7	96.6
P1073	Scoriaceous	0.2	26.5	4.2	42.4	0.0	0.3	0.1	1.5	0.0	0.3	0.3	20.2	0.0	0.0	96.2
P1098	Scoriaceous	0.3	24.7	2.7	37.3	0.0	0.1	0.1	0.4	0.0	0.2	0.4	29.8	0.0	0.2	96.3
P1110	Scoriaceous	0.0	27.5	1.4	30.0	0.0	0.4	0.0	0.6	0.0	0.2	0.5	31.8	0.0	0.2	92.7
MS-I2 P37	Scoriaceous	0.1	31.1	0.7	44.6	0.1	0.1	0.0	0.7	0.1	0.4	0.2	19.6	0.0	0.0	97.8
MS-I2 P228	Scoriaceous	0.3	18.4	8.0	43.4	0.1	0.1	0.1	0.3	0.1	0.3	0.2	29.1	0.1	0.3	100.7
MS-I2 P289	Scoriaceous	0.3	22.2	2.0	38.4	0.3	0.3	0.1	0.1	0.1	0.4	0.1	35.6	0.0	0.1	99.8
MS-I2 P290	Scoriaceous	0.2	24.8	4.0	45.0	0.1	0.2	0.0	3.7	0.2	0.6	0.4	20.3	0.0	0.0	99.6
MS-I2 P299	Scoriaceous	0.2	19.5	3.2	32.4	2.6	0.1	0.0	4.1	0.2	0.5	0.2	36.8	0.1	0.9	100.8
MS-I2 P386	Scoriaceous	0.6	30.5	2.8	48.6	0.0	0.0	0.1	0.0	0.1	0.9	0.2	14.2	0.0	0.3	98.3
MS-I3-P62	Scoriaceous	0.4	18.1	2.8	29.4	0.7	0.8	0.1	0.3	0.1	0.4	0.2	44.9	0.0	0.5	98.7
MS-I3-P143	Scoriaceous	0.1	27.0	1.5	37.1	0.3	0.1	0.0	0.2	0.0	0.5	0.3	33.2	0.1	0.1	100.4

MS-I3-P182	Scoriaceous	0.1	21.3	2.6	31.8	0.0	0.0	0.0	0.0	0.0	0.2	0.2	43.4	0.1	0.9	100.6
MS-I3-P285	Scoriaceous	0.2	29.2	2.6	40.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	28.5	0.0	0.0	101.2
MS-I3-P326	Scoriaceous	0.1	21.8	3.3	30.4	0.0	0.0	0.0	0.0	0.0	0.5	0.4	44.2	0.1	0.1	100.8
MS-I3-P333	Scoriaceous	0.0	22.1	2.3	30.2	0.0	0.0	0.0	0.0	0.0	0.4	0.2	44.2	0.1	0.9	100.5
MS-I3-P410	Scoriaceous	0.0	14.3	3.4	27.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	49.2	0.2	0.3	95.2
MS-I3-P429	Scoriaceous	0.1	21.0	2.4	29.9	0.1	1.1	0.0	1.5	0.1	0.3	0.3	43.3	0.1	1.0	101.2
MS-I3-P452	Scoriaceous	0.1	25.7	1.9	31.3	0.0	0.0	0.0	0.0	0.0	0.2	0.3	37.7	0.1	0.8	98.2
MS-I3-P528	Scoriaceous	0.1	16.7	3.2	31.3	0.0	0.0	0.0	0.0	0.0	0.4	0.4	47.6	0.1	0.9	100.7
MS-I3-P860	Scoriaceous	0.1	25.4	1.6	33.8	0.2	0.0	0.0	0.4	0.1	0.3	0.3	37.2	0.1	1.2	100.6
MS-I3-P930	Scoriaceous	0.1	23.8	1.9	33.6	0.2	0.2	0.0	0.7	0.1	0.3	0.3	39.8	0.1	0.4	101.3
MS-I3-P959	Scoriaceous	0.1	22.9	3.3	32.2	0.2	0.1	0.0	1.0	0.1	0.9	0.2	37.8	0.1	0.7	99.7
MS-I3-P1027	Scoriaceous	0.2	27.7	3.3	36.3	0.0	0.2	0.0	0.2	0.2	0.4	0.3	29.3	0.0	1.4	99.5
MS-I3-P1149	Scoriaceous	0.1	26.3	2.7	35.3	0.3	0.1	0.0	1.2	0.1	0.4	0.2	32.0	0.1	0.7	99.6
MS-I3-P1187	Scoriaceous	0.5	22.8	5.2	34.7	0.3	0.2	0.1	2.5	0.1	0.8	0.3	31.2	0.0	0.3	98.8
MS-I4-P10	Scoriaceous	0.0	25.7	2.1	32.4	0.1	0.1	0.0	1.0	0.1	0.2	0.3	38.2	0.1	0.9	101.1
MS-I4-P37	Scoriaceous	0.5	26.0	5.0	38.7	0.2	0.3	0.1	0.1	0.1	0.5	0.2	22.4	0.0	0.1	94.3
MS-I4-P477	Scoriaceous	0.3	29.0	2.8	36.9	0.2	0.0	0.0	2.1	0.1	0.7	0.3	28.3	0.0	0.7	101.5
MS-I4-P496	Scoriaceous	0.2	23.2	2.8	35.5	0.1	0.1	0.0	0.9	0.1	0.8	0.3	37.2	0.1	1.1	102.4
MS-I4-P629	Scoriaceous	0.2	29.6	1.4	34.7	0.2	0.1	0.0	0.6	0.1	0.4	0.5	34.7	0.1	0.1	102.5
MS-I4-P652	Scoriaceous	0.1	25.7	2.4	34.5	0.2	0.0	0.0	0.7	0.1	0.6	0.4	36.9	0.1	0.5	102.2
MS-I4-P653	Scoriaceous	0.2	29.1	2.9	37.3	0.2	0.2	0.0	3.6	0.1	0.5	0.9	25.8	0.1	0.1	101.0
MS-I4-P668	Scoriaceous	0.0	31.8	2.1	39.6	0.2	0.2	0.0	0.8	0.1	0.5	0.2	27.3	0.0	0.0	102.8
MS-I4-P675	Scoriaceous	0.2	18.4	3.4	33.3	0.1	0.5	0.0	1.2	0.1	0.2	0.3	44.2	0.1	0.3	102.4
MS-I4-P693	Scoriaceous	0.2	27.6	1.9	35.6	0.1	0.0	0.0	1.1	0.1	0.5	0.2	33.2	0.1	1.0	101.7
MS-I4-P753	Scoriaceous	0.1	23.1	3.0	35.0	0.2	0.1	0.0	1.0	0.1	0.3	0.3	38.7	0.1	0.7	102.6
MS-I4-P820	Scoriaceous	0.0	25.9	2.9	33.4	0.1	0.1	0.0	1.8	0.1	0.5	0.2	35.1	0.2	0.5	100.9
MS-I4-P832	Scoriaceous	0.2	23.1	3.7	32.4	0.1	0.3	0.0	0.8	0.0	0.3	0.2	38.2	0.1	0.5	99.9
MS-I6 P103	Scoriaceous	0.1	18.4	3.3	35.9	0.1	0.1	0.0	3.2	0.3	0.2	0.3	36.6	0.0	0.3	98.6
MS-I6 P159	Scoriaceous	0.2	16.6	3.6	23.3	0.7	4.3	0.1	0.6	0.1	0.5	0.2	51.8	0.1	0.5	102.4
MS-I6 P368	Scoriaceous	0.0	26.4	2.9	38.5	0.4	0.2	0.0	1.0	0.1	0.3	0.4	29.3	0.0	0.3	99.9
MS-I6 P472	Scoriaceous	0.1	19.6	3.7	33.7	0.2	0.2	0.1	6.0	0.1	0.1	0.3	35.3	0.0	0.6	99.9
MS-I7-P27	Scoriaceous	0.2	22.3	2.9	34.5	0.2	0.3	0.0	0.6	0.1	0.3	0.3	37.0	0.1	0.4	99.1
MS-I8-P109	Scoriaceous	0.1	23.1	3.6	35.4	0.2	0.1	0.0	1.9	0.1	0.2	0.2	25.5	0.1	1.0	91.4

MS-I8-P242	Scoriaceous	1.4	21.3	4.3	41.2	0.2	1.2	0.3	0.4	0.1	2.1	0.2	24.9	0.1	0.1	97.9
MS-I13-P118	Scoriaceous	0.2	21.3	3.1	31.8	0.2	0.5	0.0	1.3	0.1	0.4	0.2	38.1	0.1	0.9	98.3
MS-I13-P429	Scoriaceous	0.0	22.4	2.7	33.3	0.2	0.0	0.0	2.5	0.1	0.5	0.3	35.9	0.1	1.0	99.1
MS-I13-P431	Scoriaceous	0.2	20.3	2.6	36.0	0.2	0.1	0.0	1.7	0.1	0.2	0.3	36.6	0.1	0.5	99.2
MS-I13-P528	Scoriaceous	0.2	23.0	2.5	34.9	0.1	0.3	0.0	0.8	0.1	0.2	0.3	36.9	0.1	0.8	100.0
MS-I13-P594	Scoriaceous	0.1	20.5	3.5	35.7	0.1	0.0	0.0	0.4	0.3	0.4	0.3	35.9	0.1	0.8	98.1
MS-I19-P20	Scoriaceous	0.1	37.8	1.3	46.9	0.1	0.4	0.0	1.2	0.1	0.2	0.2	10.2	0.1	0.2	98.8
MS-I19-P98	Scoriaceous	0.0	22.9	2.4	29.1	0.2	0.3	0.0	1.0	0.1	0.4	0.3	42.8	0.1	0.3	99.8
MS-I19-P125	Scoriaceous	0.3	17.7	3.3	31.4	0.2	0.6	0.0	1.5	0.1	0.2	0.3	45.5	0.1	0.5	101.4
MS-I19-P136	Scoriaceous	0.1	29.7	2.3	37.5	0.2	0.2	0.0	0.9	0.1	0.4	0.3	28.4	0.1	0.3	100.7
MS-I19-P177	Scoriaceous	0.0	33.7	0.8	45.2	0.1	0.0	0.0	0.4	0.1	0.3	0.1	19.1	0.0	0.3	100.4
MS-I19-P181	Scoriaceous	0.1	24.8	2.0	32.8	0.2	0.3	0.0	3.6	0.1	0.2	0.2	35.9	0.1	0.4	100.6
MS-I19-P308	Scoriaceous	0.0	37.3	4.5	36.2	0.1	0.2	0.0	1.0	0.1	0.6	0.2	18.9	0.1	0.8	100.1
MS-I19-P323	Scoriaceous	0.1	20.2	2.8	31.3	0.3	0.2	0.1	0.7	0.1	0.4	0.2	40.5	0.1	0.7	97.7
MS-I19-P416	Scoriaceous	0.9	28.7	4.3	36.7	0.1	0.0	0.1	1.9	0.1	0.1	0.3	28.7	0.1	0.1	102.0
MS-I19-P428	Scoriaceous	0.1	36.8	1.6	45.6	0.0	0.1	0.0	1.3	0.1	0.6	0.2	12.1	0.1	0.1	98.7
MS-I19-P465	Scoriaceous	0.3	24.1	2.8	33.7	0.3	0.3	0.1	1.1	0.1	0.7	0.4	36.2	0.1	0.1	100.3
MS-I19-P483	Scoriaceous	0.5	26.8	3.6	40.5	0.3	0.6	0.1	1.8	0.1	0.4	0.3	23.4	0.1	0.5	98.8
MS-I19-P488	Scoriaceous	0.2	23.2	3.1	42.8	0.2	0.5	0.0	1.8	0.1	0.4	0.2	27.4	0.1	0.2	100.3
MS-I19-P692	Scoriaceous	0.3	18.9	6.4	30.6	0.7	0.4	0.0	0.3	0.1	0.4	0.2	38.2	0.1	0.2	96.7
MS-I19-P744	Scoriaceous	0.1	34.2	2.6	47.0	0.1	0.1	0.0	1.5	0.1	0.7	0.4	11.1	0.0	0.2	98.1
MS-I19-P763	Scoriaceous	0.1	33.5	1.9	46.3	0.1	0.4	0.0	0.5	0.1	0.6	0.2	14.1	0.0	0.1	97.9
MS-I26-P22	Scoriaceous	0.1	19.4	1.6	30.8	0.1	0.1	0.0	0.3	0.1	0.2	0.3	45.1	0.1	0.1	98.2
MS-I30-P4	Scoriaceous	0.1	25.6	2.4	36.9	0.3	0.0	0.0	2.8	0.1	0.5	0.3	31.9	0.1	0.8	101.7
MS-I30-P43	Scoriaceous	0.1	29.6	2.2	42.5	0.1	0.7	0.0	1.0	0.1	0.5	0.2	21.4	0.0	0.1	98.7
MS-I30-P84	Scoriaceous	0.3	24.1	2.9	38.1	0.1	0.5	0.1	0.6	0.1	0.6	0.3	34.5	0.0	0.1	102.3
MS-I30-P91	Scoriaceous	0.3	22.1	4.6	33.2	0.2	0.1	0.0	1.4	0.2	2.3	0.2	34.6	0.1	0.7	100.2
MS-I30-P223	Scoriaceous	0.1	36.5	1.3	48.1	0.2	0.2	0.0	1.1	0.1	0.6	0.2	12.2	0.0	0.2	100.5
MS-I30-P307	Scoriaceous	0.5	23.3	3.6	39.7	0.2	0.6	0.1	2.9	0.2	0.2	0.3	26.5	0.0	0.0	98.1
MS-I31-P4	Scoriaceous	0.1	24.9	0.7	26.3	1.3	0.3	0.1	1.4	0.0	0.1	0.4	40.0	0.0	0.4	95.8
MS-I31-P18	Scoriaceous	0.4	19.8	4.5	34.4	0.1	0.8	0.0	1.2	0.4	0.3	0.3	37.8	0.1	0.4	100.6
MS-I31-P73	Scoriaceous	0.1	30.2	3.5	48.5	0.3	0.0	0.0	1.0	0.1	0.8	0.3	14.6	0.1	0.1	99.5
MS-I31-P96	Scoriaceous	0.1	26.7	2.3	36.3	0.0	0.6	0.0	0.7	0.1	0.4	0.4	30.6	0.0	0.0	98.4

MS-I31-P109	Scoriaceous	0.0	43.8	1.0	38.8	0.0	0.1	0.0	0.3	0.0	0.3	0.2	15.6	0.0	0.2	100.3
MS-I31-P155	Scoriaceous	0.1	28.2	1.5	33.1	0.1	0.1	0.0	2.8	0.1	0.4	0.3	31.7	0.1	0.5	99.0
MS-I31-P247	Scoriaceous	0.1	36.4	1.3	38.4	0.1	0.1	0.0	0.8	0.1	0.6	0.3	20.5	0.1	0.5	99.3
MS-I31-P394	Scoriaceous	0.1	19.5	3.4	35.1	0.3	0.1	0.0	1.0	0.2	0.5	0.4	36.3	0.2	1.1	98.0
MS-I31-P512	Scoriaceous	0.2	17.2	3.2	31.0	0.2	0.6	0.0	0.6	0.1	0.4	0.2	45.3	0.1	0.3	99.4
MS-I35-P2	Scoriaceous	0.5	21.5	3.2	43.1	1.6	0.3	0.1	1.6	0.1	0.4	0.1	25.6	0.2	0.0	98.3
MS-I35-P4	Scoriaceous	0.1	16.0	3.5	25.8	0.2	1.0	0.0	3.6	0.2	0.4	0.4	49.3	0.0	0.6	101.0
MS-I35-P10	Scoriaceous	0.6	34.5	2.3	41.2	0.1	0.0	0.1	7.4	0.1	0.8	0.3	12.2	0.0	0.3	99.7
MS-I35-P26	Scoriaceous	0.1	33.3	4.2	39.8	0.3	0.3	0.0	2.0	0.2	0.3	0.4	19.7	0.1	0.2	100.9
MS-I35-P52	Scoriaceous	0.1	22.9	1.9	30.0	0.4	0.0	0.0	0.6	0.1	0.4	0.3	43.2	0.1	0.2	100.2
MS-I35-P80	Scoriaceous	0.0	26.3	1.4	32.0	0.2	0.0	0.0	0.4	0.1	0.4	0.2	39.0	0.1	0.4	100.6
MS-I35-P92	Scoriaceous	0.1	17.1	2.6	28.2	0.1	0.7	0.0	0.8	0.1	0.2	0.1	50.0	0.2	0.7	101.0
MS-I35-P96	Scoriaceous	0.0	28.4	1.8	33.6	0.1	0.0	0.0	0.7	0.1	0.7	0.3	34.5	0.1	0.3	100.6
MS-I35-P104	Scoriaceous	0.0	38.0	4.6	43.1	0.1	0.1	0.0	3.1	0.2	0.4	0.4	11.4	0.0	0.0	101.2
MS-I35-P105	Scoriaceous	0.2	18.4	3.4	35.7	0.1	0.7	0.0	2.7	0.2	0.5	0.5	36.0	0.3	0.1	98.8
MS-I35-P116	Scoriaceous	0.1	31.5	1.5	31.6	0.5	0.1	0.0	0.8	0.1	0.6	0.0	25.5	0.0	0.4	92.8
MS-I35-P133	Scoriaceous	0.1	25.0	3.6	39.8	0.3	0.6	0.0	2.0	0.2	0.4	0.4	27.7	0.1	0.1	100.3
MS-I35-P146	Scoriaceous	0.2	27.5	4.1	45.6	0.1	0.3	0.0	0.9	0.1	0.5	0.3	22.9	0.0	0.0	102.6
MS-I35-P153	Scoriaceous	0.0	24.9	3.1	31.3	0.1	0.0	0.0	1.1	0.3	0.5	0.3	37.0	0.0	1.3	99.9
MS-I35-P160	Scoriaceous	0.0	16.4	1.4	25.5	0.5	7.3	0.0	0.6	0.1	0.5	0.4	49.8	0.2	2.3	104.9
MS-I35-P166	Scoriaceous	0.1	11.1	3.0	24.0	0.2	0.2	0.0	2.5	0.2	0.3	0.3	53.2	0.0	2.0	97.0
MS-I35-P190	Scoriaceous	0.1	20.1	4.6	27.2	0.5	0.2	0.0	0.4	0.1	0.4	0.3	41.6	0.3	0.3	95.9
MS-I35-P219	Scoriaceous	0.0	27.0	2.8	32.6	0.1	0.2	0.0	0.8	0.1	0.3	0.3	35.8	0.1	0.5	100.7
MS-I35-P222	Scoriaceous	0.5	28.9	3.1	39.1	0.5	0.0	0.1	0.1	0.1	1.8	0.1	24.2	0.1	0.9	99.3
MS-I35-P240	Scoriaceous	0.1	12.8	11.2	26.3	0.1	0.2	0.0	0.6	0.1	0.2	0.2	41.7	0.1	0.6	94.0
MS-I35-P250	Scoriaceous	0.0	18.0	3.1	28.5	0.3	0.4	0.0	0.5	0.1	0.2	0.3	48.3	0.1	0.8	100.6
MS-I35-P259	Scoriaceous	0.0	20.8	3.5	30.7	0.1	0.1	0.0	1.7	0.1	0.4	0.2	41.8	0.1	1.3	100.7
MS-I35-P268	Scoriaceous	0.0	40.6	3.3	42.5	0.1	0.2	0.0	0.9	0.1	0.4	0.4	11.5	0.1	0.0	100.1
MS-I35-P273	Scoriaceous	0.2	23.7	4.1	44.4	0.5	0.4	0.1	0.9	0.1	0.4	0.3	26.7	0.0	0.1	101.9
MS-I35-P292	Scoriaceous	0.1	35.2	2.3	42.2	0.4	0.2	0.1	1.3	0.1	0.5	0.3	17.1	0.0	0.1	99.7
MS-I35-P297	Scoriaceous	0.0	33.0	2.1	20.0	0.2	0.2	0.0	1.7	0.1	0.9	0.7	40.4	0.2	0.2	99.6
MS-I35-P306	Scoriaceous	0.1	16.2	2.9	28.5	0.2	0.2	0.0	0.3	0.1	0.3	0.3	50.7	0.0	0.6	100.2
MS-I35-P308	Scoriaceous	0.1	24.2	3.7	43.4	0.4	0.1	0.0	2.0	0.1	0.8	0.4	24.6	0.1	0.3	100.1

MS-I35-P312	Scoriaceous	0.3	27.1	5.5	38.3	0.1	0.0	0.0	0.2	0.1	0.5	0.2	27.5	0.0	0.1	100.0
MS-I35-P313	Scoriaceous	0.4	24.7	5.9	44.6	0.4	0.3	0.2	2.2	0.1	0.5	0.4	20.0	0.0	0.2	99.8
MS-I35-P325	Scoriaceous	0.1	27.4	2.8	44.7	0.1	0.5	0.0	0.5	0.2	1.2	0.2	22.4	0.1	0.0	100.1
MS-I35-P337	Scoriaceous	0.2	14.8	7.2	38.3	0.0	0.0	0.0	11.6	0.5	0.1	0.1	26.8	0.0	0.2	100.1
MS-I35-P342	Scoriaceous	0.1	37.7	2.3	39.6	0.1	0.2	0.0	1.4	0.1	0.3	0.5	18.0	0.0	0.0	100.3
MS-I35-P362	Scoriaceous	0.3	22.7	4.2	47.5	0.1	0.5	0.1	0.9	0.2	0.6	0.4	24.0	0.0	0.0	101.4
MS-I35-P399	Scoriaceous	0.0	20.8	2.0	29.2	0.2	0.2	0.0	1.4	0.1	0.3	0.4	45.1	0.1	0.3	99.9
MS-I35-P433	Scoriaceous	0.1	29.5	1.1	44.2	0.2	0.1	0.0	1.1	0.1	0.6	0.4	22.8	0.1	0.2	100.3
MS-I35-P438	Scoriaceous	0.0	28.5	4.7	49.5	0.1	0.2	0.1	1.8	0.1	0.6	0.3	14.9	0.0	0.0	100.9
MS-I35-P454	Scoriaceous	0.4	18.9	6.7	30.3	0.7	0.2	0.2	0.2	0.1	0.8	0.2	39.8	0.1	0.4	99.1
MS-I35-P459	Scoriaceous	0.1	28.0	1.2	32.9	0.1	0.1	0.0	0.6	0.1	0.5	0.4	35.1	0.1	0.6	99.8
MS-I35-P482	Scoriaceous	0.1	29.8	4.8	46.1	0.3	0.3	0.0	3.0	0.1	0.6	0.3	14.6	0.0	0.0	100.2
MS-I35-P515	Scoriaceous	0.2	22.2	2.7	38.6	0.4	0.3	0.0	2.3	0.2	0.4	0.3	31.1	0.2	0.5	99.4
MS-I35-P539	Scoriaceous	0.0	28.2	1.5	35.6	0.1	0.0	0.0	2.8	0.0	0.1	0.2	25.5	0.2	0.9	95.2
MS-I35-P540	Scoriaceous	0.1	20.8	5.8	29.5	0.2	0.1	0.0	0.5	0.1	0.4	0.2	41.3	0.1	1.0	100.0
MS-I35-P541	Scoriaceous	0.0	20.0	1.4	30.8	0.2	0.0	0.0	0.3	0.0	0.4	0.5	46.8	0.2	0.2	100.8
MS-I35-P578	Scoriaceous	0.3	25.6	3.2	38.5	0.1	0.1	0.0	2.3	0.1	0.3	0.2	29.6	0.0	0.4	100.7
MS-I35-P633	Scoriaceous	0.0	27.1	1.8	37.4	0.3	0.1	0.0	0.6	0.1	0.3	0.0	32.4	0.0	0.7	100.8
MS-I35-P686	Scoriaceous	0.2	20.2	5.7	30.6	0.1	0.1	0.1	0.2	0.0	0.3	0.2	41.5	0.1	0.6	99.8
MS-I35-P722	Scoriaceous	0.0	40.9	0.5	40.0	0.1	0.0	0.0	0.2	0.0	0.3	0.3	17.8	0.1	0.0	100.3
MS-I35-P796	Scoriaceous	0.2	25.0	2.9	36.0	0.1	0.1	0.0	1.9	0.1	0.2	0.2	32.9	0.2	0.5	100.4
MS-I35-P835	Scoriaceous	0.4	17.2	4.0	32.6	0.3	0.2	0.0	2.8	0.2	0.6	0.1	42.0	0.2	1.2	101.8
MS-I35-P880	Scoriaceous	0.0	14.4	6.8	27.1	0.1	0.1	0.0	1.2	0.2	0.6	0.1	49.0	0.2	1.3	101.2
MS-I35-P922	Scoriaceous	0.1	16.6	3.5	28.3	0.1	0.0	0.0	0.2	0.1	0.4	0.3	49.7	0.0	1.1	100.5
MS-I35-P931	Scoriaceous	0.1	26.4	4.0	42.5	0.3	0.6	0.0	1.6	0.1	0.6	0.3	22.8	0.0	0.0	99.2
MS-I35-P962	Scoriaceous	0.1	18.4	2.3	30.7	0.3	0.2	0.1	0.6	0.1	0.3	0.3	46.6	0.1	0.1	100.1
MS-I35-P1017	Scoriaceous	0.0	16.0	2.9	25.2	0.1	0.0	0.0	0.3	0.1	0.3	0.2	54.9	0.1	0.5	100.7
AAS-38-164-P26	Relict bearing	0.0	40.1	0.3	38.6	0.1	0.0	0.0	0.2	0.0	0.3	0.1	19.6	0.0	1.1	100.7
AAS-38-164-P27	Relict bearing	0.1	45.3	0.2	39.8	0.1	0.0	0.0	0.2	0.0	0.3	0.2	14.2	0.0	0.6	101.1
AAS-38-164-P31	Relict bearing	0.0	38.6	0.3	37.7	0.1	0.0	0.0	0.3	0.0	0.3	0.2	22.7	0.0	0.6	100.9
AAS-38-167-P1	Relict bearing	0.0	38.9	0.8	38.5	0.2	0.0	0.0	0.7	0.0	0.3	0.1	19.8	0.1	0.6	100.0
AAS-38-167-P20	Relict bearing	0.0	42.5	0.7	37.8	0.1	0.0	0.0	0.1	0.0	0.4	0.2	17.1	0.0	0.1	99.1
AAS-38-167-P28	Relict bearing	0.0	37.0	0.6	35.9	0.1	0.4	0.0	0.2	0.0	0.3	0.2	23.4	0.0	0.4	98.5

AAS-38-167#1-P78	Relict bearing	0.0	42.3	0.2	38.3	0.0	0.0	0.0	0.2	0.0	0.5	0.2	18.4	0.0	0.2	100.4
AAS-38-167#1-P110	Relict bearing	0.0	44.5	0.1	39.1	0.0	0.0	0.0	0.1	0.0	0.3	0.1	15.4	0.1	1.3	101.1
AAS-38-167#1-P117	Relict bearing	0.0	43.9	0.6	39.3	0.1	0.1	0.0	0.6	0.1	0.5	0.2	15.4	0.0	0.0	100.8
AAS-38-167#1-P122	Relict bearing	0.1	33.8	1.5	42.0	0.1	0.1	0.0	1.0	0.1	1.0	0.2	20.5	0.0	0.7	101.0
AAS-38-169-P58	Relict bearing	0.1	33.8	1.5	35.9	0.2	0.2	0.0	2.2	0.1	0.3	0.3	22.7	0.1	0.4	97.8
AAS-38-169-P141	Relict bearing	0.0	44.0	0.3	39.8	0.1	0.0	0.0	0.1	0.0	0.4	0.3	11.1	0.0	0.5	96.6
AAS-38-170-P87	Relict bearing	0.0	38.5	0.3	38.4	0.1	0.0	0.0	0.3	0.0	0.3	0.2	21.8	0.0	0.1	100.1
AAS-38-170-P180	Relict bearing	0.0	32.2	0.5	37.0	0.1	0.2	0.0	0.3	0.0	0.5	0.3	27.1	0.0	0.2	98.4
AAS-38-173-P37	Relict bearing	0.1	38.1	1.3	36.5	0.1	0.2	0.0	2.1	0.1	0.3	0.2	20.5	0.1	0.3	99.8
AAS-38-173-P56	Relict bearing	0.0	33.2	1.7	36.9	0.5	0.1	0.0	2.8	0.1	0.3	0.2	22.0	0.1	0.1	98.0
AAS-38-182-P1	Relict bearing	0.0	25.3	2.6	38.1	0.2	0.0	0.0	5.1	0.1	0.2	0.2	26.0	0.0	0.1	98.1
AAS-38-182-P4	Relict bearing	0.0	41.0	0.5	39.9	0.1	0.0	0.0	0.4	0.0	0.3	0.2	17.6	0.1	0.1	100.3
AAS-38-182-P5	Relict bearing	0.1	39.6	0.6	38.9	0.1	0.1	0.0	0.6	0.0	0.3	0.2	17.4	0.1	0.3	98.2
AAS-38-187-P58	Relict bearing	0.0	38.1	1.5	42.1	0.1	0.0	0.0	0.8	0.1	0.4	0.3	14.6	0.0	0.6	98.5
AAS-38-188-P13	Relict bearing	0.0	35.3	0.2	38.3	0.1	0.0	0.0	0.1	0.0	0.4	0.2	26.0	0.0	0.1	100.8
AAS-38-188-P15	Relict bearing	0.0	18.4	4.1	39.3	0.2	0.1	0.0	7.5	0.2	0.3	0.3	29.5	0.0	0.0	99.8
AAS-38-188-P43	Relict bearing	0.0	42.6	0.4	37.7	0.0	0.0	0.0	0.4	0.0	0.8	0.1	17.6	0.0	0.8	100.6
AAS-38-188-P52	Relict bearing	0.0	36.0	1.5	36.0	0.1	0.1	0.0	0.5	0.0	0.4	0.2	24.2	0.1	0.5	99.7
AAS-38-188-P77	Relict bearing	0.0	46.8	0.4	39.4	0.0	0.0	0.0	0.3	0.0	0.5	0.1	12.5	0.0	0.2	100.3
AAS-38-188-P93	Relict bearing	0.0	25.0	4.1	39.0	0.2	0.0	0.0	1.1	0.2	0.3	0.2	31.7	0.1	0.1	102.0
AAS-38-92-P7	Relict bearing	0.1	38.1	0.7	37.9	0.1	0.0	0.1	0.3	0.1	0.3	0.2	24.1	0.1	0.3	102.2
AAS-38-92-P21	Relict bearing	0.2	33.7	1.1	40.5	0.1	0.0	0.2	0.2	0.0	0.3	0.3	22.3	0.0	0.3	99.2
AAS-38-201-P28	Relict bearing	0.0	38.1	0.2	36.9	0.1	0.0	0.0	0.1	0.0	0.4	0.3	20.7	0.0	0.2	97.1
AAS-38-201-P101	Relict bearing	0.0	40.4	0.2	37.6	0.1	0.0	0.0	0.2	0.0	0.5	0.2	18.9	0.0	0.1	98.3
AAS-38-203-P35	Relict bearing	0.0	37.4	0.1	38.4	0.0	0.0	0.0	0.2	0.0	0.5	0.2	24.5	0.1	0.1	101.4
AAS-38-203-P49	Relict bearing	0.0	40.4	0.2	38.9	0.0	0.0	0.0	0.2	0.0	0.3	0.2	21.1	0.0	0.2	101.6
AAS-38-203-P53	Relict bearing	0.0	44.1	0.2	40.2	0.0	0.0	0.0	0.2	0.0	0.3	0.1	16.4	0.1	0.3	101.7
AAS-38-203-P57	Relict bearing	0.2	45.6	1.0	38.2	0.0	0.1	0.1	0.2	0.0	0.2	0.1	15.4	0.0	0.0	101.3
AAS-38-203-P75	Relict bearing	0.0	42.2	0.1	38.8	0.1	0.0	0.0	0.2	0.0	0.5	0.2	18.6	0.0	0.1	100.9
AAS-38-203-P105	Relict bearing	0.0	38.8	0.6	45.7	0.1	0.0	0.0	0.4	0.1	0.6	0.2	13.5	0.0	0.1	100.2
AAS-38-204-P33	Relict bearing	0.0	40.3	0.2	38.7	0.1	0.0	0.0	0.2	0.0	0.3	0.2	20.8	0.0	0.1	101.1
AAS-38-204-P43	Relict bearing	0.0	39.9	0.3	38.9	0.1	0.0	0.0	0.4	0.0	0.3	0.2	20.1	0.0	0.3	100.6
AAS-38-204-P62	Relict bearing	0.0	40.0	0.7	39.0	0.1	0.0	0.0	0.3	0.0	0.4	0.2	19.2	0.0	0.1	100.0

AAS-38-204-P65	Relict bearing	0.0	38.5	0.5	36.9	0.1	0.0	0.0	0.5	0.0	0.3	0.2	22.7	0.0	0.3	100.1
AAS-38-204-P66	Relict bearing	0.1	31.8	3.0	47.9	0.0	0.0	0.0	2.2	0.3	0.4	0.2	10.8	0.0	0.1	96.7
AAS-38-204-P68	Relict bearing	0.0	39.6	0.2	36.4	0.1	0.0	0.0	0.3	0.0	0.3	0.2	22.1	0.0	0.1	99.3
AAS-38-204-P85	Relict bearing	0.0	44.0	0.3	38.1	0.1	0.0	0.0	0.4	0.1	0.2	0.1	16.4	0.0	0.1	99.8
AAS-38-206-P32	Relict bearing	0.0	41.3	0.1	38.7	0.0	0.0	0.0	0.1	0.0	0.3	0.2	18.4	0.1	0.2	99.4
AAS-38-207-P38	Relict bearing	0.0	42.9	0.3	39.1	0.1	0.0	0.0	0.1	0.0	0.5	0.2	17.1	0.0	0.3	100.6
AAS-38-207-P46	Relict bearing	0.0	34.7	0.5	37.2	0.1	0.0	0.0	0.4	0.0	1.1	0.2	26.3	0.0	0.1	100.7
AAS-38-207-P71	Relict bearing	0.0	40.6	0.4	36.7	0.1	0.0	0.0	0.2	0.2	1.5	0.1	20.2	0.1	1.7	101.7
AAS-38-207-P94	Relict bearing	0.0	35.2	1.1	36.6	0.1	0.1	0.0	0.2	0.0	0.4	0.2	26.5	0.1	0.3	100.8
AAS-62-9-P13	Relict bearing	0.0	44.9	0.1	38.8	0.0	0.0	0.0	0.1	0.0	0.4	0.2	11.6	0.1	1.3	97.7
AAS-62-9-P20	Relict bearing	0.0	41.0	0.3	38.7	0.1	0.0	0.0	0.2	0.0	0.4	0.2	19.1	0.0	0.1	100.1
AAS-62-9-P33	Relict bearing	0.1	35.5	1.5	36.3	0.2	0.6	0.0	2.2	0.1	0.5	0.3	21.8	0.1	0.8	99.8
AAS-62-9-P41	Relict bearing	0.0	43.6	1.0	43.0	0.1	0.0	0.0	0.9	0.1	0.5	0.3	8.8	0.0	0.1	98.5
AAS-62-9-P43	Relict bearing	0.2	30.7	2.2	37.9	0.1	0.3	0.1	0.6	0.1	0.4	0.3	24.4	0.1	0.3	97.7
AAS-62-9-P44	Relict bearing	0.0	37.6	0.6	37.3	0.1	0.1	0.0	0.3	0.0	0.3	0.3	22.9	0.1	0.1	99.6
AAS-62-9-P62	Relict bearing	0.0	36.8	0.3	36.6	0.1	0.0	0.0	0.3	0.0	0.5	0.3	22.5	0.0	0.4	97.8
AAS-62-32-P4	Relict bearing	0.0	40.8	0.3	37.3	0.1	0.0	0.0	0.1	0.0	0.4	0.2	19.2	0.1	0.4	98.9
AAS-62-32-P16	Relict bearing	0.0	42.6	0.2	38.8	0.1	0.0	0.0	0.4	0.0	0.4	0.2	18.2	0.0	0.1	101.1
AAS-62-32-P20	Relict bearing	0.0	42.4	0.1	38.0	0.1	0.0	0.0	0.2	0.0	0.3	0.2	16.1	0.1	2.2	99.7
AAS-62-32-P47	Relict bearing	0.0	36.6	0.1	39.0	0.0	0.0	0.0	0.1	0.0	0.5	0.3	25.3	0.0	0.1	102.2
AAS-62-32-P51	Relict bearing	0.1	33.0	0.3	37.4	0.0	0.0	0.0	0.3	0.0	0.3	0.2	28.5	0.1	0.3	100.5
AAS-62-32-P90	Relict bearing	0.0	35.1	1.5	44.8	0.1	0.0	0.0	1.3	0.1	0.5	0.2	17.4	0.0	0.0	101.0
AAS-62-32-P102	Relict bearing	0.0	34.7	0.2	37.3	0.1	0.0	0.0	0.4	0.0	0.2	0.3	26.2	0.2	0.7	100.3
AAS-62-40-P40	Relict bearing	0.0	43.7	0.2	38.6	0.1	0.0	0.0	0.2	0.0	0.3	0.1	13.0	0.1	0.4	96.7
AAS-62-40-P95	Relict bearing	0.0	44.2	0.3	38.7	0.0	0.1	0.0	0.2	0.0	0.7	0.8	13.8	0.0	0.1	99.0
AAS-62-40-P107	Relict bearing	0.0	40.2	0.3	37.9	0.1	0.1	0.0	0.4	0.0	0.3	0.2	17.4	0.1	0.5	97.4
AAS-62-40-P108	Relict bearing	0.0	42.6	0.2	38.4	0.0	0.0	0.0	0.3	0.0	0.3	0.2	14.1	0.1	1.0	97.4
AAS-62-40-P149	Relict bearing	0.1	45.0	0.2	39.6	0.0	0.0	0.0	0.3	0.0	0.5	0.2	13.2	0.0	0.2	99.4
AAS-62-51-P8	Relict bearing	0.0	47.2	0.2	40.5	0.0	0.0	0.0	0.3	0.0	0.2	0.1	10.3	0.1	0.5	99.5
AAS-62-51-P10	Relict bearing	0.0	49.1	0.1	41.2	0.1	0.0	0.0	0.1	0.0	0.6	0.3	7.0	0.0	0.4	99.0
AAS-62-51-P11	Relict bearing	0.1	38.7	0.6	39.0	0.2	0.0	0.0	0.2	0.0	0.5	0.2	19.2	0.1	0.5	99.4
AAS-62-51-P13	Relict bearing	0.0	46.7	0.1	40.0	0.1	0.0	0.0	0.2	0.0	0.5	0.2	11.4	0.0	0.1	99.2
AAS-62-51-P24	Relict bearing	0.1	37.5	0.8	40.4	0.1	0.0	0.0	0.4	0.0	0.4	0.4	18.3	0.1	0.9	99.3

AAS-62-51-P30	Relict bearing	0.1	37.7	0.2	38.0	0.1	0.0	0.0	0.3	0.0	0.3	0.3	22.6	0.1	0.2	99.8
AAS-62-51-P72	Relict bearing	0.0	42.8	0.2	38.5	0.0	0.0	0.0	0.3	0.0	0.2	0.2	14.9	0.1	0.3	97.5
AAS-62-51-P78	Relict bearing	0.0	28.9	2.7	45.2	0.0	0.1	0.0	1.1	0.1	0.7	0.4	17.7	0.0	0.0	97.0
AAS-62-51-P89	Relict bearing	0.0	23.6	4.1	39.6	0.2	0.0	0.0	3.4	0.2	0.3	0.3	25.5	0.0	0.1	97.3
AAS-62-51-P96	Relict bearing	0.0	44.6	0.2	41.6	0.0	0.0	0.0	0.1	0.0	0.6	0.1	9.9	0.0	0.2	97.4
AAS-62-61-P20	Relict bearing	0.0	42.0	0.2	38.3	0.1	0.0	0.0	0.2	0.0	0.3	0.2	15.9	0.1	0.6	98.0
AAS-62-61-P22	Relict bearing	0.0	38.0	0.2	37.5	0.1	0.0	0.0	0.2	0.0	0.4	0.3	21.5	0.0	0.1	98.5
AAS-62-61-P24	Relict bearing	0.0	25.2	2.9	39.4	0.1	0.1	0.0	2.3	0.1	0.7	0.4	29.0	0.0	0.0	100.4
AAS-62-61-P27	Relict bearing	0.0	43.4	1.5	39.4	0.1	0.0	0.0	0.2	0.0	0.4	0.2	14.9	0.0	0.1	100.2
AAS-62-61-P42	Relict bearing	0.0	38.6	0.2	37.9	0.1	0.0	0.0	0.3	0.1	0.3	0.2	21.0	0.1	0.1	98.9
AAS-62-61-P63	Relict bearing	0.0	39.1	0.6	37.1	0.1	0.1	0.0	0.3	0.0	0.5	0.3	20.7	0.1	0.2	99.2
AAS-62-61-P97	Relict bearing	0.0	36.9	1.2	57.0	0.0	0.9	0.0	0.6	0.2	0.8	0.1	2.7	0.0	0.5	101.0
AAS-62-61-P107	Relict bearing	0.0	40.0	0.2	38.0	0.1	0.0	0.0	0.1	0.0	0.3	0.2	19.9	0.1	0.2	99.1
AAS-38-143-1-P9	Relict bearing	0.0	40.1	1.2	42.2	0.1	0.0	0.0	0.2	0.0	0.3	0.2	15.5	0.1	0.2	100.1
AAS-38-143-1-P44	Relict bearing	0.1	34.5	1.0	37.7	0.1	0.3	0.0	0.3	0.1	0.4	0.2	24.8	0.0	0.3	99.8
AAS-38-143-1-P86	Relict bearing	0.1	39.1	1.7	47.2	0.1	0.0	0.0	0.3	0.0	0.3	0.3	12.7	0.0	0.0	101.9
AAS-38-177-P102	Relict bearing	0.0	45.9	0.2	39.2	0.0	0.0	0.0	0.2	0.0	0.3	0.1	11.1	0.0	0.3	97.3
AAS-38-177-P120	Relict bearing	0.0	31.6	1.4	38.1	0.0	0.0	0.0	0.7	0.1	1.4	0.3	22.7	0.1	0.8	97.2
AAS-38-184-P11	Relict bearing	0.0	40.9	1.5	37.3	0.1	0.0	0.0	0.3	0.0	0.2	0.2	18.4	0.1	0.6	99.6
AAS-38-184-P25	Relict bearing	0.0	36.9	1.2	36.8	0.1	0.0	0.0	0.2	0.0	0.3	0.3	23.2	0.1	1.1	100.0
AAS-38-184-P49	Relict bearing	0.0	37.0	1.3	36.8	0.1	0.0	0.0	0.1	0.0	0.3	0.2	23.6	0.1	0.4	100.0
AAS-38-184-P65	Relict bearing	0.0	33.8	1.7	44.0	0.3	0.0	0.0	2.2	0.1	0.2	0.4	16.1	0.1	0.9	99.7
AAS-38-184-P71	Relict bearing	0.0	39.2	2.7	38.9	0.1	0.1	0.0	1.3	0.1	0.2	0.2	17.1	0.0	0.1	100.2
AAS-38-184-P73	Relict bearing	0.0	42.7	0.5	38.8	0.1	0.0	0.0	0.2	0.0	0.4	0.2	16.8	0.0	0.3	100.0
AAS-38-184-P84	Relict bearing	0.0	41.3	0.5	38.9	0.1	0.0	0.0	0.1	0.0	0.3	0.3	17.6	0.1	1.0	100.2
AAS-38-184-P95	Relict bearing	0.0	43.4	0.4	39.2	0.0	0.0	0.0	0.2	0.0	0.3	0.1	15.2	0.1	1.0	100.1
AAS-38-185-P81	Relict bearing	0.1	34.7	0.6	44.3	0.0	0.0	0.0	0.5	0.0	0.6	0.4	17.1	0.0	0.3	98.5
AAS-38-185I-P26	Relict bearing	0.0	41.8	0.4	38.5	0.1	0.1	0.0	0.3	0.1	0.4	0.2	17.4	0.1	0.2	99.5
AAS-38-185I-P54	Relict bearing	0.0	40.2	0.6	37.9	0.0	0.0	0.0	0.2	0.0	0.3	0.2	18.7	0.0	0.1	98.4
AAS-38-185I-P58	Relict bearing	0.0	40.8	2.2	35.1	0.0	0.0	0.0	0.1	0.0	0.5	0.2	18.5	0.0	0.3	97.9
AAS-38-193-P10	Relict bearing	0.0	42.2	0.3	39.1	0.0	0.0	0.0	0.3	0.1	0.4	0.2	17.0	0.0	0.1	99.8
AAS-38-193-P14	Relict bearing	0.0	39.9	0.3	37.9	0.1	0.0	0.0	0.2	0.0	0.3	0.2	19.0	0.1	0.3	98.4
AAS-38-193-P18	Relict bearing	0.0	39.0	1.1	37.2	0.1	0.0	0.0	0.2	0.0	0.5	0.2	18.8	0.0	0.2	97.3

AAS-38-193-P33	Relict bearing	0.0	41.5	0.4	38.0	0.1	0.0	0.0	0.2	0.0	0.3	0.2	15.1	0.1	0.9	96.8
AAS-38-193-P44	Relict bearing	0.0	43.9	0.5	39.0	0.1	0.0	0.0	0.2	0.0	0.4	0.3	14.3	0.0	0.1	98.9
AAS-38-193-P45	Relict bearing	0.0	35.8	1.0	37.8	0.1	0.3	0.0	0.4	0.0	0.4	0.3	24.8	0.1	0.2	101.2
AAS-38-193-P46	Relict bearing	0.0	43.2	0.3	39.2	0.1	0.0	0.0	0.2	0.0	0.4	0.2	16.9	0.0	0.1	100.7
AAS-38-193-P64	Relict bearing	0.0	39.6	0.7	38.1	0.1	0.0	0.0	0.6	0.0	0.4	0.4	18.0	0.0	0.1	98.1
AAS-38-193-P66	Relict bearing	0.0	42.6	0.8	38.1	0.1	0.0	0.0	0.1	0.0	0.4	0.2	16.9	0.1	0.5	99.8
AAS-38-193-P71	Relict bearing	0.0	42.9	0.5	39.4	0.1	0.0	0.0	0.1	0.0	0.6	0.2	15.5	0.1	1.8	101.2
AAS-38-193-P72	Relict bearing	0.0	40.6	0.7	38.3	0.1	0.0	0.0	0.3	0.0	0.4	0.2	19.9	0.0	0.0	100.6
AAS-38-193-P75	Relict bearing	0.0	37.9	1.0	37.9	0.0	0.0	0.0	0.3	0.1	0.3	0.2	23.3	0.0	0.2	101.2
AAS-38-195-P32	Relict bearing	0.0	45.3	1.4	39.1	0.1	0.1	0.0	0.3	0.0	0.6	0.3	12.7	0.1	0.4	100.4
AAS-38-195-P43	Relict bearing	0.0	41.4	0.8	39.7	0.1	0.0	0.0	0.6	0.1	0.4	0.2	17.8	0.0	0.1	101.3
AAS-38-195-P51	Relict bearing	0.0	43.8	2.2	38.8	0.1	0.1	0.0	0.2	0.0	0.4	0.2	13.1	0.0	0.4	99.4
AAS-38-195-P96	Relict bearing	0.0	40.3	0.1	38.8	0.0	0.0	0.0	0.1	0.0	0.3	0.2	18.1	0.1	0.3	98.4
AAS-38-196-P43	Relict bearing	0.0	41.4	0.2	39.0	0.1	0.0	0.0	0.2	0.0	0.4	0.2	18.4	0.0	0.0	100.0
AAS-38-199-P84	Relict bearing	0.0	42.1	0.2	41.7	0.1	0.0	0.0	0.1	0.0	0.4	0.2	16.0	0.0	0.1	100.9
AAS-38-199-P109	Relict bearing	0.3	38.7	0.6	40.0	0.1	0.3	0.4	0.3	0.1	0.6	0.2	19.8	0.4	0.3	102.1
P44	Relict bearing	0.0	32.9	1.5	44.0	0.0	0.1	0.0	1.0	0.0	0.5	0.2	18.3	0.0	0.1	98.7
P59	Relict bearing	0.0	34.1	1.3	36.8	0.1	0.0	0.0	1.7	0.0	0.3	0.2	23.6	0.0	0.6	98.7
P88	Relict bearing	0.0	39.4	1.3	45.0	0.1	0.3	0.0	0.5	0.0	0.4	0.2	11.2	0.0	0.4	98.7
P95	Relict bearing	0.2	26.7	1.3	36.8	0.2	0.3	0.0	1.5	0.0	0.4	0.3	28.0	0.0	0.2	95.9
P106	Relict bearing	0.1	23.0	0.6	52.1	0.0	0.0	0.0	0.7	0.0	0.5	0.6	19.7	0.0	0.1	97.5
P108	Relict bearing	0.1	27.7	1.6	43.6	0.2	0.0	0.0	1.2	0.0	0.5	0.4	19.6	0.0	1.2	96.2
P109	Relict bearing	0.1	27.0	1.2	40.5	0.4	0.0	0.0	1.6	0.0	0.7	0.2	23.0	0.0	0.6	95.4
P128	Relict bearing	0.9	27.9	4.0	55.1	0.0	0.3	0.1	2.2	0.0	0.6	0.4	6.7	0.0	0.1	98.4
P160	Relict bearing	0.3	37.2	2.8	44.4	0.1	1.1	0.0	1.6	0.0	0.7	0.2	9.4	0.0	0.3	98.0
P167	Relict bearing	0.0	29.6	1.2	41.2	0.0	0.4	0.0	1.1	0.0	0.6	0.5	23.5	0.0	0.1	98.3
P220	Relict bearing	0.5	22.8	3.6	42.9	0.3	0.1	0.0	3.6	0.0	0.3	0.3	23.4	0.0	0.2	98.1
P251	Relict bearing	1.0	27.8	2.0	57.7	0.2	0.3	0.2	1.4	0.0	0.5	0.4	6.9	0.0	0.0	98.6
P302	Relict bearing	0.0	30.3	1.3	44.4	0.0	0.0	0.0	1.2	0.0	0.5	0.5	18.3	0.0	0.1	96.8
P304	Relict bearing	0.3	25.3	1.6	37.1	0.1	0.1	0.0	1.5	0.0	0.6	0.4	29.4	0.0	0.1	96.6
P351	Relict bearing	0.0	33.4	0.8	37.7	0.0	0.1	0.0	0.7	0.0	0.3	0.3	24.4	0.0	0.0	97.8
P363	Relict bearing	0.2	31.1	2.1	46.4	0.0	0.2	0.0	1.7	0.0	0.4	0.2	13.4	0.0	0.5	96.2
P392	Relict bearing	0.0	42.4	15.1	32.1	0.0	0.0	0.0	1.0	0.0	0.5	0.1	4.9	0.0	0.1	96.1

P408	Relict bearing	0.0	26.2	3.5	35.0	0.1	0.1	0.0	4.0	0.0	0.3	0.2	27.1	0.1	0.1	96.8
P415	Relict bearing	0.1	23.8	3.8	43.9	0.0	0.1	0.0	3.8	0.0	0.4	0.6	20.3	0.0	0.1	97.0
P419	Relict bearing	0.1	28.9	3.7	44.4	0.0	0.0	0.0	2.8	0.1	0.3	0.4	17.4	0.0	0.2	98.4
P504	Relict bearing	0.0	34.3	0.6	36.7	0.1	0.0	0.0	0.7	0.0	0.4	0.7	24.9	0.0	0.1	98.6
P522	Relict bearing	0.0	51.1	0.5	41.6	0.1	0.0	0.0	1.4	0.0	0.2	0.2	3.4	0.0	0.2	98.5
P541	Relict bearing	0.2	30.4	1.7	39.4	0.0	0.0	0.0	1.4	0.0	0.2	0.5	22.7	0.1	0.3	96.9
P544	Relict bearing	0.0	33.6	1.8	38.8	0.0	0.0	0.0	1.4	0.0	0.2	0.2	22.0	0.0	1.0	99.1
P586	Relict bearing	0.0	24.9	1.4	49.8	0.0	0.4	0.0	1.1	0.0	0.5	0.4	18.7	0.1	0.5	97.8
P607	Relict bearing	0.0	34.7	1.8	45.9	0.1	0.0	0.0	1.5	0.0	0.4	0.2	12.8	0.0	0.3	97.7
P627	Relict bearing	0.1	30.9	1.7	49.1	0.2	0.0	0.0	3.2	0.0	0.4	0.2	11.0	0.0	0.5	97.4
P645	Relict bearing	0.2	34.2	1.0	40.5	0.1	0.0	0.0	3.3	0.0	0.0	0.3	15.3	0.0	0.1	95.3
P668	Relict bearing	0.0	27.2	2.3	38.3	0.1	0.1	0.0	2.3	0.0	0.4	0.2	26.8	0.0	0.4	98.2
P700	Relict bearing	0.4	26.1	2.0	37.6	0.0	0.0	0.0	1.5	0.0	0.2	0.4	29.3	0.0	0.3	97.8
P703	Relict bearing	0.5	27.1	1.7	36.6	0.1	0.1	0.0	1.3	0.0	0.3	0.4	30.0	0.0	0.1	98.3
P710	Relict bearing	0.0	33.2	1.7	37.9	0.0	0.0	0.0	1.6	0.0	0.1	0.2	22.4	0.0	0.5	97.8
P721	Relict bearing	0.4	29.9	2.1	43.6	0.0	0.1	0.0	2.0	0.0	0.3	0.5	19.7	0.0	0.1	98.8
P728	Relict bearing	0.0	44.1	1.1	45.3	0.0	0.0	0.0	0.6	0.0	0.5	0.2	6.8	0.0	0.1	98.7
P791	Relict bearing	1.9	22.1	2.1	43.6	0.1	0.0	0.2	1.6	0.0	0.2	0.6	25.4	0.0	0.0	97.8
P913	Relict bearing	0.2	28.0	0.7	50.9	0.0	0.0	0.0	0.9	0.0	0.2	0.4	16.8	0.0	0.0	98.1
P930	Relict bearing	0.1	31.9	0.4	38.0	0.0	0.0	0.0	0.6	0.0	0.2	0.3	28.0	0.0	0.1	99.6
P931	Relict bearing	0.0	42.0	0.2	38.9	0.0	0.0	0.0	0.2	0.0	0.3	0.9	16.3	0.0	0.1	98.9
P939	Relict bearing	0.0	43.3	1.8	46.1	0.0	0.0	0.0	1.2	0.0	0.5	0.3	4.5	0.0	0.2	98.1
P1028	Relict bearing	0.0	30.4	1.5	37.1	0.0	0.1	0.0	1.4	0.0	0.3	0.5	24.4	0.0	0.0	95.8
P1162	Relict bearing	0.5	32.9	1.4	49.2	0.0	0.4	0.0	1.0	0.0	0.3	0.3	10.2	0.0	0.9	97.1
P1209	Relict bearing	0.2	24.3	3.3	38.2	0.0	0.0	0.0	2.8	0.0	0.3	0.3	27.4	0.1	0.2	97.3
MS-I2 P378	Relict bearing	1.3	23.0	2.6	39.7	0.2	0.0	0.1	2.3	0.1	0.6	1.2	25.8	0.1	0.4	97.5
MS-I3-P7	Relict bearing	0.1	29.5	4.9	35.0	0.1	0.1	0.0	0.8	0.1	0.4	0.2	28.9	0.1	0.7	100.8
MS-I3-P114	Relict bearing	0.0	36.6	0.5	50.1	0.0	0.0	0.0	0.2	0.1	0.3	0.3	12.5	0.0	0.0	100.7
MS-I3-P154	Relict bearing	0.0	44.0	1.2	40.6	0.0	0.0	0.0	0.9	0.1	0.2	0.2	12.4	0.0	0.1	99.8
MS-I3-P222	Relict bearing	0.0	47.6	1.0	42.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	8.1	0.1	0.4	99.7
MS-I3-P235	Relict bearing	0.0	40.8	0.8	43.7	0.0	0.0	0.0	0.0	0.0	0.6	1.2	13.3	0.0	0.2	100.6
MS-I3-P263	Relict bearing	0.0	22.0	1.4	34.1	0.0	0.0	0.0	0.0	0.0	0.4	0.5	43.2	0.1	0.2	102.0
MS-I3-P361	Relict bearing	0.0	21.8	4.5	40.4	0.0	0.0	0.0	0.0	0.0	0.2	0.3	30.2	0.1	0.0	97.5

MS-I3-P395	Relict bearing	0.0	35.5	1.5	37.7	0.0	0.0	0.0	0.0	0.0	0.3	0.2	23.3	0.0	1.3	99.9
MS-I3-P428	Relict bearing	0.0	28.5	1.7	35.8	0.0	0.0	0.0	0.0	0.0	0.1	0.2	32.4	0.1	1.0	100.0
MS-I3-P479	Relict bearing	0.1	33.7	9.2	43.3	0.0	0.0	0.0	0.0	0.0	0.6	0.2	8.3	0.0	0.3	95.8
MS-I3-P527	Relict bearing	0.0	28.1	2.6	36.5	0.0	0.0	0.0	0.0	0.0	0.3	0.6	30.7	0.0	0.1	99.0
MS-I3-P549	Relict bearing	0.0	32.2	0.8	35.2	0.1	0.1	0.0	1.4	0.0	0.2	0.2	29.0	0.1	0.5	99.7
MS-I3-P618	Relict bearing	0.1	28.9	3.2	39.6	0.1	0.5	0.0	2.9	0.1	0.5	0.4	23.1	0.0	0.0	99.4
MS-I3-P644	Relict bearing	0.0	38.3	4.2	36.9	0.1	0.2	0.0	1.1	0.1	0.4	0.3	13.0	0.0	0.0	94.7
MS-I3-P734	Relict bearing	0.0	35.2	0.6	54.1	0.0	0.0	0.0	0.4	0.1	0.7	0.1	4.6	0.0	0.0	95.9
MS-I3-P756	Relict bearing	0.2	22.2	2.4	39.9	0.1	0.9	0.0	2.0	0.1	0.5	0.2	30.7	0.0	0.1	99.6
MS-I3-P863	Relict bearing	0.0	37.0	0.7	35.6	0.1	0.0	0.0	0.3	0.1	0.2	0.2	24.0	0.1	1.4	99.7
MS-I3-P973	Relict bearing	0.2	35.8	0.9	47.4	0.1	0.1	0.1	0.6	0.1	0.6	0.2	9.0	0.0	0.2	95.2
MS-I3-P1067	Relict bearing	0.1	35.6	1.5	46.9	0.1	0.1	0.0	0.9	0.1	0.5	0.2	11.8	0.0	0.1	98.0
MS-I3-P1089	Relict bearing	0.1	22.6	4.3	28.1	0.0	0.1	0.1	2.3	0.1	0.6	0.3	34.6	0.1	1.6	94.8
MS-I3-P1164	Relict bearing	0.0	24.9	3.0	45.1	0.2	0.0	0.0	2.4	0.2	0.6	0.4	21.0	0.1	0.2	98.1
MS-I3-P1165	Relict bearing	0.9	26.6	1.1	38.8	0.3	0.0	0.1	0.8	0.1	0.3	0.4	27.9	0.0	0.1	97.4
MS-I3-P1211	Relict bearing	0.9	18.1	2.6	35.4	0.1	0.0	0.0	1.9	0.1	0.3	0.4	38.9	0.1	0.6	99.5
MS-I3-P1247	Relict bearing	0.0	23.4	2.9	38.2	0.1	0.0	0.0	1.8	0.1	0.2	0.7	29.7	0.0	0.1	97.3
MS-I3-P1276	Relict bearing	0.0	27.0	3.1	42.5	0.2	0.1	0.0	2.0	0.1	0.5	0.2	22.3	0.0	0.2	98.3
MS-I4-P173	Relict bearing	0.1	23.5	2.5	38.4	0.1	0.0	0.0	2.0	0.1	0.5	0.3	32.3	0.1	0.1	99.9
MS-I4-P401	Relict bearing	0.4	30.2	2.3	56.1	0.1	0.0	0.0	4.0	0.2	1.0	0.3	5.2	0.0	0.1	100.0
MS-I4-P437A	Relict bearing	0.1	34.3	1.7	41.0	0.0	0.0	0.0	1.3	0.0	0.1	0.4	22.0	0.0	0.1	101.0
MS-I4-P476	Relict bearing	0.0	51.0	2.0	33.7	0.1	0.0	0.0	0.3	0.0	0.7	0.3	13.4	0.0	0.1	101.7
MS-I4-P535	Relict bearing	0.0	30.7	3.9	52.3	0.0	0.2	0.0	3.5	0.1	0.7	0.6	9.5	0.0	0.0	101.6
MS-I4-P599	Relict bearing	0.1	34.5	1.9	48.7	0.0	0.0	0.0	2.0	0.1	1.7	0.2	11.1	0.0	0.7	101.3
MS-I4-P742	Relict bearing	0.1	35.3	1.0	37.2	0.0	0.0	0.0	0.7	0.1	0.5	0.4	25.3	0.0	0.3	100.8
MS-I4-P790	Relict bearing	0.2	34.9	1.5	38.5	0.1	0.7	0.0	0.7	0.1	0.4	0.3	21.6	0.1	1.2	100.3
MS-I4-P799	Relict bearing	1.3	23.5	2.4	50.9	0.8	0.0	0.1	1.6	0.1	1.0	0.3	17.6	0.0	0.2	99.7
MS-I4-P835	Relict bearing	0.2	22.7	4.2	31.7	0.1	0.1	0.0	0.7	0.1	0.2	0.2	39.2	0.1	0.9	100.5
MS-I6 P51	Relict bearing	0.0	54.0	0.2	40.4	0.1	0.0	0.0	0.1	0.0	0.2	0.1	5.3	0.0	0.6	101.0
MS-I6 P53	Relict bearing	0.5	30.5	0.5	47.4	0.1	0.0	0.1	0.4	0.0	0.6	1.3	19.6	0.0	0.0	101.1
MS-I6 P64	Relict bearing	0.0	50.1	0.1	40.7	0.0	0.0	0.0	0.4	0.1	0.2	0.1	8.3	0.1	1.1	101.1
MS-I6 P156	Relict bearing	0.0	45.5	1.3	41.9	0.0	0.0	0.0	0.8	0.1	0.5	0.3	10.0	0.0	0.2	100.6
MS-I6 P180	Relict bearing	0.0	43.6	0.0	38.1	0.0	0.0	0.0	0.0	0.0	0.5	0.3	21.4	0.0	0.1	104.0

MS-I6 P192	Relict bearing	0.0	46.7	1.4	42.2	0.0	0.0	0.0	0.7	0.1	0.3	0.1	9.2	0.0	0.6	101.4
MS-I6 P226	Relict bearing	0.0	47.2	0.0	39.9	0.1	0.0	0.0	0.3	0.0	0.1	0.2	13.8	0.1	0.1	101.8
MS-I7-P108	Relict bearing	0.0	37.1	2.5	47.6	0.3	0.1	0.0	1.4	0.1	0.4	0.3	8.6	0.0	0.0	98.7
MS-I7-P299	Relict bearing	0.0	29.4	3.7	47.9	0.2	0.2	0.0	3.2	0.2	0.6	0.5	13.7	0.0	0.3	100.0
MS-I7-P367	Relict bearing	3.2	26.6	0.8	41.5	1.5	0.2	0.1	0.7	0.1	0.4	1.7	21.9	0.0	0.0	98.7
MS-I7-P444	Relict bearing	0.0	27.1	1.8	39.3	0.1	0.1	0.0	1.2	0.1	0.4	0.3	27.4	0.1	0.3	98.2
MS-I8-P37	Relict bearing	0.0	42.5	1.2	43.4	0.1	0.2	0.0	0.9	0.1	0.5	0.3	11.5	0.0	0.0	100.6
MS-I13-P86	Relict bearing	0.0	45.7	0.1	39.7	0.0	0.0	0.0	0.1	0.0	0.3	0.2	12.4	0.0	0.2	98.9
MS-I13-P108	Relict bearing	0.0	32.9	1.7	50.6	0.1	0.1	0.0	1.5	0.1	0.8	0.4	10.2	0.0	0.0	98.3
MS-I13-P427	Relict bearing	0.0	42.8	1.0	50.4	0.0	0.0	0.0	0.4	0.1	0.7	0.2	1.8	0.0	0.0	97.4
MS-I13-P471	Relict bearing	0.0	47.6	0.7	41.2	0.1	0.0	0.0	0.7	0.1	0.4	0.2	9.0	0.0	0.4	100.3
MS-I13-P575	Relict bearing	0.5	25.7	2.4	39.2	0.1	0.0	0.1	1.6	0.1	0.6	0.3	25.9	0.1	0.1	96.9
MS-I19-P179	Relict bearing	0.1	27.0	2.2	54.4	0.0	0.0	0.0	2.2	0.2	0.8	0.5	11.9	0.0	0.1	99.3
MS-I19-P368	Relict bearing	0.7	30.5	2.5	42.8	0.2	0.0	0.1	1.9	0.1	0.3	0.3	20.5	0.0	0.1	100.1
MS-I30-P123	Relict bearing	0.1	29.1	2.4	48.4	0.1	0.1	0.1	1.3	0.1	0.7	0.8	17.5	0.0	0.1	100.8
MS-I30-P156	Relict bearing	0.1	30.2	1.9	46.1	0.1	0.2	0.0	1.3	0.1	0.6	0.5	19.8	0.0	0.0	101.0
MS-I30-P310	Relict bearing	0.0	27.8	2.1	41.8	0.1	0.0	0.0	1.9	0.1	0.3	0.5	24.1	0.0	0.1	98.8
MS-I31-P17	Relict bearing	0.0	54.5	0.0	42.2	0.0	0.0	0.0	0.1	0.0	0.2	0.3	3.0	0.0	0.0	100.3
MS-I31-P23	Relict bearing	0.0	51.7	0.1	40.3	0.0	0.0	0.0	0.2	0.0	0.5	0.1	7.7	0.0	0.1	100.7
MS-I31-P42	Relict bearing	0.0	54.0	0.1	40.3	0.0	0.0	0.0	0.4	0.0	0.2	0.1	3.2	0.0	0.1	98.4
MS-I31-P50	Relict bearing	0.0	51.2	0.2	38.3	0.2	0.0	0.0	0.1	0.0	0.3	0.2	8.2	0.1	1.4	100.1
MS-I31-P70	Relict bearing	0.0	49.3	0.2	38.4	0.0	0.0	0.0	0.2	0.0	0.4	0.4	11.5	0.0	0.0	100.6
MS-I31-P76	Relict bearing	0.0	51.3	0.2	41.5	0.0	0.0	0.0	0.1	0.0	0.2	0.2	5.8	0.0	0.2	99.7
MS-I31-P110	Relict bearing	0.0	53.4	0.3	41.3	0.0	0.0	0.0	0.2	0.0	0.7	0.2	2.7	0.0	0.3	99.1
MS-I31-P163	Relict bearing	0.0	44.5	0.7	39.0	0.1	0.0	0.0	0.5	0.1	0.5	0.2	13.7	0.1	0.7	100.0
MS-I31-P177	Relict bearing	0.0	40.7	1.0	38.3	0.1	0.0	0.0	0.5	0.1	0.3	0.2	18.4	0.1	1.1	100.7
MS-I31-P316	Relict bearing	0.0	45.5	0.8	37.3	0.1	0.0	0.0	0.6	0.1	0.2	0.2	14.2	0.1	1.2	100.3
MS-I31-P320	Relict bearing	0.0	48.4	1.1	40.1	0.1	0.0	0.0	0.5	0.1	0.3	0.2	7.9	0.0	0.7	99.4
MS-I31-P424	Relict bearing	0.0	52.0	0.5	40.4	0.0	0.0	0.0	0.2	0.0	0.2	0.1	5.9	0.0	0.9	100.5
MS-I31-P442	Relict bearing	0.0	41.0	0.4	37.1	0.1	0.0	0.0	0.2	0.0	0.5	0.2	20.3	0.0	0.2	99.9
MS-I35-P9	Relict bearing	0.0	42.8	1.5	34.7	0.0	0.0	0.0	0.2	0.1	0.6	0.2	15.3	0.0	0.3	95.7
MS-I35-P54	Relict bearing	0.0	44.3	0.6	39.4	0.0	0.0	0.0	0.5	0.1	0.1	0.2	12.2	0.0	0.2	97.7
MS-I35-P61	Relict bearing	0.0	50.5	1.3	40.6	0.1	0.0	0.0	0.1	0.0	0.2	0.2	5.5	0.0	0.4	99.0

MS-I35-P68	Relict bearing	0.0	43.0	0.6	38.6	0.1	0.0	0.0	0.4	0.0	0.3	0.2	16.8	0.0	0.1	100.2
MS-I35-P85	Relict bearing	0.0	43.7	0.0	39.1	0.0	0.0	0.0	0.1	0.0	0.2	0.3	18.2	0.0	0.0	101.6
MS-I35-P282	Relict bearing	0.0	35.9	1.4	58.2	0.1	0.0	0.0	0.7	0.2	0.8	0.2	3.8	0.1	0.0	101.4
MS-I35-P343	Relict bearing	0.0	39.1	1.6	40.0	0.1	0.1	0.0	1.1	0.1	0.1	0.1	16.9	0.1	0.4	99.7
MS-I35-P358	Relict bearing	0.0	34.0	1.8	41.0	0.1	0.0	0.0	1.5	0.2	0.4	0.2	18.3	0.0	0.3	97.9
MS-I35-P373	Relict bearing	0.0	33.4	1.5	52.5	0.0	0.0	0.0	1.0	0.1	0.9	0.7	10.1	0.0	0.0	100.4
MS-I35-P407	Relict bearing	0.0	30.8	1.0	51.6	0.1	0.1	0.1	0.6	0.0	0.6	0.2	15.0	0.0	0.0	100.1
MS-I35-P536	Relict bearing	0.0	19.9	1.1	26.3	0.0	0.0	0.0	0.2	0.0	0.4	0.3	50.6	0.5	0.3	99.6
MS-I35-P721	Relict bearing	0.1	23.6	3.6	37.8	0.2	0.2	0.1	2.9	0.2	0.7	0.4	30.4	0.1	0.2	100.2
MS-I35-P819	Relict bearing	0.3	27.9	1.4	53.4	0.0	0.0	0.0	0.6	0.4	0.3	0.4	14.8	0.0	0.0	99.4
MS-I35-P908	Relict bearing	0.6	23.7	3.1	36.4	0.3	0.2	0.1	2.1	0.1	0.6	0.2	32.2	0.1	0.4	100.2
MS-I35-P952	Relict bearing	1.3	20.4	4.9	51.9	0.0	0.0	0.1	4.8	0.1	0.7	0.4	15.4	0.1	0.2	100.4
MS-I35-P963	Relict bearing	0.2	25.3	2.2	45.6	0.1	0.1	0.2	1.3	0.1	0.8	0.8	23.3	0.0	0.2	100.3
AAS-38-43-P6	Porphyritic	0.0	38.2	1.7	36.9	0.1	0.0	0.0	0.7	0.0	0.2	0.1	17.5	0.1	2.9	98.6
AAS-38-43-P26	Porphyritic	0.1	41.1	0.2	38.2	0.3	0.0	0.0	0.1	0.0	0.3	0.1	19.5	0.1	0.3	100.4
AAS-38-43-P34	Porphyritic	0.1	33.8	0.7	35.8	0.1	0.0	0.0	0.4	0.0	0.4	0.2	25.5	0.1	2.6	99.8
AAS-38-43-P38	Porphyritic	0.1	33.4	0.2	36.9	0.1	0.0	0.0	0.3	0.0	0.3	0.3	27.4	0.1	0.4	99.5
AAS-38-43-P48	Porphyritic	0.1	33.7	0.3	36.9	0.1	0.0	0.0	0.2	0.1	0.2	0.3	28.3	0.1	0.2	100.4
AAS-38-43-P51	Porphyritic	0.1	32.4	0.2	35.9	0.1	0.0	0.0	0.1	0.0	0.1	0.2	25.3	0.0	1.1	95.5
AAS-38-43-P53	Porphyritic	0.1	28.1	0.8	34.1	0.1	0.2	0.1	0.3	0.1	1.5	0.3	34.0	0.0	0.1	99.8
AAS-38-43-P55	Porphyritic	0.1	35.1	0.2	37.0	0.1	0.0	0.0	0.4	0.0	0.4	0.2	25.1	0.0	0.4	99.2
AAS-38-43-P57	Porphyritic	0.1	33.8	2.3	43.6	0.2	0.2	0.0	1.7	0.1	0.6	0.4	18.1	0.0	0.0	101.1
AAS-38-43-P58	Porphyritic	0.1	37.1	1.3	40.2	0.0	0.0	0.0	0.9	0.0	0.3	0.3	20.2	0.0	0.4	100.9
AAS-38-43-P70	Porphyritic	0.0	36.7	0.7	37.4	0.2	0.0	0.0	0.6	0.0	0.5	0.2	23.7	0.1	1.0	100.9
AAS-38-43-P72	Porphyritic	0.1	42.3	0.2	38.9	0.1	0.0	0.0	0.1	0.0	0.5	0.2	18.1	0.0	0.1	100.6
AAS-38-151-P17	Porphyritic	0.0	36.4	0.1	36.9	0.1	0.0	0.0	0.2	0.0	0.3	0.2	22.8	0.1	0.4	97.5
AAS-38-151-P128	Porphyritic	0.0	31.6	2.0	44.9	0.0	0.0	0.0	1.7	0.1	0.2	0.5	17.0	0.0	0.3	98.4
AAS-38-151-P229	Porphyritic	0.0	44.3	0.2	39.4	0.0	0.0	0.0	0.1	0.0	0.2	0.3	14.6	0.1	1.8	101.0
AAS-38-151-P236	Porphyritic	0.1	29.5	2.4	42.1	0.1	0.0	0.0	0.2	0.1	0.2	0.3	25.2	0.1	0.7	101.1
AAS-38-164-P5	Porphyritic	0.0	36.9	0.5	37.5	0.1	0.0	0.0	0.2	0.0	0.5	0.2	23.6	0.0	0.2	100.0
AAS-38-164-P8	Porphyritic	0.0	46.9	0.8	45.7	0.1	0.0	0.0	0.9	0.1	0.2	0.2	6.5	0.0	0.1	101.5
AAS-38-164-P17	Porphyritic	0.0	29.4	0.6	33.1	0.1	0.0	0.0	0.2	0.1	0.2	0.2	33.8	0.0	0.2	97.9
AAS-38-164-P35	Porphyritic	0.0	37.9	0.3	36.7	0.1	0.0	0.0	0.1	0.0	0.3	0.2	21.4	0.2	3.0	100.1

AAS-38-164-P38	Porphyritic	0.1	26.5	0.3	34.7	0.2	0.0	0.0	0.2	0.0	0.4	0.3	36.3	0.0	0.2	99.2
AAS-38-164-P48	Porphyritic	0.0	39.5	0.4	37.8	0.1	0.0	0.0	0.2	0.0	0.4	0.2	21.9	0.0	0.1	100.7
AAS-38-164-P56	Porphyritic	0.2	37.5	1.5	39.8	0.1	0.0	0.0	0.1	0.1	0.5	0.2	20.4	0.0	0.6	101.0
AAS-38-164-P61	Porphyritic	0.2	39.9	2.7	39.5	0.2	0.0	0.2	0.5	0.1	0.3	0.2	15.4	0.0	0.1	99.3
AAS-38-167-P5	Porphyritic	0.0	39.7	0.5	37.4	0.1	0.0	0.0	0.4	0.0	0.5	0.1	21.0	0.0	0.2	100.2
AAS-38-167-P7	Porphyritic	0.0	42.5	0.8	40.4	0.2	0.2	0.0	0.6	0.1	0.5	0.2	13.2	0.1	0.2	98.8
AAS-38-167-P9	Porphyritic	0.1	28.8	2.3	32.2	0.0	0.0	0.0	0.1	0.1	0.3	0.2	33.6	0.1	0.3	98.0
AAS-38-167-P16	Porphyritic	0.0	37.7	0.1	38.0	0.1	0.0	0.0	0.2	0.0	0.4	0.2	23.8	0.0	0.1	100.6
AAS-38-167-P31	Porphyritic	0.0	27.7	2.3	37.8	0.2	0.1	0.0	3.3	0.1	0.5	0.3	27.2	0.0	0.0	99.6
AAS-38-167-P68	Porphyritic	0.0	42.1	0.1	40.5	0.0	0.0	0.0	0.1	0.0	0.1	0.4	16.3	0.0	0.1	99.9
AAS-38-167#1-P5	Porphyritic	0.0	39.4	1.1	43.5	0.0	0.0	0.0	0.9	0.1	0.6	0.3	13.8	0.0	0.0	99.8
AAS-38-167#1-P17	Porphyritic	0.0	46.7	0.1	39.5	0.0	0.0	0.0	0.1	0.0	0.1	0.3	12.5	0.0	0.1	99.5
AAS-38-167#1-P46	Porphyritic	0.0	38.7	0.9	40.6	0.0	0.0	0.0	0.8	0.1	0.2	0.3	17.1	0.0	0.1	98.8
AAS-38-167#1-P55	Porphyritic	0.0	35.0	0.0	36.6	0.0	0.0	0.0	0.1	0.0	0.3	0.3	26.5	0.0	0.2	99.2
AAS-38-167#1-P59	Porphyritic	0.0	40.5	0.2	37.1	0.1	0.0	0.0	0.2	0.0	0.4	0.1	20.0	0.1	0.6	99.2
AAS-38-167#1-P67	Porphyritic	0.0	43.8	0.4	39.5	0.0	0.0	0.0	0.0	0.0	0.4	0.1	15.0	0.0	0.8	100.1
AAS-38-167#1-P77	Porphyritic	0.0	31.6	1.6	47.1	0.0	0.0	0.0	1.2	0.1	0.3	0.4	16.9	0.0	0.1	99.4
AAS-38-167#1-P82	Porphyritic	0.0	35.6	0.2	37.2	0.1	0.0	0.0	0.1	0.0	0.3	0.2	26.4	0.1	0.4	100.6
AAS-38-167#1-P83	Porphyritic	0.0	24.0	2.7	38.5	0.3	0.0	0.0	8.2	0.1	0.3	0.2	24.5	0.1	1.1	100.1
AAS-38-167#1-P120	Porphyritic	0.0	43.3	0.2	39.1	0.1	0.0	0.0	0.3	0.0	0.4	0.2	17.5	0.0	0.0	101.1
AAS-38-167#1-P129	Porphyritic	0.0	36.5	0.2	35.9	0.0	0.0	0.0	0.2	0.0	0.4	0.2	25.5	0.1	1.2	100.2
AAS-38-167#1-P133	Porphyritic	0.0	39.5	0.7	38.1	0.1	0.1	0.0	0.5	0.0	0.5	0.2	20.4	0.0	0.0	100.2
AAS-38-169-P39	Porphyritic	0.0	33.8	0.2	54.3	0.0	0.0	0.0	0.4	0.1	0.2	0.3	8.0	0.0	0.0	97.4
AAS-38-169-P59	Porphyritic	0.0	36.1	0.1	35.2	0.0	0.0	0.0	0.3	0.0	0.4	0.3	24.6	0.0	0.0	97.1
AAS-38-170-P14	Porphyritic	0.0	39.0	0.3	35.6	0.2	0.0	0.0	0.1	0.0	0.4	0.1	22.1	0.1	0.5	98.5
AAS-38-170-P21	Porphyritic	0.1	31.9	2.5	42.3	0.0	0.0	0.0	1.6	0.1	0.1	0.4	17.9	0.0	0.1	96.9
AAS-38-170-P24	Porphyritic	0.0	38.5	0.2	36.8	0.1	0.0	0.0	0.2	0.0	0.4	0.1	20.8	0.1	2.0	99.1
AAS-38-170-P28	Porphyritic	0.0	34.1	1.6	44.4	0.0	0.0	0.0	0.4	0.2	0.7	0.4	15.5	0.0	0.9	98.2
AAS-38-170-P33	Porphyritic	0.0	33.1	0.3	35.2	0.2	0.0	0.0	0.3	0.0	0.3	0.2	27.3	0.1	2.6	99.6
AAS-38-170-P39	Porphyritic	0.0	44.7	0.3	39.7	0.0	0.0	0.0	0.1	0.0	0.3	0.2	14.4	0.1	0.1	100.0
AAS-38-170-P40	Porphyritic	0.0	28.1	2.0	33.7	0.0	0.0	0.0	1.2	0.0	0.4	0.3	33.0	0.1	0.3	99.4
AAS-38-170-P50	Porphyritic	0.0	23.1	3.2	37.0	0.1	0.0	0.0	3.2	0.1	0.2	0.2	31.0	0.1	0.7	99.0
AAS-38-170-P55	Porphyritic	0.0	41.4	3.3	41.5	0.1	0.0	0.0	1.0	0.2	0.2	0.1	10.4	0.0	0.4	98.6

AAS-38-170-P69	Porphyritic	0.0	41.0	0.4	37.9	0.1	0.0	0.0	0.2	0.0	0.9	0.3	18.6	0.0	0.1	99.5
AAS-38-170-P74	Porphyritic	0.0	37.2	0.7	37.3	0.2	0.0	0.0	0.1	0.0	0.3	0.2	22.7	0.0	0.3	98.9
AAS-38-170-P89	Porphyritic	0.0	30.9	0.1	36.9	0.0	0.0	0.0	0.2	0.0	0.2	0.3	30.4	0.0	0.4	99.6
AAS-38-170-P173	Porphyritic	0.0	28.1	2.2	40.1	0.1	0.0	0.0	0.2	0.1	0.2	0.5	25.5	0.0	0.0	97.0
AAS-38-170-P178	Porphyritic	0.0	22.0	3.6	41.2	0.1	0.2	0.0	1.7	0.1	0.5	0.3	30.0	0.0	0.0	99.7
AAS-38-173-P4	Porphyritic	0.0	29.7	2.8	48.6	0.1	0.0	0.0	1.2	0.1	0.7	0.2	16.3	0.0	0.1	99.9
AAS-38-173-P21	Porphyritic	0.0	34.0	2.8	39.7	0.1	0.0	0.0	2.0	0.1	0.5	0.2	16.2	0.1	0.5	96.2
AAS-38-173-P29	Porphyritic	0.0	41.6	0.2	38.2	0.1	0.0	0.0	0.1	0.0	0.3	0.1	16.5	0.1	1.4	98.6
AAS-38-173-P34	Porphyritic	0.1	25.9	2.9	36.4	0.2	1.1	0.0	0.9	0.2	0.4	0.3	30.8	0.0	0.4	99.5
AAS-38-173-P113	Porphyritic	0.0	32.9	1.9	45.1	0.0	0.0	0.0	2.8	0.2	0.3	0.3	13.5	0.0	0.1	97.3
AAS-38-173-P131	Porphyritic	0.0	32.1	0.2	35.6	0.1	0.0	0.0	0.2	0.0	0.4	0.3	28.8	0.0	0.0	97.7
AAS-38-173-P148	Porphyritic	0.1	44.3	0.7	42.1	0.0	0.0	0.0	0.7	0.0	0.1	0.3	11.1	0.0	0.0	99.5
AAS-38-173-P159	Porphyritic	0.0	27.2	2.4	38.5	0.2	0.0	0.0	2.3	0.1	0.3	0.3	26.9	0.1	0.9	99.0
AAS-38-182-P7	Porphyritic	0.0	52.0	0.1	41.8	0.0	0.0	0.0	0.0	0.0	0.1	0.0	4.5	0.0	0.3	99.0
AAS-38-182-P10	Porphyritic	0.0	40.0	0.4	39.2	0.1	0.0	0.0	0.1	0.0	0.3	0.3	18.9	0.1	0.4	99.8
AAS-38-182-P12	Porphyritic	0.0	33.9	1.1	40.6	0.2	0.0	0.0	1.2	0.1	0.2	0.3	19.8	0.1	1.9	99.4
AAS-38-182-P13	Porphyritic	0.1	31.6	0.1	35.8	0.2	0.0	0.0	0.1	0.0	0.3	0.2	29.6	0.1	0.2	98.5
AAS-38-182-P23	Porphyritic	0.0	35.7	0.2	37.7	0.1	0.1	0.0	0.1	0.0	0.4	0.2	23.4	0.0	0.0	98.1
AAS-38-182-P25	Porphyritic	0.2	34.9	0.7	39.7	0.0	0.6	0.0	0.5	0.0	0.2	0.6	22.7	0.0	0.1	100.3
AAS-38-182-P32	Porphyritic	0.0	35.1	0.3	37.2	0.1	0.0	0.0	0.3	0.0	0.4	0.2	23.9	0.1	0.5	98.2
AAS-38-182-P46	Porphyritic	0.2	31.6	1.1	43.7	0.0	0.0	0.0	1.4	0.1	0.1	0.4	21.0	0.0	0.2	99.9
AAS-38-182-P55	Porphyritic	0.0	39.3	0.5	41.1	0.0	0.0	0.0	0.4	0.0	0.2	0.3	17.2	0.0	0.0	99.3
AAS-38-182-P86	Porphyritic	0.0	31.5	0.6	43.6	0.1	0.0	0.0	0.6	0.0	0.1	0.4	22.4	0.1	0.3	99.6
AAS-38-187-P1	Porphyritic	0.0	37.9	0.1	38.3	0.1	0.0	0.0	0.2	0.0	0.3	0.2	22.3	0.1	0.1	99.6
AAS-38-187-P4	Porphyritic	0.0	32.5	0.3	35.8	0.1	0.0	0.0	0.2	0.0	0.5	0.2	28.2	0.1	0.1	98.1
AAS-38-187-P5	Porphyritic	0.0	31.2	0.2	36.3	0.0	0.0	0.0	0.1	0.0	0.4	0.2	28.7	0.0	0.1	97.4
AAS-38-187-P12	Porphyritic	0.2	36.0	0.6	39.6	0.0	0.2	0.0	0.2	0.0	0.1	0.4	20.6	0.0	0.2	98.0
AAS-38-187-P14	Porphyritic	0.1	28.4	2.0	39.9	0.2	0.0	0.1	1.8	0.1	0.5	0.1	25.7	0.0	0.1	98.9
AAS-38-187-P23	Porphyritic	0.0	26.9	0.6	34.2	0.1	0.1	0.0	0.4	0.0	0.6	0.3	34.7	0.1	0.2	98.3
AAS-38-188-P24	Porphyritic	0.0	43.8	0.6	40.8	0.0	0.0	0.2	0.3	0.0	0.0	0.3	14.1	0.0	0.0	100.3
AAS-38-188-P34	Porphyritic	0.5	33.4	1.6	42.8	0.1	0.0	0.1	1.5	0.1	0.0	0.3	21.0	0.0	0.0	101.5
AAS-38-188-P40	Porphyritic	0.1	41.4	0.7	45.1	0.0	0.0	0.0	0.7	0.0	0.4	0.2	12.5	0.0	0.0	101.0
AAS-38-188-P45	Porphyritic	0.0	38.7	0.4	39.4	0.0	0.0	0.1	0.2	0.0	0.7	0.2	21.7	0.0	0.0	101.6

AAS-38-188-P58	Porphyritic	0.1	35.8	1.3	39.0	0.2	0.0	0.0	3.7	0.1	0.2	0.2	18.6	0.1	0.6	99.8
AAS-38-188-P64	Porphyritic	0.0	47.3	0.0	40.4	0.0	0.0	0.0	0.0	0.0	0.1	0.1	11.7	0.0	0.8	100.5
AAS-38-188-P66	Porphyritic	0.1	35.7	0.9	38.1	0.1	0.0	0.0	0.7	0.0	0.6	0.1	23.0	0.0	0.4	99.6
AAS-38-188-P84	Porphyritic	0.0	42.4	0.1	40.4	0.1	0.0	0.0	0.2	0.0	0.4	0.3	17.9	0.0	0.1	101.9
AAS-38-188-P89	Porphyritic	0.0	46.1	0.5	39.8	0.0	0.0	0.0	0.3	0.0	0.2	0.2	10.9	0.0	0.7	98.9
AAS-38-92-P25	Porphyritic	0.0	27.3	0.8	34.5	0.8	0.4	0.1	0.1	0.1	0.5	0.4	36.7	0.1	0.2	101.8
AAS-38-92-P47	Porphyritic	0.3	30.1	0.2	49.6	0.5	0.0	0.0	0.3	0.0	0.5	1.8	16.9	0.0	0.0	100.4
AAS-38-92-P52	Porphyritic	0.0	31.7	2.2	46.3	0.0	0.0	0.0	2.0	0.1	0.5	0.5	15.4	0.1	0.4	99.1
AAS-38-201-P2	Porphyritic	0.0	32.7	1.7	41.3	0.1	0.0	0.0	3.0	0.1	0.2	0.3	18.3	0.0	0.0	97.9
AAS-38-201-P16	Porphyritic	0.1	34.4	0.7	45.0	0.0	0.0	0.0	0.5	0.1	0.4	0.4	16.1	0.0	0.0	97.7
AAS-38-201-P52	Porphyritic	0.0	33.0	0.3	35.9	0.1	0.0	0.0	0.3	0.0	0.3	0.2	28.9	0.1	0.4	99.7
AAS-38-201-P58	Porphyritic	0.2	22.8	0.7	30.9	0.3	0.0	0.1	0.1	0.1	0.3	0.3	39.1	0.2	1.5	96.5
AAS-38-201-P105	Porphyritic	0.0	40.4	0.2	37.8	0.1	0.0	0.0	0.3	0.0	0.4	0.2	17.6	0.1	0.5	97.5
AAS-38-201-P114	Porphyritic	0.0	37.3	0.6	38.5	0.1	0.0	0.0	0.8	0.0	0.4	0.2	20.8	0.1	0.2	99.0
AAS-38-203-P7	Porphyritic	0.0	45.4	0.3	38.7	0.1	0.0	0.0	0.0	0.0	0.5	0.1	13.4	0.1	1.9	100.5
AAS-38-203-P13	Porphyritic	0.0	34.1	0.5	36.9	0.1	0.0	0.0	0.5	0.0	0.4	0.2	28.4	0.1	0.1	101.4
AAS-38-203-P17	Porphyritic	0.1	34.5	0.9	36.4	0.1	0.0	0.0	1.0	0.0	0.4	0.5	25.6	0.1	0.4	100.0
AAS-38-203-P22	Porphyritic	0.1	26.9	1.7	36.8	0.2	0.0	0.0	1.8	0.1	0.3	0.2	31.4	0.1	1.8	101.2
AAS-38-203-P34	Porphyritic	0.0	37.9	0.2	38.4	0.0	0.0	0.0	0.1	0.0	0.5	0.2	22.5	0.0	0.0	100.0
AAS-38-203-P44	Porphyritic	0.0	27.6	1.9	42.6	0.2	0.1	0.0	0.5	0.1	0.6	0.2	27.5	0.0	0.0	101.2
AAS-38-203-P59	Porphyritic	0.0	38.5	0.7	40.1	0.1	0.0	0.0	0.5	0.0	0.4	0.2	21.9	0.0	0.3	102.7
AAS-38-203-P60	Porphyritic	0.1	26.7	0.8	33.3	0.1	0.0	0.0	0.2	0.0	0.2	0.2	35.8	0.1	0.4	98.0
AAS-38-203-P68	Porphyritic	0.0	38.3	0.2	37.2	0.1	0.0	0.0	0.2	0.0	0.2	0.2	21.7	0.1	2.3	100.6
AAS-38-203-P73	Porphyritic	0.0	36.1	0.2	37.8	0.1	0.0	0.0	0.0	0.0	0.3	0.1	25.7	0.0	0.3	100.7
AAS-38-203-P92	Porphyritic	0.0	35.0	0.4	36.9	0.2	0.0	0.0	0.1	0.0	0.4	0.3	25.8	0.0	0.0	99.3
AAS-38-203-P99	Porphyritic	0.1	42.8	1.1	40.3	0.1	0.3	0.0	1.0	0.1	0.3	0.3	14.0	0.0	0.1	100.5
AAS-38-203-P104	Porphyritic	0.0	26.9	2.6	43.6	0.0	0.1	0.0	0.6	0.1	0.7	0.4	25.2	0.0	0.0	100.3
AAS-38-203-P109	Porphyritic	0.0	35.9	0.3	36.5	0.2	0.0	0.0	0.1	0.1	0.2	0.2	24.6	0.0	0.8	98.9
AAS-38-203-P110	Porphyritic	0.0	51.0	0.1	40.9	0.0	0.0	0.0	0.2	0.0	0.3	0.2	7.4	0.0	0.3	100.5
AAS-38-203-P112	Porphyritic	0.0	35.8	0.5	38.2	0.1	0.0	0.0	0.3	0.1	0.3	0.2	24.1	0.1	0.5	100.1
AAS-38-203-P146	Porphyritic	0.0	36.4	0.5	38.4	0.1	0.1	0.0	0.1	0.0	0.5	0.2	24.5	0.0	0.1	100.9
AAS-38-204-P16	Porphyritic	0.0	34.1	1.4	40.9	0.0	0.0	0.0	1.4	0.1	0.3	0.3	22.4	0.0	0.1	100.9
AAS-38-204-P19	Porphyritic	0.0	23.5	1.2	33.2	0.1	0.2	0.0	0.3	0.0	0.2	0.2	40.9	0.1	0.8	100.7

AAS-38-204-P42	Porphyritic	0.0	40.0	0.0	41.2	0.0	0.0	0.0	0.1	0.0	0.2	0.3	19.1	0.0	0.2	101.2
AAS-38-204-P60	Porphyritic	0.0	29.4	0.1	34.5	0.1	0.0	0.0	0.3	0.0	0.4	0.3	34.2	0.0	0.1	99.4
AAS-38-204-P76	Porphyritic	0.0	27.7	2.6	38.8	0.2	0.0	0.0	1.1	0.1	0.3	0.2	28.4	0.1	0.5	100.1
AAS-38-204-P83	Porphyritic	0.0	35.1	0.6	35.7	0.1	0.1	0.0	0.3	0.0	0.3	0.2	26.5	0.1	0.4	99.4
AAS-38-206-P38	Porphyritic	0.0	39.3	0.2	38.1	0.0	0.0	0.0	0.1	0.0	0.5	0.4	21.9	0.0	0.0	100.5
AAS-38-206-P47	Porphyritic	0.0	29.7	1.8	36.3	0.1	0.0	0.0	2.5	0.1	0.4	0.3	26.4	0.1	1.1	98.8
AAS-38-206-P60	Porphyritic	0.0	28.8	0.5	34.9	0.1	0.0	0.0	0.3	0.0	0.2	0.2	34.2	0.1	1.1	100.4
AAS-38-206-P66	Porphyritic	0.0	35.3	0.2	37.0	0.1	0.0	0.0	0.0	0.0	0.2	0.2	24.7	0.1	0.9	98.6
AAS-38-206-P85	Porphyritic	0.0	34.8	2.4	41.9	0.3	0.0	0.0	2.0	0.2	0.4	0.1	17.6	0.1	1.3	101.1
AAS-38-206-P87	Porphyritic	0.1	32.7	0.3	36.4	0.1	0.0	0.0	0.1	0.0	0.4	0.3	27.1	0.1	1.3	98.8
AAS-38-206-P100	Porphyritic	0.0	38.9	1.5	42.7	0.0	0.0	0.0	1.1	0.0	0.1	0.4	14.6	0.0	0.1	99.6
AAS-38-207-P3	Porphyritic	0.0	24.9	0.8	55.4	0.0	0.0	0.0	2.5	0.2	0.3	0.5	15.6	0.0	0.0	100.2
AAS-38-207-P12	Porphyritic	0.0	44.2	1.0	43.0	0.0	0.0	0.0	0.6	0.0	0.5	0.1	10.0	0.0	0.0	99.6
AAS-38-207-P15	Porphyritic	0.1	35.9	1.4	41.2	0.0	0.0	0.0	0.6	0.1	0.5	0.3	20.3	0.1	0.5	100.9
AAS-38-207-P25	Porphyritic	0.1	24.5	1.2	32.6	0.1	0.0	0.0	0.5	0.1	0.1	0.2	37.1	0.1	0.4	97.1
AAS-38-207-P28	Porphyritic	0.1	33.8	0.0	37.7	0.1	0.0	0.0	0.3	0.0	0.4	0.2	27.9	0.0	0.0	100.5
AAS-38-207-P42	Porphyritic	0.0	40.9	0.2	37.8	0.0	0.0	0.0	0.2	0.0	0.3	0.1	19.7	0.1	0.9	100.3
AAS-38-207-P45	Porphyritic	0.0	35.8	0.2	38.5	0.1	0.0	0.0	0.2	0.0	0.2	0.1	23.4	0.1	2.2	100.8
AAS-38-207-P48	Porphyritic	0.0	33.9	1.7	39.5	0.1	0.0	0.0	1.2	0.1	0.3	0.2	21.9	0.1	1.8	100.7
AAS-38-207-P60	Porphyritic	0.0	42.3	0.2	42.8	0.2	0.0	0.0	0.1	0.0	0.2	0.2	12.8	0.1	1.3	100.2
AAS-38-207-P83	Porphyritic	0.2	30.8	1.2	53.9	0.0	0.0	0.0	1.8	0.1	0.1	0.3	12.6	0.0	0.1	101.2
AAS-38-207-P100	Porphyritic	0.0	34.7	1.0	39.0	0.1	0.0	0.0	0.8	0.0	0.3	0.2	25.4	0.0	0.3	101.8
AAS-62-9-P15	Porphyritic	0.0	32.3	0.7	36.6	0.0	0.0	0.0	0.5	0.0	0.7	0.3	27.1	0.1	0.0	98.4
AAS-62-9-P37	Porphyritic	0.0	39.1	0.2	38.0	0.0	0.0	0.0	0.1	0.0	0.5	0.3	20.0	0.0	0.0	98.4
AAS-62-9-P46	Porphyritic	0.0	41.6	0.1	39.0	0.0	0.0	0.0	0.1	0.0	0.3	0.2	17.1	0.0	0.2	98.8
AAS-62-9-P52	Porphyritic	0.0	40.9	0.5	37.8	0.0	0.1	0.0	0.3	0.0	0.4	0.3	18.4	0.0	0.0	98.8
AAS-62-9-P53	Porphyritic	0.0	35.9	0.4	37.3	0.1	0.0	0.0	0.2	0.0	0.4	0.2	23.2	0.1	0.1	97.9
AAS-62-9-P70	Porphyritic	0.0	36.6	0.1	42.9	0.0	0.0	0.0	0.1	0.0	0.5	0.3	17.6	0.0	0.1	98.2
AAS-62-9-P78	Porphyritic	0.0	26.6	2.4	38.4	0.0	0.1	0.0	3.5	0.1	0.5	0.4	24.4	0.0	0.1	96.6
AAS-62-9-P85	Porphyritic	0.0	33.2	0.4	36.2	0.1	0.0	0.0	0.2	0.0	0.4	0.2	27.0	0.1	0.3	98.1
AAS-62-9-P88	Porphyritic	0.0	35.5	1.2	38.9	0.2	0.0	0.0	0.7	0.1	0.3	0.1	18.6	0.1	2.1	98.0
AAS-62-9-P92	Porphyritic	0.0	40.3	0.2	38.1	0.0	0.1	0.0	0.0	0.0	0.4	0.3	18.6	0.0	0.0	98.1
AAS-62-32-P1	Porphyritic	0.0	38.9	0.6	37.7	0.1	0.2	0.0	0.2	0.1	0.4	0.2	22.7	0.1	0.4	101.5

AAS-62-32-P10	Porphyritic	0.2	38.8	1.6	43.8	0.0	0.0	0.0	0.9	0.1	0.1	0.4	14.0	0.0	0.1	99.9
AAS-62-32-P15	Porphyritic	0.0	36.5	0.3	36.9	0.1	0.0	0.0	0.2	0.0	0.5	0.3	25.1	0.1	0.1	100.1
AAS-62-32-P17	Porphyritic	0.0	43.1	0.2	39.0	0.1	0.0	0.0	0.2	0.0	0.4	0.2	17.7	0.1	0.2	101.1
AAS-62-32-P18	Porphyritic	0.0	25.9	3.6	38.8	0.1	0.7	0.0	2.6	0.2	0.4	0.5	25.8	0.0	0.0	98.7
AAS-62-32-P29	Porphyritic	0.0	36.4	0.3	36.8	0.2	0.0	0.0	0.1	0.0	0.4	0.2	23.9	0.1	0.1	98.7
AAS-62-32-P35	Porphyritic	0.0	25.4	2.3	39.3	0.1	0.3	0.0	1.7	0.1	0.5	0.6	30.7	0.1	0.1	101.3
AAS-62-32-P50	Porphyritic	0.0	20.8	3.3	40.7	0.1	0.2	0.0	2.7	0.2	0.7	0.5	31.0	0.0	0.1	100.2
AAS-62-32-P56	Porphyritic	0.0	37.9	0.2	38.5	0.1	0.0	0.0	0.1	0.0	0.3	0.2	19.7	0.1	2.6	99.8
AAS-62-32-P63	Porphyritic	0.0	41.0	0.1	39.1	0.1	0.0	0.0	0.1	0.0	0.3	0.2	18.8	0.0	0.0	99.9
AAS-62-32-P66	Porphyritic	0.1	34.5	2.0	42.3	0.0	0.0	0.0	1.8	0.1	0.1	0.2	16.4	0.1	1.5	99.2
AAS-62-32-P77	Porphyritic	0.0	36.0	0.2	37.4	0.1	0.0	0.0	0.2	0.0	0.4	0.2	23.8	0.1	0.3	98.6
AAS-62-32-P99	Porphyritic	0.0	36.1	1.5	41.1	0.1	0.1	0.0	1.9	0.1	0.5	0.6	18.9	0.0	0.0	100.9
AAS-62-32-P109	Porphyritic	0.0	38.0	0.6	37.9	0.1	0.0	0.0	0.3	0.0	0.3	0.1	18.4	0.2	1.5	97.4
AAS-62-40-P31	Porphyritic	0.0	28.8	2.8	35.1	0.0	0.8	0.0	6.0	0.1	0.3	0.6	23.3	0.0	0.3	98.3
AAS-62-40-P43	Porphyritic	0.1	27.2	0.6	33.3	0.0	0.0	0.0	0.2	0.0	0.0	0.2	30.6	0.6	4.3	97.2
AAS-62-40-P92	Porphyritic	0.0	19.0	2.6	37.1	0.1	0.0	0.0	1.7	0.1	0.4	0.5	35.0	0.0	0.0	96.6
AAS-62-51-P4	Porphyritic	0.0	42.7	0.1	39.6	0.1	0.0	0.0	0.1	0.0	0.1	0.3	12.5	0.2	4.3	100.0
AAS-62-51-P14	Porphyritic	0.1	35.0	0.3	37.6	0.1	0.0	0.0	0.1	0.0	0.2	0.4	25.5	0.1	0.1	99.4
AAS-62-51-P20	Porphyritic	0.0	37.4	0.2	37.6	0.1	0.0	0.0	0.2	0.0	0.4	0.2	21.0	0.1	2.1	99.5
AAS-62-51-P22	Porphyritic	0.1	26.9	3.6	44.4	0.2	0.0	0.0	2.3	0.2	0.1	0.3	20.6	0.1	1.0	99.9
AAS-62-51-P26	Porphyritic	0.0	40.3	0.2	39.0	0.1	0.0	0.0	0.2	0.0	0.3	0.2	19.5	0.1	0.2	100.0
AAS-62-51-P28	Porphyritic	0.1	29.6	1.3	46.1	0.0	0.0	0.0	1.1	0.1	0.1	0.5	20.6	0.0	0.0	99.5
AAS-62-51-P50	Porphyritic	0.2	31.0	3.2	53.0	0.2	0.0	0.0	1.3	0.2	0.5	0.1	8.6	0.0	0.1	98.5
AAS-62-51-P52	Porphyritic	0.1	32.5	0.4	36.1	0.1	0.0	0.0	0.2	0.0	0.3	0.3	28.4	0.1	0.3	98.9
AAS-62-51-P69	Porphyritic	0.0	37.3	0.2	37.2	0.1	0.0	0.0	0.1	0.0	0.4	0.2	22.3	0.0	0.0	98.0
AAS-62-51-P75	Porphyritic	0.1	36.7	0.2	36.7	0.1	0.0	0.0	0.1	0.0	0.5	0.3	22.3	0.1	0.0	97.3
AAS-62-51-P77	Porphyritic	0.0	37.5	0.6	36.7	0.1	0.0	0.0	0.2	0.0	0.5	0.2	20.9	0.1	1.1	97.8
AAS-62-51-P102	Porphyritic	0.0	34.4	0.4	35.9	0.1	0.0	0.0	0.3	0.0	0.2	0.2	23.9	0.1	2.4	97.9
AAS-62-61-P2	Porphyritic	0.1	26.4	2.2	36.0	0.2	0.0	0.0	2.1	0.1	0.3	0.2	29.2	0.1	1.8	98.7
AAS-62-61-P6	Porphyritic	0.0	35.7	0.8	36.3	0.1	0.0	0.0	0.2	0.0	0.5	0.2	20.8	0.1	2.5	97.2
AAS-62-61-P8	Porphyritic	0.0	37.8	0.2	37.6	0.1	0.0	0.0	0.2	0.0	0.3	0.2	19.5	0.1	2.3	98.3
AAS-62-61-P10	Porphyritic	0.0	37.5	0.2	37.6	0.0	0.0	0.0	0.2	0.0	0.2	0.2	21.9	0.2	2.4	100.5
AAS-62-61-P11	Porphyritic	0.2	21.3	4.5	37.3	0.3	0.0	0.0	4.2	0.1	0.4	0.3	30.1	0.1	1.3	100.2

AAS-62-61-P16	Porphyritic	0.1	24.8	2.3	36.9	0.2	0.0	0.0	2.2	0.1	0.2	0.3	32.5	0.1	1.6	101.3
AAS-62-61-P28	Porphyritic	0.1	31.5	0.6	40.8	0.0	0.0	0.0	0.7	0.0	0.2	0.6	25.2	0.1	0.2	100.2
AAS-62-61-P32	Porphyritic	0.0	33.7	0.3	35.8	0.0	0.0	0.0	0.2	0.0	0.5	0.2	26.4	0.1	2.0	99.4
AAS-62-61-P43	Porphyritic	0.0	27.4	0.8	33.6	0.1	0.0	0.0	0.2	0.1	0.4	0.3	36.0	0.1	0.3	99.3
AAS-62-61-P54	Porphyritic	0.0	36.3	0.2	38.0	0.1	0.0	0.0	0.2	0.0	0.3	0.2	24.0	0.1	1.4	101.0
AAS-62-61-P57	Porphyritic	0.0	44.9	0.0	39.7	0.0	0.0	0.0	0.1	0.0	0.2	0.2	13.5	0.0	0.2	98.9
AAS-62-61-P65	Porphyritic	0.0	25.6	1.4	34.7	0.1	0.0	0.1	0.7	0.1	0.2	0.4	34.4	0.1	1.4	99.0
AAS-62-61-P70	Porphyritic	0.0	35.2	0.2	36.8	0.1	0.0	0.0	0.0	0.0	0.3	0.2	24.8	0.1	0.5	98.2
AAS-62-61-P85	Porphyritic	0.0	38.2	0.2	38.4	0.1	0.0	0.0	0.2	0.0	0.4	0.3	23.2	0.0	0.0	101.0
AAS-62-61-P101	Porphyritic	0.0	30.4	2.1	35.2	0.1	0.3	0.0	5.9	0.1	0.3	0.7	23.6	0.0	0.0	98.7
AAS-62-61-P108	Porphyritic	0.0	37.4	0.2	37.0	0.0	0.0	0.0	0.6	0.0	0.2	0.2	21.5	0.1	0.6	97.8
AAS-62-61-P112	Porphyritic	0.1	26.1	0.8	33.7	0.1	0.1	0.1	0.3	0.1	0.5	0.2	35.0	0.1	0.3	97.4
AAS-38-143-1-P54	Porphyritic	0.0	42.9	0.2	40.6	0.1	0.0	0.0	0.1	0.0	0.3	0.2	13.2	0.1	1.8	99.5
AAS-38-143-1-P143	Porphyritic	0.0	32.4	1.0	38.0	0.2	0.0	0.0	0.2	0.0	0.3	0.2	26.6	0.1	1.0	100.2
AAS-38-143-1-P166	Porphyritic	0.0	32.7	0.4	35.7	0.0	0.0	0.0	0.1	0.0	0.5	0.2	30.0	0.1	0.5	100.2
AAS-38-177-P14	Porphyritic	0.0	35.1	2.1	48.0	0.0	0.0	0.0	1.6	0.1	0.4	0.4	11.1	0.0	0.1	99.0
AAS-38-177-P21	Porphyritic	0.0	32.2	1.9	48.6	0.0	0.0	0.0	1.6	0.1	0.4	0.4	12.4	0.0	0.1	97.7
AAS-38-177-P22	Porphyritic	0.4	38.7	0.4	47.4	0.5	0.0	0.1	0.1	0.0	0.6	0.9	10.5	0.0	0.0	99.5
AAS-38-177-P27	Porphyritic	0.1	41.5	0.4	37.1	0.0	0.0	0.0	0.1	0.0	0.1	0.4	19.0	0.0	0.0	98.7
AAS-38-177-P44	Porphyritic	0.0	34.8	0.2	36.3	0.1	0.0	0.0	0.2	0.0	0.4	0.2	25.7	0.1	0.2	98.2
AAS-38-177-P51	Porphyritic	0.0	34.0	0.8	37.3	0.1	0.0	0.0	0.1	0.0	0.2	0.3	25.6	0.0	0.4	98.9
AAS-38-177-P62	Porphyritic	0.0	39.6	0.5	39.1	0.1	0.0	0.0	0.2	0.0	0.2	0.2	16.2	0.1	3.1	99.4
AAS-38-177-P67	Porphyritic	0.0	48.8	0.1	39.2	0.1	0.0	0.0	0.1	0.0	0.1	0.1	10.8	0.0	1.0	100.4
AAS-38-177-P124	Porphyritic	0.0	33.0	0.2	37.1	0.0	0.0	0.0	0.2	0.0	0.5	0.3	27.7	0.1	0.2	99.2
AAS-38-184-P5	Porphyritic	0.0	27.4	3.1	33.0	0.1	0.0	0.0	0.3	0.1	0.2	0.2	34.7	0.1	0.4	99.5
AAS-38-184-P9	Porphyritic	1.6	25.1	3.9	43.3	0.5	0.0	0.1	1.8	0.2	0.2	0.5	22.5	0.0	0.3	100.1
AAS-38-184-P18	Porphyritic	0.0	39.1	0.5	38.0	0.1	0.0	0.1	0.1	0.0	0.4	0.2	19.6	0.1	1.6	99.8
AAS-38-184-P24	Porphyritic	0.0	31.8	0.3	36.7	0.0	0.0	0.0	0.1	0.0	0.4	0.3	30.3	0.0	0.1	100.1
AAS-38-184-P42	Porphyritic	0.0	37.7	0.2	37.9	0.1	0.0	0.0	0.4	0.0	0.5	0.3	22.2	0.1	0.1	99.5
AAS-38-184-P83	Porphyritic	0.1	36.6	3.0	42.3	0.1	0.0	0.1	0.5	0.1	0.5	0.6	13.9	0.0	0.0	97.7
AAS-38-184-P86	Porphyritic	0.0	40.3	1.6	44.6	0.0	0.0	0.0	0.5	0.0	0.5	0.4	10.8	0.0	0.0	99.0
AAS-38-185-P9	Porphyritic	0.1	38.2	2.0	43.0	0.1	0.0	0.0	1.3	0.1	0.1	0.4	15.0	0.0	0.0	100.4
AAS-38-185-P15	Porphyritic	0.2	27.4	2.8	32.9	0.2	0.1	0.0	0.5	0.1	0.3	0.2	31.3	0.0	0.6	96.6

AAS-38-185-P43	Porphyritic	0.0	31.7	1.6	49.6	0.2	0.0	0.0	1.7	0.2	0.3	0.2	12.2	0.0	0.3	98.1
AAS-38-185-P75	Porphyritic	0.0	35.3	0.7	35.6	0.1	0.0	0.1	0.3	0.0	0.2	0.2	27.1	0.1	0.2	100.2
AAS-38-185I-P51	Porphyritic	0.4	20.2	2.8	24.8	0.2	3.4	0.0	0.7	0.1	0.7	0.3	43.3	0.1	0.9	97.9
AAS-38-185I-P59	Porphyritic	0.0	40.9	1.3	37.2	0.1	0.0	0.0	0.2	0.0	0.4	0.2	18.7	0.1	0.1	99.2
AAS-38-185I-P62	Porphyritic	0.1	35.2	1.5	35.6	0.1	0.0	0.0	0.1	0.0	0.5	0.2	24.5	0.1	0.4	98.4
AAS-38-185I-P63	Porphyritic	0.0	38.7	0.6	35.1	0.1	0.0	0.0	0.1	0.0	0.3	0.2	21.3	0.1	1.9	98.5
AAS-38-185I-P65	Porphyritic	0.0	40.6	1.1	40.1	0.1	0.0	0.0	0.2	0.0	0.5	0.1	15.9	0.0	0.2	98.9
AAS-38-185I-P66	Porphyritic	0.1	36.4	0.4	37.7	0.1	0.0	0.0	0.3	0.0	0.4	0.2	22.6	0.0	0.1	98.3
AAS-38-193-P5	Porphyritic	0.2	21.6	3.5	42.8	0.1	0.0	0.1	2.3	0.1	0.3	0.4	26.2	0.0	0.1	97.8
AAS-38-193-P32	Porphyritic	0.0	34.2	3.5	35.6	0.1	0.0	0.0	0.4	0.0	0.2	0.2	23.4	0.2	1.0	98.7
AAS-38-193-P35	Porphyritic	0.0	34.2	0.6	36.2	0.1	0.0	0.0	0.2	0.0	0.5	0.2	25.5	0.2	0.5	98.2
AAS-38-193-P40	Porphyritic	0.1	41.4	0.5	42.3	0.0	0.0	0.0	0.1	0.0	0.2	0.4	13.3	0.0	0.0	98.3
AAS-38-193-P43	Porphyritic	0.0	33.3	0.9	41.3	0.0	0.0	0.0	0.1	0.0	0.2	0.4	21.6	0.0	0.1	98.1
AAS-38-193-P48	Porphyritic	0.1	19.4	3.2	30.0	0.1	2.0	0.1	0.6	0.1	0.4	0.2	42.8	0.2	0.3	99.5
AAS-38-193-P52	Porphyritic	0.0	39.3	0.4	38.3	0.1	0.0	0.0	0.1	0.0	0.4	0.2	20.8	0.1	0.1	99.7
AAS-38-193-P53	Porphyritic	0.0	36.4	0.5	37.4	0.2	0.0	0.0	0.2	0.0	0.4	0.2	22.2	0.1	2.1	99.7
AAS-38-193-P81	Porphyritic	0.0	40.0	0.4	38.6	0.1	0.0	0.0	0.5	0.0	0.3	0.3	19.8	0.0	0.1	100.2
AAS-38-193-P88	Porphyritic	0.0	46.2	0.4	39.4	0.0	0.0	0.0	0.1	0.0	0.3	0.2	11.3	0.1	1.1	99.1
AAS-38-193-P92	Porphyritic	0.0	41.2	0.5	38.8	0.0	0.0	0.0	0.3	0.0	0.3	0.4	16.4	0.1	0.8	98.8
AAS-38-193-P94	Porphyritic	0.0	45.5	0.1	43.1	0.0	0.0	0.0	0.0	0.0	0.5	0.2	9.9	0.0	0.0	99.5
AAS-38-193-P103	Porphyritic	0.1	28.7	2.1	42.1	0.0	0.0	0.0	1.2	0.1	0.1	0.4	23.3	0.0	0.5	98.8
AAS-38-195-P7	Porphyritic	0.0	34.5	0.1	36.7	0.1	0.0	0.0	0.2	0.0	0.4	0.3	24.5	0.1	0.1	97.0
AAS-38-195-P9	Porphyritic	0.0	33.3	0.8	37.6	0.1	0.0	0.0	0.8	0.0	0.2	0.2	24.2	0.1	2.0	99.4
AAS-38-195-P16	Porphyritic	0.0	38.3	1.9	37.3	0.1	0.1	0.0	0.1	0.0	0.5	0.2	20.4	0.1	1.1	100.2
AAS-38-195-P26	Porphyritic	0.0	27.3	1.7	35.8	0.1	0.1	0.1	0.3	0.0	0.4	0.2	34.1	0.1	0.1	100.3
AAS-38-195-P41	Porphyritic	0.0	30.4	1.7	36.6	0.0	0.1	0.0	3.2	0.1	0.3	0.5	28.8	0.1	0.1	102.0
AAS-38-195-P42	Porphyritic	0.2	33.8	1.5	43.8	0.0	0.0	0.0	1.2	0.1	0.1	0.4	19.5	0.0	0.0	100.6
AAS-38-195-P50	Porphyritic	0.0	29.5	2.0	42.3	0.0	0.1	0.0	0.9	0.1	0.5	0.2	21.3	0.0	0.0	97.0
AAS-38-195-P76	Porphyritic	0.0	45.7	0.3	39.5	0.2	0.0	0.0	0.2	0.0	0.3	0.1	12.0	0.0	0.0	98.3
AAS-38-195-P84	Porphyritic	0.0	28.9	2.2	41.8	0.1	0.6	0.0	1.4	0.1	0.6	0.4	24.2	0.0	0.0	100.3
AAS-38-195-P90	Porphyritic	0.1	41.1	1.5	38.6	0.0	0.0	0.0	1.0	0.1	0.1	0.3	14.0	0.0	0.4	97.2
AAS-38-195-P95	Porphyritic	0.0	26.2	1.6	33.4	0.1	0.0	0.0	0.2	0.1	1.2	0.2	34.2	0.1	0.3	97.6
AAS-38-195-P97	Porphyritic	0.0	19.6	3.8	38.2	0.2	0.0	0.0	2.2	0.1	0.4	0.2	32.3	0.0	0.1	97.1

AAS-38-195-P108	Porphyritic	0.0	31.8	1.2	35.2	0.1	0.4	0.0	0.4	0.1	1.3	0.4	27.9	0.1	0.1	98.9
AAS-38-196-P4	Porphyritic	0.0	19.2	2.7	31.2	0.2	0.0	0.0	1.7	0.1	0.3	0.3	39.8	0.1	1.4	97.1
AAS-38-196-P10	Porphyritic	0.0	22.0	3.3	30.9	0.1	0.1	0.1	0.2	0.1	0.3	0.3	38.5	0.1	0.3	96.3
AAS-38-196-P28	Porphyritic	0.0	31.8	1.0	37.1	0.1	0.0	0.0	0.2	0.0	0.2	0.2	28.0	0.1	0.6	99.3
AAS-38-196-P33	Porphyritic	0.0	34.7	1.2	50.8	0.0	0.0	0.0	1.1	0.1	0.5	0.4	11.4	0.0	0.1	100.4
AAS-38-196-P39	Porphyritic	0.0	27.1	2.5	41.7	0.1	0.0	0.0	1.0	0.1	0.3	0.4	25.5	0.1	0.3	99.1
AAS-38-196-P42	Porphyritic	0.0	44.4	0.5	44.7	0.2	0.0	0.0	0.6	0.1	0.6	0.2	7.4	0.0	0.4	99.1
AAS-38-199-P13	Porphyritic	0.0	16.2	2.2	27.5	0.2	0.0	0.0	0.8	0.1	1.7	0.2	50.1	0.0	0.1	99.1
AAS-38-199-P20	Porphyritic	0.1	40.1	0.8	37.5	0.1	0.0	0.0	0.6	0.0	0.2	0.1	17.6	0.1	1.4	98.7
AAS-38-199-P38	Porphyritic	0.0	23.3	4.2	36.9	0.2	0.1	0.0	2.1	0.1	0.2	0.3	31.3	0.0	0.1	98.8
AAS-38-199-P59	Porphyritic	0.2	35.0	2.0	42.3	0.0	0.0	0.0	1.8	0.1	0.1	0.3	17.8	0.0	0.0	99.7
AAS-38-199-P71	Porphyritic	0.0	38.0	1.5	44.2	0.2	0.0	0.0	1.2	0.1	0.5	0.2	13.4	0.0	0.3	99.6
AAS-38-199-P80	Porphyritic	0.1	33.8	1.7	40.5	0.0	0.3	0.0	1.9	0.1	0.5	0.5	19.6	0.0	0.1	99.2
AAS-38-199-P89	Porphyritic	0.0	29.9	0.2	38.1	0.1	0.0	0.0	0.4	0.0	0.1	0.2	31.1	0.1	0.2	100.6
AAS-38-199-P106	Porphyritic	0.0	40.7	1.0	40.6	0.0	0.0	0.0	0.1	0.0	0.4	0.4	14.8	0.1	1.1	99.4
AAS-38-199-P144	Porphyritic	0.0	28.5	0.2	39.4	0.1	0.0	0.0	0.3	0.0	0.3	0.3	30.4	0.1	0.1	99.6
P18	Porphyritic	0.1	19.5	3.6	33.4	0.2	0.3	0.0	0.3	0.0	0.3	0.3	41.2	0.1	0.8	100.2
P19	Porphyritic	1.0	23.7	3.5	52.0	0.0	0.0	0.2	3.0	0.0	0.2	0.4	13.7	0.0	0.0	97.9
P28	Porphyritic	0.0	24.2	2.8	39.8	0.0	0.0	0.0	2.2	0.0	0.2	0.4	28.0	0.0	0.5	98.2
P50	Porphyritic	0.0	30.5	1.7	54.3	0.0	0.0	0.0	1.4	0.0	0.9	0.3	9.1	0.0	0.1	98.5
P54	Porphyritic	1.2	17.5	1.2	54.2	0.1	0.6	1.0	1.6	0.0	0.4	0.4	19.9	0.0	0.1	98.2
P66	Porphyritic	0.0	20.6	2.9	28.5	0.1	2.5	0.0	0.1	0.0	0.2	0.2	39.3	0.2	1.8	96.4
P72	Porphyritic	0.0	37.5	0.8	38.5	0.0	0.1	0.0	0.7	0.0	0.3	0.4	20.8	0.1	0.2	99.5
P80	Porphyritic	0.0	23.6	2.6	32.2	0.2	0.5	0.0	1.0	0.0	1.0	0.3	36.2	0.1	0.2	97.9
P94	Porphyritic	0.0	29.2	1.4	33.4	0.1	0.4	0.0	1.9	0.0	0.3	0.2	29.9	0.0	0.4	97.3
P103	Porphyritic	0.0	24.0	2.4	35.5	0.1	0.0	0.0	1.3	0.0	0.2	0.3	35.3	0.1	0.8	100.1
P105	Porphyritic	0.0	37.7	0.6	37.5	0.1	0.0	0.0	0.6	0.0	0.3	0.2	20.7	0.0	0.2	97.9
P111	Porphyritic	0.0	45.6	0.2	39.5	0.1	0.0	0.0	0.3	0.0	0.4	0.3	12.9	0.0	0.1	99.4
P117	Porphyritic	0.0	22.7	2.8	32.5	0.1	0.0	0.0	0.2	0.0	0.2	0.3	38.8	0.0	0.9	98.4
P132	Porphyritic	0.1	24.4	3.0	41.8	0.4	0.2	0.0	0.8	0.0	0.8	0.1	24.9	0.0	0.2	96.7
P142	Porphyritic	0.0	31.6	3.3	46.5	0.2	0.3	0.0	2.4	0.0	0.7	0.5	12.9	0.0	0.1	98.6
P188	Porphyritic	0.1	22.2	3.9	44.4	0.1	0.3	0.0	1.2	0.0	0.6	0.1	24.7	0.0	0.0	97.7
P193	Porphyritic	0.0	32.5	1.5	36.1	0.1	0.2	0.0	1.1	0.0	0.4	0.2	25.6	0.0	0.3	98.0

P200	Porphyritic	0.0	32.5	1.6	37.3	0.0	0.3	0.0	1.0	0.0	0.4	0.2	16.6	0.3	12.6	102.7
P201	Porphyritic	0.0	33.3	1.6	42.5	0.1	0.3	0.0	0.6	0.0	0.5	0.2	18.4	0.0	0.4	97.9
P204	Porphyritic	0.0	22.5	2.3	37.9	0.1	0.0	0.0	0.8	0.0	0.1	0.3	31.1	0.1	0.7	95.9
P205	Porphyritic	0.3	36.6	1.6	42.1	0.2	0.1	0.0	0.9	0.0	0.1	0.4	16.0	0.0	0.0	98.3
P210	Porphyritic	0.0	32.0	1.3	39.8	0.1	0.0	0.0	1.2	0.0	0.1	0.2	24.7	0.0	0.5	99.8
P217	Porphyritic	0.0	24.6	4.1	47.1	0.1	0.0	0.0	3.7	0.0	0.3	0.4	16.6	0.0	0.1	97.2
P221	Porphyritic	0.0	40.3	1.4	42.5	0.0	0.0	0.0	0.7	0.0	0.3	0.2	13.5	0.0	0.1	99.0
P222	Porphyritic	0.0	25.6	3.3	28.1	0.1	0.4	0.0	1.6	0.0	0.4	1.0	38.7	0.1	0.3	99.6
P223	Porphyritic	0.0	27.2	1.1	31.0	0.1	0.1	0.0	1.7	0.0	0.5	0.5	36.3	0.0	0.5	99.1
P224	Porphyritic	0.0	33.7	0.8	36.3	0.1	0.1	0.0	0.6	0.0	0.2	0.3	22.9	0.0	0.3	95.3
P226	Porphyritic	0.0	17.2	3.5	43.0	0.1	0.8	0.0	3.1	0.0	0.8	0.6	28.0	0.0	0.1	97.2
P228	Porphyritic	0.0	37.5	0.1	37.4	0.1	0.0	0.0	0.1	0.0	0.3	0.2	20.6	0.0	0.3	96.6
P230	Porphyritic	0.0	35.4	0.5	34.0	0.0	0.0	0.0	0.2	0.0	0.3	0.3	23.2	0.1	1.7	95.9
P239	Porphyritic	0.0	22.9	1.3	38.0	0.2	0.0	0.0	1.7	0.0	0.1	0.4	29.9	0.1	1.3	96.0
P245	Porphyritic	0.0	36.8	1.6	49.3	0.0	0.0	0.0	1.2	0.0	0.4	0.4	9.5	0.0	0.2	99.4
P250	Porphyritic	0.0	25.5	0.8	33.1	0.1	0.0	0.0	0.1	0.0	0.3	0.2	36.3	0.1	0.7	97.3
P252	Porphyritic	0.0	21.2	2.3	36.6	0.1	0.0	0.0	0.6	0.0	0.2	0.3	38.8	0.1	0.4	100.7
P254	Porphyritic	0.0	31.4	0.2	36.5	0.1	0.0	0.0	0.2	0.0	0.5	0.1	28.4	0.0	0.3	97.7
P256	Porphyritic	0.0	22.1	2.1	35.5	0.2	0.0	0.0	2.0	0.0	0.3	0.4	34.6	0.0	0.1	97.3
P258	Porphyritic	0.2	28.2	2.2	37.2	0.2	0.0	0.0	1.7	0.0	0.3	0.3	25.7	0.1	0.6	96.8
P260	Porphyritic	0.0	30.7	1.9	50.9	0.1	0.1	0.0	1.3	0.0	0.5	0.5	12.0	0.0	0.0	97.9
P262	Porphyritic	0.0	19.1	3.8	38.8	0.3	0.0	0.0	2.5	0.0	0.2	0.3	31.8	0.0	0.1	97.1
P265	Porphyritic	0.0	18.4	2.9	33.9	0.3	0.0	0.0	6.4	0.0	0.3	0.3	34.5	0.0	0.1	97.2
P266	Porphyritic	0.0	17.7	2.1	31.3	0.2	0.0	0.0	1.9	0.0	0.3	0.3	40.2	0.2	2.3	96.5
P270	Porphyritic	0.0	30.1	2.0	36.3	0.1	0.0	0.0	2.8	0.0	0.3	0.2	24.9	0.1	1.9	98.8
P275	Porphyritic	0.0	30.0	2.3	39.6	0.0	0.1	0.0	0.8	0.0	0.5	0.3	25.2	0.0	0.0	98.8
P276	Porphyritic	0.5	22.8	5.2	49.3	0.0	0.0	0.0	5.1	0.0	0.3	0.4	14.8	0.0	0.1	98.6
P278	Porphyritic	0.0	46.7	1.1	44.5	0.0	0.0	0.0	1.1	0.0	0.4	0.1	3.9	0.0	0.0	97.9
P282	Porphyritic	0.0	36.6	0.6	36.7	0.1	0.0	0.0	0.2	0.0	0.2	0.2	24.8	0.0	0.5	100.0
P284	Porphyritic	0.5	34.6	2.2	47.0	0.2	0.0	0.0	1.2	0.0	0.0	0.3	11.8	0.0	0.0	97.8
P285	Porphyritic	0.0	22.3	3.0	39.0	0.1	0.8	0.0	2.4	0.0	0.7	0.8	28.1	0.0	0.1	97.4
P289	Porphyritic	0.0	19.2	3.8	38.6	0.4	0.4	0.0	3.6	0.0	0.4	0.2	30.6	0.0	0.1	97.4
P299	Porphyritic	0.0	22.1	3.2	40.9	0.0	0.0	0.0	2.7	0.0	0.6	0.4	27.3	0.0	0.0	97.4

P300	Porphyritic	0.3	19.9	2.1	45.2	0.1	0.0	0.0	2.0	0.0	0.4	0.5	27.4	0.0	0.1	98.0
P307	Porphyritic	0.0	27.7	3.6	53.8	0.0	0.0	0.0	3.0	0.0	0.4	0.1	6.8	0.0	0.0	95.5
P308	Porphyritic	0.0	30.2	1.5	37.6	0.0	0.0	0.0	1.3	0.0	0.2	0.3	26.5	0.1	0.8	98.5
P311	Porphyritic	0.0	31.8	1.9	45.0	0.0	0.0	0.0	1.9	0.0	0.2	0.6	16.2	0.0	0.2	97.9
P313	Porphyritic	0.0	21.4	2.6	34.1	0.3	0.1	0.0	4.2	0.0	0.2	0.2	32.3	0.1	0.1	95.6
P314	Porphyritic	0.0	19.5	3.2	39.3	0.2	0.0	0.0	2.7	0.0	0.1	0.3	30.5	0.1	1.0	96.9
P316	Porphyritic	0.0	40.9	0.3	39.3	0.0	0.0	0.0	0.3	0.0	0.3	0.5	15.8	0.0	0.2	97.8
P321	Porphyritic	0.0	30.7	1.3	34.3	0.0	0.0	0.0	1.1	0.0	0.2	0.2	27.2	0.0	0.5	95.6
P325	Porphyritic	0.3	31.5	1.2	39.9	0.0	0.0	0.1	1.0	0.0	0.3	0.5	21.3	0.0	0.1	96.0
P329	Porphyritic	0.0	32.8	2.7	28.4	0.0	1.5	0.0	2.4	0.0	0.3	1.3	26.4	0.0	1.1	96.9
P331	Porphyritic	0.0	19.7	3.5	50.5	0.0	0.0	0.0	3.3	0.0	0.6	0.2	17.8	0.0	0.0	95.8
P333	Porphyritic	0.1	18.1	0.1	53.0	0.0	4.3	0.1	0.1	0.0	0.1	0.2	19.9	0.1	1.9	98.2
P336	Porphyritic	0.0	38.8	0.4	37.0	0.0	0.0	0.0	0.3	0.0	0.3	0.2	19.0	0.1	0.9	96.9
P343	Porphyritic	0.0	19.1	2.2	32.2	0.1	0.2	0.0	2.8	0.0	0.2	0.3	39.7	0.1	0.2	97.1
P344	Porphyritic	0.0	22.5	2.1	31.1	0.0	0.0	0.0	0.6	0.0	0.2	0.2	37.9	0.1	0.4	95.2
P346	Porphyritic	0.0	32.0	1.0	35.2	0.0	0.0	0.0	0.7	0.0	0.3	0.2	26.9	0.0	0.1	96.5
P347	Porphyritic	0.1	31.7	1.7	49.3	0.1	0.1	0.0	2.5	0.0	0.7	0.3	9.9	0.0	0.5	96.9
P354	Porphyritic	0.0	30.9	1.8	34.1	0.0	0.1	0.0	2.2	0.0	0.4	1.0	25.5	0.0	0.1	96.3
P362	Porphyritic	0.0	22.7	2.3	31.1	0.0	0.0	0.0	4.6	0.0	0.2	0.2	34.1	0.1	0.8	96.0
P368	Porphyritic	0.1	27.5	2.5	48.4	0.0	0.0	0.0	1.9	0.0	0.6	0.7	14.8	0.0	0.0	96.5
P370	Porphyritic	0.0	34.8	1.2	33.5	0.0	0.0	0.0	1.8	0.0	0.2	0.2	25.4	0.1	1.1	98.2
P374	Porphyritic	0.0	32.6	0.4	31.6	0.0	0.0	0.0	0.4	0.0	0.7	0.2	30.1	0.1	0.7	96.8
P378	Porphyritic	0.0	16.8	4.5	34.9	0.0	0.4	0.0	1.5	0.0	0.4	0.3	38.1	0.0	0.1	97.1
P379	Porphyritic	0.0	26.9	1.4	34.1	0.0	0.0	0.0	2.4	0.0	0.2	0.2	29.5	0.1	1.4	96.2
P382	Porphyritic	0.0	25.1	2.4	35.3	0.1	0.0	0.0	2.0	0.0	0.5	0.3	31.3	0.0	0.1	97.0
P387	Porphyritic	0.0	23.8	3.2	38.0	0.0	0.0	0.0	4.3	0.0	0.2	0.2	26.2	0.0	0.0	96.2
P397	Porphyritic	0.0	26.5	0.6	34.2	0.0	0.0	0.0	0.7	0.0	0.1	0.4	33.1	0.0	0.3	96.1
P404	Porphyritic	0.0	22.7	2.4	34.6	0.0	0.0	0.0	1.8	0.0	0.2	0.3	33.0	0.1	1.6	96.7
P416	Porphyritic	0.0	21.5	3.3	40.4	0.1	0.0	0.0	3.9	0.0	0.3	0.3	28.4	0.0	0.1	98.3
P418	Porphyritic	0.7	34.2	3.7	41.7	0.0	0.0	0.0	1.9	0.0	0.2	0.4	16.2	0.0	0.2	99.2
P422	Porphyritic	0.0	18.4	3.7	41.8	0.0	0.0	0.0	5.1	0.0	0.5	0.5	25.6	0.0	0.0	95.7
P425	Porphyritic	0.0	15.6	4.1	36.6	0.0	0.0	0.0	5.2	0.0	0.1	0.3	33.5	0.0	0.4	95.9
P428	Porphyritic	0.1	28.7	2.8	38.1	0.1	0.1	0.0	1.9	0.0	0.3	0.4	23.4	0.0	0.1	96.1

P436	Porphyritic	0.0	34.3	0.4	36.5	0.0	0.0	0.0	0.3	0.0	0.2	0.3	26.7	0.1	0.4	99.2
P441	Porphyritic	0.0	24.1	2.5	34.1	0.1	0.0	0.0	6.8	0.0	0.6	0.3	29.9	0.0	0.1	98.4
P443	Porphyritic	0.0	18.1	5.1	39.3	0.0	0.1	0.0	2.1	0.0	0.4	0.6	31.0	0.0	0.0	96.8
P444	Porphyritic	0.0	13.7	3.2	26.0	0.0	3.3	0.0	3.7	0.0	0.2	0.3	42.3	0.2	5.1	98.1
P445	Porphyritic	0.0	25.9	3.5	33.2	0.1	0.1	0.0	2.3	0.0	0.2	0.3	32.5	0.0	0.2	98.3
P446	Porphyritic	0.0	14.1	5.5	35.1	0.1	0.0	0.0	4.8	0.0	0.2	0.3	37.8	0.0	0.1	98.0
P448	Porphyritic	0.0	21.3	3.6	40.8	0.0	0.1	0.0	1.9	0.0	0.4	0.3	30.4	0.0	0.0	98.8
P453	Porphyritic	0.0	35.1	0.9	44.9	0.0	0.0	0.0	1.2	0.0	0.4	0.4	14.6	0.0	0.2	97.6
P459	Porphyritic	0.0	21.6	2.1	39.3	0.0	0.0	0.0	1.9	0.0	0.2	0.3	30.9	0.1	0.2	96.7
P463	Porphyritic	0.0	19.6	3.8	30.6	0.1	0.2	0.0	1.0	0.0	0.4	0.2	38.0	0.1	0.5	94.5
P472	Porphyritic	0.0	29.7	2.2	46.7	0.0	0.0	0.0	1.8	0.0	0.4	0.4	16.1	0.0	0.1	97.5
P475	Porphyritic	0.0	19.6	4.5	41.5	0.0	0.1	0.0	1.1	0.0	0.5	0.4	28.6	0.0	0.0	96.3
P477	Porphyritic	0.0	22.9	3.6	41.5	0.1	0.7	0.0	2.8	0.0	0.6	0.4	25.3	0.0	0.1	97.9
P481	Porphyritic	0.0	22.5	2.9	34.0	0.0	0.0	0.0	1.7	0.0	0.3	0.2	35.0	0.1	0.7	97.5
P486	Porphyritic	0.0	29.4	1.9	35.4	0.0	0.1	0.0	1.5	0.0	0.3	0.2	29.8	0.0	0.3	99.1
P495	Porphyritic	0.0	25.7	2.8	38.2	0.0	0.0	0.0	2.4	0.0	0.4	0.5	28.3	0.0	0.0	98.4
P498	Porphyritic	0.0	15.7	5.3	39.3	0.1	0.2	0.0	6.3	0.0	0.6	0.3	28.4	0.0	0.0	96.2
P505	Porphyritic	0.0	17.7	4.1	31.8	0.1	0.0	0.0	4.7	0.0	0.4	0.3	38.2	0.0	1.1	98.3
P507	Porphyritic	0.1	21.7	3.2	31.8	0.1	0.2	0.0	2.0	0.0	0.3	0.2	35.1	0.0	1.2	96.0
P508	Porphyritic	0.7	26.0	2.3	39.3	0.0	0.0	0.2	0.7	0.0	0.1	0.4	26.4	0.0	0.8	97.0
P510	Porphyritic	0.0	20.4	3.4	34.4	0.0	0.1	0.0	3.4	0.0	0.2	0.3	36.3	0.0	0.0	98.5
P517	Porphyritic	0.0	29.4	4.4	40.9	0.0	0.0	0.0	3.9	0.0	0.3	0.5	19.4	0.0	0.1	99.0
P534	Porphyritic	0.0	30.4	1.4	36.5	0.0	0.0	0.0	1.0	0.0	0.3	0.3	26.9	0.0	1.0	97.9
P538	Porphyritic	0.0	19.3	4.3	35.4	0.0	0.0	0.0	1.2	0.0	0.3	0.3	36.8	0.0	0.2	97.9
P546	Porphyritic	0.0	26.2	2.5	37.6	0.0	0.0	0.0	0.6	0.0	0.3	0.2	30.6	0.0	0.7	98.8
P557	Porphyritic	0.0	34.7	1.7	37.5	0.0	0.1	0.0	0.8	0.0	0.3	0.4	22.6	0.1	0.3	98.4
P560	Porphyritic	0.0	24.0	2.4	35.5	0.0	0.0	0.0	1.6	0.0	0.3	0.4	29.4	0.1	1.1	94.7
P562	Porphyritic	0.0	11.9	3.9	33.9	0.1	0.0	0.0	10.1	0.0	0.2	0.2	36.0	0.0	0.2	96.7
P564	Porphyritic	0.0	26.1	2.8	39.3	0.0	0.0	0.0	4.6	0.0	0.3	0.4	24.9	0.0	0.0	98.4
P566	Porphyritic	0.0	27.5	2.4	37.3	0.0	0.0	0.0	1.9	0.0	0.5	0.2	28.7	0.1	0.3	98.9
P567	Porphyritic	0.0	24.7	2.2	34.8	0.0	0.0	0.0	1.2	0.0	0.3	0.2	34.4	0.1	1.6	99.5
P570	Porphyritic	0.0	21.1	2.8	36.4	0.0	0.0	0.0	0.1	0.0	0.4	0.1	36.5	0.0	0.0	97.6
P571	Porphyritic	0.2	25.8	3.8	44.2	0.0	0.0	0.0	3.1	0.0	0.3	0.8	18.5	0.0	0.1	96.8

P575	Porphyritic	0.2	31.0	1.8	38.6	0.0	0.0	0.0	1.6	0.0	0.3	0.3	21.7	0.0	0.5	96.1
P579	Porphyritic	0.0	22.8	2.2	31.6	0.0	0.0	0.0	2.1	0.0	0.2	0.2	38.0	0.1	1.2	98.6
P580	Porphyritic	0.0	26.1	2.2	35.0	0.0	0.0	0.0	6.5	0.0	0.3	0.2	26.4	0.0	0.2	97.0
P584	Porphyritic	0.0	28.4	3.3	42.2	0.0	0.2	0.0	0.6	0.0	0.5	0.2	23.2	0.0	0.1	98.7
P585	Porphyritic	0.0	28.9	2.1	38.0	0.1	0.0	0.0	1.2	0.0	0.5	0.2	27.3	0.1	1.5	99.8
P587	Porphyritic	0.7	27.7	4.9	46.2	0.0	0.0	0.0	3.6	0.0	0.4	0.4	13.5	0.0	0.0	97.4
P598	Porphyritic	0.0	34.5	1.2	35.4	0.0	0.0	0.0	0.3	0.0	0.2	0.2	25.0	0.1	1.8	98.6
P602	Porphyritic	0.0	22.4	3.3	36.5	0.0	0.0	0.0	0.9	0.0	0.2	0.3	30.7	0.0	1.0	95.3
P603	Porphyritic	0.0	29.3	2.3	36.6	0.0	0.0	0.0	0.4	0.0	0.3	0.2	28.9	0.1	1.3	99.6
P604	Porphyritic	0.1	42.2	2.8	45.1	0.0	0.0	0.0	0.1	0.0	0.3	0.2	8.0	0.0	0.1	98.8
P605	Porphyritic	0.3	32.1	1.5	48.6	0.0	0.0	0.0	0.6	0.0	0.1	0.4	14.2	0.0	0.1	97.9
P608	Porphyritic	0.2	26.2	3.2	46.3	0.0	0.2	0.0	2.3	0.0	0.5	0.2	20.9	0.0	1.2	101.2
P609	Porphyritic	0.0	16.8	3.0	29.2	0.0	0.0	0.0	0.8	0.0	0.2	0.2	45.8	0.1	0.6	96.8
P610	Porphyritic	0.0	21.3	4.0	35.7	0.0	0.1	0.0	3.7	0.0	0.3	0.3	31.9	0.0	0.1	97.4
P612	Porphyritic	0.2	21.3	2.0	29.2	0.1	2.2	0.0	0.6	0.0	0.2	0.3	40.8	0.1	2.9	99.8
P615	Porphyritic	0.0	11.7	4.7	31.9	0.0	0.0	0.0	2.4	0.0	0.2	0.3	45.5	0.0	0.4	97.1
P617	Porphyritic	0.0	20.1	3.2	38.6	0.1	0.4	0.0	2.0	0.0	0.5	0.4	32.0	0.0	0.2	97.7
P621	Porphyritic	0.0	36.5	3.3	36.2	0.0	0.1	0.0	0.7	0.0	0.3	0.2	17.6	0.0	0.9	95.8
P623	Porphyritic	0.1	18.9	2.3	29.8	0.0	0.2	0.0	2.4	0.0	0.2	0.3	39.6	0.1	0.6	94.5
P628	Porphyritic	0.0	28.3	1.6	35.6	0.0	0.0	0.0	1.3	0.0	0.4	0.3	30.8	0.0	0.0	98.4
P631	Porphyritic	0.0	12.9	3.3	34.3	0.1	0.0	0.0	6.6	0.0	0.1	0.2	37.9	0.1	0.5	96.1
P632	Porphyritic	0.0	31.4	3.1	40.7	0.1	0.1	0.0	2.7	0.0	0.4	0.3	20.6	0.0	0.0	99.4
P633	Porphyritic	0.7	33.2	1.2	36.8	0.1	0.0	0.0	0.5	0.0	0.1	0.4	22.9	0.0	0.5	96.3
P635	Porphyritic	0.0	19.7	2.4	35.2	0.0	0.0	0.0	4.4	0.0	0.2	0.3	33.6	0.1	1.1	97.1
P640	Porphyritic	0.0	34.4	0.2	37.1	0.0	0.0	0.0	0.9	0.0	0.1	0.2	24.2	0.0	0.5	97.8
P643	Porphyritic	0.0	22.0	4.3	42.7	0.1	0.2	0.0	3.6	0.0	0.5	0.4	23.1	0.0	0.0	97.0
P644	Porphyritic	0.0	20.5	1.8	32.3	0.0	0.1	0.0	15.7	0.0	0.2	0.3	27.4	0.0	0.0	98.6
P656	Porphyritic	0.0	26.3	2.0	31.1	0.0	0.5	0.0	1.1	0.0	0.3	0.4	36.2	0.0	0.2	98.3
P658	Porphyritic	0.0	16.2	4.8	31.7	0.1	0.0	0.0	2.9	0.0	2.5	0.3	38.0	0.1	0.2	96.8
P669	Porphyritic	0.0	23.8	3.1	33.8	0.0	0.0	0.0	0.9	0.0	0.3	0.2	34.6	0.1	1.0	97.7
P670	Porphyritic	0.0	17.2	4.5	36.8	0.1	0.0	0.0	3.8	0.0	0.2	0.3	34.9	0.0	0.3	98.1
P671	Porphyritic	0.0	22.3	3.1	45.8	0.0	0.1	0.0	2.7	0.0	0.6	0.6	22.7	0.0	0.1	98.0
P681	Porphyritic	0.0	19.8	3.9	30.1	0.0	0.2	0.0	10.3	0.0	0.1	0.2	31.9	0.1	0.5	97.1

P685	Porphyritic	0.0	29.0	1.5	43.9	0.0	0.0	0.0	0.7	0.0	0.5	0.3	22.1	0.0	0.2	98.3
P687	Porphyritic	0.7	34.1	2.2	41.7	0.0	0.0	0.1	0.4	0.0	0.2	0.3	18.0	0.0	0.0	97.7
P689	Porphyritic	0.1	27.2	0.2	46.7	0.0	0.0	0.0	0.2	0.0	0.3	0.6	22.5	0.0	0.0	97.9
P691	Porphyritic	0.1	29.5	2.4	55.0	0.0	0.0	0.0	2.1	0.0	0.5	0.6	8.3	0.0	0.2	98.8
P692	Porphyritic	0.1	31.5	1.3	39.2	0.0	0.0	0.0	1.2	0.0	0.2	0.5	24.1	0.0	0.1	98.3
P695	Porphyritic	0.0	19.9	3.7	38.1	0.0	0.0	0.0	3.7	0.0	0.3	0.3	31.8	0.0	0.0	97.9
P697	Porphyritic	0.1	28.8	2.4	35.6	0.1	0.1	0.0	1.8	0.0	0.5	0.2	28.8	0.0	0.4	98.7
P698	Porphyritic	0.0	44.1	0.7	39.7	0.0	0.0	0.0	0.5	0.0	0.3	0.1	14.8	0.0	0.2	100.4
P701	Porphyritic	0.0	28.4	1.8	36.1	0.0	0.0	0.0	0.4	0.0	0.2	0.2	31.5	0.1	0.8	99.7
P702	Porphyritic	0.3	27.9	1.1	49.8	0.0	0.0	0.0	1.4	0.0	0.1	0.3	18.8	0.0	0.1	99.9
P704	Porphyritic	0.0	14.9	6.3	23.1	0.0	0.1	0.0	0.1	0.0	0.1	0.2	49.5	0.0	0.8	95.0
P707	Porphyritic	0.0	40.2	0.7	39.1	0.0	0.0	0.0	0.9	0.0	0.1	0.2	17.3	0.1	1.2	99.7
P715	Porphyritic	0.0	25.5	2.8	31.6	0.0	0.0	0.0	0.6	0.0	0.4	0.1	35.2	0.6	1.0	97.8
P722	Porphyritic	0.0	31.0	2.0	38.0	0.0	0.0	0.0	1.9	0.0	0.3	0.3	23.9	0.1	0.8	98.2
P723	Porphyritic	0.1	33.2	3.4	41.8	0.0	0.0	0.0	1.9	0.0	0.4	0.2	17.5	0.0	1.2	99.8
P726	Porphyritic	0.0	29.0	1.7	37.9	0.1	0.0	0.0	1.3	0.0	0.1	0.2	26.4	0.2	1.3	98.1
P742	Porphyritic	0.0	20.9	2.9	30.0	0.0	0.1	0.0	0.6	0.0	0.3	0.2	41.7	0.1	0.4	97.2
P749	Porphyritic	0.0	19.8	2.5	35.5	0.0	0.0	0.0	0.2	0.0	0.1	0.1	40.0	0.0	0.5	98.7
P751	Porphyritic	0.0	27.4	2.7	37.1	0.0	0.0	0.0	0.5	0.0	0.3	0.2	28.9	0.1	0.3	97.4
P752	Porphyritic	0.1	22.8	2.2	32.6	0.0	0.1	0.0	4.9	0.0	0.2	0.3	34.0	0.0	0.4	97.7
P753	Porphyritic	0.0	23.9	3.2	45.2	0.0	0.1	0.0	2.8	0.0	0.5	0.5	22.4	0.0	0.0	98.7
P762	Porphyritic	0.2	30.7	1.7	47.3	0.0	0.1	0.0	1.3	0.0	0.6	0.5	17.0	0.0	0.2	99.7
P763	Porphyritic	0.1	25.4	3.6	50.2	0.0	0.0	0.0	3.1	0.0	0.1	0.6	15.2	0.0	0.1	98.4
P766	Porphyritic	0.1	23.9	2.7	39.8	0.1	0.0	0.0	1.9	0.0	0.2	0.4	28.5	0.1	0.6	98.1
P768	Porphyritic	0.1	43.1	1.0	41.2	0.0	0.0	0.0	0.6	0.0	0.2	0.4	12.6	0.0	0.4	99.5
P769	Porphyritic	0.0	32.4	1.9	34.0	0.0	0.0	0.0	0.2	0.0	3.2	0.2	26.2	0.1	0.4	98.4
P773	Porphyritic	0.0	44.8	0.2	39.7	0.0	0.0	0.0	0.4	0.0	0.2	0.2	12.7	0.0	0.0	98.3
P775	Porphyritic	0.0	20.1	3.3	41.2	0.0	0.0	0.0	2.7	0.0	0.3	0.2	28.7	0.0	0.5	97.1
P778	Porphyritic	0.1	33.5	2.1	41.7	0.0	0.0	0.0	1.1	0.0	0.2	0.2	19.4	0.1	0.5	98.9
P781	Porphyritic	0.0	45.8	2.1	43.9	0.0	0.0	0.0	1.2	0.0	0.3	0.1	5.3	0.0	0.1	98.7
P787	Porphyritic	0.0	36.5	1.2	42.2	0.0	0.0	0.0	1.1	0.0	0.3	0.6	16.7	0.0	0.0	98.7
P793	Porphyritic	0.0	30.0	1.8	43.0	0.0	0.0	0.0	1.7	0.0	0.2	0.3	21.8	0.0	0.1	99.0
P794	Porphyritic	0.0	12.3	3.1	29.8	0.0	0.0	0.0	4.6	0.0	0.1	0.2	43.5	0.0	0.9	94.5

P799	Porphyritic	0.0	20.7	2.5	33.2	0.0	0.0	0.0	1.2	0.0	0.1	0.3	37.1	0.0	1.0	96.2
P800	Porphyritic	0.0	31.8	2.1	40.4	0.0	0.2	0.0	1.2	0.0	0.3	0.3	22.1	0.0	0.1	98.5
P811	Porphyritic	0.1	33.0	1.7	37.7	0.0	0.1	0.0	2.4	0.0	0.2	0.2	23.3	0.0	0.5	99.3
P816	Porphyritic	0.1	24.8	2.5	35.5	0.0	0.1	0.0	1.8	0.0	0.2	0.3	32.3	0.1	0.4	98.1
P817	Porphyritic	0.0	19.0	1.0	28.0	0.0	0.0	0.0	0.7	0.0	0.1	0.3	49.1	0.1	0.5	99.0
P823	Porphyritic	0.0	35.1	0.9	52.6	0.0	0.0	0.0	0.6	0.0	0.4	0.5	9.8	0.0	0.1	100.1
P826	Porphyritic	0.0	23.4	2.7	40.0	0.0	0.0	0.0	1.9	0.0	0.3	0.3	29.2	0.0	0.1	98.1
P835	Porphyritic	0.1	14.6	2.9	29.0	0.0	0.1	0.0	0.2	0.0	0.1	0.2	49.1	0.1	0.8	97.2
P836	Porphyritic	0.1	23.5	2.8	36.0	0.1	0.2	0.0	2.5	0.0	0.2	0.2	32.1	0.0	0.2	97.9
P838	Porphyritic	0.0	22.0	2.7	39.8	0.0	0.2	0.0	1.4	0.0	0.4	0.3	32.4	0.0	0.1	99.5
P839	Porphyritic	0.0	28.8	1.5	33.5	0.0	0.0	0.0	0.5	0.0	0.2	0.2	35.7	0.1	0.4	101.0
P845	Porphyritic	0.0	30.3	1.5	38.7	0.0	0.0	0.0	0.4	0.0	0.1	0.2	25.5	0.1	0.8	97.6
P858	Porphyritic	0.0	21.9	4.1	37.0	0.0	0.5	0.0	3.1	0.0	0.2	0.3	29.4	0.0	0.7	97.3
P865	Porphyritic	0.0	33.3	0.2	35.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	29.7	0.1	0.9	99.5
P867	Porphyritic	0.0	24.8	3.1	37.9	0.0	0.0	0.0	2.6	0.0	0.2	0.2	28.8	0.0	0.2	97.9
P870	Porphyritic	0.0	25.7	2.1	36.9	0.0	0.0	0.0	1.1	0.0	0.1	0.3	29.0	0.0	0.8	96.1
P880	Porphyritic	0.0	33.5	0.4	37.0	0.0	0.0	0.0	0.9	0.0	0.3	0.4	25.1	0.1	0.5	98.3
P881	Porphyritic	0.0	22.5	2.8	36.3	0.0	0.0	0.0	2.0	0.0	0.1	0.2	33.3	0.1	0.9	98.3
P887	Porphyritic	0.1	17.4	2.9	35.2	0.0	0.1	0.0	1.4	0.0	0.2	0.2	40.1	0.0	0.1	97.8
P888	Porphyritic	0.2	17.6	3.3	35.5	0.0	0.1	0.0	1.1	0.0	0.3	0.3	39.4	0.0	0.6	98.6
P894	Porphyritic	0.0	31.5	2.7	43.4	0.0	0.0	0.0	2.5	0.0	0.1	0.3	17.6	0.0	0.0	98.2
P899	Porphyritic	0.0	35.5	1.5	41.7	0.0	0.0	0.0	1.3	0.0	0.1	0.4	18.2	0.0	0.6	99.3
P901	Porphyritic	0.1	29.4	3.1	38.3	0.0	0.3	0.0	1.6	0.0	0.3	0.3	24.3	0.0	0.6	98.3
P908	Porphyritic	0.0	26.4	2.2	37.6	0.0	0.0	0.0	1.5	0.0	0.5	0.2	28.1	0.0	0.3	96.8
P909	Porphyritic	0.5	21.4	3.9	40.4	0.0	0.0	0.0	2.9	0.0	0.5	0.4	27.0	0.0	0.2	97.3
P914	Porphyritic	0.6	26.5	3.3	43.8	0.0	0.0	0.1	2.8	0.0	0.0	0.4	19.6	0.0	0.0	97.1
P917	Porphyritic	0.0	23.5	3.4	41.7	0.0	0.1	0.0	2.5	0.0	0.4	0.5	24.9	0.0	0.1	97.1
P918	Porphyritic	0.6	22.5	2.7	37.5	0.1	0.0	0.0	1.5	0.0	0.2	0.4	30.2	0.1	0.4	96.2
P921	Porphyritic	0.0	20.2	2.5	34.4	0.0	0.3	0.0	1.4	0.0	0.2	0.5	39.1	0.1	0.1	99.0
P924	Porphyritic	0.0	20.1	3.7	43.9	0.0	0.1	0.0	3.3	0.0	0.5	0.5	25.0	0.0	0.0	97.0
P928	Porphyritic	0.0	28.1	1.6	33.5	0.0	0.0	0.0	2.8	0.0	0.4	0.2	31.7	0.0	0.2	98.7
P944	Porphyritic	0.0	47.4	0.1	40.1	0.0	0.0	0.0	0.2	0.0	0.2	0.1	11.1	0.0	1.0	100.3
P946	Porphyritic	0.0	30.6	2.8	50.5	0.0	0.0	0.0	2.3	0.0	0.4	0.2	11.6	0.0	0.0	98.5

P947	Porphyritic	0.0	30.6	1.7	34.8	0.0	0.1	0.0	2.1	0.0	0.2	0.3	29.3	0.0	0.1	99.3
P950	Porphyritic	0.0	14.7	0.3	28.3	0.0	0.3	0.0	0.1	0.0	0.0	0.4	52.5	0.0	0.4	97.0
P954	Porphyritic	0.1	28.9	2.5	39.5	0.0	0.8	0.0	4.0	0.0	0.2	0.3	21.6	0.0	0.4	98.6
P958	Porphyritic	0.0	22.7	2.3	34.8	0.1	0.0	0.0	8.0	0.0	0.1	0.7	29.4	0.0	0.2	98.3
P962	Porphyritic	0.0	19.1	3.7	36.8	0.0	0.0	0.0	5.5	0.0	0.2	0.3	31.8	0.0	0.1	97.5
P964	Porphyritic	0.0	27.9	2.6	38.5	0.0	0.0	0.0	1.7	0.0	0.2	0.2	26.3	0.0	0.1	97.6
P969	Porphyritic	0.0	19.2	2.3	39.7	0.0	0.0	0.0	17.4	0.0	0.0	0.2	18.3	0.0	0.5	97.5
P970	Porphyritic	0.1	28.2	1.2	39.8	0.0	0.0	0.0	0.7	0.0	0.1	0.3	27.2	0.0	0.1	97.9
P972	Porphyritic	0.0	44.6	0.3	40.2	0.0	0.0	0.0	0.2	0.0	0.1	0.2	12.7	0.0	0.1	98.5
P974	Porphyritic	0.0	37.0	0.8	39.9	0.0	0.0	0.0	1.0	0.0	0.2	0.3	17.5	0.1	1.3	98.1
P975	Porphyritic	0.2	25.0	2.8	44.3	0.0	0.1	0.0	2.2	0.0	0.4	0.3	22.9	0.0	0.1	98.4
P976	Porphyritic	0.0	26.6	1.7	35.6	0.0	0.0	0.0	2.4	0.1	0.1	0.3	30.7	0.1	0.1	97.7
P978	Porphyritic	0.3	25.5	2.2	46.3	0.0	0.0	0.0	1.8	0.0	0.2	0.5	20.7	0.0	0.0	97.6
P980	Porphyritic	0.0	24.5	2.6	35.2	0.1	0.1	0.0	0.8	0.0	0.2	0.3	36.0	0.0	0.1	100.0
P983	Porphyritic	0.1	26.1	4.0	46.0	0.0	0.0	0.0	3.5	0.0	0.4	0.3	17.9	0.0	0.0	98.2
P990	Porphyritic	0.0	29.9	3.4	46.4	0.0	0.0	0.0	3.0	0.0	0.2	0.4	13.4	0.0	0.1	96.7
P1003	Porphyritic	0.1	31.3	2.1	44.9	0.0	0.0	0.0	2.2	0.0	0.4	0.2	16.2	0.0	0.3	97.8
P1013	Porphyritic	0.0	17.9	2.1	44.7	0.0	0.2	0.0	4.2	0.0	0.3	0.4	27.6	0.0	0.1	97.6
P1015	Porphyritic	0.0	22.2	4.8	44.2	0.0	0.0	0.0	3.7	0.0	0.4	0.5	21.6	0.0	0.0	97.4
P1020	Porphyritic	0.0	21.9	4.5	43.2	0.0	0.0	0.0	4.3	0.0	0.3	0.3	22.5	0.0	0.0	97.1
P1022	Porphyritic	0.0	26.3	4.4	48.0	0.0	0.0	0.0	3.0	0.0	0.5	0.5	13.3	0.0	0.0	96.1
P1023	Porphyritic	0.1	27.7	2.9	40.9	0.3	0.1	0.0	2.2	0.0	0.4	0.4	19.7	0.0	0.0	94.7
P1024	Porphyritic	0.0	34.5	1.4	39.8	0.1	0.0	0.0	1.2	0.0	0.2	0.2	18.2	0.1	0.7	96.5
P1027	Porphyritic	0.0	31.8	0.3	36.4	0.0	0.0	0.0	0.4	0.0	0.2	0.3	27.2	0.0	0.4	97.2
P1031	Porphyritic	0.1	27.5	1.8	36.7	0.0	0.0	0.0	1.7	0.0	0.2	0.2	28.3	0.0	1.0	97.7
P1032	Porphyritic	0.1	25.8	2.0	34.4	0.0	0.1	0.0	1.0	0.0	0.2	0.2	32.4	0.0	0.5	96.9
P1033	Porphyritic	0.0	27.8	1.4	34.8	0.0	0.0	0.0	0.8	0.0	0.3	0.2	31.5	0.0	0.3	97.3
P1035	Porphyritic	0.1	36.6	1.3	40.2	0.0	0.3	0.1	0.3	0.0	0.3	0.2	14.4	0.0	0.2	94.0
P1039	Porphyritic	0.0	30.9	1.0	37.3	0.0	0.0	0.0	0.7	0.0	0.2	0.4	28.4	0.0	0.1	99.1
P1043	Porphyritic	0.1	27.4	2.6	40.8	0.0	0.1	0.0	2.2	0.0	0.3	0.6	23.3	0.0	0.0	97.5
P1045	Porphyritic	0.0	31.0	1.0	40.1	0.0	0.1	0.0	0.8	0.0	0.3	0.4	24.2	0.0	0.1	98.1
P1054	Porphyritic	0.3	29.7	1.1	37.0	0.0	0.0	0.0	0.9	0.0	0.2	0.5	27.8	0.0	0.1	97.6
P1057	Porphyritic	0.0	28.7	1.4	37.0	0.0	0.0	0.0	4.4	0.0	0.2	0.2	23.7	0.1	1.4	97.0

P1059	Porphyritic	0.0	14.6	3.7	35.4	0.0	0.0	0.0	2.1	0.0	0.1	0.3	39.2	0.1	0.8	96.3
P1061	Porphyritic	0.0	10.7	7.0	31.3	0.1	0.0	0.0	4.7	0.0	0.2	0.2	41.8	0.0	0.1	96.1
P1069	Porphyritic	0.0	39.4	0.4	39.6	0.0	0.0	0.0	0.7	0.0	0.0	0.2	16.4	0.1	0.6	97.5
P1078	Porphyritic	0.0	13.7	4.7	44.7	0.0	0.1	0.0	3.5	0.0	0.5	0.4	26.3	0.0	0.0	94.2
P1080	Porphyritic	0.0	18.0	4.3	42.4	0.0	0.0	0.0	4.4	0.0	0.4	0.5	26.3	0.0	0.0	96.4
P1081	Porphyritic	0.0	16.6	4.2	29.6	0.0	0.1	0.0	0.9	0.0	0.2	0.2	44.0	0.1	0.2	96.2
P1083	Porphyritic	0.0	28.5	2.5	37.1	0.0	0.1	0.0	1.0	0.0	0.2	0.2	27.1	0.1	0.4	97.2
P1084	Porphyritic	0.0	34.5	0.5	37.2	0.0	0.0	0.0	0.2	0.0	0.3	0.2	25.0	0.1	0.3	98.2
P1085	Porphyritic	0.1	30.7	2.7	49.8	0.0	0.1	0.0	1.9	0.0	0.5	0.3	10.2	0.0	0.1	96.4
P1086	Porphyritic	0.0	15.8	4.5	39.5	0.0	0.0	0.0	3.7	0.0	0.1	0.3	33.3	0.1	0.2	97.6
P1094	Porphyritic	0.1	31.0	3.0	39.6	0.0	0.1	0.0	0.6	0.0	0.3	0.3	23.0	0.0	0.1	98.2
P1095	Porphyritic	0.0	29.3	1.0	34.1	0.1	0.2	0.0	0.6	0.0	0.5	0.3	33.0	0.0	0.0	99.2
P1097	Porphyritic	0.0	19.4	3.7	41.3	0.1	0.0	0.0	3.4	0.0	0.1	0.3	28.4	0.1	0.6	97.2
P1100	Porphyritic	0.0	44.4	0.1	38.5	0.0	0.0	0.0	0.1	0.0	0.1	0.1	15.1	0.0	0.6	99.0
P1105	Porphyritic	0.0	24.2	4.2	40.4	0.0	0.1	0.0	2.6	0.0	0.2	0.3	25.9	0.0	0.0	97.9
P1108	Porphyritic	0.0	39.7	0.8	39.4	0.0	0.0	0.0	1.3	0.0	0.1	0.2	15.3	0.1	1.8	98.7
P1111	Porphyritic	0.1	24.2	3.7	38.9	0.0	0.1	0.0	0.5	0.0	0.3	0.2	26.7	0.0	0.1	94.9
P1113	Porphyritic	0.0	23.0	3.2	35.3	0.1	0.1	0.0	7.7	0.0	0.6	0.3	24.8	0.0	0.1	95.1
P1114	Porphyritic	0.0	34.0	1.5	41.4	0.0	0.0	0.0	0.8	0.0	0.3	0.1	16.9	0.1	0.3	95.6
P1116	Porphyritic	0.0	25.4	2.5	40.5	0.0	0.0	0.0	5.5	0.0	0.1	0.2	21.7	0.0	0.8	96.9
P1124	Porphyritic	0.0	28.3	1.7	44.6	0.0	0.0	0.0	1.9	0.0	0.1	0.3	19.3	0.0	0.0	96.3
P1125	Porphyritic	0.1	22.6	1.7	32.0	0.0	0.5	0.0	1.7	0.0	0.1	0.3	40.1	0.0	1.0	100.0
P1127	Porphyritic	0.4	34.0	2.1	41.2	0.0	0.0	0.0	1.6	0.0	0.1	0.4	19.6	0.0	0.1	99.6
P1131	Porphyritic	0.1	31.3	2.9	44.4	0.0	0.1	0.0	3.3	0.0	0.4	0.5	14.4	0.0	0.0	97.5
P1132	Porphyritic	0.0	37.2	0.9	38.4	0.0	0.0	0.0	0.5	0.0	0.3	0.3	21.2	0.1	0.3	99.1
P1134	Porphyritic	0.2	19.2	3.1	36.0	0.1	0.1	0.0	2.4	0.0	0.2	0.4	36.0	0.0	0.1	97.7
P1136	Porphyritic	0.0	30.4	2.1	37.7	0.0	0.2	0.0	0.2	0.0	0.3	0.3	27.2	0.0	0.5	98.9
P1139	Porphyritic	0.0	21.7	2.3	30.9	0.0	0.0	0.0	3.1	0.0	0.1	0.3	34.9	0.1	0.7	94.2
P1148	Porphyritic	0.0	16.6	3.3	37.8	0.0	0.0	0.0	1.1	0.0	0.2	0.2	35.9	0.1	0.3	95.6
P1151	Porphyritic	0.1	18.1	4.0	29.0	0.0	0.1	0.0	3.1	0.0	0.1	0.2	40.5	0.1	0.4	95.5
P1154	Porphyritic	0.2	24.1	2.5	37.4	0.0	0.0	0.0	1.7	0.0	0.2	0.2	29.7	0.1	0.8	97.0
P1157	Porphyritic	0.0	25.9	1.6	32.2	0.0	0.0	0.0	0.6	0.0	0.2	0.2	36.2	0.0	0.2	97.1
P1158	Porphyritic	0.1	23.4	3.1	33.5	0.1	1.4	0.0	2.1	0.0	0.3	0.4	32.0	0.1	0.9	97.3

P1165	Porphyritic	0.3	31.8	1.0	45.5	0.0	0.0	0.0	2.0	0.0	0.1	0.4	15.4	0.0	0.0	96.6
P1166	Porphyritic	0.0	28.7	1.6	36.6	0.0	0.0	0.0	1.1	0.0	0.2	0.3	28.3	0.1	0.7	97.5
P1167	Porphyritic	0.0	27.9	0.3	34.6	0.0	0.0	0.0	0.4	0.0	0.1	0.4	33.8	0.0	0.3	97.9
P1169	Porphyritic	0.0	11.8	4.2	36.0	0.0	0.0	0.0	1.9	0.0	0.2	0.3	44.5	0.1	0.4	99.5
P1171	Porphyritic	0.5	14.2	5.8	46.0	0.0	0.0	0.1	4.9	0.0	0.2	0.5	25.9	0.0	0.1	98.1
P1172	Porphyritic	0.1	24.0	2.7	34.5	0.0	0.1	0.0	2.0	0.0	0.2	0.3	34.4	0.1	0.6	99.0
P1173	Porphyritic	0.0	31.8	1.0	34.9	0.0	0.0	0.0	0.8	0.0	0.1	0.5	26.4	0.0	1.1	96.7
P1175	Porphyritic	0.1	24.4	2.4	30.7	0.1	0.1	0.0	1.0	0.0	0.2	0.2	35.0	0.0	0.8	94.9
P1180	Porphyritic	0.0	29.6	0.8	37.3	0.0	0.0	0.0	0.8	0.0	0.1	0.2	25.4	0.1	1.2	95.5
P1181	Porphyritic	0.2	31.4	1.4	39.0	0.0	0.0	0.0	1.5	0.0	0.2	0.3	21.3	0.0	0.2	95.4
P1183	Porphyritic	0.6	24.8	3.3	40.8	0.0	0.1	0.1	1.7	0.0	0.2	0.5	23.4	0.0	0.1	95.5
P1184	Porphyritic	0.0	21.6	3.7	32.5	0.0	0.0	0.0	9.1	0.0	0.1	0.3	31.3	0.0	0.1	98.8
P1185	Porphyritic	0.0	15.7	4.4	32.6	0.0	0.0	0.0	3.0	0.0	0.1	0.2	42.4	0.1	0.2	98.9
P1189	Porphyritic	0.4	26.4	3.1	38.1	0.0	0.0	0.0	3.1	0.0	0.2	0.2	25.8	0.0	0.9	98.4
P1190	Porphyritic	0.1	29.0	2.1	34.1	0.0	0.1	0.0	0.7	0.0	0.4	0.5	28.6	0.0	0.5	96.3
P1191	Porphyritic	0.1	24.1	2.6	33.3	0.0	0.1	0.0	2.5	0.0	0.2	0.3	30.3	0.1	0.7	94.3
P1192	Porphyritic	0.4	17.7	12.7	26.4	0.0	0.0	0.0	0.8	0.0	0.2	0.2	36.4	0.0	0.4	95.3
P1196	Porphyritic	0.1	34.3	2.1	45.4	0.0	0.0	0.0	1.5	0.0	0.4	0.4	15.3	0.0	0.2	99.8
P1198	Porphyritic	0.6	16.9	4.9	33.5	0.0	0.7	0.1	1.4	0.0	0.3	0.3	37.2	0.1	1.1	97.2
P1200	Porphyritic	0.2	27.9	2.5	40.1	0.1	0.0	0.0	2.2	0.0	0.6	0.3	22.2	0.1	1.8	97.9
P1201	Porphyritic	0.0	28.9	1.9	37.6	0.1	0.0	0.0	13.1	0.0	0.1	1.4	14.1	0.0	0.2	97.3
P1203	Porphyritic	0.0	22.1	2.2	33.3	0.0	0.1	0.3	1.3	0.0	0.4	0.2	35.0	0.0	0.3	95.1
P1204	Porphyritic	0.0	29.0	2.8	39.1	0.0	0.0	0.0	2.2	0.0	0.3	0.5	24.2	0.1	0.3	98.5
P1207	Porphyritic	0.4	27.6	1.0	51.9	0.0	0.0	0.0	1.5	0.0	0.1	0.4	14.8	0.0	0.0	97.8
P1214	Porphyritic	0.2	25.7	2.9	38.4	0.1	0.0	0.0	1.4	0.0	0.2	0.3	25.7	0.0	4.3	99.3
P12	Porphyritic	0.0	21.1	2.4	35.9	0.1	0.0	0.0	2.0	0.0	0.5	0.4	36.7	0.0	0.5	99.6
P21	Porphyritic	0.3	33.8	1.0	42.1	0.0	0.0	0.0	2.6	0.0	0.0	0.4	17.8	0.0	0.0	98.3
P35	Porphyritic	0.0	14.8	3.7	32.2	0.2	0.0	0.0	3.9	0.0	0.4	0.2	43.5	0.0	1.4	100.4
P36	Porphyritic	0.0	18.8	3.4	34.3	0.2	0.0	0.0	3.6	0.0	0.2	0.3	37.5	0.1	1.0	99.3
P38	Porphyritic	0.0	22.5	3.3	51.5	0.0	0.0	0.0	3.2	0.0	0.8	0.3	16.8	0.0	0.0	98.4
P41	Porphyritic	0.0	28.2	2.0	37.2	0.2	0.4	0.0	4.1	0.0	0.4	0.3	26.5	0.0	0.1	99.3
P47	Porphyritic	0.1	30.3	1.4	48.7	0.0	0.0	0.0	1.0	0.0	0.5	0.3	16.4	0.0	0.1	98.9
P48	Porphyritic	0.0	30.5	1.9	35.2	0.1	0.0	0.0	1.4	0.0	0.2	0.3	26.4	0.1	1.1	97.2

P56	Porphyritic	0.2	21.9	3.1	37.2	0.2	0.0	0.0	2.6	0.0	0.5	0.3	29.9	0.1	1.5	97.4
P71	Porphyritic	0.0	22.5	4.3	42.5	0.1	0.6	0.0	1.6	0.0	0.6	0.5	24.7	0.0	0.1	97.5
P74	Porphyritic	0.0	17.5	2.5	40.9	0.8	0.0	0.0	3.9	0.0	0.1	0.4	31.0	0.0	0.3	97.4
P75	Porphyritic	0.0	27.2	0.7	33.3	0.2	1.8	0.0	0.5	0.0	0.3	0.2	34.7	0.1	1.0	99.8
P76	Porphyritic	0.0	29.4	2.1	38.1	0.0	0.3	0.0	1.4	0.0	0.4	0.5	22.9	0.0	0.6	95.8
P85	Porphyritic	0.0	18.7	2.8	34.1	0.3	0.2	0.0	2.8	0.0	0.2	0.3	35.5	0.0	0.1	94.9
P92	Porphyritic	0.2	23.7	1.6	48.1	0.2	0.0	0.0	4.9	0.0	0.1	0.4	17.7	0.0	0.0	97.0
P99	Porphyritic	0.0	30.7	1.7	36.4	0.1	0.0	0.0	1.3	0.0	0.3	0.3	27.3	0.0	0.1	98.1
P102	Porphyritic	0.1	25.0	2.4	44.1	0.2	0.0	0.0	1.6	0.0	0.5	0.2	23.5	0.1	1.6	99.3
P107	Porphyritic	0.0	26.3	0.2	34.4	0.3	0.0	0.0	0.2	0.0	0.5	0.2	38.7	0.1	0.2	101.1
P113	Porphyritic	0.0	21.6	3.5	37.4	0.2	0.0	0.0	1.9	0.0	0.4	0.3	31.8	0.1	0.8	98.1
P135	Porphyritic	0.0	20.2	4.6	33.9	0.3	0.0	0.0	1.3	0.0	3.5	0.3	33.0	0.1	0.2	97.2
P136	Porphyritic	0.0	21.0	2.5	35.3	0.1	0.0	0.0	1.9	0.0	0.3	0.4	35.8	0.1	0.8	98.2
P145	Porphyritic	0.2	35.9	0.7	40.3	0.0	0.0	0.0	0.5	0.0	0.2	0.3	19.9	0.0	0.3	98.5
P148	Porphyritic	0.0	24.4	2.0	39.8	0.1	0.0	0.0	1.6	0.0	0.4	1.5	27.6	0.0	0.2	97.6
P151	Porphyritic	0.0	15.3	1.4	24.2	0.1	2.2	0.0	0.9	0.0	0.4	0.3	55.3	0.2	0.4	100.7
P161	Porphyritic	0.0	37.2	0.9	37.7	0.1	0.0	0.0	0.7	0.0	0.4	0.2	21.3	0.0	0.3	98.8
P162	Porphyritic	0.0	34.6	0.9	37.4	0.1	0.0	0.0	0.8	0.0	0.3	0.2	22.9	0.1	0.7	97.9
P165	Porphyritic	0.0	46.4	0.4	40.0	0.0	0.0	0.0	0.1	0.0	0.4	0.2	10.0	0.1	1.2	98.9
P168	Porphyritic	0.0	19.1	3.1	38.1	0.1	0.0	0.0	2.6	0.0	0.4	0.4	32.6	0.0	0.1	96.3
P171	Porphyritic	0.1	11.1	9.3	37.7	0.2	1.2	0.0	3.6	0.0	0.2	0.3	34.1	0.0	0.0	97.8
P183	Porphyritic	0.0	37.4	0.7	43.1	0.0	0.0	0.0	1.9	0.0	0.3	0.6	13.7	0.0	0.1	97.9
P186	Porphyritic	0.0	31.4	1.4	41.1	0.2	0.8	0.0	1.2	0.0	0.6	0.3	21.8	0.0	0.0	98.8
P194	Porphyritic	0.0	14.2	4.4	36.4	0.2	0.0	0.0	3.5	0.0	0.2	0.2	37.1	0.1	0.5	96.9
P197	Porphyritic	0.0	19.0	4.4	39.1	0.2	0.6	0.0	4.3	0.0	0.4	0.3	26.8	0.0	0.0	95.1
P198	Porphyritic	0.4	31.4	2.0	44.0	0.0	0.0	0.1	1.4	0.0	0.2	0.3	16.8	0.0	0.1	96.8
MS-I2 P174	Porphyritic	0.2	19.3	2.4	38.7	0.1	0.1	0.0	4.4	0.2	0.3	0.2	29.8	0.1	1.7	97.6
MS-I2 P175	Porphyritic	0.1	27.4	1.2	37.2	0.0	0.0	0.0	0.5	0.1	0.1	0.2	31.5	0.1	0.5	98.7
MS-I2 P176	Porphyritic	0.4	34.6	1.4	40.8	0.0	0.0	0.0	1.7	0.1	0.1	0.3	19.7	0.0	0.6	99.5
MS-I2 P177	Porphyritic	0.1	33.7	0.8	42.3	0.0	0.0	0.0	0.8	0.1	0.4	0.6	17.8	0.0	0.1	96.6
MS-I2 P241	Porphyritic	0.0	18.3	2.5	34.6	0.2	0.0	0.0	4.8	0.1	0.3	0.3	37.9	0.0	0.2	99.3
MS-I2 P249	Porphyritic	0.1	24.2	3.2	41.6	0.1	0.0	0.0	6.6	0.1	0.1	0.2	21.5	0.1	1.1	99.0
MS-I2 P250	Porphyritic	0.3	24.6	2.5	45.3	0.1	0.2	0.1	4.6	0.1	0.5	0.6	17.1	0.0	0.0	96.0

MS-I2 P359	Porphyritic	1.2	23.3	4.4	38.4	0.1	0.0	0.1	2.6	0.2	0.6	0.2	26.8	0.0	0.3	97.9
MS-I2 P380	Porphyritic	0.0	19.1	1.6	32.8	0.2	0.0	0.0	2.0	0.1	0.3	0.3	41.4	0.1	2.0	100.0
MS-I2 P381	Porphyritic	0.0	38.2	1.3	41.7	0.0	0.0	0.0	1.3	0.0	0.0	0.4	15.1	0.0	0.0	97.4
MS-I2 P386	Porphyritic	0.6	30.5	2.8	48.6	0.0	0.0	0.1	0.0	0.1	0.9	0.2	14.2	0.0	0.3	98.3
MS-I2 P393	Porphyritic	0.1	16.2	2.7	36.0	0.1	0.0	0.0	2.5	0.1	0.2	0.3	40.6	0.1	1.0	99.8
MS-I2 P394	Porphyritic	0.1	22.6	1.5	36.0	0.3	0.3	0.1	1.7	0.1	0.5	0.3	35.5	0.1	0.1	99.1
MS-I2 P436	Porphyritic	0.0	21.8	1.9	42.1	0.0	0.8	0.0	1.2	0.1	0.7	0.5	32.0	0.0	0.0	101.2
MS-I2 P437	Porphyritic	0.0	16.8	3.5	35.7	0.2	0.1	0.0	2.9	0.2	0.7	0.4	39.0	0.1	0.2	99.9
MS-I2 P446	Porphyritic	0.0	23.1	2.6	39.4	0.1	0.3	0.0	2.0	0.1	0.6	0.3	29.7	0.0	0.0	98.3
MS-I2 P492	Porphyritic	0.0	17.7	3.0	35.8	0.2	0.0	0.0	0.9	0.1	0.4	0.3	41.0	0.1	0.7	100.3
MS-I2 P505	Porphyritic	0.1	35.0	0.6	41.4	0.0	0.0	0.0	0.7	0.1	0.4	0.6	19.1	0.0	0.1	97.9
MS-I2 P512	Porphyritic	0.4	27.6	2.1	43.3	0.1	0.0	0.1	1.8	0.1	0.3	0.4	21.5	0.0	0.0	97.8
MS-I3-P11	Porphyritic	0.3	25.2	3.0	51.7	0.1	0.0	0.0	1.8	0.2	0.3	0.4	18.4	0.0	0.0	101.3
MS-I3-P34	Porphyritic	0.4	14.2	4.8	33.0	0.0	0.0	0.0	2.7	0.3	4.5	0.4	40.2	0.1	0.6	101.2
MS-I3-P38	Porphyritic	0.0	30.5	2.6	42.7	0.1	0.1	0.0	1.5	0.1	0.6	0.2	22.5	0.0	0.1	101.1
MS-I3-P58	Porphyritic	0.0	37.6	0.4	39.2	0.0	0.0	0.0	0.1	0.0	0.4	0.2	22.8	0.0	0.1	100.8
MS-I3-P67	Porphyritic	0.0	36.9	0.9	40.8	0.0	0.0	0.0	0.3	0.1	0.5	0.3	21.9	0.0	0.0	101.7
MS-I3-P68	Porphyritic	0.0	36.3	1.7	45.2	0.1	0.0	0.0	2.0	0.2	0.7	0.2	13.6	0.0	0.3	100.4
MS-I3-P71	Porphyritic	0.1	35.6	1.9	43.4	0.1	0.0	0.0	1.4	0.1	0.2	0.3	17.4	0.0	0.1	100.7
MS-I3-P72	Porphyritic	0.2	22.8	2.8	52.8	0.0	0.0	0.0	2.3	0.1	0.5	0.5	18.7	0.0	0.0	100.9
MS-I3-P76	Porphyritic	0.0	34.0	0.7	38.1	0.1	0.0	0.0	0.4	0.0	0.4	0.2	26.1	0.1	0.3	100.5
MS-I3-P85	Porphyritic	0.4	24.7	2.4	40.3	0.0	0.0	0.0	2.1	0.1	0.4	0.4	29.5	0.0	0.7	100.9
MS-I3-P86	Porphyritic	0.0	27.0	2.3	38.1	0.1	0.0	0.0	2.7	0.1	0.2	0.5	30.2	0.1	0.7	102.1
MS-I3-P89	Porphyritic	0.4	15.0	2.4	54.0	0.0	0.0	0.0	4.4	0.2	0.1	0.5	23.8	0.0	0.0	100.9
MS-I3-P91	Porphyritic	0.0	47.6	0.2	40.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	11.8	0.0	0.8	101.0
MS-I3-P92	Porphyritic	0.1	31.8	2.1	43.3	0.1	0.0	0.0	2.2	0.1	2.0	0.3	18.0	0.0	0.1	100.2
MS-I3-P93	Porphyritic	0.3	35.7	1.0	46.8	0.1	0.0	0.0	1.0	0.1	0.3	0.7	14.1	0.0	0.0	100.2
MS-I3-P95	Porphyritic	0.0	31.6	3.0	39.9	0.1	0.0	0.0	2.3	0.1	0.4	0.2	23.1	0.0	0.1	100.7
MS-I3-P104	Porphyritic	0.1	24.1	0.5	39.9	0.1	0.0	0.0	0.5	0.0	0.7	2.0	32.4	0.1	0.6	101.0
MS-I3-P106	Porphyritic	0.0	30.8	0.9	37.5	0.0	0.0	0.0	0.9	0.0	0.3	0.2	30.1	0.1	0.4	101.4
MS-I3-P109	Porphyritic	0.0	21.5	3.0	41.1	0.1	0.0	0.0	2.4	0.1	0.3	0.4	32.4	0.1	0.7	102.2
MS-I3-P111	Porphyritic	0.0	27.8	1.2	35.2	0.1	0.0	0.0	0.3	0.0	0.3	0.1	36.6	0.1	1.2	102.9
MS-I3-P119	Porphyritic	0.0	34.1	1.2	38.9	0.0	0.0	0.0	0.9	0.0	0.3	0.3	24.9	0.1	1.2	101.9

MS-I3-P121	Porphyritic	0.0	26.8	1.6	37.7	0.1	0.2	0.0	0.4	0.1	0.5	0.3	33.6	0.1	0.2	101.5
MS-I3-P127	Porphyritic	0.0	43.3	1.0	41.7	0.1	0.0	0.0	0.8	0.1	0.8	0.2	12.1	0.1	0.4	100.6
MS-I3-P131	Porphyritic	0.0	28.7	1.2	33.9	0.1	1.0	0.0	0.8	0.1	0.3	0.3	34.6	0.1	0.8	101.9
MS-I3-P132	Porphyritic	0.0	21.0	4.3	46.1	0.0	0.4	0.0	2.4	0.2	1.0	0.5	26.2	0.0	0.0	102.1
MS-I3-P150	Porphyritic	0.0	29.3	1.1	36.3	0.1	0.0	0.0	0.7	0.0	0.3	0.2	32.7	0.1	0.6	101.5
MS-I3-P156	Porphyritic	0.0	38.7	0.5	38.5	0.0	0.0	0.0	0.0	0.0	0.3	0.2	22.6	0.1	0.1	100.9
MS-I3-P158	Porphyritic	0.1	35.5	0.6	37.5	0.0	0.0	0.0	0.0	0.0	0.3	0.4	24.6	0.1	0.7	99.7
MS-I3-P160	Porphyritic	0.0	42.9	0.5	40.9	0.0	0.0	0.0	0.0	0.0	0.6	0.2	14.9	0.0	0.2	100.3
MS-I3-P174	Porphyritic	0.0	28.2	1.2	35.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	33.9	0.1	1.6	100.5
MS-I3-P179	Porphyritic	0.3	35.9	1.9	40.2	0.0	0.0	0.0	0.0	0.0	0.4	0.2	21.0	0.0	0.4	100.3
MS-I3-P180	Porphyritic	0.0	29.1	1.2	33.9	0.0	0.0	0.0	0.1	0.0	0.2	0.2	34.4	0.1	1.5	100.8
MS-I3-P181	Porphyritic	0.1	29.9	1.9	38.9	0.0	0.0	0.0	0.0	0.0	0.4	0.2	27.6	0.1	0.5	99.5
MS-I3-P188	Porphyritic	0.0	21.3	4.3	41.2	0.0	0.0	0.0	0.0	0.0	0.7	0.5	31.5	0.0	0.0	99.5
MS-I3-P189	Porphyritic	0.8	25.4	3.9	46.3	0.0	0.0	0.0	0.0	0.0	0.6	0.4	20.5	0.0	0.1	98.0
MS-I3-P190	Porphyritic	0.1	27.8	2.6	39.3	0.0	0.0	0.0	0.0	0.0	0.8	0.3	29.5	0.0	0.1	100.5
MS-I3-P194	Porphyritic	0.0	41.0	1.1	39.7	0.0	0.0	0.0	0.0	0.0	0.2	0.1	16.5	0.1	0.7	99.4
MS-I3-P195	Porphyritic	0.0	38.3	0.6	37.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	24.9	0.1	0.1	101.7
MS-I3-P197	Porphyritic	0.0	39.6	1.2	40.5	0.0	0.0	0.0	0.0	0.0	0.5	0.4	18.2	0.0	0.0	100.4
MS-I3-P198	Porphyritic	0.0	42.2	0.2	38.8	0.0	0.0	0.0	0.0	0.0	0.3	0.2	19.6	0.1	0.2	101.5
MS-I3-P199	Porphyritic	0.0	32.1	2.4	37.4	0.0	0.0	0.0	0.0	0.0	0.3	0.2	27.3	0.1	1.0	101.0
MS-I3-P200	Porphyritic	0.0	42.8	0.3	39.9	0.0	0.0	0.0	0.0	0.0	0.4	0.2	17.9	0.0	0.1	101.7
MS-I3-P202	Porphyritic	0.0	36.1	0.6	38.6	0.0	0.0	0.0	0.0	0.0	0.4	0.3	24.8	0.1	0.2	101.1
MS-I3-P210	Porphyritic	0.0	46.0	0.0	40.4	0.0	0.0	0.0	0.0	0.0	0.2	0.2	12.9	0.1	0.5	100.3
MS-I3-P233	Porphyritic	0.0	34.9	1.5	39.3	0.0	0.0	0.0	0.0	0.0	0.3	0.4	24.9	0.1	0.1	101.6
MS-I3-P234	Porphyritic	0.0	36.1	0.3	37.5	0.0	0.0	0.0	0.0	0.0	0.2	0.2	27.7	0.1	0.1	102.2
MS-I3-P237	Porphyritic	0.0	33.6	2.9	46.6	0.0	0.0	0.0	0.0	0.0	0.2	0.4	15.5	0.0	0.0	99.2
MS-I3-P240	Porphyritic	0.0	42.9	0.2	40.6	0.0	0.0	0.0	0.0	0.0	0.6	0.3	17.2	0.0	0.1	102.0
MS-I3-P243	Porphyritic	0.0	35.3	0.3	36.1	0.0	0.0	0.0	0.0	0.0	0.3	0.2	27.3	0.2	1.7	101.4
MS-I3-P244	Porphyritic	0.1	38.3	1.2	44.5	0.0	0.0	0.0	0.0	0.0	0.3	0.4	14.8	0.0	0.0	99.5
MS-I3-P247	Porphyritic	0.0	38.0	0.4	37.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	24.2	0.1	0.1	100.3
MS-I3-P259	Porphyritic	0.0	48.4	0.1	38.9	0.0	0.0	0.0	0.0	0.0	0.4	0.2	11.6	0.0	0.0	99.7
MS-I3-P260	Porphyritic	0.1	43.1	0.5	41.1	0.0	0.0	0.0	0.0	0.0	0.2	0.3	13.4	0.0	0.2	99.0
MS-I3-P270	Porphyritic	0.0	26.3	1.5	37.9	0.0	0.0	0.0	0.0	0.0	0.4	0.2	33.9	0.1	0.1	100.4

MS-I3-P280	Porphyritic	0.0	41.2	0.3	40.2	0.0	0.0	0.0	0.0	0.0	0.4	0.5	17.4	0.0	0.1	100.1
MS-I3-P281	Porphyritic	0.0	25.4	1.2	34.1	0.0	0.0	0.0	0.0	0.0	0.4	0.3	39.0	0.1	0.5	101.1
MS-I3-P290	Porphyritic	0.4	39.4	0.5	43.8	0.0	0.0	0.0	0.0	0.0	0.2	0.6	15.5	0.0	0.1	100.5
MS-I3-P298	Porphyritic	0.0	31.0	1.3	36.7	0.0	0.0	0.0	0.0	0.0	0.4	0.3	31.0	0.1	0.3	101.1
MS-I3-P300	Porphyritic	0.0	16.8	2.1	37.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	41.2	0.1	1.0	98.9
MS-I3-P315	Porphyritic	0.0	35.6	0.7	37.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	26.5	0.0	0.1	100.6
MS-I3-P322	Porphyritic	0.0	27.0	2.9	41.1	0.0	0.0	0.0	0.0	0.0	0.7	0.3	28.4	0.1	0.0	100.5
MS-I3-P329	Porphyritic	0.0	29.4	1.2	34.9	0.0	0.0	0.0	0.0	0.0	0.1	0.3	32.3	0.1	1.7	100.1
MS-I3-P334	Porphyritic	0.0	33.7	0.6	37.5	0.0	0.0	0.0	0.0	0.0	0.4	0.3	27.1	0.1	0.6	100.4
MS-I3-P343	Porphyritic	0.0	39.5	1.6	44.3	0.0	0.0	0.0	0.0	0.0	0.6	0.2	13.9	0.0	0.0	100.1
MS-I3-P344	Porphyritic	0.0	33.3	0.7	37.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	28.8	0.1	0.6	101.2
MS-I3-P348	Porphyritic	0.2	20.4	3.6	45.1	0.0	0.0	0.0	0.0	0.0	0.3	0.4	29.4	0.0	0.1	99.6
MS-I3-P362	Porphyritic	0.0	32.5	0.9	36.4	0.0	0.0	0.0	0.0	0.0	0.4	0.2	30.4	0.0	0.7	101.7
MS-I3-P365	Porphyritic	0.0	45.8	0.3	39.8	0.0	0.0	0.0	0.0	0.0	0.4	0.2	13.3	0.1	0.4	100.4
MS-I3-P367	Porphyritic	0.2	30.5	2.3	39.5	0.0	0.0	0.0	0.0	0.0	0.4	0.4	25.5	0.0	0.4	99.2
MS-I3-P372	Porphyritic	0.0	33.1	0.6	37.4	0.0	0.0	0.0	0.0	0.0	0.2	0.2	29.1	0.1	0.3	101.2
MS-I3-P376	Porphyritic	0.0	35.7	1.2	38.1	0.0	0.0	0.0	0.4	0.0	0.5	0.2	25.4	0.1	0.7	102.3
MS-I3-P387	Porphyritic	0.1	40.3	0.6	41.1	0.0	0.0	0.0	0.0	0.0	0.2	0.3	16.7	0.0	0.3	99.6
MS-I3-P407	Porphyritic	0.0	27.4	1.9	35.9	0.0	0.0	0.0	0.0	0.0	0.4	0.3	34.3	0.1	0.7	101.0
MS-I3-P414	Porphyritic	0.0	32.3	0.6	35.6	0.0	0.0	0.0	0.0	0.0	0.4	0.3	29.0	0.1	2.3	100.8
MS-I3-P425	Porphyritic	0.0	35.1	1.2	36.6	0.0	0.0	0.0	0.0	0.0	0.5	0.3	26.0	0.0	0.0	99.8
MS-I3-P438	Porphyritic	0.0	24.5	2.9	33.5	0.0	0.0	0.0	0.0	0.0	0.4	0.3	40.1	0.1	0.6	102.5
MS-I3-P442	Porphyritic	0.0	25.5	2.2	33.2	0.0	0.0	0.0	0.0	0.0	0.3	0.3	37.6	0.1	0.6	99.8
MS-I3-P448	Porphyritic	0.0	33.8	1.8	34.0	0.0	0.0	0.0	0.1	0.0	0.3	0.2	30.0	0.1	0.5	101.0
MS-I3-P450	Porphyritic	0.0	27.1	2.8	32.6	0.0	0.0	0.1	0.0	0.0	0.6	0.2	35.4	0.1	0.1	99.0
MS-I3-P457	Porphyritic	0.1	34.1	2.1	34.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	28.4	0.0	0.3	99.7
MS-I3-P458	Porphyritic	0.8	24.5	0.3	49.9	0.0	0.0	0.0	0.0	0.0	1.8	0.5	21.4	0.0	0.0	99.3
MS-I3-P483	Porphyritic	0.0	35.3	1.6	41.4	0.0	0.0	0.0	0.0	0.0	0.6	0.4	19.4	0.0	0.1	98.8
MS-I3-P488	Porphyritic	0.0	48.3	0.5	39.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	9.9	0.0	1.3	99.6
MS-I3-P489	Porphyritic	0.0	40.9	1.1	37.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	19.4	0.1	0.3	99.3
MS-I3-P500	Porphyritic	0.0	37.1	6.9	32.9	0.0	0.0	0.0	0.0	0.0	0.3	0.6	17.1	0.1	0.1	95.1
MS-I3-P512	Porphyritic	0.0	37.1	1.6	32.4	0.0	0.0	0.0	0.0	0.0	0.4	0.3	27.8	0.1	0.2	99.9
MS-I3-P519	Porphyritic	0.1	31.8	3.4	45.6	0.0	0.0	0.0	0.0	0.0	0.6	0.5	13.5	0.0	0.1	95.5

MS-I3-P522	Porphyritic	0.0	33.2	1.8	38.3	0.0	0.0	0.0	0.0	0.0	0.7	0.6	24.0	0.1	0.7	99.5
MS-I3-P537	Porphyritic	0.0	36.9	1.8	34.9	0.0	0.0	0.0	0.1	0.0	0.3	0.2	24.9	0.1	0.2	99.5
MS-I3-P538	Porphyritic	0.1	21.6	2.9	31.7	0.2	0.1	0.1	1.6	0.1	0.6	0.3	39.1	0.1	0.3	98.8
MS-I3-P543	Porphyritic	0.0	34.8	1.6	36.7	0.1	0.1	0.0	1.1	0.1	0.3	0.3	24.5	0.0	0.2	99.9
MS-I3-P550	Porphyritic	0.0	37.7	1.0	43.8	0.0	0.0	0.0	0.4	0.1	0.4	0.1	14.1	0.0	0.6	98.2
MS-I3-P554	Porphyritic	0.0	22.3	2.6	35.8	0.2	0.0	0.0	2.6	0.1	0.2	0.3	33.8	0.1	1.8	99.8
MS-I3-P560	Porphyritic	0.1	28.8	1.4	36.9	0.1	0.2	0.0	1.0	0.1	0.5	0.7	28.0	0.0	0.4	98.2
MS-I3-P580	Porphyritic	0.0	39.7	1.2	35.0	0.1	0.0	0.0	0.6	0.1	0.4	0.2	19.6	0.1	1.4	98.5
MS-I3-P589	Porphyritic	0.0	31.0	1.9	34.5	0.1	0.0	0.0	1.2	0.1	0.5	0.2	27.8	0.1	1.4	98.9
MS-I3-P592	Porphyritic	0.0	27.0	0.2	35.3	0.1	0.0	0.0	0.2	0.0	0.7	1.0	35.8	0.0	0.1	100.4
MS-I3-P598	Porphyritic	1.0	29.8	3.0	42.6	0.0	0.0	0.1	2.3	0.1	0.1	0.3	19.2	0.0	0.0	98.5
MS-I3-P599	Porphyritic	0.0	25.4	2.6	31.4	0.4	0.2	0.0	1.2	0.1	0.6	0.3	37.4	0.0	0.0	99.8
MS-I3-P625	Porphyritic	0.0	20.5	1.0	27.8	0.0	0.3	0.0	0.8	0.1	0.7	0.3	47.2	0.1	0.2	99.2
MS-I3-P630	Porphyritic	0.0	27.4	1.8	32.9	0.1	0.0	0.0	0.9	0.1	0.4	0.2	34.7	0.1	1.1	99.7
MS-I3-P634	Porphyritic	0.0	26.7	5.5	33.4	0.2	0.0	0.0	3.1	0.2	0.1	0.2	29.5	0.0	0.2	99.2
MS-I3-P637	Porphyritic	0.0	21.0	2.8	33.7	0.2	0.3	0.0	0.7	0.1	0.5	0.3	39.9	0.0	0.1	99.6
MS-I3-P647	Porphyritic	0.0	20.1	2.8	29.3	0.2	0.0	0.0	1.6	0.1	0.2	0.2	44.9	0.1	1.0	100.6
MS-I3-P648	Porphyritic	0.0	26.9	2.1	36.1	0.3	0.4	0.0	1.7	0.1	0.6	0.4	31.5	0.0	0.1	100.2
MS-I3-P653	Porphyritic	0.0	28.1	1.6	31.5	0.1	0.1	0.0	0.3	0.1	0.6	0.3	37.0	0.1	0.2	100.0
MS-I3-P656	Porphyritic	0.1	33.9	1.7	32.3	0.1	0.0	0.0	1.2	0.1	0.4	0.1	29.9	0.0	0.8	100.6
MS-I3-P659	Porphyritic	0.0	22.6	2.9	31.5	0.1	0.2	0.0	1.1	0.1	0.3	0.2	39.6	0.1	0.8	99.6
MS-I3-P670	Porphyritic	0.0	26.6	2.6	32.8	0.1	0.0	0.0	0.7	0.1	0.3	0.2	36.8	0.1	0.1	100.5
MS-I3-P709	Porphyritic	0.0	24.4	2.6	33.4	0.1	0.0	0.0	1.6	0.1	0.2	0.3	36.4	0.1	0.3	99.4
MS-I3-P711	Porphyritic	0.1	31.6	1.5	38.5	0.0	0.0	0.0	1.2	0.1	0.5	0.4	23.9	0.0	0.2	98.1
MS-I3-P717	Porphyritic	0.0	22.1	1.1	43.0	0.1	0.4	0.0	1.2	0.1	0.7	0.5	29.6	0.0	0.1	98.9
MS-I3-P741	Porphyritic	0.3	32.3	2.0	44.6	0.0	0.0	0.0	1.0	0.1	0.3	0.4	17.0	0.0	0.0	98.1
MS-I3-P743	Porphyritic	0.1	24.8	1.1	33.6	0.1	0.0	0.0	0.9	0.0	0.2	0.4	38.3	0.1	0.5	99.9
MS-I3-P748	Porphyritic	0.0	26.2	2.9	33.6	0.1	0.0	0.0	2.4	0.2	0.5	0.3	33.2	0.0	0.0	99.5
MS-I3-P759	Porphyritic	0.2	25.9	4.1	38.0	0.0	0.0	0.0	4.4	0.4	0.5	0.2	22.7	0.0	0.1	96.5
MS-I3-P763	Porphyritic	0.0	27.0	3.2	31.2	0.2	0.2	0.0	0.6	0.1	0.6	0.2	35.5	0.1	0.3	99.2
MS-I3-P787	Porphyritic	0.0	27.8	4.7	34.0	0.1	0.0	0.0	2.0	0.2	0.2	0.2	28.8	0.1	1.1	99.3
MS-I3-P791	Porphyritic	0.0	28.0	2.5	31.4	0.2	0.1	0.0	1.4	0.1	0.3	0.3	34.0	0.1	0.1	98.5
MS-I3-P796	Porphyritic	0.0	23.4	2.9	31.4	0.1	0.3	0.0	1.0	0.1	0.4	0.2	40.7	0.1	0.3	101.0

MS-I3-P799	Porphyritic	0.0	21.8	2.0	34.4	0.2	0.0	0.0	2.2	0.1	0.2	0.3	37.4	0.1	0.7	99.4
MS-I3-P803	Porphyritic	0.0	30.3	3.8	41.0	0.0	0.0	0.0	3.1	0.2	0.4	0.3	18.9	0.0	0.1	98.1
MS-I3-P804	Porphyritic	0.0	36.9	1.9	42.7	0.1	0.0	0.0	1.5	0.1	0.3	0.7	13.6	0.0	0.9	98.8
MS-I3-P805	Porphyritic	0.0	24.7	1.8	32.4	0.2	0.0	0.0	1.9	0.1	0.6	0.2	37.5	0.1	0.6	100.1
MS-I3-P808	Porphyritic	0.0	31.0	2.7	40.0	0.0	0.0	0.0	2.3	0.1	0.4	0.4	22.0	0.0	0.0	98.8
MS-I3-P814	Porphyritic	0.0	21.2	3.4	34.6	0.1	0.0	0.0	2.7	0.2	0.6	0.5	35.8	0.0	0.1	99.1
MS-I3-P839	Porphyritic	0.0	32.9	1.0	36.9	0.1	0.1	0.0	0.7	0.1	0.5	0.3	27.1	0.0	0.1	99.7
MS-I3-P844	Porphyritic	0.1	34.8	0.7	36.8	0.2	0.0	0.0	0.4	0.0	0.2	0.3	24.7	0.0	1.0	99.3
MS-I3-P871	Porphyritic	0.0	24.4	2.5	36.0	0.1	0.0	0.0	1.8	0.1	0.3	0.3	32.7	0.1	0.1	98.3
MS-I3-P937	Porphyritic	0.0	29.6	1.8	34.1	0.3	0.0	0.0	1.3	0.1	0.3	0.3	30.2	0.0	0.5	98.6
MS-I3-P947	Porphyritic	0.0	29.7	1.5	32.6	0.1	0.1	0.0	0.5	0.1	0.4	0.4	34.4	0.0	0.1	99.8
MS-I3-P949	Porphyritic	0.0	29.3	1.9	36.8	0.2	0.0	0.0	1.8	0.1	0.7	0.3	28.1	0.0	0.1	99.4
MS-I3-P962	Porphyritic	0.0	31.1	1.0	32.5	0.2	0.1	0.0	0.3	0.2	0.4	0.3	32.9	0.0	0.0	99.0
MS-I3-P969	Porphyritic	0.0	25.5	2.4	38.1	0.4	0.0	0.0	1.2	0.1	0.3	0.3	29.7	0.1	1.6	99.7
MS-I3-P970	Porphyritic	0.0	27.2	3.0	40.4	0.7	0.2	0.0	2.5	0.1	0.5	0.4	25.0	0.0	0.0	100.2
MS-I3-P971	Porphyritic	0.0	20.9	2.9	34.6	0.1	0.0	0.0	3.0	0.1	0.2	0.3	37.1	0.1	1.3	100.6
MS-I3-P997	Porphyritic	0.0	23.7	3.0	31.3	0.2	0.0	0.0	1.2	0.1	0.4	0.3	40.7	0.1	0.4	101.6
MS-I3-P1000	Porphyritic	0.0	24.6	5.8	28.2	0.1	0.0	0.0	3.0	0.2	0.3	0.2	31.2	0.1	0.9	94.6
MS-I3-P1020	Porphyritic	0.1	25.9	2.5	33.0	0.2	0.3	0.0	1.9	0.1	0.7	0.3	33.9	0.1	0.3	99.2
MS-I3-P1043	Porphyritic	0.0	32.7	1.1	35.9	0.1	0.0	0.0	1.7	0.1	0.3	0.3	27.7	0.1	0.3	100.3
MS-I3-P1051	Porphyritic	0.1	19.1	3.3	31.3	0.2	0.0	0.0	2.0	0.1	0.3	0.3	43.6	0.1	0.3	100.5
MS-I3-P1058	Porphyritic	0.0	26.0	2.5	30.6	0.2	0.1	0.0	1.3	0.1	0.6	0.5	38.0	0.1	0.2	100.2
MS-I3-P1062	Porphyritic	0.0	32.2	1.5	34.7	0.1	0.0	0.0	0.2	0.1	0.6	0.3	30.1	0.1	0.2	100.1
MS-I3-P1079	Porphyritic	1.2	24.4	3.1	42.7	0.1	0.0	0.2	1.9	0.1	0.2	0.4	24.8	0.0	0.1	99.3
MS-I3-P1081	Porphyritic	0.0	28.0	1.4	36.0	0.0	0.1	0.0	0.5	0.1	0.4	0.3	32.8	0.1	0.2	99.9
MS-I3-P1088	Porphyritic	0.1	18.8	3.9	34.9	0.1	1.0	0.1	1.2	0.1	0.5	0.3	36.6	0.1	0.1	97.6
MS-I3-P1093	Porphyritic	0.0	22.9	3.3	35.9	0.1	0.3	0.0	1.6	0.1	0.5	0.3	34.6	0.0	0.1	99.7
MS-I3-P1111	Porphyritic	0.0	26.8	1.8	32.3	0.1	0.0	0.0	0.3	0.1	0.3	0.2	38.1	0.1	0.2	100.3
MS-I3-P1134	Porphyritic	0.4	23.2	3.5	33.5	0.2	0.0	0.0	2.4	0.1	0.4	0.1	33.6	0.1	0.5	98.0
MS-I3-P1141	Porphyritic	0.0	33.9	0.5	37.4	0.0	0.0	0.0	0.3	0.0	0.5	0.5	25.5	0.0	0.4	99.1
MS-I3-P1142	Porphyritic	0.2	20.3	3.6	32.7	0.2	0.1	0.0	2.5	0.1	0.3	0.3	39.5	0.1	0.9	100.9
MS-I3-P1144	Porphyritic	0.2	13.2	3.9	32.8	0.3	0.0	0.0	3.4	0.2	0.1	0.2	45.6	0.1	1.1	101.0
MS-I3-P1160	Porphyritic	0.0	27.3	3.2	42.9	0.0	0.0	0.0	2.3	0.1	1.2	0.4	20.4	0.0	0.1	98.0

MS-I3-P1170	Porphyritic	0.0	29.3	1.6	34.2	0.2	0.0	0.0	1.0	0.1	0.3	0.4	31.8	0.1	0.3	99.2
MS-I3-P1171	Porphyritic	0.1	27.8	1.9	45.9	0.2	0.4	0.0	1.4	0.1	0.6	0.3	20.2	0.0	0.2	99.1
MS-I3-P1175	Porphyritic	0.1	24.3	2.2	32.9	0.1	0.1	0.0	0.9	0.1	0.3	0.3	38.2	0.1	0.3	99.9
MS-I3-P1186	Porphyritic	0.0	40.4	1.2	41.0	0.1	0.1	0.0	0.8	0.1	0.5	0.2	14.4	0.0	0.2	98.9
MS-I3-P1198	Porphyritic	0.2	35.5	1.2	40.0	0.0	0.0	0.0	1.1	0.1	0.1	0.4	20.9	0.0	0.4	99.8
MS-I3-P1242	Porphyritic	0.1	29.3	2.6	35.9	0.0	0.0	0.0	2.0	0.1	0.3	0.4	26.9	0.0	0.8	98.3
MS-I3-P1243	Porphyritic	0.1	21.1	2.0	33.8	0.1	0.2	0.1	0.3	0.1	0.5	0.3	42.5	0.1	0.2	101.4
MS-I3-P1263	Porphyritic	0.0	27.2	0.8	34.6	0.0	0.9	0.0	1.0	0.1	0.6	0.5	34.8	0.0	0.2	100.7
MS-I3-P1268	Porphyritic	0.1	27.5	3.1	40.1	0.2	0.5	0.0	2.0	0.1	0.5	0.4	24.7	0.0	0.1	99.5
MS-I3-P1280	Porphyritic	0.8	28.4	1.7	36.2	0.1	0.0	0.1	0.8	0.1	3.0	0.6	27.9	0.0	0.1	99.9
MS-I4-P11	Porphyritic	0.0	38.7	0.2	35.5	0.0	0.0	0.0	0.1	0.0	0.4	0.2	23.1	0.1	1.1	99.5
MS-I4-P18	Porphyritic	0.1	24.8	2.9	35.9	0.2	0.1	0.0	0.8	0.1	0.6	0.3	35.8	0.1	0.2	101.7
MS-I4-P31	Porphyritic	0.0	26.9	1.6	32.3	0.0	0.0	0.0	1.4	0.1	0.2	0.3	37.1	0.1	0.6	100.7
MS-I4-P46	Porphyritic	0.0	27.9	2.8	31.1	0.2	0.0	0.0	0.5	0.1	0.7	0.4	37.6	0.1	0.4	101.8
MS-I4-P47	Porphyritic	0.0	24.2	2.8	29.5	0.1	0.1	0.0	0.4	0.1	0.4	0.3	43.4	0.1	0.5	102.0
MS-I4-P64	Porphyritic	0.0	32.0	1.0	34.2	0.0	0.0	0.0	0.2	0.1	0.5	0.2	31.2	0.1	2.3	101.7
MS-I4-P85	Porphyritic	0.0	31.9	1.6	36.9	0.1	0.2	0.0	1.0	0.1	0.6	0.5	29.2	0.0	0.1	102.3
MS-I4-P93	Porphyritic	0.0	41.3	4.7	43.9	0.0	0.0	0.0	2.4	0.1	0.5	0.1	6.3	0.0	0.0	99.4
MS-I4-P145	Porphyritic	0.0	34.3	0.2	35.0	0.2	0.0	0.0	0.1	0.0	0.4	0.3	31.5	0.1	0.1	102.2
MS-I4-P147	Porphyritic	0.0	44.0	0.5	39.5	0.0	0.0	0.0	0.2	0.1	0.4	0.2	17.4	0.1	0.2	102.6
MS-I4-P149	Porphyritic	0.0	38.9	0.6	34.4	1.0	0.0	0.0	1.1	0.0	0.7	0.2	22.1	0.2	1.6	100.9
MS-I4-P157	Porphyritic	0.0	35.6	0.6	35.9	0.0	0.0	0.0	0.7	0.0	0.3	0.2	26.4	0.1	1.9	101.6
MS-I4-P165	Porphyritic	0.0	37.9	0.9	37.0	0.0	0.0	0.0	0.3	0.0	0.3	0.2	24.6	0.1	1.0	102.4
MS-I4-P182	Porphyritic	0.1	27.5	1.7	34.2	0.1	0.4	0.0	1.3	0.1	0.5	0.4	35.2	0.1	0.2	101.7
MS-I4-P193	Porphyritic	0.0	33.4	1.0	32.5	0.1	0.0	0.0	0.2	0.1	0.3	0.2	33.8	0.1	1.3	102.9
MS-I4-P195	Porphyritic	0.2	29.1	3.0	49.0	0.2	0.1	0.0	2.4	0.3	1.3	0.3	14.0	0.0	0.0	99.7
MS-I4-P199	Porphyritic	0.0	35.1	0.5	34.8	0.0	0.0	0.0	0.7	0.0	0.3	0.3	29.5	0.2	0.4	101.7
MS-I4-P201	Porphyritic	0.1	39.8	0.7	37.7	0.0	0.0	0.0	0.2	0.0	0.1	0.3	22.1	0.0	0.2	101.2
MS-I4-P231	Porphyritic	0.0	28.2	1.3	35.5	0.1	0.0	0.0	0.6	0.0	0.1	0.2	34.2	0.2	1.4	101.9
MS-I4-P239A	Porphyritic	0.0	29.3	1.9	36.5	0.1	0.1	0.0	1.3	0.0	0.3	0.3	31.3	0.1	0.2	101.4
MS-I4-P248	Porphyritic	0.0	38.5	0.3	37.5	0.1	0.0	0.0	0.2	0.0	0.3	0.3	23.4	0.0	0.0	100.7
MS-I4-P257	Porphyritic	0.0	13.9	7.7	41.4	0.0	0.0	0.0	7.8	0.3	0.2	0.5	28.4	0.0	0.0	100.1
MS-I4-P264	Porphyritic	0.0	28.0	1.5	32.0	0.0	0.0	0.0	1.0	0.1	0.2	0.2	35.8	0.1	0.9	99.8

MS-I4-P268	Porphyritic	0.0	42.1	1.0	37.8	0.0	0.0	0.0	0.7	0.1	0.3	0.1	15.9	0.0	0.3	98.5
MS-I4-P269	Porphyritic	0.0	26.8	1.4	36.2	0.0	0.0	0.0	0.5	0.1	0.3	0.3	36.8	0.1	0.6	103.1
MS-I4-P275	Porphyritic	0.0	29.7	2.7	46.8	0.1	0.1	0.0	2.0	0.1	0.6	0.3	18.6	0.1	0.3	101.4
MS-I4-P278	Porphyritic	0.0	27.8	2.8	37.4	0.1	0.1	0.0	2.2	0.1	0.3	0.3	30.4	0.1	0.2	101.9
MS-I4-P279	Porphyritic	0.0	28.2	1.8	34.1	0.1	0.0	0.0	2.1	0.1	0.3	0.3	33.9	0.1	0.8	101.9
MS-I4-P283	Porphyritic	0.2	28.4	2.4	37.7	0.2	1.0	0.1	0.8	0.1	0.5	0.4	29.5	0.1	0.7	101.9
MS-I4-P284	Porphyritic	0.0	19.0	4.9	30.4	0.1	0.0	0.0	2.8	0.4	0.3	0.3	42.5	0.1	0.3	101.1
MS-I4-P292	Porphyritic	0.3	25.3	2.7	35.8	0.2	0.1	0.0	1.4	0.1	0.6	0.2	34.0	0.1	0.8	101.7
MS-I4-P294	Porphyritic	0.0	19.6	3.7	42.1	0.1	0.0	0.0	4.9	0.1	0.1	0.3	30.3	0.0	0.6	101.8
MS-I4-P301	Porphyritic	0.0	31.3	3.0	53.2	0.1	0.1	0.0	1.2	0.1	0.6	0.3	10.9	0.0	0.0	100.8
MS-I4-P312	Porphyritic	0.0	35.1	1.0	51.3	0.0	0.0	0.0	0.4	0.1	0.7	0.2	12.4	0.1	0.6	102.0
MS-I4-P319	Porphyritic	0.0	32.3	1.4	40.0	0.1	0.1	0.0	0.5	0.1	0.4	0.2	28.1	0.1	0.3	103.6
MS-I4-P323	Porphyritic	0.0	29.6	1.6	34.8	0.1	0.0	0.0	0.9	0.1	0.3	0.3	32.5	0.1	1.3	101.5
MS-I4-P335	Porphyritic	0.0	31.0	0.5	35.3	0.2	0.0	0.0	0.3	0.0	0.2	0.4	33.8	0.1	0.1	101.9
MS-I4-P337	Porphyritic	0.1	35.6	2.8	47.6	0.0	0.3	0.0	0.1	0.1	0.6	0.2	14.3	0.0	0.0	101.8
MS-I4-P341	Porphyritic	0.0	30.8	1.2	31.5	0.1	0.0	0.0	1.3	0.1	0.5	0.2	31.9	0.1	1.3	99.0
MS-I4-P344	Porphyritic	0.1	28.2	2.0	38.8	0.0	0.0	0.0	0.6	0.1	0.6	0.3	29.4	0.1	0.6	101.0
MS-I4-P350	Porphyritic	0.0	31.9	1.6	38.9	0.1	0.0	0.0	1.2	0.1	0.3	0.3	26.4	0.1	0.3	101.2
MS-I4-P351	Porphyritic	0.0	20.4	5.2	31.9	0.1	0.0	0.0	1.8	0.1	0.3	0.2	40.3	0.1	0.9	101.3
MS-I4-P361	Porphyritic	0.0	36.7	1.5	37.9	0.1	0.0	0.0	0.6	0.1	0.3	0.3	22.8	0.1	0.9	101.1
MS-I4-P366	Porphyritic	0.0	20.5	4.5	43.7	0.0	0.0	0.0	2.1	0.2	0.5	0.4	27.4	0.0	0.0	99.3
MS-I4-P368A	Porphyritic	1.7	25.4	6.9	43.0	0.0	0.1	0.3	1.3	0.0	0.1	0.1	21.9	0.0	0.5	101.5
MS-I4-P376	Porphyritic	0.0	24.6	3.8	38.4	0.1	0.0	0.0	2.3	0.1	0.2	0.3	28.7	0.1	0.8	99.5
MS-I4-P397	Porphyritic	0.0	42.6	0.2	38.1	0.1	0.0	0.0	0.2	0.0	0.4	0.2	20.1	0.0	0.2	102.1
MS-I4-P398	Porphyritic	0.3	32.7	1.5	37.5	0.1	0.1	0.0	1.1	0.1	0.2	0.3	27.9	0.1	0.4	102.2
MS-I4-P407	Porphyritic	0.0	35.2	0.9	35.3	0.1	0.0	0.0	0.5	0.0	0.4	0.2	28.5	0.1	0.6	101.9
MS-I4-P425	Porphyritic	0.0	36.2	0.4	35.8	0.1	0.0	0.0	0.1	0.0	0.7	0.2	28.2	0.1	0.3	102.2
MS-I4-P440	Porphyritic	0.0	33.9	1.4	37.4	0.0	0.0	0.0	1.1	0.0	0.2	0.4	25.9	0.1	0.6	101.1
MS-I4-P442	Porphyritic	0.0	38.4	0.5	37.2	0.1	0.0	0.0	0.7	0.1	0.4	0.3	23.2	0.1	0.8	101.7
MS-I4-P485	Porphyritic	0.2	30.4	1.0	56.7	0.0	0.0	0.0	1.0	0.1	0.1	0.4	11.2	0.0	0.0	101.1
MS-I4-P504	Porphyritic	0.0	44.2	0.3	40.7	0.0	0.0	0.0	0.0	0.0	0.5	0.1	15.3	0.1	0.1	101.3
MS-I4-P518	Porphyritic	0.0	32.2	1.2	39.6	0.2	0.0	0.0	1.5	0.0	0.1	0.5	24.7	0.0	0.6	100.8
MS-I4-P530	Porphyritic	0.0	32.8	0.9	33.3	0.0	0.0	0.0	0.5	0.0	0.8	0.3	32.1	0.0	0.1	100.8

MS-I4-P536	Porphyritic	0.3	15.1	4.3	51.7	0.0	0.0	0.0	3.2	0.2	0.6	0.4	23.3	0.1	0.1	99.4
MS-I4-P548	Porphyritic	0.1	43.8	2.2	39.2	0.0	0.0	0.0	1.9	0.2	0.1	0.1	12.5	0.0	0.2	100.4
MS-I4-P552	Porphyritic	0.0	43.5	1.1	36.1	0.0	0.0	0.0	0.7	0.0	0.1	0.1	13.8	0.1	0.1	95.8
MS-I4-P557	Porphyritic	0.0	37.9	0.5	33.3	0.0	0.0	0.0	0.6	0.0	0.3	0.2	25.6	0.1	2.0	100.5
MS-I4-P563	Porphyritic	0.0	33.2	1.0	37.0	0.1	0.0	0.0	3.0	0.0	0.3	0.2	26.0	0.1	0.4	101.3
MS-I4-P575	Porphyritic	0.1	32.9	1.2	38.7	0.0	0.0	0.0	1.2	0.0	0.2	0.4	26.7	0.1	1.3	102.6
MS-I4-P587	Porphyritic	0.8	23.1	2.8	51.7	0.0	0.0	0.1	2.5	0.1	0.1	0.4	19.3	0.0	0.0	100.9
MS-I4-P591	Porphyritic	0.0	27.7	4.0	37.4	0.1	0.3	0.0	2.9	0.1	0.3	0.3	28.7	0.0	0.0	101.8
MS-I4-P604	Porphyritic	0.0	35.8	0.7	36.0	0.1	0.0	0.0	0.5	0.0	0.5	0.2	26.8	0.1	0.2	100.8
MS-I4-P608	Porphyritic	0.3	41.9	0.7	46.5	0.2	0.0	0.0	0.3	0.0	0.3	0.6	10.6	0.0	0.0	101.4
MS-I4-P610	Porphyritic	0.0	29.9	2.8	41.5	0.1	0.3	0.0	1.8	0.1	0.7	0.3	23.6	0.0	0.0	100.9
MS-I4-P612	Porphyritic	0.0	26.0	1.6	34.5	0.2	0.1	0.0	0.5	0.1	0.2	0.3	38.6	0.1	0.2	102.3
MS-I4-P619	Porphyritic	0.0	32.5	0.6	36.0	0.1	0.0	0.0	0.2	0.0	0.2	0.3	32.2	0.1	0.6	102.9
MS-I4-P623	Porphyritic	0.0	35.5	0.6	35.3	0.0	0.1	0.0	2.0	0.0	0.2	0.3	26.7	0.0	0.4	101.1
MS-I4-P637	Porphyritic	0.1	32.2	2.8	38.9	0.1	0.1	0.0	1.1	0.1	0.3	0.4	24.5	0.0	0.4	100.8
MS-I4-P641	Porphyritic	0.0	27.1	2.6	34.6	0.1	0.3	0.0	1.0	0.1	0.2	0.2	35.9	0.1	0.2	102.4
MS-I4-P666	Porphyritic	0.0	29.0	2.4	34.4	0.1	0.0	0.0	1.7	0.1	0.2	0.2	30.7	0.1	1.2	100.2
MS-I4-P709	Porphyritic	0.0	27.8	2.3	34.3	0.1	0.0	0.0	1.1	0.1	0.3	0.2	35.6	0.1	0.2	102.1
MS-I4-P710	Porphyritic	0.0	18.8	4.2	39.7	0.2	0.0	0.0	3.6	0.1	0.1	0.3	34.3	0.1	0.9	102.3
MS-I4-P720	Porphyritic	0.0	27.3	0.7	34.3	0.1	0.1	0.0	0.8	0.0	0.3	0.3	38.2	0.1	0.1	102.4
MS-I4-P726	Porphyritic	0.0	34.6	1.3	36.0	0.4	0.0	0.0	0.4	0.0	0.5	0.3	27.5	0.1	0.0	101.0
MS-I4-P727	Porphyritic	0.0	35.9	1.0	37.5	0.0	0.1	0.0	0.2	0.0	0.4	0.2	25.9	0.0	0.0	101.3
MS-I4-P741	Porphyritic	0.0	39.7	0.4	38.0	0.0	0.0	0.0	0.2	0.0	0.3	0.4	20.7	0.0	0.5	100.4
MS-I4-P744	Porphyritic	0.0	18.6	3.4	35.7	0.1	0.1	0.0	3.0	0.1	0.5	0.5	39.4	0.0	0.0	101.6
MS-I4-P747	Porphyritic	0.2	24.4	4.1	34.2	0.1	0.1	0.0	0.9	0.1	0.6	0.3	35.6	0.1	0.6	101.4
MS-I4-P750	Porphyritic	0.0	37.9	0.7	37.2	0.1	0.0	0.0	0.2	0.1	0.2	0.4	24.3	0.1	1.0	102.2
MS-I4-P752	Porphyritic	0.0	40.7	0.4	37.8	0.1	0.1	0.0	0.3	0.0	0.4	0.3	20.9	0.0	0.0	101.0
MS-I4-P755	Porphyritic	0.1	48.1	1.3	41.5	0.0	0.0	0.0	1.0	0.1	0.3	0.1	7.6	0.0	0.1	100.1
MS-I4-P770	Porphyritic	0.0	28.7	2.7	40.3	0.1	0.0	0.0	2.7	0.1	0.2	0.3	25.0	0.1	1.4	101.5
MS-I4-P773	Porphyritic	0.0	37.8	0.8	37.5	0.1	0.1	0.0	0.6	0.0	0.4	0.3	23.1	0.1	0.3	101.3
MS-I4-P778	Porphyritic	0.0	25.1	1.7	34.3	0.1	0.0	0.0	6.2	0.1	0.2	0.6	31.9	0.1	0.6	101.1
MS-I4-P802	Porphyritic	0.0	16.5	3.0	22.3	0.0	0.0	0.0	0.2	0.2	0.6	0.2	57.0	0.1	0.6	100.8
MS-I4-P803	Porphyritic	0.1	37.2	0.8	38.4	0.0	0.0	0.0	0.6	0.0	0.3	0.3	22.8	0.0	0.5	100.9

MS-I4-P809	Porphyritic	0.0	26.3	0.8	34.6	0.0	0.0	0.0	0.4	0.0	0.2	0.3	38.0	0.1	0.7	101.4
MS-I4-P827	Porphyritic	0.0	23.9	3.4	30.5	0.2	0.0	0.0	2.4	0.1	0.4	0.3	38.2	0.1	1.1	100.4
MS-I6 P36	Porphyritic	0.0	24.8	1.5	32.4	0.1	0.0	0.0	0.8	0.1	0.5	0.3	40.1	0.1	0.6	101.3
MS-I6 P46	Porphyritic	0.0	32.7	0.8	36.7	0.1	0.0	0.0	0.8	0.1	0.7	0.2	28.4	0.0	0.3	100.9
MS-I6 P50	Porphyritic	0.0	29.3	0.0	32.8	0.1	0.0	0.0	0.4	0.0	0.2	0.6	37.4	0.0	0.2	101.2
MS-I6 P55	Porphyritic	0.0	24.5	0.6	38.9	0.1	0.0	0.0	2.9	0.1	0.2	0.3	32.7	0.0	0.0	100.3
MS-I6 P60	Porphyritic	0.0	18.3	3.1	34.5	0.3	0.0	0.0	2.5	0.1	0.3	0.4	40.6	0.1	0.1	100.3
MS-I6 P61	Porphyritic	0.2	31.1	2.7	39.2	0.0	0.0	0.0	5.2	0.1	0.1	0.1	20.9	0.1	0.6	100.4
MS-I6 P62	Porphyritic	0.0	34.2	2.9	43.9	0.1	0.0	0.0	0.7	0.1	0.6	0.5	17.5	0.0	0.0	100.6
MS-I6 P63	Porphyritic	0.0	34.1	0.1	38.5	0.1	0.0	0.0	0.7	0.1	0.2	0.2	25.4	0.1	1.3	100.7
MS-I6 P66	Porphyritic	0.0	32.0	0.1	38.3	0.0	0.0	0.0	0.2	0.0	0.3	0.4	29.9	0.0	0.1	101.3
MS-I6 P69	Porphyritic	0.0	34.4	0.5	36.9	0.1	0.0	0.0	0.4	0.1	0.5	0.2	25.5	0.1	2.6	101.2
MS-I6 P82	Porphyritic	0.0	32.9	1.8	33.3	0.2	0.0	0.0	1.9	0.1	0.2	0.4	29.8	0.1	0.4	101.1
MS-I6 P85	Porphyritic	0.1	23.3	1.9	36.7	0.1	0.1	0.0	0.7	0.1	0.3	0.2	35.3	0.0	1.5	100.2
MS-I6 P91	Porphyritic	0.1	17.8	1.0	26.7	0.1	0.0	0.0	0.1	0.1	0.2	0.2	54.3	0.1	0.2	100.8
MS-I6 P92	Porphyritic	0.0	44.2	0.5	39.2	0.1	0.0	0.0	0.2	0.0	0.4	0.3	18.1	0.0	0.0	102.9
MS-I6 P94	Porphyritic	0.0	36.0	1.5	37.3	0.1	0.0	0.0	0.2	0.0	0.2	0.2	25.0	0.1	1.6	102.3
MS-I6 P105	Porphyritic	0.6	20.1	2.5	40.5	0.0	0.0	0.0	1.9	0.1	0.1	0.5	34.9	0.1	0.2	101.7
MS-I6 P107	Porphyritic	0.2	27.0	2.3	39.5	0.3	0.1	0.1	0.4	0.1	0.5	0.2	32.1	0.1	0.4	103.1
MS-I6 P112	Porphyritic	0.0	47.3	0.0	36.6	0.1	0.0	0.0	0.2	0.0	0.4	0.1	15.9	0.0	0.0	100.7
MS-I6 P114	Porphyritic	0.0	42.6	0.0	39.5	0.0	0.0	0.0	0.0	0.0	0.1	0.2	18.6	0.1	0.1	101.3
MS-I6 P116-A	Porphyritic	0.0	32.5	1.5	34.2	0.2	0.1	0.0	0.2	0.0	0.4	0.3	30.8	0.0	0.1	100.3
MS-I6 P117	Porphyritic	0.0	41.1	2.5	30.6	0.1	0.0	0.0	0.2	0.0	0.6	0.3	23.4	0.1	1.8	100.5
MS-I6 P132	Porphyritic	0.1	34.0	0.5	40.1	0.2	0.2	0.0	0.9	0.1	0.5	0.4	24.3	0.1	0.0	101.2
MS-I6 P141	Porphyritic	0.0	26.8	1.5	37.4	0.3	0.0	0.0	2.3	0.2	0.0	0.3	29.3	0.1	0.3	98.6
MS-I6 P146	Porphyritic	0.0	13.6	1.6	34.5	0.0	0.4	0.0	3.1	0.2	0.6	0.4	46.4	0.0	0.0	101.0
MS-I6 P148	Porphyritic	0.0	23.7	1.4	48.1	0.0	0.0	0.0	1.3	0.1	1.0	0.5	25.5	0.0	0.0	101.6
MS-I6 P151	Porphyritic	0.0	30.4	0.8	32.7	0.1	0.0	0.0	0.8	0.1	0.3	0.2	35.6	0.1	0.2	101.4
MS-I6 P153	Porphyritic	0.1	22.5	2.2	32.5	0.1	0.2	0.1	4.3	0.1	0.3	0.8	38.1	0.1	0.1	101.5
MS-I6 P167	Porphyritic	0.0	36.2	1.1	43.5	0.1	0.0	0.0	2.1	0.0	0.1	0.1	16.2	0.1	1.1	100.7
MS-I6 P171	Porphyritic	0.1	31.6	4.0	35.3	0.2	0.1	0.1	2.2	0.2	0.5	0.1	22.5	0.1	0.3	97.2
MS-I6 P176	Porphyritic	0.1	22.3	0.0	34.6	0.1	0.0	0.0	0.2	0.0	0.1	0.3	43.9	0.1	0.7	102.3
MS-I6 P179	Porphyritic	0.1	26.7	0.0	32.8	0.1	0.0	0.0	0.1	0.0	0.5	0.4	39.3	0.1	0.9	101.0

MS-I6 P183	Porphyritic	0.0	28.1	2.7	31.1	0.0	0.0	0.0	0.0	0.0	1.1	0.2	35.8	0.1	2.2	101.5
MS-I6 P185	Porphyritic	0.0	28.0	0.1	44.4	0.0	0.0	0.0	0.0	0.0	0.7	26.9	0.1	0.3	0.5	101.0
MS-I6 P186	Porphyritic	0.0	42.5	0.4	40.5	0.1	0.0	0.0	0.1	0.1	0.5	0.3	15.9	0.1	0.0	100.3
MS-I6 P188	Porphyritic	0.0	41.5	0.5	38.9	0.1	0.0	0.0	0.9	0.1	0.2	0.2	17.5	0.1	0.4	100.3
MS-I6 P190	Porphyritic	0.0	47.6	0.0	39.6	0.0	0.0	0.0	0.5	0.1	0.3	0.3	13.2	0.0	0.8	102.6
MS-I6 P195	Porphyritic	0.0	35.9	0.0	42.8	0.1	0.0	0.0	0.9	0.1	0.1	0.5	21.6	0.0	0.2	102.2
MS-I6 P197	Porphyritic	0.2	29.5	2.0	37.1	0.2	0.1	0.0	1.6	0.1	0.6	0.3	29.0	0.0	0.3	101.1
MS-I6 P200	Porphyritic	0.0	35.7	0.1	37.1	0.1	0.0	0.0	0.1	0.1	0.4	0.2	25.9	0.1	0.6	100.3
MS-I6 P204	Porphyritic	0.1	27.7	2.0	33.5	0.1	0.1	0.0	0.5	0.1	0.7	0.3	34.7	0.1	0.8	100.5
MS-I6 P205	Porphyritic	0.0	39.1	0.3	38.0	0.1	0.0	0.0	0.0	0.0	0.3	0.1	22.1	0.1	1.3	101.3
MS-I6 P211	Porphyritic	0.0	34.3	0.3	35.6	0.1	0.0	0.0	0.8	0.1	0.2	0.2	29.2	0.1	0.2	101.2
MS-I6 P216	Porphyritic	0.0	33.9	0.0	37.1	0.1	0.0	0.0	0.3	0.0	0.4	0.2	28.9	0.1	0.5	101.4
MS-I6 P229	Porphyritic	0.3	15.8	1.6	25.7	0.3	0.0	0.0	2.9	0.1	0.1	0.2	52.6	0.1	0.6	100.3
MS-I6 P235	Porphyritic	0.0	16.9	2.2	38.3	0.7	0.0	0.0	2.9	0.3	0.2	0.2	39.4	0.0	0.8	101.9
MS-I6 P237	Porphyritic	0.0	33.2	1.9	43.5	0.0	0.0	0.0	0.5	0.1	0.2	0.5	21.0	0.0	0.2	101.1
MS-I6 P238	Porphyritic	0.0	19.9	0.1	49.3	0.0	0.0	0.0	0.4	0.1	0.6	0.9	29.7	0.1	0.0	101.0
MS-I6 P247	Porphyritic	0.0	43.0	0.0	37.9	0.0	0.0	0.0	0.2	0.0	0.4	0.2	19.4	0.0	0.1	101.2
MS-I6 P248	Porphyritic	0.0	40.4	0.2	38.8	0.1	0.0	0.0	0.1	0.0	0.2	0.2	19.5	0.1	2.6	102.3
MS-I6 P252	Porphyritic	0.0	30.6	1.3	33.1	0.1	0.0	0.0	1.1	0.0	1.2	0.3	32.0	0.1	1.5	101.4
MS-I6 P253	Porphyritic	0.0	19.6	0.8	39.5	0.0	0.0	0.1	0.8	0.1	0.2	0.4	36.6	0.1	0.4	98.6
MS-I6 P260	Porphyritic	1.1	15.4	3.9	21.3	0.1	0.0	0.0	1.1	0.2	0.9	0.2	55.3	0.1	1.6	101.1
MS-I6 P266	Porphyritic	0.0	21.1	13.5	31.2	0.2	0.0	0.1	1.6	0.1	0.4	0.1	16.2	0.1	0.2	84.9
MS-I6 P268	Porphyritic	0.0	33.3	1.0	36.0	0.0	0.0	0.0	0.8	0.1	0.3	0.5	29.9	0.1	0.2	102.3
MS-I6 P280	Porphyritic	0.0	24.0	2.0	32.4	0.1	0.1	0.0	8.4	0.1	0.2	0.3	33.2	0.0	0.3	101.1
MS-I6 P281	Porphyritic	0.2	30.3	2.5	32.0	1.2	0.1	0.1	0.2	0.0	0.1	0.1	35.5	0.0	0.3	102.7
MS-I6 P282	Porphyritic	0.1	31.9	2.1	40.9	0.1	0.1	0.0	0.9	0.1	0.6	0.3	23.8	0.0	0.0	100.9
MS-I6 P302	Porphyritic	0.0	34.2	2.0	36.8	0.1	0.1	0.0	1.1	0.1	0.6	0.2	25.6	0.0	0.1	100.9
MS-I6 P307	Porphyritic	0.1	26.1	2.5	31.3	0.1	0.1	0.0	2.7	0.1	0.4	0.2	36.7	0.1	0.3	100.6
MS-I6 P312	Porphyritic	0.0	37.1	1.7	36.6	0.1	0.0	0.0	0.4	0.0	0.4	0.2	23.8	0.0	0.1	100.6
MS-I6 P335	Porphyritic	0.0	34.1	0.3	36.3	0.1	0.0	0.0	0.2	0.1	0.3	0.2	26.9	0.2	2.5	101.1
MS-I6 P348	Porphyritic	0.5	33.6	1.2	41.0	0.0	0.0	0.1	1.0	0.1	0.2	0.4	23.4	0.0	0.1	101.6
MS-I6 P374	Porphyritic	0.0	19.8	1.7	31.2	0.1	0.2	0.0	1.0	0.1	0.2	0.3	46.5	0.1	0.4	101.6
MS-I6 P375	Porphyritic	0.0	42.0	0.3	38.5	0.1	0.0	0.0	0.2	0.0	0.3	0.2	18.0	0.1	0.8	100.5

MS-I6 P379	Porphyritic	0.1	29.9	3.3	46.3	0.2	0.0	0.0	1.2	0.1	0.6	0.7	18.7	0.0	0.0	101.0
MS-I6 P394	Porphyritic	0.2	20.9	4.9	34.8	0.2	0.5	0.1	0.4	0.1	0.6	0.2	33.7	0.0	0.1	96.6
MS-I6 P395	Porphyritic	0.1	18.7	2.8	30.9	0.1	0.1	0.0	0.7	0.1	0.3	0.3	46.1	0.2	1.0	101.4
MS-I6 P397	Porphyritic	0.0	38.8	1.4	37.5	0.1	0.0	0.0	0.5	0.0	0.3	0.2	21.4	0.1	0.4	100.6
MS-I6 P402	Porphyritic	0.0	30.5	1.8	42.3	0.0	0.0	0.0	1.1	0.1	0.4	26.9	0.1	0.1	0.0	103.3
MS-I6 P403	Porphyritic	0.0	32.0	2.0	38.3	0.2	0.1	0.0	0.8	0.1	0.5	0.2	26.3	0.0	0.3	100.9
MS-I6 P408	Porphyritic	0.2	18.7	3.3	31.6	0.1	0.1	0.0	1.1	0.1	0.4	0.3	42.3	0.1	0.9	99.1
MS-I6 P431	Porphyritic	0.0	35.4	0.8	48.8	0.0	0.0	0.0	0.8	0.1	0.6	0.4	12.9	0.0	0.0	99.8
MS-I6 P432	Porphyritic	0.0	39.1	0.6	41.6	0.1	0.0	0.0	0.6	0.0	0.2	0.9	17.7	0.0	0.1	101.0
MS-I6 P442	Porphyritic	0.2	21.7	5.5	37.4	0.3	0.2	0.0	2.8	0.2	0.4	0.3	31.8	0.0	0.0	100.9
MS-I6 P444	Porphyritic	0.1	18.4	3.6	28.6	0.4	0.0	0.0	0.8	0.1	0.8	0.2	46.7	0.0	0.1	100.0
MS-I6 P486	Porphyritic	0.1	45.8	0.6	41.8	0.1	0.0	0.0	0.2	0.1	0.2	0.1	11.7	0.0	0.5	101.1
MS-I7-P6	Porphyritic	0.1	27.6	1.0	31.8	0.2	0.0	0.0	1.6	0.3	1.3	0.7	32.2	0.0	0.3	97.2
MS-I7-P9	Porphyritic	0.2	40.7	3.1	42.3	0.2	0.0	0.0	0.1	0.3	0.3	0.1	7.5	0.0	0.1	94.7
MS-I7-P10	Porphyritic	0.0	21.9	3.3	39.0	0.2	0.0	0.0	4.3	0.1	0.2	0.3	28.8	0.1	1.2	99.3
MS-I7-P12	Porphyritic	0.0	24.1	2.8	34.7	0.4	0.0	0.0	1.5	0.1	0.5	0.3	31.1	0.1	1.5	97.1
MS-I7-P13	Porphyritic	0.0	19.7	3.1	40.8	0.1	1.2	0.0	2.7	0.2	0.8	0.5	28.9	0.0	0.0	98.2
MS-I7-P20	Porphyritic	0.1	31.7	3.1	40.5	0.4	0.2	0.0	1.9	0.1	0.5	0.4	21.0	0.0	0.2	100.1
MS-I7-P28	Porphyritic	0.0	32.6	0.2	36.7	0.0	0.0	0.0	0.1	0.0	0.4	0.3	28.5	0.1	0.3	99.3
MS-I7-P30	Porphyritic	0.1	29.8	0.7	35.7	0.2	0.1	0.0	0.3	0.0	0.6	0.3	31.5	0.0	0.0	99.5
MS-I7-P33	Porphyritic	0.7	25.9	2.3	39.3	0.2	0.0	0.1	2.0	0.1	0.1	0.5	27.0	0.1	1.2	99.6
MS-I7-P34	Porphyritic	0.9	34.1	3.5	45.2	0.0	0.0	0.1	0.7	0.0	0.0	0.3	13.4	0.0	0.0	98.5
MS-I7-P35	Porphyritic	0.0	28.8	1.8	32.8	0.1	0.0	0.0	3.3	0.1	0.4	0.3	30.5	0.1	1.8	100.0
MS-I7-P36	Porphyritic	0.0	25.6	2.2	41.5	0.2	0.0	0.0	2.7	0.1	0.1	0.2	24.9	0.1	1.3	99.1
MS-I7-P38	Porphyritic	0.0	34.1	1.1	36.9	0.1	0.0	0.0	1.0	0.0	0.4	0.2	24.4	0.1	0.2	98.7
MS-I7-P53	Porphyritic	0.1	29.7	2.5	38.0	0.4	0.0	0.0	1.8	0.1	0.4	0.4	25.5	0.1	1.0	99.9
MS-I7-P55	Porphyritic	0.0	28.5	1.3	35.3	0.1	0.0	0.0	0.8	0.1	0.5	0.2	32.7	0.1	0.3	99.9
MS-I7-P61	Porphyritic	0.0	44.0	0.8	40.9	0.1	0.2	0.0	0.6	0.0	0.4	0.3	13.2	0.0	0.0	100.7
MS-I7-P63	Porphyritic	0.8	37.1	3.7	44.0	0.0	0.0	0.1	0.4	0.0	0.1	0.3	11.0	0.0	0.1	97.9
MS-I7-P65	Porphyritic	0.7	30.6	2.8	45.4	0.1	0.0	0.1	2.2	0.1	0.4	0.5	17.3	0.0	0.0	100.3
MS-I7-P77	Porphyritic	0.0	28.2	1.6	37.5	0.5	0.0	0.0	1.7	0.1	0.2	0.3	28.2	0.1	0.9	99.2
MS-I7-P79	Porphyritic	0.1	24.2	2.2	37.7	0.3	0.0	0.0	1.8	0.1	0.3	0.4	31.9	0.1	0.7	99.7
MS-I7-P85	Porphyritic	0.1	25.6	2.8	36.8	0.3	0.0	0.0	1.9	0.2	0.3	0.3	30.1	0.1	0.7	99.1

MS-I7-P94	Porphyritic	0.0	20.4	3.5	38.2	0.1	1.3	0.0	1.9	0.2	0.5	0.4	32.4	0.0	0.1	98.9
MS-I7-P95	Porphyritic	0.0	48.0	0.3	40.5	0.1	0.0	0.0	0.4	0.0	0.4	0.2	10.4	0.0	0.0	100.4
MS-I7-P97	Porphyritic	0.2	32.6	2.4	38.5	0.1	0.0	0.0	2.4	0.1	0.2	0.3	18.5	0.0	0.6	95.9
MS-I7-P98	Porphyritic	0.1	39.5	1.5	36.9	0.1	0.0	0.0	0.6	0.1	0.5	0.1	19.0	0.0	0.0	98.5
MS-I7-P99	Porphyritic	0.0	45.3	0.4	39.7	0.0	0.0	0.0	0.2	0.0	0.4	0.2	12.9	0.0	0.1	99.5
MS-I7-P103	Porphyritic	0.0	24.3	2.4	32.9	0.2	0.0	0.0	2.1	0.1	0.3	0.2	34.4	0.1	1.0	98.0
MS-I7-P104	Porphyritic	0.0	31.5	1.7	36.4	0.1	0.0	0.0	1.7	0.1	0.3	0.2	28.5	0.1	0.4	101.0
MS-I7-P105	Porphyritic	0.0	32.4	1.7	38.1	0.2	0.0	0.0	4.1	0.0	0.4	0.3	21.3	0.0	0.0	98.8
MS-I7-P112	Porphyritic	0.0	24.5	4.9	30.4	0.2	0.0	0.0	2.7	0.1	0.6	0.2	27.2	0.1	1.5	92.4
MS-I7-P114	Porphyritic	0.1	26.3	1.6	37.9	0.0	0.0	0.0	1.2	0.1	0.5	0.4	29.5	0.1	0.5	98.1
MS-I7-P119	Porphyritic	0.0	21.8	3.0	37.8	0.2	0.0	0.0	1.9	0.1	0.2	0.3	33.2	0.1	0.6	99.4
MS-I7-P120	Porphyritic	0.2	29.4	2.0	45.5	0.1	0.0	0.0	2.9	0.1	0.1	0.4	17.4	0.0	0.1	98.2
MS-I7-P128	Porphyritic	0.0	41.6	0.3	35.8	0.0	0.0	0.0	0.3	0.1	0.2	0.4	14.3	0.0	0.3	93.3
MS-I7-P129	Porphyritic	0.0	39.8	0.6	38.1	0.1	0.1	0.0	0.5	0.0	0.2	0.2	19.0	0.1	0.1	98.7
MS-I7-P133	Porphyritic	0.0	35.5	0.4	35.9	0.1	0.0	0.0	0.3	0.0	0.2	0.3	25.8	0.1	0.8	99.4
MS-I7-P143	Porphyritic	0.0	52.5	0.1	39.9	0.0	0.0	0.0	0.1	0.0	0.1	0.2	4.0	0.0	0.1	97.1
MS-I7-P159	Porphyritic	0.0	36.4	1.3	37.5	0.1	0.0	0.0	1.6	0.1	0.5	0.3	21.5	0.1	0.3	99.6
MS-I7-P170	Porphyritic	0.0	43.0	0.2	38.2	0.1	0.1	0.0	0.2	0.0	0.4	0.6	15.7	0.1	0.5	99.0
MS-I7-P171	Porphyritic	0.0	48.7	0.2	40.5	0.0	0.0	0.0	0.1	0.0	0.2	0.2	9.0	0.0	1.4	100.4
MS-I7-P172	Porphyritic	0.0	43.5	0.7	38.8	0.1	0.0	0.0	0.6	0.0	0.4	0.2	13.6	0.0	0.1	98.2
MS-I7-P178	Porphyritic	0.0	31.5	1.0	35.1	0.1	0.0	0.0	1.4	0.0	0.4	0.3	29.1	0.1	1.6	100.6
MS-I7-P181	Porphyritic	0.0	42.0	0.7	41.0	0.0	0.1	0.0	0.7	0.0	0.6	0.2	13.1	0.0	0.1	98.6
MS-I7-P182	Porphyritic	0.0	23.5	2.5	34.9	0.2	0.1	0.0	2.4	0.1	0.1	0.3	33.7	0.1	0.5	98.2
MS-I7-P185	Porphyritic	0.0	35.9	1.4	40.2	0.1	0.0	0.0	1.3	0.1	0.2	0.1	17.4	0.0	2.0	98.8
MS-I7-P187	Porphyritic	0.0	35.9	1.1	36.0	0.1	0.0	0.0	2.0	0.1	0.3	0.3	23.4	0.0	0.5	99.8
MS-I7-P188	Porphyritic	0.0	39.9	0.9	39.4	0.1	0.1	0.0	0.6	0.0	0.5	0.4	18.2	0.0	0.0	100.2
MS-I7-P190	Porphyritic	0.0	16.4	5.9	36.1	0.3	0.0	0.0	3.3	0.2	0.0	0.4	32.5	0.1	0.7	95.9
MS-I7-P191	Porphyritic	0.1	24.2	2.5	42.5	0.0	0.0	0.0	1.7	0.2	1.1	0.2	22.6	0.0	0.2	95.5
MS-I7-P196	Porphyritic	0.0	37.0	0.3	36.7	0.1	0.0	0.0	0.3	0.0	0.3	0.2	24.2	0.1	0.5	99.9
MS-I7-P197	Porphyritic	2.3	28.6	2.8	39.9	0.5	0.0	0.3	0.9	0.1	0.2	0.4	21.2	0.0	0.0	97.2
MS-I7-P200	Porphyritic	0.0	29.7	1.8	33.0	0.2	0.0	0.0	0.5	0.1	0.4	0.3	32.1	0.1	0.3	98.3
MS-I7-P202	Porphyritic	0.0	28.3	2.1	36.2	0.2	0.1	0.0	1.3	0.1	0.2	0.3	29.8	0.0	0.1	98.6
MS-I7-P204	Porphyritic	1.6	21.1	4.1	40.2	0.3	0.0	0.3	1.9	0.2	0.1	0.4	26.9	0.0	0.1	97.2

MS-I7-P205	Porphyritic	0.1	22.9	2.6	34.5	0.2	0.0	0.0	1.8	0.1	0.4	0.2	34.4	0.1	0.8	97.9
MS-I7-P207	Porphyritic	0.1	22.5	3.6	34.8	0.2	0.1	0.0	1.9	0.1	0.4	0.1	35.2	0.1	0.5	99.7
MS-I7-P209	Porphyritic	0.0	41.4	1.4	43.7	0.0	0.0	0.0	1.2	0.1	0.5	0.3	11.1	0.0	0.0	99.8
MS-I7-P210	Porphyritic	0.2	34.5	2.3	42.8	0.1	0.0	0.0	3.5	0.1	0.0	0.4	13.8	0.0	0.0	97.8
MS-I7-P216	Porphyritic	0.1	33.5	1.8	36.2	0.4	0.0	0.0	1.7	0.1	0.2	0.2	23.1	0.1	1.1	98.2
MS-I7-P217	Porphyritic	0.0	27.7	2.4	35.4	0.2	0.0	0.0	2.0	0.1	0.7	0.3	28.8	0.1	0.9	98.8
MS-I7-P226	Porphyritic	0.1	36.4	2.8	35.8	0.1	0.1	0.0	0.6	0.1	0.3	0.2	21.1	0.1	0.2	97.8
MS-I7-P241	Porphyritic	0.1	34.3	1.7	40.8	0.1	0.2	0.0	0.5	0.1	0.6	0.8	20.0	0.0	0.1	99.1
MS-I7-P248	Porphyritic	0.1	8.2	3.6	43.5	0.2	0.0	0.0	18.0	0.0	0.0	0.4	24.8	0.1	0.2	99.1
MS-I7-P253	Porphyritic	0.5	30.6	1.4	40.4	0.6	0.2	0.1	3.3	0.1	0.8	0.4	20.5	0.0	0.0	98.9
MS-I7-P257	Porphyritic	0.0	38.4	0.4	36.7	0.1	0.0	0.0	0.2	0.0	0.2	0.2	21.8	0.1	0.8	99.0
MS-I7-P268	Porphyritic	0.0	22.8	3.5	38.1	0.2	0.0	0.0	3.1	0.1	0.3	0.3	30.7	0.1	0.6	99.8
MS-I7-P287	Porphyritic	0.0	34.0	2.2	41.7	0.1	0.4	0.0	1.1	0.1	0.5	0.3	18.4	0.0	0.0	99.0
MS-I7-P289	Porphyritic	0.1	22.5	2.8	32.4	0.2	0.1	0.0	1.3	0.1	0.6	0.3	36.3	0.1	0.8	97.5
MS-I7-P290	Porphyritic	0.1	28.1	1.2	34.5	0.0	0.1	0.1	0.4	0.1	0.6	0.2	33.1	0.1	0.1	98.7
MS-I7-P291	Porphyritic	0.0	20.0	4.8	43.4	0.4	0.8	0.0	3.6	0.2	0.9	0.5	23.3	0.0	0.1	98.1
MS-I7-P294	Porphyritic	0.0	51.5	0.2	40.3	0.0	0.0	0.0	0.3	0.0	0.6	0.4	5.1	0.0	0.2	98.6
MS-I7-P298	Porphyritic	0.0	23.9	1.9	33.4	0.1	0.0	0.0	1.6	0.1	0.2	0.3	34.4	0.2	1.0	97.2
MS-I7-P306	Porphyritic	0.0	24.5	2.8	35.9	0.1	0.0	0.0	2.2	0.1	0.4	0.2	31.1	0.1	0.4	98.0
MS-I7-P312	Porphyritic	0.0	30.6	1.8	39.8	0.3	0.0	0.0	1.7	0.1	0.1	0.2	24.0	0.1	1.2	99.9
MS-I7-P319	Porphyritic	0.1	38.8	0.8	39.4	0.1	0.0	0.1	0.6	0.0	0.3	0.3	15.8	0.1	1.1	97.5
MS-I7-P344	Porphyritic	0.8	34.9	1.1	44.6	0.1	0.0	0.1	0.7	0.1	0.0	0.8	14.4	0.0	0.1	97.8
MS-I7-P363	Porphyritic	0.0	42.4	0.2	37.4	0.0	0.0	0.0	0.3	0.0	0.5	0.7	15.1	0.0	0.1	97.0
MS-I7-P379	Porphyritic	0.1	26.7	3.8	36.2	0.1	0.3	0.1	0.3	0.1	0.6	0.2	29.8	0.0	0.1	98.3
MS-I7-P383	Porphyritic	0.0	27.6	2.7	41.0	0.2	0.0	0.0	2.6	0.1	0.2	0.3	23.6	0.0	1.0	99.2
MS-I7-P386	Porphyritic	0.0	39.3	1.0	38.1	0.1	0.0	0.0	0.6	0.0	0.3	0.4	18.9	0.1	0.5	99.3
MS-I7-P398	Porphyritic	0.0	40.9	0.4	38.5	0.1	0.0	0.0	1.1	0.0	0.4	0.2	18.2	0.1	1.3	101.4
MS-I7-P407	Porphyritic	0.1	28.6	1.3	35.3	0.0	0.0	0.0	0.8	0.1	0.2	0.3	30.0	0.1	2.2	98.9
MS-I7-P409	Porphyritic	0.0	27.0	3.9	42.5	0.3	0.0	0.0	2.7	0.1	0.1	0.3	21.9	0.1	0.7	99.7
MS-I7-P427	Porphyritic	0.0	24.6	2.5	37.5	0.2	0.0	0.0	1.8	0.1	0.3	0.3	32.5	0.1	0.6	100.5
MS-I7-P430	Porphyritic	0.1	21.0	3.6	35.0	0.2	0.1	0.1	0.8	0.1	0.4	0.3	35.1	0.1	0.8	97.7
MS-I7-P442	Porphyritic	0.0	21.9	2.3	34.5	0.1	0.0	0.0	1.8	0.1	0.3	0.5	37.3	0.1	0.2	99.1
MS-I7-P443	Porphyritic	0.1	21.8	1.0	40.1	0.1	0.2	0.0	0.8	0.1	0.6	0.5	33.4	0.0	0.0	98.6

MS-I7-P452	Porphyritic	0.0	34.4	1.0	34.7	0.1	0.0	0.0	0.5	0.0	0.5	0.2	26.1	0.1	0.3	98.1
MS-I7-P454	Porphyritic	0.0	25.1	2.5	33.5	0.1	0.0	0.0	1.5	0.1	0.4	0.3	32.9	0.1	1.1	97.6
MS-I7-P464	Porphyritic	0.6	35.9	1.4	48.6	0.0	0.7	0.0	0.9	0.1	0.4	0.3	8.7	0.0	0.2	97.9
MS-I7-P474	Porphyritic	0.2	24.3	3.5	33.9	0.1	0.0	0.0	0.6	0.1	0.7	0.3	33.6	0.1	0.9	98.5
MS-I7-P480	Porphyritic	0.1	23.9	2.0	47.7	0.1	0.2	0.0	0.8	0.1	1.0	0.4	22.7	0.0	0.0	99.1
MS-I7-P488	Porphyritic	0.0	33.7	1.5	35.8	0.3	0.0	0.0	4.1	0.1	0.5	0.2	21.0	0.0	0.8	98.0
MS-I7-P490	Porphyritic	0.7	24.1	2.6	42.1	0.0	0.5	0.1	1.8	0.1	0.6	0.9	25.6	0.0	0.0	99.2
MS-I7-P501	Porphyritic	0.0	26.6	3.3	37.8	0.1	0.0	0.0	6.0	0.1	0.5	0.3	22.0	0.0	0.0	96.8
MS-I7-P503	Porphyritic	0.0	18.9	3.3	37.5	0.2	0.0	0.0	2.8	0.1	0.3	0.3	33.5	0.1	0.6	97.6
MS-I8-P19	Porphyritic	0.2	23.8	0.5	41.9	0.1	0.0	0.0	1.2	0.0	0.3	0.5	29.9	0.1	1.0	99.6
MS-I8-P23	Porphyritic	0.0	33.2	2.1	40.4	0.1	0.2	0.0	1.6	0.1	0.5	0.4	20.5	0.0	0.0	99.1
MS-I8-P24	Porphyritic	0.0	31.5	2.4	31.2	0.2	0.0	0.0	5.3	0.1	0.6	0.2	24.9	0.1	0.7	97.3
MS-I8-P26	Porphyritic	0.0	40.7	0.8	43.1	0.1	0.0	0.0	0.7	0.1	0.5	0.2	12.3	0.1	1.1	99.6
MS-I8-P28	Porphyritic	0.2	27.5	2.7	42.5	0.3	0.6	0.0	0.4	0.2	0.8	0.3	24.1	0.0	0.1	99.6
MS-I8-P29	Porphyritic	0.0	33.7	2.0	40.3	0.1	0.0	0.0	4.3	0.1	0.3	0.2	15.6	0.0	1.0	97.8
MS-I8-P31	Porphyritic	0.1	23.9	0.2	57.2	0.0	0.0	0.0	5.3	0.0	0.0	0.5	10.6	0.0	0.1	98.0
MS-I8-P39	Porphyritic	0.0	24.1	1.9	33.3	0.1	0.0	0.0	1.3	0.1	0.5	0.3	33.9	0.1	2.0	97.7
MS-I8-P41	Porphyritic	0.4	28.4	2.6	38.1	0.1	0.0	0.0	0.3	0.1	0.4	0.3	27.5	0.0	0.9	99.2
MS-I8-P43	Porphyritic	0.0	15.2	4.1	33.7	0.2	0.0	0.0	3.1	0.1	0.2	0.3	42.0	0.1	0.2	99.3
MS-I8-P44	Porphyritic	0.1	38.2	1.1	42.4	0.1	0.0	0.0	1.2	0.1	0.2	0.4	16.0	0.0	0.1	99.9
MS-I8-P49	Porphyritic	0.2	32.1	1.7	55.0	0.0	0.0	0.0	1.2	0.1	0.9	0.7	7.1	0.0	0.1	99.2
MS-I8-P50	Porphyritic	0.0	43.8	2.9	42.4	0.1	0.0	0.0	2.3	0.1	0.3	0.1	8.4	0.0	0.0	100.5
MS-I8-P58	Porphyritic	0.1	32.9	0.9	36.1	0.2	0.3	0.0	0.6	0.0	0.3	0.3	28.1	0.0	0.1	99.9
MS-I8-P59	Porphyritic	0.0	36.7	1.9	34.9	0.1	0.0	0.0	2.5	0.1	0.3	0.1	21.2	0.1	0.3	98.2
MS-I8-P71	Porphyritic	0.0	38.1	0.2	36.9	0.2	0.0	0.0	0.1	0.0	0.2	0.2	22.0	0.2	0.9	99.1
MS-I8-P74	Porphyritic	0.1	33.2	2.1	42.2	0.1	0.2	0.0	1.1	0.1	0.4	0.2	20.4	0.1	0.3	100.4
MS-I8-P81	Porphyritic	0.0	19.1	5.5	39.3	0.1	0.2	0.0	1.7	0.4	0.5	0.2	30.5	0.0	0.0	97.6
MS-I8-P91	Porphyritic	0.0	18.9	4.4	39.4	0.2	0.0	0.0	4.6	0.1	0.1	0.3	28.6	0.0	1.0	97.7
MS-I8-P92	Porphyritic	0.2	34.3	0.2	43.0	0.2	0.0	0.0	0.1	0.0	0.5	0.3	19.0	0.0	0.5	98.5
MS-I8-P108	Porphyritic	0.0	36.7	1.5	42.9	0.2	0.0	0.0	0.8	0.1	0.2	0.1	15.6	0.0	0.3	98.4
MS-I8-P134	Porphyritic	0.1	31.0	2.5	43.9	0.0	0.0	0.0	1.9	0.1	0.1	0.2	18.9	0.1	0.5	99.2
MS-I8-P135	Porphyritic	0.0	40.0	0.8	38.4	0.1	0.0	0.0	0.7	0.1	0.3	0.4	16.6	0.1	0.3	97.8
MS-I8-P140	Porphyritic	0.1	39.2	1.4	40.6	0.1	0.1	0.0	0.9	0.1	0.2	0.3	17.5	0.1	0.2	100.8

MS-I8-P149	Porphyritic	0.0	43.2	0.1	39.1	0.1	0.0	0.0	0.1	0.0	0.3	0.2	15.3	0.1	0.6	99.3
MS-I8-P152	Porphyritic	0.0	42.0	0.1	38.2	0.1	0.0	0.0	0.1	0.0	0.2	0.4	18.2	0.1	0.1	99.6
MS-I8-P153	Porphyritic	0.0	26.3	2.9	42.1	0.2	0.0	0.0	2.1	0.2	0.5	0.2	24.4	0.0	0.1	99.1
MS-I8-P157	Porphyritic	0.0	24.1	4.8	44.2	0.1	0.0	0.0	4.6	0.2	0.1	0.2	22.1	0.0	0.7	101.1
MS-I8-P158	Porphyritic	0.0	34.9	0.3	36.8	0.0	0.0	0.0	0.1	0.0	0.3	0.3	26.9	0.1	0.1	99.9
MS-I8-P162	Porphyritic	0.0	46.2	0.2	40.0	0.0	0.0	0.0	0.2	0.0	0.3	0.2	13.0	0.1	0.1	100.3
MS-I8-P163	Porphyritic	0.0	42.6	0.2	39.1	0.0	0.0	0.0	0.2	0.0	0.5	0.3	17.5	0.1	0.0	100.7
MS-I8-P164	Porphyritic	0.0	35.4	1.7	38.9	0.1	0.0	0.0	2.1	0.1	0.3	0.2	20.9	0.0	0.2	99.9
MS-I8-P165	Porphyritic	0.0	26.0	1.8	35.8	0.1	0.1	0.0	5.6	0.1	0.2	0.3	29.0	0.1	0.1	99.4
MS-I8-P166	Porphyritic	0.0	31.5	2.1	39.1	0.1	0.0	0.0	1.2	0.1	0.2	1.1	22.7	0.0	0.6	98.7
MS-I8-P168	Porphyritic	0.0	16.2	3.1	36.4	0.2	0.0	0.0	4.1	0.0	0.2	0.3	38.2	0.1	1.5	100.4
MS-I8-P194	Porphyritic	0.0	41.5	1.3	39.9	0.1	0.0	0.0	1.3	0.1	0.5	1.4	12.0	0.1	0.0	98.3
MS-I8-P204	Porphyritic	0.1	21.6	2.7	35.5	0.3	0.4	0.0	0.9	0.1	0.4	0.3	38.3	0.2	0.3	101.3
MS-I8-P209	Porphyritic	1.1	25.2	2.9	41.5	0.6	0.0	0.1	2.7	0.2	0.6	0.4	23.2	0.0	0.1	98.5
MS-I8-P210	Porphyritic	0.0	26.4	2.6	40.5	0.1	0.0	0.0	6.6	0.1	0.2	0.4	21.2	0.0	0.1	98.3
MS-I8-P240	Porphyritic	0.1	30.8	2.4	36.7	0.1	0.0	0.0	0.7	0.1	0.2	0.3	29.3	0.0	0.3	101.1
MS-I8-P263	Porphyritic	0.6	20.9	3.7	38.1	0.1	0.1	0.0	2.4	0.1	0.1	0.4	32.5	0.0	0.0	99.0
MS-I8-P267	Porphyritic	0.0	45.9	0.4	39.3	0.1	0.0	0.0	0.1	0.0	0.4	0.4	11.3	0.1	0.1	98.1
MS-I13-P5	Porphyritic	0.1	44.3	0.7	41.7	0.1	0.0	0.0	0.6	0.1	0.9	0.1	8.9	0.0	0.3	97.9
MS-I13-P10	Porphyritic	0.0	45.2	1.4	41.0	0.1	0.0	0.0	1.3	0.1	0.2	0.2	8.6	0.1	0.3	98.4
MS-I13-P15	Porphyritic	0.0	28.4	0.9	45.3	0.0	0.0	0.0	1.3	2.2	0.1	0.4	18.5	0.0	0.1	97.4
MS-I13-P29	Porphyritic	0.0	42.7	0.7	41.2	0.1	0.0	0.0	0.7	0.0	0.4	0.1	11.8	0.0	0.1	97.9
MS-I13-P35	Porphyritic	0.0	42.0	1.1	39.4	0.1	0.0	0.0	1.4	0.1	0.3	0.1	14.1	0.1	0.1	98.7
MS-I13-P36	Porphyritic	0.0	31.4	0.7	38.7	0.0	0.0	0.0	0.6	0.0	0.6	0.5	23.7	0.0	0.2	96.5
MS-I13-P39	Porphyritic	0.0	43.2	0.3	38.3	0.0	0.0	0.0	1.2	0.1	0.3	0.3	13.4	0.0	0.1	97.2
MS-I13-P41	Porphyritic	0.0	20.8	5.8	38.4	0.2	0.0	0.0	1.4	0.2	0.2	0.3	30.9	0.1	0.7	98.9
MS-I13-P42	Porphyritic	0.0	28.4	1.6	39.3	0.2	0.0	0.0	1.7	0.1	0.2	0.3	26.7	0.1	1.0	99.5
MS-I13-P48	Porphyritic	0.0	44.3	0.5	38.8	0.1	0.0	0.0	0.2	0.0	0.4	0.2	13.4	0.0	0.1	98.0
MS-I13-P57	Porphyritic	0.1	34.3	1.3	41.0	0.0	0.1	0.0	0.8	0.1	0.3	0.4	20.8	0.1	0.5	99.7
MS-I13-P58	Porphyritic	0.2	28.5	1.1	48.4	0.0	0.0	0.0	0.8	0.1	0.1	0.4	18.2	0.0	0.3	98.0
MS-I13-P61	Porphyritic	0.0	25.4	2.6	41.8	0.3	0.0	0.0	2.5	0.2	0.2	0.3	25.1	0.1	1.2	99.6
MS-I13-P66	Porphyritic	0.0	31.9	2.0	38.1	0.3	0.0	0.0	2.0	0.1	0.4	0.2	23.0	0.1	1.2	99.3
MS-I13-P69	Porphyritic	0.0	29.4	2.7	40.6	0.1	0.0	0.0	1.9	0.1	0.3	0.3	22.3	0.1	1.0	99.0

MS-I13-P70	Porphyritic	0.0	30.9	2.6	41.1	0.1	0.1	0.0	2.5	0.1	0.6	0.3	19.7	0.0	0.0	98.2
MS-I13-P71	Porphyritic	0.0	28.8	2.1	42.2	0.1	0.0	0.0	7.4	0.1	0.1	0.2	17.7	0.0	1.1	99.8
MS-I13-P74	Porphyritic	0.0	18.0	2.8	34.8	0.2	0.0	0.0	1.6	0.1	0.2	0.3	39.4	0.1	1.0	98.4
MS-I13-P75	Porphyritic	0.0	36.8	0.5	37.2	0.1	0.0	0.0	0.5	0.0	0.3	0.2	21.7	0.1	1.0	98.4
MS-I13-P78	Porphyritic	0.0	24.7	2.1	43.9	0.0	0.0	0.0	2.0	0.1	0.1	0.3	23.7	0.0	0.1	97.1
MS-I13-P92	Porphyritic	0.0	22.4	2.1	37.5	0.1	0.0	0.0	3.1	0.0	0.1	0.3	32.2	0.1	1.2	99.1
MS-I13-P95	Porphyritic	0.0	38.3	1.6	42.0	0.1	0.0	0.0	0.8	0.1	0.3	0.2	15.8	0.0	0.6	99.9
MS-I13-P98	Porphyritic	0.0	23.6	3.1	43.2	0.2	0.0	0.0	0.8	0.1	0.1	0.2	26.7	0.1	0.3	98.5
MS-I13-P100	Porphyritic	0.0	24.8	2.8	40.2	0.2	0.0	0.0	2.5	0.1	0.2	0.3	25.6	0.1	1.1	98.0
MS-I13-P104	Porphyritic	0.2	22.1	1.6	36.3	0.2	0.1	0.0	1.8	0.0	0.2	0.4	35.8	0.1	0.3	99.2
MS-I13-P105	Porphyritic	0.2	32.1	1.7	40.5	0.0	0.0	0.0	1.4	0.1	0.3	0.4	22.0	0.0	0.4	99.2
MS-I13-P107	Porphyritic	0.0	43.3	0.5	37.2	0.2	0.1	0.0	0.5	0.0	0.5	0.2	15.6	0.1	0.1	98.5
MS-I13-P112	Porphyritic	0.2	36.4	1.1	42.8	0.1	0.0	0.0	0.9	0.1	0.1	0.4	15.4	0.0	0.2	97.7
MS-I13-P113	Porphyritic	0.0	27.3	2.0	39.7	0.2	0.0	0.0	2.1	0.1	0.4	0.3	23.3	0.1	1.6	97.2
MS-I13-P115	Porphyritic	0.0	40.0	0.4	39.9	0.1	0.0	0.0	0.7	0.0	0.3	0.1	15.6	0.1	1.1	98.5
MS-I13-P117	Porphyritic	0.0	33.8	1.3	40.0	0.0	0.0	0.0	1.3	0.1	0.2	0.4	21.7	0.0	0.0	98.9
MS-I13-P120	Porphyritic	0.0	43.5	0.5	40.3	0.1	0.0	0.0	0.4	0.0	0.3	0.3	12.8	0.1	0.2	98.5
MS-I13-P122	Porphyritic	0.0	42.6	1.1	41.1	0.1	0.0	0.0	0.7	0.0	0.5	0.3	11.2	0.0	0.3	97.9
MS-I13-P127	Porphyritic	0.0	19.5	4.8	44.0	0.1	0.2	0.0	2.4	0.2	0.6	0.4	27.9	0.0	0.0	100.1
MS-I13-P131	Porphyritic	0.2	27.1	1.8	43.9	0.2	0.0	0.0	2.0	0.1	0.3	0.5	22.4	0.1	1.0	99.6
MS-I13-P137	Porphyritic	0.0	43.1	0.2	37.3	0.1	0.1	0.0	0.1	0.0	0.3	0.3	15.9	0.0	0.1	97.5
MS-I13-P138	Porphyritic	0.0	42.2	1.1	40.6	0.1	0.0	0.0	0.6	0.1	0.4	0.2	13.8	0.0	0.2	99.3
MS-I13-P140	Porphyritic	0.0	38.3	1.9	42.7	0.1	0.0	0.0	1.5	0.1	0.5	0.1	11.9	0.0	0.0	97.1
MS-I13-P141	Porphyritic	0.0	49.2	0.2	40.7	0.0	0.0	0.0	0.2	0.0	0.4	0.2	10.1	0.1	0.1	101.1
MS-I13-P143	Porphyritic	0.5	32.7	0.7	40.6	0.0	0.0	0.1	0.7	0.0	0.6	0.6	23.6	0.0	0.0	100.2
MS-I13-P152	Porphyritic	0.0	46.3	0.2	40.5	0.0	0.1	0.0	0.2	0.0	0.2	0.1	11.6	0.0	0.2	99.5
MS-I13-P154	Porphyritic	0.0	40.0	0.3	39.4	0.1	0.0	0.0	0.4	0.0	0.6	0.4	19.0	0.0	0.1	100.3
MS-I13-P156	Porphyritic	0.0	26.2	1.3	38.4	0.1	0.0	0.0	0.2	0.1	0.1	0.2	33.6	0.1	0.6	100.9
MS-I13-P159	Porphyritic	0.0	37.1	1.9	40.5	0.1	0.0	0.0	2.7	0.1	0.5	0.3	15.8	0.0	0.0	99.1
MS-I13-P165	Porphyritic	0.0	31.0	0.7	46.6	0.1	0.0	0.0	0.6	0.0	0.3	0.6	19.4	0.0	0.2	99.6
MS-I13-P166	Porphyritic	0.0	24.5	3.1	38.6	0.2	0.0	0.0	1.9	0.2	0.1	0.3	31.3	0.1	0.3	100.7
MS-I13-P167	Porphyritic	0.0	33.5	0.9	38.4	0.1	0.0	0.0	0.5	0.0	0.4	1.3	23.0	0.1	0.4	98.7
MS-I13-P168	Porphyritic	0.0	30.1	1.0	43.1	0.2	0.0	0.0	1.8	0.1	0.1	0.3	21.7	0.1	0.3	98.6

MS-I13-P169	Porphyritic	0.1	38.4	0.9	44.4	0.0	0.1	0.0	0.7	0.1	0.6	0.5	12.9	0.0	0.0	98.7
MS-I13-P173	Porphyritic	0.0	14.4	5.0	36.6	0.2	0.1	0.0	4.2	0.2	0.1	0.3	35.7	0.1	0.2	97.1
MS-I13-P174	Porphyritic	0.0	26.3	2.9	43.3	0.3	0.3	0.0	1.2	0.1	0.6	0.3	25.0	0.0	0.1	100.6
MS-I13-P175	Porphyritic	0.0	33.9	1.6	38.6	0.1	0.1	0.0	1.6	0.1	0.2	0.3	23.1	0.0	0.1	100.0
MS-I13-P176	Porphyritic	0.0	32.3	1.7	37.4	0.4	0.0	0.0	3.3	0.1	0.2	0.3	23.1	0.1	0.3	99.5
MS-I13-P184	Porphyritic	0.0	43.7	0.2	40.3	0.0	0.0	0.0	0.2	0.0	0.5	0.2	13.6	0.1	0.2	99.0
MS-I13-P193	Porphyritic	0.0	17.8	3.6	34.8	0.4	0.8	0.0	2.0	0.1	0.2	0.3	39.1	0.1	0.3	99.5
MS-I13-P194	Porphyritic	0.0	35.9	0.6	37.6	0.1	0.0	0.0	0.5	0.0	0.5	0.2	24.3	0.1	0.0	99.7
MS-I13-P196	Porphyritic	0.7	26.3	5.8	40.4	0.1	0.0	0.0	2.5	0.1	0.1	0.2	22.0	0.1	0.4	98.9
MS-I13-P198	Porphyritic	0.6	29.1	2.8	44.1	0.1	0.0	0.0	2.8	0.1	0.3	0.4	16.4	0.1	0.6	97.3
MS-I13-P207	Porphyritic	0.2	23.0	3.2	39.9	0.1	0.6	0.0	1.1	0.2	0.7	0.3	29.8	0.1	0.0	99.2
MS-I13-P227	Porphyritic	0.0	34.6	0.3	38.2	0.3	0.0	0.0	3.8	0.0	0.1	0.2	19.4	0.1	2.0	99.0
MS-I13-P232	Porphyritic	0.0	26.3	2.3	44.4	0.0	0.0	0.0	1.6	0.2	0.3	0.5	23.0	0.0	0.1	98.8
MS-I13-P235	Porphyritic	0.0	39.7	0.3	39.7	0.1	0.0	0.0	0.4	0.0	0.5	1.6	17.2	0.1	0.0	99.5
MS-I13-P238	Porphyritic	0.0	28.1	1.0	38.3	0.1	0.0	0.0	0.4	0.0	0.2	0.2	31.5	0.1	0.5	100.6
MS-I13-P239	Porphyritic	0.0	17.8	2.6	28.4	0.1	0.0	0.0	3.8	0.1	0.5	0.3	43.0	0.1	1.1	97.7
MS-I13-P245	Porphyritic	0.0	37.5	0.9	40.7	0.0	0.0	0.0	0.8	0.0	0.4	0.2	15.6	0.1	0.5	96.8
MS-I13-P248	Porphyritic	0.0	31.6	1.2	38.3	0.6	0.0	0.0	3.1	0.0	0.2	0.2	23.9	0.1	0.2	99.5
MS-I13-P250	Porphyritic	0.0	32.0	0.7	43.0	0.0	0.0	0.0	0.5	0.1	0.5	0.6	19.1	0.0	0.1	96.7
MS-I13-P257	Porphyritic	0.0	28.8	2.4	41.4	0.1	0.4	0.0	1.6	0.1	0.6	0.2	23.8	0.0	0.0	99.6
MS-I13-P262	Porphyritic	0.0	24.0	3.0	43.5	0.2	0.0	0.0	0.5	0.1	0.2	0.2	27.7	0.1	1.2	100.8
MS-I13-P264	Porphyritic	0.1	33.4	1.4	42.8	0.2	0.2	0.0	2.4	0.1	0.5	0.3	18.5	0.0	0.0	99.9
MS-I13-P270	Porphyritic	0.2	20.5	3.0	38.7	0.3	0.5	0.0	3.4	0.1	0.2	0.2	31.6	0.2	0.4	99.4
MS-I13-P285	Porphyritic	0.0	31.1	1.7	42.3	0.0	0.0	0.0	1.7	0.1	0.3	0.3	20.7	0.1	1.3	99.6
MS-I13-P293	Porphyritic	0.0	19.8	1.1	39.1	0.8	0.0	0.0	2.4	0.1	0.2	0.6	35.0	0.1	1.3	100.3
MS-I13-P294	Porphyritic	0.0	34.7	1.6	44.1	0.2	0.0	0.0	1.6	0.1	0.3	0.2	17.0	0.1	0.2	100.2
MS-I13-P295	Porphyritic	0.1	29.9	2.8	40.3	0.2	0.0	0.0	1.2	0.2	0.2	0.3	22.6	0.1	0.4	98.1
MS-I13-P296	Porphyritic	0.0	19.9	3.7	40.6	0.1	0.0	0.0	2.5	0.1	0.2	0.3	31.6	0.1	0.2	99.2
MS-I13-P297	Porphyritic	0.0	28.7	0.3	38.4	0.0	0.0	0.0	0.5	0.0	0.2	0.5	31.5	0.0	0.4	100.6
MS-I13-P300	Porphyritic	0.0	36.4	2.5	40.7	0.1	0.0	0.0	1.6	0.1	0.1	0.3	16.6	0.0	0.5	99.1
MS-I13-P301	Porphyritic	0.0	29.6	0.9	33.7	0.1	0.0	0.0	1.0	0.1	0.4	0.2	32.9	0.1	1.1	100.1
MS-I13-P302	Porphyritic	0.0	30.8	1.0	37.9	0.1	0.0	0.0	0.3	0.0	0.2	0.3	28.0	0.1	0.4	99.2
MS-I13-P310	Porphyritic	0.4	27.8	2.6	46.2	0.1	0.0	0.1	3.0	0.1	0.3	0.6	17.5	0.0	0.0	98.7

MS-I13-P313	Porphyritic	0.0	34.8	2.0	40.1	0.2	0.2	0.0	0.7	0.1	0.5	0.3	21.1	0.0	0.0	100.0
MS-I13-P314	Porphyritic	0.0	17.9	4.5	40.5	0.2	0.0	0.0	3.2	0.1	0.2	0.3	30.3	0.1	0.1	97.4
MS-I13-P315	Porphyritic	0.0	26.3	3.4	40.1	0.1	0.0	0.0	1.1	0.1	0.0	0.5	24.1	0.1	0.8	96.7
MS-I13-P318	Porphyritic	0.1	33.5	0.3	46.5	0.0	0.0	0.0	0.4	0.0	0.2	0.3	18.9	0.0	0.1	100.4
MS-I13-P324	Porphyritic	0.1	19.5	2.1	35.3	0.2	0.0	0.0	4.0	0.1	0.3	0.3	33.6	0.1	1.0	96.6
MS-I13-P326	Porphyritic	0.0	41.9	0.2	37.1	0.0	0.0	0.0	0.2	0.0	0.3	0.3	20.7	0.0	0.1	101.0
MS-I13-P329	Porphyritic	0.0	44.3	0.5	40.2	0.0	0.0	0.0	0.4	0.0	0.2	0.2	12.3	0.0	0.1	98.2
MS-I13-P333	Porphyritic	0.0	26.3	2.1	38.3	0.0	0.0	0.0	1.8	0.1	0.3	0.4	28.5	0.0	0.2	98.1
MS-I13-P336	Porphyritic	0.0	33.7	1.3	37.0	0.1	0.0	0.0	1.6	0.1	0.5	0.3	24.4	0.1	0.2	99.2
MS-I13-P337	Porphyritic	0.0	43.4	0.8	39.0	0.1	0.2	0.0	0.3	0.0	0.4	0.2	16.5	0.0	0.1	101.0
MS-I13-P340	Porphyritic	0.4	27.8	1.4	38.5	0.1	0.0	0.1	1.1	0.1	0.3	0.3	27.7	0.0	0.1	97.9
MS-I13-P343	Porphyritic	0.0	41.6	0.5	42.9	0.0	0.0	0.0	0.7	0.0	0.5	0.2	12.2	0.0	0.3	99.1
MS-I13-P347	Porphyritic	0.0	30.8	2.1	36.9	0.1	0.0	0.0	0.4	0.1	1.1	0.3	24.0	0.1	0.8	96.6
MS-I13-P355	Porphyritic	0.0	40.9	1.1	41.8	0.1	0.1	0.0	0.8	0.1	0.5	0.2	13.3	0.0	0.2	99.1
MS-I13-P358	Porphyritic	0.0	43.4	0.1	38.6	0.2	0.0	0.0	0.4	0.0	0.3	0.2	17.4	0.1	1.0	101.6
MS-I13-P374	Porphyritic	0.0	27.6	2.8	43.0	0.2	0.0	0.0	2.3	0.1	0.1	0.3	21.6	0.1	1.5	99.6
MS-I13-P389	Porphyritic	0.0	44.9	0.3	40.4	0.1	0.0	0.0	0.3	0.0	0.4	0.1	10.5	0.0	0.4	97.7
MS-I13-P390	Porphyritic	0.0	25.1	1.9	38.0	0.2	0.0	0.0	1.9	0.1	0.1	0.4	30.8	0.2	0.7	99.3
MS-I13-P392	Porphyritic	0.0	37.7	0.2	37.2	0.1	0.0	0.0	0.1	0.0	0.3	0.2	24.9	0.1	0.3	101.1
MS-I13-P394	Porphyritic	0.0	36.4	1.7	43.4	0.1	0.0	0.0	2.0	0.1	0.2	0.5	13.5	0.0	0.1	97.9
MS-I13-P395	Porphyritic	0.0	31.6	2.3	38.4	0.1	0.4	0.0	1.4	0.1	0.4	0.4	24.9	0.0	0.1	100.2
MS-I13-P398	Porphyritic	0.0	26.3	2.0	48.7	0.1	0.2	0.0	1.4	0.2	0.6	0.4	18.9	0.1	0.0	98.9
MS-I13-P403	Porphyritic	0.0	28.8	2.3	41.0	0.1	0.0	0.0	4.1	0.1	0.2	0.2	20.3	0.1	2.0	99.3
MS-I13-P408	Porphyritic	0.0	20.4	3.1	41.4	0.2	0.0	0.0	3.2	0.1	0.2	0.3	29.5	0.1	0.4	98.8
MS-I13-P409	Porphyritic	0.0	25.0	0.2	40.1	0.2	0.0	0.0	1.3	0.0	0.2	0.5	31.0	0.1	0.2	98.9
MS-I13-P412	Porphyritic	0.0	22.8	2.5	36.9	0.2	0.0	0.0	3.0	0.1	0.1	0.3	32.0	0.1	0.6	98.7
MS-I13-P414	Porphyritic	0.6	12.0	0.2	40.7	0.0	0.0	0.0	0.1	0.0	0.5	0.7	44.1	0.0	0.1	99.2
MS-I13-P415	Porphyritic	0.0	19.2	2.8	36.2	0.2	0.0	0.0	1.9	0.1	0.2	0.3	37.6	0.1	0.4	99.1
MS-I13-P421	Porphyritic	0.0	23.4	2.1	31.9	0.1	0.2	0.0	1.1	0.1	0.3	0.3	36.1	0.1	1.4	97.0
MS-I13-P426	Porphyritic	0.0	37.1	1.5	35.7	0.1	0.1	0.0	0.9	0.1	0.4	0.2	21.2	0.0	0.2	97.6
MS-I13-P444	Porphyritic	0.0	32.5	2.4	40.6	0.2	0.1	0.0	1.7	0.1	0.3	0.4	19.5	0.0	0.0	97.8
MS-I13-P446	Porphyritic	0.0	22.6	2.6	37.8	0.1	0.1	0.0	0.5	0.1	0.3	0.3	33.3	0.1	0.2	98.0
MS-I13-P450	Porphyritic	0.0	33.7	0.8	33.3	0.3	0.2	0.0	0.2	0.0	0.1	0.1	31.1	0.1	0.1	100.1

MS-I13-P465	Porphyritic	0.2	29.6	0.9	42.3	0.3	0.0	0.0	1.3	0.1	0.0	0.3	24.1	0.0	0.1	99.1
MS-I13-P474	Porphyritic	0.0	37.1	1.9	40.3	0.1	0.4	0.0	0.9	0.1	0.4	0.3	17.5	0.0	0.0	99.1
MS-I13-P476	Porphyritic	0.0	31.8	1.1	34.0	0.1	0.0	0.0	0.8	0.0	0.6	0.2	28.5	0.1	1.2	98.5
MS-I13-P492	Porphyritic	0.0	16.5	4.2	38.2	0.1	0.0	0.0	4.1	0.2	0.4	0.3	32.8	0.1	0.3	97.4
MS-I13-P494	Porphyritic	0.0	21.9	2.6	37.9	0.5	0.0	0.0	3.3	0.1	0.3	0.4	31.6	0.1	0.2	98.8
MS-I13-P495	Porphyritic	0.0	25.3	2.1	29.9	0.1	0.1	0.0	0.3	0.1	1.8	0.3	38.2	0.1	0.3	98.6
MS-I13-P504	Porphyritic	0.0	19.8	2.6	35.4	0.2	0.0	0.0	4.4	0.1	0.4	0.3	35.8	0.2	1.0	100.1
MS-I13-P506	Porphyritic	0.0	29.9	0.9	33.4	0.2	0.0	0.0	0.3	0.1	0.6	0.3	33.2	0.1	0.1	98.9
MS-I13-P508	Porphyritic	0.0	27.9	2.1	41.1	0.2	0.1	0.0	1.6	0.1	0.6	0.4	25.1	0.0	0.1	99.3
MS-I13-P522	Porphyritic	0.0	38.5	5.3	30.8	0.2	0.0	0.0	1.3	0.1	0.2	0.7	21.2	0.1	0.2	98.5
MS-I13-P526	Porphyritic	0.1	43.6	1.4	40.5	0.1	0.0	0.0	2.8	0.2	0.6	0.2	8.5	0.0	0.3	98.3
MS-I13-P534	Porphyritic	0.1	21.5	4.0	41.3	0.1	0.0	0.0	3.6	0.1	0.2	0.4	26.7	0.0	0.2	98.3
MS-I13-P535	Porphyritic	0.0	32.4	3.0	41.3	0.0	0.0	0.0	2.3	0.3	0.2	0.2	17.8	0.0	1.0	98.7
MS-I13-P536	Porphyritic	0.0	44.3	0.4	36.1	0.1	0.0	0.0	0.2	0.0	0.4	0.5	19.0	0.1	0.1	101.2
MS-I13-P538	Porphyritic	0.0	25.7	1.5	37.5	0.1	0.0	0.0	1.3	0.1	0.2	0.5	32.0	0.1	0.4	99.4
MS-I13-P540	Porphyritic	0.0	43.2	0.9	44.6	0.0	0.0	0.0	1.0	0.1	0.4	0.3	8.1	0.0	0.3	99.2
MS-I13-P543	Porphyritic	0.0	24.7	3.8	38.8	0.1	0.0	0.0	0.8	0.1	0.1	0.2	30.9	0.1	0.9	100.6
MS-I13-P548	Porphyritic	0.0	38.7	0.4	36.1	0.1	0.0	0.0	0.4	0.0	0.3	0.1	20.0	0.1	2.5	98.6
MS-I13-P551	Porphyritic	0.2	26.3	2.8	41.0	0.1	0.0	0.0	1.7	0.1	0.4	0.4	26.8	0.0	0.7	100.5
MS-I13-P560	Porphyritic	0.0	16.0	4.1	39.8	0.3	0.0	0.0	0.6	0.2	0.2	0.3	37.3	0.2	0.6	99.5
MS-I13-P562	Porphyritic	0.1	28.3	1.0	34.5	0.2	0.1	0.1	0.4	0.0	0.1	0.2	34.8	0.0	0.0	99.8
MS-I13-P563	Porphyritic	0.0	30.5	1.5	34.6	0.1	0.0	0.0	1.1	0.1	0.3	0.2	30.3	0.1	1.1	99.8
MS-I13-P579	Porphyritic	0.0	19.9	3.3	41.2	0.2	0.0	0.0	3.4	0.1	0.2	0.4	29.3	0.1	0.7	98.9
MS-I13-P581	Porphyritic	0.0	25.2	2.5	34.5	0.2	0.0	0.0	1.1	0.1	0.5	0.3	33.9	0.1	0.4	98.9
MS-I13-P582	Porphyritic	0.0	21.7	2.5	38.2	0.2	0.0	0.0	1.9	0.2	0.1	0.3	34.8	0.2	1.3	101.4
MS-I13-P588	Porphyritic	0.0	28.8	1.9	46.5	0.0	0.0	0.0	1.7	0.1	0.2	0.6	19.3	0.0	0.2	99.2
MS-I13-P597	Porphyritic	0.0	15.2	3.5	24.1	0.1	0.0	0.0	1.6	0.1	0.4	0.2	50.5	0.1	1.2	97.0
MS-I13-P604	Porphyritic	0.0	30.8	1.0	35.7	0.1	0.0	0.0	0.5	0.1	0.3	0.2	29.7	0.1	0.8	99.4
MS-I19-P5	Porphyritic	0.1	36.8	2.7	43.8	0.0	0.0	0.1	2.5	0.2	0.1	0.1	11.3	0.0	0.1	98.0
MS-I19-P10	Porphyritic	0.0	38.1	0.2	38.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	20.6	0.1	0.3	97.7
MS-I19-P13	Porphyritic	0.0	31.9	0.7	43.5	0.0	0.0	0.0	0.4	0.1	0.1	0.3	20.5	0.0	0.0	97.6
MS-I19-P17	Porphyritic	0.0	28.2	0.8	38.0	0.1	0.0	0.0	0.5	0.0	0.3	0.2	28.5	0.1	0.9	97.7
MS-I19-P27	Porphyritic	0.4	18.5	3.3	35.9	0.4	0.0	0.0	2.6	0.0	0.1	0.2	35.0	0.0	0.5	97.1

MS-I19-P35	Porphyritic	0.0	44.8	0.2	39.9	0.1	0.0	0.0	0.1	0.0	0.2	0.2	14.6	0.0	0.7	100.7
MS-I19-P39	Porphyritic	0.0	31.7	2.2	40.5	0.2	0.0	0.0	2.2	0.1	0.3	0.2	24.9	0.1	0.2	102.5
MS-I19-P45	Porphyritic	0.0	36.7	0.2	38.1	0.3	0.0	0.0	0.3	0.0	0.4	0.3	23.9	0.1	0.1	100.3
MS-I19-P49	Porphyritic	0.0	24.0	3.2	39.8	0.1	0.0	0.0	2.7	0.1	0.2	0.3	29.0	0.1	0.4	100.0
MS-I19-P58	Porphyritic	0.0	25.3	2.9	39.9	0.3	0.0	0.0	3.0	0.1	0.2	0.3	28.5	0.1	0.7	101.5
MS-I19-P59	Porphyritic	0.4	28.3	2.1	48.8	0.0	0.0	0.1	1.2	0.1	0.2	0.4	17.9	0.1	0.3	99.9
MS-I19-P62	Porphyritic	0.0	29.2	2.3	40.3	0.0	0.1	0.0	5.2	0.1	0.3	0.5	21.1	0.0	0.0	99.2
MS-I19-P75	Porphyritic	0.0	30.3	0.6	43.5	0.0	0.0	0.0	2.7	0.1	0.4	0.5	22.3	0.0	0.2	100.6
MS-I19-P76	Porphyritic	0.1	35.2	0.3	47.8	0.1	0.0	0.0	0.1	0.0	0.4	0.6	15.9	0.0	0.0	100.6
MS-I19-P83	Porphyritic	0.0	41.9	0.4	39.3	0.1	0.0	0.0	0.3	0.0	0.6	0.2	17.6	0.0	0.1	100.5
MS-I19-P84	Porphyritic	0.0	22.7	2.7	35.9	0.5	0.0	0.0	3.4	0.1	0.2	0.3	33.8	0.1	0.4	100.1
MS-I19-P94	Porphyritic	0.0	27.1	2.5	39.9	0.3	0.0	0.0	1.5	0.1	0.3	0.3	27.9	0.1	1.4	101.3
MS-I19-P95	Porphyritic	0.0	32.9	2.2	32.4	0.1	0.0	0.0	0.3	0.1	0.7	0.3	30.4	0.1	0.1	99.5
MS-I19-P104	Porphyritic	0.0	40.2	0.8	40.9	0.0	0.0	0.0	0.4	0.1	0.1	0.4	16.7	0.0	0.1	99.6
MS-I19-P109	Porphyritic	0.0	38.1	2.4	37.0	0.1	0.1	0.0	1.0	0.1	0.5	0.2	20.2	0.0	0.2	100.0
MS-I19-P111	Porphyritic	0.0	22.5	2.5	35.9	0.1	0.0	0.0	2.6	0.1	0.2	0.3	35.9	0.1	0.5	100.7
MS-I19-P112	Porphyritic	0.1	38.0	1.8	36.3	0.1	0.0	0.0	2.4	0.2	0.4	0.5	17.5	0.1	0.4	97.7
MS-I19-P115	Porphyritic	0.0	44.8	1.3	37.8	0.1	0.1	0.0	0.7	0.1	0.4	0.2	13.6	0.1	0.7	99.8
MS-I19-P116	Porphyritic	0.0	30.4	1.9	39.5	0.0	0.0	0.0	1.6	0.1	0.3	0.5	24.1	0.0	0.6	99.0
MS-I19-P122	Porphyritic	0.0	27.7	0.6	32.2	0.1	0.0	0.0	0.2	0.0	0.2	0.2	38.9	0.1	1.3	101.5
MS-I19-P128	Porphyritic	0.1	17.8	3.2	40.8	0.4	0.0	0.0	4.9	0.1	0.1	0.3	30.7	0.2	1.3	99.9
MS-I19-P130	Porphyritic	0.0	42.8	0.6	38.8	0.1	0.0	0.0	0.5	0.0	0.4	0.2	16.3	0.0	0.2	100.1
MS-I19-P135	Porphyritic	1.6	14.4	10.4	40.3	0.1	0.0	0.1	5.2	0.2	0.1	0.1	24.3	0.1	0.7	97.6
MS-I19-P137	Porphyritic	0.4	32.3	1.6	35.0	0.1	0.0	0.0	0.7	0.1	2.1	0.4	27.1	0.0	0.6	100.4
MS-I19-P139	Porphyritic	0.5	24.7	2.6	45.7	0.1	0.1	0.0	1.6	0.2	0.3	0.4	24.0	0.0	0.1	100.4
MS-I19-P140	Porphyritic	0.0	36.5	0.6	36.5	0.0	0.0	0.0	0.2	0.0	0.3	0.3	25.5	0.0	0.1	100.0
MS-I19-P142	Porphyritic	0.0	39.1	1.6	36.3	0.1	0.0	0.0	1.9	0.1	0.3	0.2	19.4	0.0	1.0	99.9
MS-I19-P145	Porphyritic	0.0	36.1	0.5	36.9	0.2	0.1	0.0	0.4	0.0	0.2	0.7	27.0	0.0	0.1	102.2
MS-I19-P150	Porphyritic	0.0	28.6	3.1	36.4	0.2	0.0	0.0	4.5	0.1	0.7	0.2	25.8	0.0	0.0	99.6
MS-I19-P151	Porphyritic	0.0	18.2	2.9	39.2	0.3	0.0	0.0	4.1	0.1	0.1	0.3	33.5	0.1	0.4	99.1
MS-I19-P161	Porphyritic	0.0	46.9	0.2	39.4	0.1	0.0	0.0	0.2	0.0	0.4	0.2	12.2	0.1	0.2	99.9
MS-I19-P165	Porphyritic	0.0	43.9	1.0	39.0	0.1	0.0	0.0	0.3	0.1	0.4	0.1	13.7	0.1	0.4	99.1
MS-I19-P166	Porphyritic	0.1	40.5	5.3	33.1	0.3	0.2	0.0	0.3	0.0	0.1	0.4	19.9	0.0	0.0	100.2

MS-I19-P170	Porphyritic	0.0	31.4	2.3	38.1	0.1	0.0	0.0	2.1	0.1	0.2	0.3	24.9	0.1	0.5	100.1
MS-I19-P184	Porphyritic	0.0	30.8	2.4	41.5	0.0	0.0	0.0	1.9	0.1	0.3	0.4	21.3	0.0	0.4	99.3
MS-I19-P185	Porphyritic	0.0	20.1	3.1	34.6	0.3	0.3	0.0	1.1	0.1	0.3	0.3	41.0	0.1	0.2	101.8
MS-I19-P186	Porphyritic	0.0	38.0	1.9	41.1	0.1	0.1	0.0	1.2	0.1	0.5	0.3	16.2	0.0	0.1	99.7
MS-I19-P195	Porphyritic	0.0	19.4	2.8	38.0	0.4	0.0	0.0	8.8	0.1	0.1	0.3	28.7	0.1	1.1	99.8
MS-I19-P217	Porphyritic	0.0	42.0	2.1	40.9	0.0	0.0	0.0	2.5	0.2	0.1	0.1	10.2	0.0	0.2	98.4
MS-I19-P219	Porphyritic	0.1	37.4	0.6	35.9	0.3	0.1	0.0	0.6	0.0	0.2	0.3	23.8	0.1	0.1	99.4
MS-I19-P232	Porphyritic	0.0	46.0	0.7	38.7	0.0	0.4	0.0	0.5	0.1	0.4	0.1	10.9	0.1	1.6	99.6
MS-I19-P235	Porphyritic	0.0	46.2	0.4	38.6	0.0	0.0	0.0	0.3	0.0	0.4	0.2	14.2	0.0	0.1	100.7
MS-I19-P237	Porphyritic	0.7	33.0	1.6	39.6	0.1	0.0	0.1	0.9	0.1	0.2	0.5	21.8	0.1	1.0	99.6
MS-I19-P239	Porphyritic	0.0	25.0	1.5	34.5	0.1	0.0	0.0	0.6	0.1	0.1	0.3	39.2	0.0	0.2	101.7
MS-I19-P256	Porphyritic	0.0	48.6	0.6	40.4	0.0	0.0	0.0	0.6	0.1	0.4	0.1	9.3	0.0	0.2	100.4
MS-I19-P258	Porphyritic	0.8	31.4	2.4	45.7	0.1	0.0	0.1	1.5	0.1	0.2	0.2	17.8	0.0	0.2	100.6
MS-I19-P272	Porphyritic	1.5	18.7	0.4	40.5	0.0	0.0	0.1	0.3	0.0	0.1	0.6	36.7	0.0	0.1	99.0
MS-I19-P278	Porphyritic	3.2	9.8	14.6	61.3	0.1	0.0	0.8	1.7	0.1	0.0	0.2	6.1	0.0	0.1	98.0
MS-I19-P292	Porphyritic	0.0	22.0	4.0	44.0	0.0	0.5	0.0	1.0	0.2	0.7	0.3	26.5	0.0	0.1	99.3
MS-I19-P294	Porphyritic	0.0	49.0	0.3	40.1	0.0	0.0	0.0	1.2	0.0	0.2	0.6	6.9	0.0	0.8	99.1
MS-I19-P298	Porphyritic	0.0	41.2	0.6	36.5	0.1	0.1	0.0	0.6	0.0	0.3	0.2	19.5	0.1	0.3	99.4
MS-I19-P312	Porphyritic	0.6	25.7	2.2	38.4	0.2	0.0	0.0	2.5	0.1	0.3	0.4	26.5	0.1	1.0	98.0
MS-I19-P313	Porphyritic	0.1	33.6	1.5	32.3	0.2	0.1	0.1	0.3	0.1	0.5	0.1	29.7	0.1	0.1	98.8
MS-I19-P314	Porphyritic	0.0	20.6	3.2	32.9	0.2	0.4	0.0	1.0	0.1	0.5	0.3	39.0	0.1	0.6	98.9
MS-I19-P329	Porphyritic	0.0	30.5	1.5	33.5	0.2	0.0	0.0	0.4	0.0	0.3	0.3	32.0	0.0	0.1	98.9
MS-I19-P340	Porphyritic	0.1	27.9	1.8	36.0	0.5	0.0	0.0	3.3	0.1	0.3	0.3	27.2	0.1	1.1	98.6
MS-I19-P341	Porphyritic	0.0	49.3	0.1	39.4	0.1	0.0	0.0	0.2	0.0	0.5	0.3	10.8	0.0	0.0	100.6
MS-I19-P355	Porphyritic	0.0	38.7	1.6	36.3	0.1	0.0	0.0	1.3	0.1	0.3	0.3	19.7	0.0	0.3	98.8
MS-I19-P366	Porphyritic	0.0	38.9	1.6	41.0	0.1	0.0	0.0	0.7	0.1	0.5	0.1	14.3	0.1	2.0	99.4
MS-I19-P372	Porphyritic	0.0	22.0	2.8	41.0	0.2	0.0	0.0	2.9	0.1	0.2	0.3	27.2	0.1	1.4	98.2
MS-I19-P377	Porphyritic	0.0	40.8	0.2	42.6	0.0	0.0	0.0	0.1	0.0	0.1	0.3	14.3	0.0	0.1	98.5
MS-I19-P380	Porphyritic	0.0	38.6	1.1	37.0	0.1	0.0	0.0	0.9	0.0	0.3	0.2	20.5	0.1	0.4	99.1
MS-I19-P404	Porphyritic	0.0	22.0	2.2	37.0	0.1	0.0	0.0	1.9	0.1	0.1	0.3	32.7	0.1	0.7	97.0
MS-I19-P406	Porphyritic	0.0	27.3	2.1	32.2	0.2	0.0	0.0	0.8	0.2	0.2	0.3	35.2	0.1	0.8	99.3
MS-I19-P418	Porphyritic	0.0	23.5	1.0	30.0	0.0	0.1	0.0	0.8	0.1	0.1	0.2	42.0	0.1	1.0	99.0
MS-I19-P422	Porphyritic	0.0	43.3	0.3	38.8	0.1	0.0	0.0	0.4	0.0	0.5	0.3	15.7	0.1	0.1	99.6

MS-I19-P429	Porphyritic	0.0	40.5	1.0	37.6	0.1	0.0	0.0	0.5	0.1	0.3	0.3	18.4	0.1	0.7	99.4
MS-I19-P431	Porphyritic	0.0	48.5	0.0	37.8	0.0	0.0	0.0	0.0	0.0	0.1	0.4	13.6	0.1	0.2	101.0
MS-I19-P434	Porphyritic	0.0	19.9	3.5	27.8	0.0	0.1	0.0	0.3	0.1	0.3	0.2	44.6	0.1	1.4	98.3
MS-I19-P436	Porphyritic	0.0	33.2	2.7	38.7	0.2	0.1	0.0	1.4	0.1	0.4	0.5	23.8	0.1	0.2	101.3
MS-I19-P443	Porphyritic	0.0	24.7	1.2	37.1	0.1	0.3	0.0	0.6	0.1	0.5	0.3	33.5	0.0	0.0	98.5
MS-I19-P449	Porphyritic	0.0	48.0	0.0	41.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	10.3	0.1	0.5	100.3
MS-I19-P455	Porphyritic	0.0	40.0	0.2	33.0	0.1	0.0	0.0	0.1	0.0	0.4	0.3	20.8	0.1	3.1	98.1
MS-I19-P460	Porphyritic	0.0	17.6	2.4	36.5	0.2	0.0	0.0	5.5	0.1	0.1	0.4	34.0	0.1	0.3	97.1
MS-I19-P462	Porphyritic	0.0	35.6	1.4	35.8	0.1	0.1	0.0	1.2	0.1	0.5	0.2	23.6	0.1	0.4	98.9
MS-I19-P463	Porphyritic	0.0	28.0	1.7	33.3	0.1	0.0	0.0	0.7	0.0	0.4	0.3	34.8	0.1	0.3	99.9
MS-I19-P478	Porphyritic	0.0	31.7	1.9	41.8	0.1	0.0	0.0	2.3	0.1	0.1	0.4	19.3	0.1	0.5	98.3
MS-I19-P486	Porphyritic	0.1	38.8	1.6	46.7	0.1	0.2	0.0	1.1	0.1	0.6	0.4	10.5	0.0	0.1	100.6
MS-I19-P489	Porphyritic	0.1	18.5	2.6	24.0	0.1	0.0	0.1	0.1	0.1	0.5	0.2	44.5	0.1	0.5	91.1
MS-I19-P502	Porphyritic	0.0	20.6	1.8	33.7	0.2	0.0	0.0	4.8	0.1	0.1	0.3	35.4	0.1	0.6	97.7
MS-I19-P504	Porphyritic	0.0	24.1	3.0	37.4	0.4	0.0	0.0	1.1	0.1	0.4	0.3	31.6	0.2	0.5	98.9
MS-I19-P505	Porphyritic	0.1	23.1	2.3	48.0	0.1	0.0	0.0	1.9	0.1	0.5	0.5	20.5	0.1	0.7	97.9
MS-I19-P512	Porphyritic	0.0	22.0	2.6	33.4	0.1	0.0	0.0	1.2	0.1	0.4	0.3	36.0	0.1	1.0	97.1
MS-I19-P528	Porphyritic	0.0	33.6	0.0	36.9	0.1	0.0	0.0	0.2	0.0	0.3	0.3	28.4	0.1	0.1	100.1
MS-I19-P533	Porphyritic	0.0	29.3	1.8	32.0	0.2	0.0	0.0	0.2	0.1	0.9	0.2	33.1	0.1	0.2	98.1
MS-I19-P547	Porphyritic	0.0	28.0	0.6	34.6	0.1	0.0	0.0	0.4	0.1	0.4	0.3	33.1	0.1	0.1	97.9
MS-I19-P552	Porphyritic	0.0	14.5	2.8	36.8	0.1	0.0	0.0	2.5	0.1	0.0	0.3	40.8	0.1	0.5	98.5
MS-I19-P567	Porphyritic	0.1	29.2	3.0	44.6	0.5	0.0	0.0	2.3	0.1	0.2	0.4	18.4	0.1	1.3	100.2
MS-I19-P570	Porphyritic	0.0	48.6	0.2	37.5	0.0	0.0	0.0	0.8	0.0	0.2	0.3	13.7	0.0	0.2	101.6
MS-I19-P578	Porphyritic	0.0	36.4	0.3	33.2	0.0	0.0	0.0	0.4	0.0	0.4	0.3	29.2	0.1	0.3	100.5
MS-I19-P583	Porphyritic	0.0	29.2	1.7	40.1	0.2	0.0	0.0	9.0	0.1	0.1	0.3	17.4	0.1	1.1	99.3
MS-I19-P598	Porphyritic	0.0	20.9	3.4	38.1	0.2	0.0	0.0	3.5	0.1	0.2	0.3	31.8	0.1	0.4	98.9
MS-I19-P600	Porphyritic	0.0	28.0	0.2	34.6	0.1	0.0	0.0	0.3	0.0	0.0	0.4	34.2	0.1	0.0	97.9
MS-I19-P601	Porphyritic	0.0	20.0	6.6	26.8	0.2	0.0	0.1	1.7	0.3	0.7	0.1	39.7	0.1	0.1	96.2
MS-I19-P608	Porphyritic	0.0	33.6	1.0	42.6	0.4	0.0	0.0	1.3	0.0	0.1	0.6	19.6	0.0	0.1	99.2
MS-I19-P619	Porphyritic	0.0	26.3	2.1	35.7	0.1	0.0	0.0	2.2	0.1	0.2	0.3	30.7	0.1	0.9	98.7
MS-I19-P628	Porphyritic	0.1	23.1	1.5	35.2	0.2	0.0	0.0	2.8	0.1	0.2	0.2	33.7	0.1	0.8	97.9
MS-I19-P631	Porphyritic	0.0	23.6	2.7	40.5	0.1	0.0	0.0	4.6	0.1	0.2	0.3	25.7	0.1	0.9	98.8
MS-I19-P633	Porphyritic	0.0	41.2	0.2	38.4	0.2	0.0	0.0	0.2	0.0	0.4	0.3	19.7	0.0	0.0	100.7

MS-I19-P636	Porphyritic	0.0	31.5	1.9	41.6	0.1	0.0	0.0	1.0	0.1	0.3	0.2	18.2	0.2	1.5	96.6
MS-I19-P639	Porphyritic	0.0	26.7	1.7	37.7	0.1	0.0	0.0	2.1	0.1	0.2	0.4	30.0	0.1	0.9	100.2
MS-I19-P655	Porphyritic	0.0	35.7	1.2	43.5	0.0	0.0	0.0	1.1	0.1	0.8	0.5	16.2	0.1	0.0	99.2
MS-I19-P665	Porphyritic	0.0	45.4	0.8	37.8	0.1	0.0	0.0	1.0	0.0	0.4	0.4	15.1	0.0	0.0	101.1
MS-I19-P708	Porphyritic	0.0	34.5	1.9	35.5	0.2	0.0	0.0	0.7	0.0	0.4	0.2	27.1	0.1	0.4	101.2
MS-I19-P711	Porphyritic	0.0	19.6	2.7	32.8	0.1	0.0	0.0	1.9	0.1	0.3	0.3	39.5	0.1	1.2	98.6
MS-I19-P747	Porphyritic	0.1	12.5	0.3	30.0	0.2	0.0	0.0	0.3	0.0	0.5	0.4	46.9	0.3	5.1	96.7
MS-I19-P758	Porphyritic	0.0	27.2	2.0	33.5	0.2	0.4	0.0	1.0	0.1	0.6	0.4	34.0	0.1	0.1	99.5
MS-I19-P765	Porphyritic	0.0	36.5	0.7	39.4	0.1	0.0	0.0	0.5	0.0	0.3	0.3	21.3	0.0	0.3	99.5
MS-I19-P773	Porphyritic	0.1	25.8	2.3	33.4	0.1	0.0	0.0	3.0	0.1	0.3	0.3	33.6	0.1	0.7	99.8
MS-I19-P796	Porphyritic	0.0	15.9	3.7	35.4	0.1	0.0	0.0	1.8	0.1	0.3	0.2	39.8	0.2	1.0	98.6
MS-I26-P9	Porphyritic	0.0	24.7	2.7	41.7	0.1	0.5	0.0	2.0	0.1	0.6	0.4	25.3	0.1	0.0	98.6
MS-I26-P11	Porphyritic	0.0	25.8	2.3	37.7	0.1	0.0	0.0	1.7	0.1	0.2	0.1	29.5	0.1	2.2	99.9
MS-I26-P12	Porphyritic	0.0	26.7	0.9	40.4	0.2	0.0	0.0	4.7	0.2	0.2	0.3	23.0	0.2	1.9	98.7
MS-I26-P23	Porphyritic	0.1	23.8	4.6	34.0	0.1	0.0	0.0	2.9	0.2	1.0	0.2	31.7	0.1	0.2	98.9
MS-I26-P26	Porphyritic	0.1	25.1	2.0	32.8	0.1	0.0	0.0	0.9	0.1	0.4	0.2	33.9	0.1	1.4	97.0
MS-I26-P27	Porphyritic	0.5	25.9	2.6	38.4	0.1	0.0	0.0	1.7	0.1	0.4	0.3	28.5	0.1	0.4	99.1
MS-I26-P29	Porphyritic	0.0	20.8	2.8	34.9	0.2	0.9	0.0	2.1	0.1	0.6	0.4	37.0	0.1	0.1	99.9
MS-I26-P36	Porphyritic	0.3	31.8	1.4	37.6	0.0	0.0	0.0	1.2	0.1	0.3	0.4	25.9	0.0	0.4	99.3
MS-I26-P39	Porphyritic	0.2	28.6	2.0	43.5	0.1	0.0	0.0	1.8	0.1	0.3	0.3	21.1	0.1	0.1	98.3
MS-I26-P41	Porphyritic	0.1	23.3	2.3	35.8	0.2	0.0	0.0	2.0	0.1	0.3	0.3	31.2	0.1	1.4	97.1
MS-I26-P43	Porphyritic	0.0	12.6	2.1	31.0	0.1	0.0	0.0	0.3	0.0	0.0	0.5	49.8	0.2	0.4	97.1
MS-I30-P3	Porphyritic	0.1	26.5	2.3	37.6	0.4	0.4	0.0	2.1	0.1	0.4	0.4	32.8	0.1	0.1	103.2
MS-I30-P7	Porphyritic	0.0	48.5	0.5	43.5	0.0	0.0	0.0	0.3	0.1	0.6	0.2	6.6	0.0	0.1	100.4
MS-I30-P11	Porphyritic	0.0	27.7	1.4	32.9	0.2	0.0	0.0	0.2	0.1	0.2	0.2	36.5	0.1	0.7	100.3
MS-I30-P13	Porphyritic	0.1	39.1	0.7	42.0	0.0	0.0	0.0	0.6	0.1	0.1	0.4	17.4	0.0	0.0	100.4
MS-I30-P30	Porphyritic	0.0	40.7	0.7	37.6	0.0	0.0	0.0	0.2	0.0	1.7	0.2	17.0	0.1	1.7	99.9
MS-I30-P31	Porphyritic	0.0	28.1	2.8	40.4	0.2	0.0	0.0	0.4	0.1	0.2	0.2	25.5	0.1	1.7	99.5
MS-I30-P33	Porphyritic	0.0	36.6	7.0	43.2	0.0	0.5	0.0	2.7	0.2	0.7	0.3	7.3	0.0	0.0	98.5
MS-I30-P34	Porphyritic	0.1	18.7	3.6	28.3	0.1	0.0	0.0	1.6	0.1	0.4	0.3	45.1	0.1	1.2	99.6
MS-I30-P47	Porphyritic	0.0	24.6	2.4	37.8	0.1	0.0	0.0	2.1	0.1	0.3	0.3	31.8	0.1	1.2	100.8
MS-I30-P48	Porphyritic	0.0	40.7	1.9	40.6	0.1	0.2	0.0	1.4	0.1	0.5	0.2	12.7	0.0	0.3	98.7
MS-I30-P58	Porphyritic	0.6	35.9	1.8	37.9	0.0	0.0	0.0	0.8	0.0	0.1	0.3	19.4	0.0	0.4	97.2

MS-I30-P60	Porphyritic	0.0	31.2	2.1	32.9	0.4	0.1	0.0	5.7	0.1	0.6	0.2	25.9	0.1	0.9	100.2
MS-I30-P64	Porphyritic	0.0	29.1	3.3	35.3	0.1	0.0	0.0	2.4	0.1	0.2	0.2	25.7	0.1	2.1	98.6
MS-I30-P67	Porphyritic	0.0	24.2	2.9	37.2	0.2	0.0	0.0	2.1	0.1	0.4	0.2	34.2	0.1	0.2	101.9
MS-I30-P68	Porphyritic	0.0	23.5	2.9	33.9	0.2	0.0	0.0	1.6	0.1	0.6	0.2	39.6	0.1	0.2	102.8
MS-I30-P69	Porphyritic	0.0	34.4	2.8	35.2	0.1	0.1	0.0	0.6	0.1	0.8	0.2	27.3	0.1	1.5	103.2
MS-I30-P71	Porphyritic	0.0	32.2	2.0	35.8	0.1	0.1	0.0	2.3	0.1	0.3	0.2	28.5	0.1	0.6	102.2
MS-I30-P76	Porphyritic	0.0	25.9	2.7	36.1	0.1	0.0	0.0	0.7	0.1	0.2	0.3	35.0	0.1	1.0	102.2
MS-I30-P77	Porphyritic	0.0	44.6	0.6	40.1	0.0	0.0	0.0	0.2	0.1	0.1	0.3	14.1	0.0	0.0	100.2
MS-I30-P82	Porphyritic	0.0	35.1	1.7	35.7	0.1	0.0	0.0	0.7	0.1	0.4	0.2	26.8	0.1	0.3	101.2
MS-I30-P85	Porphyritic	0.0	23.1	3.0	33.8	0.1	0.0	0.0	2.4	0.1	0.3	0.3	38.0	0.1	1.1	102.3
MS-I30-P89	Porphyritic	1.0	22.3	4.3	38.7	0.0	0.0	0.1	2.1	0.2	0.4	0.3	31.0	0.0	0.1	100.4
MS-I30-P97	Porphyritic	0.0	33.1	1.6	41.3	0.2	0.0	0.0	1.9	0.2	0.1	0.2	23.6	0.0	0.7	102.8
MS-I30-P98	Porphyritic	0.0	28.2	0.7	35.1	0.1	0.1	0.0	0.7	0.0	0.1	0.3	36.4	0.1	0.7	102.4
MS-I30-P113	Porphyritic	0.1	27.9	1.7	42.2	0.2	0.0	0.0	1.0	0.1	0.4	0.3	26.1	0.1	0.8	100.8
MS-I30-P114	Porphyritic	0.2	32.2	1.0	52.1	0.0	0.0	0.1	0.4	0.1	0.1	0.4	13.0	0.0	0.0	99.7
MS-I30-P122	Porphyritic	0.0	39.9	1.3	47.1	0.0	0.0	0.0	1.0	0.1	0.5	0.2	10.7	0.0	0.3	101.2
MS-I30-P125	Porphyritic	0.0	27.6	2.7	35.7	0.2	0.0	0.0	1.2	0.1	0.5	0.2	32.1	0.1	0.7	101.3
MS-I30-P129	Porphyritic	0.0	20.3	3.5	36.4	0.1	0.0	0.0	1.3	0.1	0.3	0.3	39.9	0.1	0.4	102.7
MS-I30-P130	Porphyritic	0.0	21.5	3.3	35.4	0.2	0.0	0.0	2.5	0.2	0.4	0.3	37.6	0.0	0.0	101.5
MS-I30-P133	Porphyritic	0.1	37.6	1.8	42.5	0.0	0.0	0.0	1.4	0.1	0.5	0.6	14.5	0.0	0.0	99.2
MS-I30-P134	Porphyritic	0.0	36.1	3.3	33.3	0.1	0.0	0.0	0.5	0.1	0.3	0.2	24.8	0.1	1.8	100.5
MS-I30-P136	Porphyritic	0.0	29.3	2.5	39.4	0.2	0.0	0.0	2.1	0.2	0.5	0.2	25.2	0.1	0.2	99.8
MS-I30-P140	Porphyritic	0.9	25.6	0.2	43.8	0.0	0.0	0.1	0.2	0.1	0.4	0.6	28.8	0.0	0.1	100.8
MS-I30-P143	Porphyritic	0.0	25.1	4.3	41.3	0.1	0.1	0.0	2.7	0.1	0.7	0.5	26.1	0.0	0.0	101.0
MS-I30-P147	Porphyritic	0.0	51.3	0.2	39.8	0.0	0.1	0.0	0.1	0.0	0.4	0.1	9.3	0.0	0.0	101.3
MS-I30-P148	Porphyritic	0.0	24.6	2.2	37.1	0.0	0.0	0.0	1.8	0.1	0.4	0.4	34.8	0.1	0.7	102.2
MS-I30-P149	Porphyritic	0.0	30.5	1.5	33.6	0.2	0.0	0.0	1.2	0.0	0.6	0.2	31.3	0.1	2.2	101.5
MS-I30-P150	Porphyritic	0.1	31.9	3.0	41.0	0.0	0.4	0.0	0.2	0.1	0.5	0.3	22.0	0.0	0.0	99.6
MS-I30-P151	Porphyritic	0.0	22.3	3.6	33.2	0.1	0.0	0.0	1.2	0.2	0.3	0.2	39.3	0.1	0.8	101.3
MS-I30-P153	Porphyritic	0.0	44.2	1.6	42.1	0.1	0.0	0.0	0.7	0.1	0.3	0.2	10.5	0.0	0.7	100.6
MS-I30-P155	Porphyritic	0.0	45.5	0.5	40.9	0.1	0.0	0.0	0.4	0.0	0.4	0.5	13.2	0.0	0.1	101.7
MS-I30-P160	Porphyritic	0.0	47.7	0.8	41.9	0.0	0.0	0.0	0.6	0.0	0.4	0.2	9.3	0.0	0.1	101.1
MS-I30-P161	Porphyritic	0.0	40.9	1.3	43.1	0.1	0.0	0.0	0.7	0.1	0.2	0.2	12.2	0.1	1.7	100.7

MS-I30-P162	Porphyritic	0.1	29.5	2.6	45.5	0.2	0.4	0.0	3.1	0.1	0.4	0.2	19.8	0.0	0.1	101.9
MS-I30-P165	Porphyritic	0.0	29.1	2.1	41.9	0.1	0.0	0.0	2.7	0.2	1.0	0.5	22.7	0.0	0.1	100.3
MS-I30-P169	Porphyritic	0.0	21.8	3.3	37.6	0.3	0.0	0.0	1.9	0.1	0.2	0.3	32.3	0.1	0.8	98.7
MS-I30-P172	Porphyritic	0.1	11.6	5.9	44.7	0.1	0.0	0.0	3.1	0.2	0.1	0.3	34.5	0.0	0.4	101.2
MS-I30-P177	Porphyritic	0.0	47.5	1.7	42.1	0.1	0.0	0.0	0.3	0.1	0.4	0.1	9.2	0.0	0.4	102.0
MS-I30-P178	Porphyritic	0.0	38.7	1.3	43.0	0.1	0.1	0.0	1.2	0.1	0.3	0.2	14.1	0.0	0.0	99.1
MS-I30-P179	Porphyritic	0.0	32.6	0.7	34.7	0.1	0.0	0.0	0.6	0.0	0.1	0.2	27.6	0.1	0.4	97.1
MS-I30-P183	Porphyritic	0.0	51.3	0.1	39.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	5.5	0.0	0.3	96.7
MS-I30-P190	Porphyritic	0.0	28.1	2.8	39.1	0.5	0.0	0.0	1.7	0.1	0.5	0.2	25.1	0.0	0.1	98.3
MS-I30-P194	Porphyritic	0.0	22.2	5.6	40.3	0.2	0.6	0.0	3.0	0.2	0.5	0.3	23.9	0.0	0.0	96.8
MS-I30-P200	Porphyritic	0.0	22.0	2.4	30.2	0.1	0.0	0.0	1.1	0.1	0.8	0.2	39.3	0.1	0.1	96.3
MS-I30-P218	Porphyritic	4.7	2.6	20.3	53.8	0.0	0.0	0.7	7.0	0.1	0.0	0.1	7.0	0.0	0.2	96.5
MS-I30-P218A	Porphyritic	1.9	0.7	21.0	57.7	0.0	0.0	1.0	4.5	0.0	0.1	0.0	4.1	0.0	0.1	91.0
MS-I30-P220	Porphyritic	0.0	33.4	1.2	35.2	0.1	0.0	0.0	1.7	0.1	0.2	0.2	26.6	0.1	0.2	99.0
MS-I30-P225	Porphyritic	0.0	32.0	2.1	37.6	0.1	0.1	0.0	1.3	0.1	0.2	0.2	25.3	0.0	0.0	99.1
MS-I30-P231	Porphyritic	0.0	32.9	0.8	36.5	0.1	0.0	0.0	0.3	0.0	0.4	0.2	27.9	0.1	0.2	99.3
MS-I30-P254	Porphyritic	0.2	29.1	1.9	38.0	0.2	0.0	0.0	3.1	0.1	0.2	0.3	26.7	0.1	0.5	100.2
MS-I30-P260	Porphyritic	0.0	25.9	0.2	35.5	0.1	0.0	0.0	0.4	0.0	0.1	0.2	36.0	0.1	0.3	98.9
MS-I30-P263	Porphyritic	0.0	32.2	1.3	53.5	0.0	0.0	0.0	0.7	0.1	0.4	0.4	9.5	0.0	0.1	98.4
MS-I30-P267	Porphyritic	0.0	40.7	0.9	40.6	0.0	0.0	0.0	0.5	0.0	0.0	0.3	15.2	0.0	0.1	98.5
MS-I30-P274	Porphyritic	0.0	27.2	0.6	33.7	0.2	0.2	0.0	0.4	0.0	0.1	0.3	35.2	0.1	0.0	97.9
MS-I30-P287	Porphyritic	0.0	31.8	2.3	42.8	0.1	0.0	0.0	3.3	0.1	0.3	0.8	17.1	0.1	0.3	98.8
MS-I30-P289	Porphyritic	0.0	19.9	3.0	38.4	0.2	0.0	0.0	5.2	0.1	0.1	0.2	31.0	0.1	0.4	98.7
MS-I30-P308	Porphyritic	0.0	30.6	1.7	39.0	0.1	0.0	0.0	1.1	0.1	0.1	0.2	23.9	0.1	0.2	97.2
MS-I30-P314	Porphyritic	0.7	34.2	2.1	43.6	0.0	0.0	0.1	2.6	0.1	0.1	0.3	15.2	0.0	0.0	98.9
MS-I30-P317	Porphyritic	0.0	30.5	2.8	46.8	0.0	0.0	0.0	2.4	0.2	0.4	0.1	14.8	0.0	0.0	98.1
MS-I30-P319	Porphyritic	0.1	37.8	1.7	43.4	0.0	0.0	0.0	1.1	0.1	0.1	0.2	13.9	0.0	0.0	98.5
MS-I30-P323	Porphyritic	0.0	41.2	0.1	38.6	0.1	0.0	0.0	0.1	0.0	0.2	0.3	18.5	0.0	0.0	99.2
MS-I30-P324	Porphyritic	0.0	30.5	4.0	42.8	0.1	0.0	0.0	3.7	0.2	0.2	0.1	12.1	0.0	0.0	94.0
MS-I30-P325	Porphyritic	0.0	44.8	0.2	38.3	0.0	0.0	0.0	0.1	0.0	0.3	0.2	14.4	0.1	0.6	99.0
MS-I30-P326	Porphyritic	0.0	37.6	1.9	41.2	0.3	0.0	0.0	1.8	0.1	0.2	0.1	15.0	0.1	0.1	98.4
MS-I30-P331	Porphyritic	0.5	31.6	2.0	41.3	0.0	0.0	0.1	0.4	0.1	0.2	0.2	20.7	0.1	0.4	97.5
MS-I30-P337	Porphyritic	0.1	21.7	2.1	33.7	0.1	0.1	0.0	0.2	0.1	0.1	0.2	39.1	0.1	0.7	98.1

MS-I30-P353	Porphyritic	0.1	38.3	1.4	40.5	0.2	0.2	0.0	1.2	0.1	0.2	0.3	16.4	0.0	0.0	98.8
MS-I31-P2	Porphyritic	0.0	49.9	0.1	40.0	0.0	0.0	0.0	0.1	0.0	0.5	0.1	8.9	0.0	0.1	99.7
MS-I31-P11	Porphyritic	0.0	44.5	0.2	40.9	0.0	0.0	0.0	0.2	0.0	0.2	0.3	14.0	0.0	0.4	100.6
MS-I31-P15	Porphyritic	0.0	43.0	0.2	39.1	0.1	0.0	0.0	0.2	0.0	0.4	0.1	17.0	0.0	0.0	100.3
MS-I31-P24	Porphyritic	0.0	48.6	0.5	40.0	0.0	0.0	0.0	0.7	0.0	0.2	0.2	9.6	0.0	0.3	100.3
MS-I31-P25	Porphyritic	0.0	46.1	0.5	40.2	0.1	0.0	0.0	0.5	0.0	0.5	0.1	10.3	0.0	1.3	99.7
MS-I31-P26	Porphyritic	0.0	32.9	0.7	38.8	0.2	0.0	0.0	0.6	0.0	0.0	0.3	26.4	0.1	0.6	100.6
MS-I31-P30	Porphyritic	1.1	29.6	7.4	40.4	0.4	0.0	0.1	3.7	0.1	0.1	0.1	14.5	0.0	0.7	98.1
MS-I31-P33	Porphyritic	0.0	20.3	2.7	31.9	0.2	0.1	0.0	1.0	0.1	0.4	0.3	42.2	0.2	1.4	100.9
MS-I31-P34	Porphyritic	0.0	49.4	0.1	40.5	0.0	0.0	0.0	0.9	0.1	0.3	0.3	7.8	0.0	0.6	100.1
MS-I31-P41	Porphyritic	0.4	37.3	1.0	40.7	0.1	0.0	0.1	0.4	0.1	0.1	0.3	20.2	0.0	0.1	100.6
MS-I31-P48	Porphyritic	0.1	30.8	0.0	35.7	0.1	0.0	0.0	0.9	0.1	0.2	0.5	31.4	0.0	0.0	99.8
MS-I31-P53	Porphyritic	0.0	49.0	0.1	39.7	0.1	0.0	0.0	0.2	0.0	0.3	0.2	10.1	0.0	0.2	100.0
MS-I31-P54	Porphyritic	0.3	42.6	0.8	46.4	0.1	0.0	0.0	0.3	0.0	0.3	0.3	9.7	0.0	0.0	100.8
MS-I31-P69	Porphyritic	0.0	36.4	0.2	53.6	0.0	0.0	0.0	0.1	0.1	0.5	0.3	8.7	0.0	0.1	99.9
MS-I31-P74	Porphyritic	0.0	31.2	0.7	34.7	0.2	0.0	0.0	1.0	0.1	0.4	0.5	30.4	0.1	0.1	99.3
MS-I31-P92	Porphyritic	0.0	27.5	1.5	36.3	0.2	0.0	0.0	0.8	0.1	0.2	0.3	29.0	0.1	1.6	97.5
MS-I31-P101	Porphyritic	0.2	22.8	3.7	34.1	0.1	0.0	0.0	1.1	0.2	0.3	0.3	36.9	0.1	0.8	100.5
MS-I31-P104	Porphyritic	0.0	49.8	0.1	39.6	0.0	0.0	0.0	0.1	0.0	0.2	0.1	10.0	0.0	0.1	99.9
MS-I31-P112	Porphyritic	0.0	43.3	0.1	37.9	0.1	0.0	0.0	0.1	0.0	0.0	0.2	16.3	0.1	1.2	99.5
MS-I31-P114	Porphyritic	0.0	32.1	1.2	37.0	0.1	0.0	0.0	2.6	0.1	0.2	0.3	24.9	0.1	0.6	99.2
MS-I31-P126	Porphyritic	0.0	30.7	0.9	29.9	0.0	0.0	0.0	0.2	0.1	0.9	0.3	37.3	0.1	0.5	100.9
MS-I31-P127	Porphyritic	0.0	11.6	4.9	43.8	0.2	0.0	0.0	3.0	0.2	0.0	0.3	34.2	0.1	0.1	98.6
MS-I31-P131	Porphyritic	0.0	32.6	0.5	33.3	0.1	0.0	0.0	0.5	0.0	0.3	0.2	30.2	0.3	1.1	99.2
MS-I31-P137	Porphyritic	0.0	52.9	0.6	39.5	0.0	0.0	0.0	1.0	0.0	0.7	0.4	6.1	0.0	0.0	101.3
MS-I31-P148	Porphyritic	0.0	39.7	0.2	35.9	0.1	0.0	0.0	0.2	0.0	0.4	0.2	21.6	0.1	1.1	99.6
MS-I31-P157	Porphyritic	0.0	37.4	0.9	39.8	0.2	0.0	0.0	0.6	0.1	0.3	0.2	17.5	0.1	1.7	98.8
MS-I31-P161	Porphyritic	0.0	30.4	0.6	37.3	0.1	0.1	0.0	0.6	0.1	0.6	0.5	29.2	0.1	0.1	99.8
MS-I31-P165	Porphyritic	0.0	47.5	0.0	36.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	14.9	0.0	0.5	99.5
MS-I31-P167	Porphyritic	0.0	40.7	1.1	44.5	0.0	0.0	0.0	0.9	0.1	0.4	0.5	10.3	0.0	0.6	98.9
MS-I31-P179	Porphyritic	0.0	46.9	0.0	39.6	0.1	0.0	0.0	0.1	0.0	0.3	0.1	13.1	0.0	0.1	100.5
MS-I31-P182	Porphyritic	0.0	32.5	1.1	36.4	0.2	0.0	0.0	0.5	0.1	0.2	0.3	27.0	0.2	1.0	99.6
MS-I31-P194	Porphyritic	0.0	34.8	0.7	45.7	0.1	0.1	0.0	0.4	0.0	0.5	0.3	17.9	0.1	0.1	100.7

MS-I31-P209	Porphyritic	0.1	32.2	0.7	57.2	0.0	0.0	0.0	0.4	0.1	0.1	0.3	9.4	0.0	0.0	100.6
MS-I31-P210	Porphyritic	0.0	24.1	2.1	32.0	0.2	0.0	0.0	1.2	0.1	0.5	0.2	38.8	0.1	1.5	100.7
MS-I31-P212	Porphyritic	0.0	41.1	0.2	37.8	0.1	0.0	0.0	0.1	0.0	0.5	0.2	14.0	0.2	5.1	99.2
MS-I31-P224	Porphyritic	0.1	38.6	0.7	35.7	0.0	0.0	0.0	0.4	0.0	0.3	0.5	23.8	0.0	0.2	100.3
MS-I31-P227	Porphyritic	0.0	45.3	0.1	37.9	0.0	0.0	0.0	0.2	0.0	0.1	0.4	15.1	0.0	0.2	99.3
MS-I31-P233	Porphyritic	0.0	43.9	0.5	37.3	0.1	0.0	0.0	1.3	0.1	0.6	0.6	16.2	0.0	0.0	100.5
MS-I31-P238	Porphyritic	0.1	22.4	3.9	34.9	0.2	0.0	0.0	4.1	0.1	0.4	0.3	31.3	0.1	0.8	98.4
MS-I31-P264	Porphyritic	0.3	29.2	2.4	37.8	0.1	0.0	0.0	1.4	0.1	0.5	0.4	26.3	0.0	0.3	98.7
MS-I31-P313	Porphyritic	0.0	35.1	1.1	34.0	0.1	0.0	0.0	0.6	0.0	0.3	0.3	26.2	0.1	1.0	98.8
MS-I31-P317	Porphyritic	0.0	30.4	1.7	36.9	0.1	0.0	0.0	0.6	0.0	0.2	0.3	28.7	0.0	0.5	99.5
MS-I31-P338	Porphyritic	0.0	40.0	0.9	37.9	0.1	0.1	0.0	0.7	0.0	0.2	0.3	20.1	0.0	0.4	100.6
MS-I31-P350	Porphyritic	0.0	36.6	0.3	37.3	0.1	0.0	0.0	0.4	0.0	0.3	0.2	23.7	0.0	0.6	99.4
MS-I31-P359	Porphyritic	0.0	49.0	0.1	37.9	0.1	0.0	0.0	0.0	0.0	0.4	0.2	11.5	0.1	0.3	99.7
MS-I31-P403	Porphyritic	0.0	34.1	0.4	35.9	0.1	0.0	0.0	1.1	0.0	0.2	0.2	26.6	0.1	0.8	99.5
MS-I31-P417	Porphyritic	1.0	26.3	3.2	39.7	0.2	0.1	0.0	2.1	0.0	0.2	0.4	27.6	0.1	0.8	101.8
MS-I31-P420	Porphyritic	0.1	33.0	1.8	34.9	0.2	0.0	0.0	1.9	0.1	0.5	0.5	27.3	0.1	0.2	100.4
MS-I31-P423	Porphyritic	0.0	39.3	0.1	37.7	0.0	0.0	0.0	0.2	0.0	0.3	0.2	22.4	0.1	0.1	100.4
MS-I31-P427	Porphyritic	0.2	39.1	0.7	38.0	0.0	0.0	0.0	1.3	0.1	0.5	0.3	20.0	0.0	0.0	100.4
MS-I31-P429	Porphyritic	0.0	41.1	1.8	36.9	0.1	0.0	0.0	0.7	0.1	0.4	0.2	18.6	0.0	0.0	100.0
MS-I31-P471	Porphyritic	0.1	19.7	2.2	35.6	0.1	0.0	0.0	0.9	0.1	0.3	0.2	38.5	0.2	0.9	98.6
MS-I31-P524	Porphyritic	0.0	40.0	0.1	38.2	0.0	0.0	0.0	0.1	0.0	0.3	0.3	21.5	0.0	0.0	100.5
MS-I31-P535	Porphyritic	0.0	43.5	0.2	37.9	0.1	0.0	0.0	0.2	0.0	0.4	0.3	17.4	0.0	0.0	100.3
MS-I31-P537	Porphyritic	0.0	33.8	1.6	39.8	0.0	0.0	0.0	0.5	0.1	0.6	0.3	23.4	0.0	0.0	100.1
MS-I31-P578	Porphyritic	0.0	40.9	0.2	39.1	0.1	0.0	0.0	0.0	0.0	0.4	0.2	16.6	0.1	2.4	100.0
MS-I35-P3	Porphyritic	0.0	17.1	4.6	36.4	0.1	0.3	0.0	2.1	0.2	0.7	0.4	38.5	0.0	0.2	100.7
MS-I35-P6	Porphyritic	0.0	35.5	0.2	36.1	0.0	0.0	0.0	0.2	0.0	0.2	0.6	27.8	0.1	0.0	100.9
MS-I35-P7	Porphyritic	0.8	38.3	2.6	48.1	0.0	0.0	0.1	1.0	0.1	0.1	0.1	9.0	0.0	0.1	100.3
MS-I35-P14	Porphyritic	0.0	33.3	0.9	37.9	0.1	0.0	0.0	0.9	0.0	0.2	0.3	23.4	0.1	1.5	98.7
MS-I35-P15	Porphyritic	0.1	19.6	4.0	41.4	0.3	0.6	0.0	3.2	0.4	0.8	0.2	29.0	0.1	0.0	99.7
MS-I35-P16	Porphyritic	0.0	28.9	1.7	31.7	0.1	0.0	0.0	0.5	0.1	2.3	0.1	33.6	0.0	0.2	99.3
MS-I35-P20	Porphyritic	0.0	37.5	0.1	36.8	0.0	0.0	0.0	0.1	0.0	0.5	0.3	25.2	0.0	0.1	100.7
MS-I35-P24	Porphyritic	0.0	34.7	0.4	36.5	0.1	0.0	0.0	0.2	0.0	0.3	0.2	28.3	0.1	0.1	100.8
MS-I35-P25	Porphyritic	0.0	46.9	0.2	40.8	0.0	0.0	0.0	0.2	0.0	0.0	0.4	12.4	0.0	0.0	100.9

MS-I35-P27	Porphyritic	0.0	30.5	1.1	36.8	0.1	0.0	0.0	2.3	0.0	0.2	0.2	27.4	0.2	0.9	99.9
MS-I35-P31	Porphyritic	0.0	14.5	5.2	41.5	1.1	0.0	0.0	6.2	0.3	0.3	0.5	30.3	0.1	0.1	100.1
MS-I35-P36	Porphyritic	0.0	25.4	3.9	37.2	0.1	0.1	0.0	5.0	0.1	0.3	0.3	27.9	0.1	0.0	100.3
MS-I35-P40	Porphyritic	0.1	23.0	3.3	26.4	0.5	0.1	0.0	0.5	0.3	0.3	0.3	45.4	0.0	0.1	100.3
MS-I35-P41	Porphyritic	0.0	40.9	0.5	33.9	0.1	0.0	0.0	2.1	0.0	1.0	0.2	18.0	0.2	3.2	100.1
MS-I35-P42	Porphyritic	0.0	15.6	1.7	27.3	0.1	0.0	0.0	0.7	0.3	1.4	0.2	49.3	0.3	3.8	100.7
MS-I35-P49	Porphyritic	0.0	23.5	1.6	27.8	0.1	0.0	0.0	0.4	0.1	0.8	0.3	45.2	0.2	0.2	100.2
MS-I35-P50	Porphyritic	0.0	26.2	2.1	31.4	0.2	0.0	0.0	1.4	0.1	0.2	0.1	35.7	0.3	1.1	98.8
MS-I35-P53	Porphyritic	0.0	42.5	0.1	39.3	0.1	0.0	0.0	0.0	0.0	0.0	0.3	17.7	0.1	0.1	100.4
MS-I35-P57	Porphyritic	0.4	38.0	2.0	41.2	0.5	0.1	0.0	1.0	0.1	0.6	0.3	16.6	0.0	0.0	100.8
MS-I35-P58	Porphyritic	0.2	23.5	4.6	41.3	0.0	0.0	0.0	3.0	0.2	0.5	0.4	26.1	0.2	0.3	100.3
MS-I35-P60	Porphyritic	0.0	21.6	2.0	33.2	0.2	0.0	0.0	3.8	0.1	0.2	0.4	37.7	0.2	1.0	100.4
MS-I35-P64	Porphyritic	0.4	23.2	2.4	52.0	0.0	0.0	0.0	2.0	0.2	0.7	0.4	18.9	0.1	0.1	100.4
MS-I35-P67	Porphyritic	0.1	10.3	5.1	31.8	0.2	0.0	0.0	4.2	0.3	0.1	0.2	46.6	0.1	0.9	100.0
MS-I35-P71	Porphyritic	0.0	33.1	3.6	38.7	0.1	0.0	0.0	2.9	0.1	0.3	0.1	21.1	0.0	0.0	99.9
MS-I35-P72	Porphyritic	0.1	25.0	2.4	31.7	0.2	0.0	0.0	0.9	0.1	0.2	0.2	38.1	0.3	1.1	100.3
MS-I35-P74	Porphyritic	0.0	23.7	1.6	34.3	0.1	0.1	0.0	1.6	0.1	0.2	0.3	39.0	0.1	0.1	101.2
MS-I35-P77	Porphyritic	0.0	34.0	0.7	35.0	0.0	0.0	0.0	0.3	0.0	0.2	0.3	28.3	0.1	0.4	99.4
MS-I35-P81	Porphyritic	0.2	37.7	1.8	38.3	0.0	0.0	0.0	0.9	0.1	0.3	0.1	18.0	0.2	1.8	99.4
MS-I35-P83	Porphyritic	0.0	42.3	0.1	38.9	0.1	0.0	0.0	0.3	0.0	0.3	0.1	18.1	0.0	0.1	100.2
MS-I35-P86	Porphyritic	0.0	25.0	2.4	36.1	0.2	0.0	0.0	1.0	0.1	0.2	0.4	34.5	0.0	0.2	100.2
MS-I35-P91	Porphyritic	0.1	37.5	1.2	44.7	0.0	0.0	0.0	1.0	0.1	0.6	0.9	14.2	0.1	0.2	100.6
MS-I35-P93	Porphyritic	0.2	34.2	2.0	39.4	0.1	0.0	0.0	3.2	0.1	0.3	0.2	20.9	0.0	0.3	100.8
MS-I35-P98	Porphyritic	0.0	25.1	2.9	36.7	0.2	0.0	0.0	1.5	0.1	0.2	0.2	33.1	0.1	0.8	101.0
MS-I35-P101	Porphyritic	0.0	24.5	3.5	34.2	0.1	0.0	0.0	1.8	0.1	0.2	0.2	34.4	0.1	1.3	100.5
MS-I35-P108	Porphyritic	0.1	29.8	3.9	43.4	0.0	0.0	0.0	2.9	0.1	0.2	0.3	19.3	0.1	0.2	100.2
MS-I35-P112	Porphyritic	0.0	41.7	0.2	45.2	0.0	0.0	0.0	0.2	0.0	0.3	0.1	12.6	0.0	0.5	100.9
MS-I35-P113	Porphyritic	0.0	23.9	2.2	33.9	0.1	0.0	0.0	2.0	0.1	0.1	0.2	35.8	0.1	1.2	99.6
MS-I35-P119	Porphyritic	0.0	26.7	1.8	33.8	0.2	0.0	0.0	1.7	0.1	0.4	0.3	35.1	0.1	0.3	100.6
MS-I35-P120	Porphyritic	0.0	42.3	1.2	39.5	0.0	0.0	0.0	0.3	0.0	0.2	0.4	15.2	0.0	0.0	99.1
MS-I35-P122	Porphyritic	0.1	33.2	0.8	35.8	0.1	0.0	0.0	1.1	0.0	0.3	0.2	26.1	0.1	1.9	99.6
MS-I35-P127	Porphyritic	0.0	30.5	2.8	33.3	0.2	0.1	0.0	0.7	0.1	0.4	0.3	31.3	0.1	0.1	99.8
MS-I35-P128	Porphyritic	0.0	21.3	3.1	35.5	0.2	0.0	0.0	2.5	0.1	0.3	0.4	36.1	0.2	1.2	100.8

MS-I35-P129	Porphyritic	0.0	35.2	1.2	36.1	0.1	0.0	0.0	1.0	0.0	0.2	0.4	26.2	0.0	0.3	100.7
MS-I35-P131	Porphyritic	0.0	22.2	3.6	32.0	0.1	0.0	0.0	1.7	0.2	0.5	0.2	38.0	0.0	0.6	99.0
MS-I35-P134	Porphyritic	0.0	16.8	3.3	31.8	0.2	0.1	0.0	2.1	0.1	0.3	0.4	44.7	0.2	0.3	100.3
MS-I35-P137	Porphyritic	0.0	41.1	0.7	38.2	0.0	0.0	0.0	0.3	0.0	0.3	0.2	18.9	0.1	0.4	100.3
MS-I35-P142	Porphyritic	0.1	25.0	4.4	46.3	0.1	0.0	0.0	3.0	0.2	0.8	0.4	20.1	0.0	0.0	100.3
MS-I35-P147	Porphyritic	0.0	35.4	0.8	37.3	0.1	0.0	0.0	0.5	0.0	0.1	0.2	22.3	0.0	2.7	99.4
MS-I35-P148	Porphyritic	0.1	19.3	3.6	35.2	0.1	0.0	0.0	1.2	0.1	0.1	0.3	38.8	0.1	0.8	99.7
MS-I35-P157	Porphyritic	0.0	31.7	3.1	33.8	0.2	0.3	0.0	1.2	0.1	0.3	0.2	27.9	0.1	0.5	99.5
MS-I35-P158	Porphyritic	0.0	33.7	2.9	35.0	0.2	0.0	0.0	0.5	0.1	0.4	0.2	27.4	0.0	0.1	100.6
MS-I35-P161	Porphyritic	0.1	29.1	2.0	45.4	0.2	0.0	0.0	4.2	0.4	0.5	0.3	18.3	0.1	0.3	100.9
MS-I35-P165	Porphyritic	0.0	26.5	4.0	34.3	0.1	0.0	0.0	1.1	0.1	0.6	0.3	33.5	0.0	0.0	100.8
MS-I35-P168	Porphyritic	0.0	28.1	2.5	35.6	0.2	0.3	0.0	1.5	0.1	1.0	0.4	29.6	0.0	0.1	99.4
MS-I35-P169	Porphyritic	0.6	7.1	7.6	29.1	0.1	0.0	0.0	3.5	0.4	0.7	0.1	48.5	0.3	0.7	98.6
MS-I35-P170	Porphyritic	0.0	29.3	0.2	34.5	0.1	0.0	0.0	0.4	0.0	0.4	0.3	32.8	0.0	0.4	98.5
MS-I35-P176	Porphyritic	0.0	23.9	2.9	34.6	0.1	0.0	0.0	2.9	0.1	0.4	0.4	32.4	0.2	0.5	98.6
MS-I35-P182	Porphyritic	0.3	21.7	3.7	30.3	0.1	0.0	0.0	0.5	0.1	0.6	0.2	27.4	0.1	1.3	86.2
MS-I35-P186	Porphyritic	0.2	20.6	6.9	28.2	0.1	0.0	0.0	2.4	0.1	0.2	0.2	23.6	0.1	0.8	83.6
MS-I35-P189	Porphyritic	0.0	20.4	2.4	27.6	0.3	0.1	0.0	0.4	0.1	0.5	0.2	48.0	0.1	0.2	100.4
MS-I35-P201	Porphyritic	0.1	27.4	3.2	32.9	0.1	0.0	0.0	0.8	0.1	0.3	0.3	34.1	0.2	0.4	100.0
MS-I35-P204	Porphyritic	0.2	28.4	1.7	52.1	0.0	0.0	0.2	0.8	0.0	0.6	1.5	13.3	0.0	0.0	98.8
MS-I35-P211	Porphyritic	0.4	21.1	3.5	39.5	0.0	0.0	0.0	2.8	0.2	0.1	0.4	29.8	0.1	0.4	98.3
MS-I35-P214	Porphyritic	0.0	29.1	1.2	35.7	0.0	0.1	0.0	0.6	0.1	1.6	0.6	31.3	0.4	0.0	100.6
MS-I35-P215	Porphyritic	0.2	23.4	4.5	36.8	0.2	0.4	0.0	2.0	0.2	0.6	0.3	29.5	0.1	0.9	98.8
MS-I35-P223	Porphyritic	0.0	42.9	0.1	40.4	0.0	0.0	0.0	0.0	0.0	0.7	0.5	15.7	0.1	0.0	100.5
MS-I35-P225	Porphyritic	0.0	17.5	2.6	29.9	0.1	0.0	0.0	5.4	0.1	0.3	0.2	42.5	0.1	1.4	100.2
MS-I35-P226	Porphyritic	0.0	24.5	2.7	31.5	0.5	0.1	0.1	0.5	0.1	0.5	0.4	38.2	0.2	0.3	99.7
MS-I35-P228	Porphyritic	0.1	21.7	3.5	39.0	0.1	0.0	0.0	2.6	0.1	0.5	0.4	32.3	0.1	0.1	100.5
MS-I35-P229	Porphyritic	0.0	23.7	1.5	33.8	0.1	0.0	0.0	1.0	0.1	0.5	0.4	38.2	0.1	0.5	100.1
MS-I35-P237	Porphyritic	0.0	22.0	2.3	29.5	0.1	0.1	0.0	0.5	0.1	0.4	0.4	44.7	0.1	0.2	100.2
MS-I35-P241	Porphyritic	0.0	17.5	5.9	29.5	0.3	0.1	0.0	2.1	0.1	0.4	0.3	44.5	0.1	0.1	100.8
MS-I35-P256	Porphyritic	0.0	19.3	3.5	35.8	0.2	0.0	0.0	2.1	0.1	0.3	0.3	37.9	0.2	0.6	100.3
MS-I35-P263	Porphyritic	0.3	24.9	3.0	39.9	0.2	0.0	0.0	1.7	0.1	0.1	0.5	30.7	0.0	0.1	101.5
MS-I35-P267	Porphyritic	0.0	15.2	3.3	29.0	0.3	0.1	0.0	2.1	0.2	1.6	0.2	47.8	0.2	0.2	100.1

MS-I35-P270	Porphyritic	0.0	38.8	1.2	36.1	0.1	0.0	0.0	0.5	0.1	0.5	0.2	21.2	0.2	1.2	100.1
MS-I35-P271	Porphyritic	0.1	32.8	1.9	35.7	0.1	0.0	0.1	1.1	0.1	0.5	0.3	27.4	0.1	0.2	100.3
MS-I35-P274	Porphyritic	0.0	34.7	0.2	49.5	0.0	0.0	0.0	0.4	0.0	0.3	0.4	14.4	0.0	0.0	100.2
MS-I35-P275	Porphyritic	0.1	15.8	3.0	29.1	0.6	0.5	0.0	3.0	0.1	0.2	0.8	47.3	0.1	0.6	101.0
MS-I35-P281	Porphyritic	0.0	21.0	2.3	31.7	0.1	0.0	0.0	2.8	0.1	0.3	0.2	41.7	0.2	0.8	101.2
MS-I35-P286	Porphyritic	0.2	34.9	1.9	42.1	0.4	0.0	0.0	1.3	0.1	0.4	0.3	19.3	0.1	0.4	101.4
MS-I35-P288	Porphyritic	0.0	14.1	2.1	29.1	0.2	0.1	0.0	0.3	0.2	0.3	0.2	54.2	0.0	0.5	101.5
MS-I35-P289	Porphyritic	0.2	20.1	2.6	33.1	0.1	0.1	0.0	1.0	0.1	0.3	0.2	42.7	0.1	0.7	101.1
MS-I35-P290	Porphyritic	0.1	30.7	1.4	36.3	0.1	0.0	0.0	0.8	0.1	1.2	0.4	29.2	0.0	0.5	100.7
MS-I35-P291	Porphyritic	0.0	23.1	1.2	32.0	0.0	0.1	0.0	0.0	0.1	0.5	0.2	43.9	0.1	0.0	101.3
MS-I35-P294	Porphyritic	0.0	27.3	2.6	38.1	0.2	0.0	0.0	1.5	0.1	0.3	0.4	29.1	0.1	0.6	100.4
MS-I35-P296	Porphyritic	0.0	18.8	3.8	32.8	0.1	0.0	0.0	1.5	0.1	0.3	0.3	41.1	0.0	1.1	100.0
MS-I35-P305	Porphyritic	0.0	38.6	0.9	42.6	0.0	0.0	0.0	0.6	0.1	0.5	0.7	15.9	0.0	0.1	100.1
MS-I35-P311	Porphyritic	0.1	31.5	2.8	41.2	0.0	0.0	0.0	2.7	0.1	0.1	0.3	21.6	0.0	0.0	100.4
MS-I35-P314	Porphyritic	0.1	18.7	2.6	31.3	0.6	0.1	0.0	1.9	0.1	0.7	0.4	43.3	0.2	0.2	100.2
MS-I35-P315	Porphyritic	0.0	21.8	2.1	31.2	0.1	0.1	0.0	0.6	0.1	0.5	0.6	43.7	0.1	0.1	100.9
MS-I35-P316	Porphyritic	0.0	33.3	0.5	38.6	0.2	0.0	0.0	0.4	0.1	0.3	0.2	27.4	0.1	0.1	101.2
MS-I35-P317	Porphyritic	0.0	35.6	1.0	44.9	0.2	0.0	0.0	1.3	0.1	0.6	0.2	15.1	0.0	0.1	99.0
MS-I35-P321	Porphyritic	0.0	29.4	3.2	37.0	0.1	0.0	0.0	0.5	0.2	0.4	0.3	27.9	0.1	1.8	100.8
MS-I35-P322	Porphyritic	0.0	10.0	2.8	44.4	2.5	0.0	0.0	8.1	0.1	0.0	0.6	32.4	0.0	0.0	100.9
MS-I35-P323	Porphyritic	0.0	8.7	4.6	34.6	0.2	0.0	0.0	10.0	0.2	0.2	0.3	42.3	0.2	0.3	101.6
MS-I35-P328	Porphyritic	0.0	40.7	0.2	38.1	0.1	0.0	0.0	0.2	0.0	0.4	0.2	20.3	0.1	0.6	100.8
MS-I35-P341	Porphyritic	0.1	30.4	1.1	33.8	0.0	0.0	0.0	0.5	0.1	0.2	0.3	32.1	0.1	1.0	99.7
MS-I35-P344	Porphyritic	0.0	26.2	1.7	46.6	0.1	0.0	0.0	1.6	0.1	0.5	0.5	23.1	0.0	0.1	100.7
MS-I35-P348	Porphyritic	0.2	24.5	2.8	37.4	0.5	0.0	0.0	2.6	0.2	0.6	0.3	30.7	0.1	1.4	101.1
MS-I35-P349	Porphyritic	0.1	29.2	1.0	34.0	0.1	0.0	0.0	1.2	0.1	0.4	0.2	34.0	0.1	0.6	100.8
MS-I35-P351	Porphyritic	0.1	26.3	1.7	35.1	0.2	0.0	0.0	2.5	0.1	0.2	0.2	33.2	0.1	0.8	100.4
MS-I35-P354	Porphyritic	0.1	14.8	3.4	26.2	0.2	0.0	0.0	1.0	0.1	0.1	0.2	53.7	0.2	0.3	100.3
MS-I35-P359	Porphyritic	0.0	50.5	0.2	39.7	0.0	0.0	0.0	0.1	0.0	0.3	0.1	7.3	0.1	0.1	98.5
MS-I35-P360	Porphyritic	0.1	19.3	2.7	29.6	0.2	0.0	0.0	1.6	0.1	0.5	0.2	44.7	0.1	1.3	100.5
MS-I35-P361	Porphyritic	0.0	25.7	1.4	30.9	0.1	0.0	0.0	0.8	0.1	0.2	0.3	40.0	0.1	0.5	100.2
MS-I35-P363	Porphyritic	0.0	15.6	3.5	33.0	0.1	0.0	0.0	2.4	0.2	0.6	0.5	43.9	0.1	0.4	100.3
MS-I35-P370	Porphyritic	0.0	24.0	1.6	31.6	0.1	0.0	0.0	0.9	0.1	0.3	0.2	40.9	0.2	0.5	100.5

MS-I35-P374	Porphyritic	0.0	23.5	2.2	26.7	0.2	0.5	0.0	0.5	0.2	1.7	0.4	44.0	0.1	0.1	100.2
MS-I35-P376	Porphyritic	0.6	26.3	2.0	34.3	0.2	0.0	0.0	1.4	0.1	0.5	0.5	34.6	0.0	0.7	101.2
MS-I35-P379	Porphyritic	0.0	42.6	0.2	38.9	0.0	0.0	0.0	0.0	0.0	0.1	0.4	18.0	0.0	0.0	100.3
MS-I35-P388	Porphyritic	0.0	43.0	0.1	38.1	0.0	0.0	0.0	0.2	0.0	0.4	0.2	18.2	0.0	0.1	100.5
MS-I35-P391	Porphyritic	1.0	29.9	3.1	40.6	0.2	0.0	0.1	0.7	0.1	0.2	0.4	24.3	0.1	0.1	100.6
MS-I35-P392	Porphyritic	0.0	33.8	0.7	37.5	0.2	0.0	0.0	0.4	0.0	0.3	0.3	26.4	0.1	0.6	100.3
MS-I35-P396	Porphyritic	0.2	32.4	2.8	45.5	0.1	0.0	0.0	2.0	0.2	0.6	0.5	17.2	0.0	0.1	101.5
MS-I35-P405	Porphyritic	0.0	50.6	0.1	40.6	0.0	0.0	0.0	0.0	0.0	0.1	0.2	8.4	0.0	0.0	100.0
MS-I35-P408	Porphyritic	0.5	34.1	3.1	34.2	0.1	0.0	0.0	1.5	0.1	0.8	0.0	25.9	0.1	0.5	100.9
MS-I35-P409	Porphyritic	0.0	33.8	1.1	40.6	0.0	0.0	0.0	0.9	0.1	0.4	0.4	23.0	0.1	0.3	100.8
MS-I35-P413	Porphyritic	0.0	21.1	2.1	30.7	0.2	0.0	0.1	1.0	0.1	0.1	0.2	42.4	0.1	1.3	99.3
MS-I35-P418	Porphyritic	0.0	11.2	1.1	40.9	0.1	0.0	0.0	12.7	0.1	0.2	0.2	32.8	0.1	0.7	100.0
MS-I35-P429	Porphyritic	0.0	29.5	1.0	34.2	0.1	0.1	0.0	1.4	0.1	0.3	0.3	32.4	0.1	0.8	100.2
MS-I35-P432	Porphyritic	0.0	27.8	2.8	36.2	0.1	0.0	0.0	1.9	0.1	0.2	0.2	31.3	0.0	0.6	101.5
MS-I35-P436	Porphyritic	0.0	46.9	0.2	40.1	0.0	0.0	0.0	0.3	0.0	0.2	0.1	12.1	0.0	0.1	100.0
MS-I35-P437	Porphyritic	0.0	25.9	2.3	36.5	0.3	0.0	0.0	0.7	0.1	0.4	0.2	34.1	0.1	0.7	101.3
MS-I35-P442	Porphyritic	0.1	30.9	0.5	35.1	0.1	0.0	0.0	0.5	0.1	0.4	0.3	32.4	0.0	0.1	100.5
MS-I35-P447	Porphyritic	0.0	32.3	1.4	36.6	0.1	0.0	0.0	0.3	0.1	0.2	0.3	28.8	0.1	0.7	100.9
MS-I35-P449	Porphyritic	0.0	29.3	0.5	33.3	0.1	0.0	0.0	0.5	0.0	0.3	0.4	35.8	0.1	0.3	100.5
MS-I35-P458	Porphyritic	0.0	38.2	0.3	37.6	0.0	0.1	0.0	0.3	0.0	0.3	0.4	22.6	0.0	0.1	100.0
MS-I35-P460	Porphyritic	0.0	12.7	2.9	28.7	0.1	0.0	0.0	3.6	0.2	0.3	0.2	50.7	0.1	0.4	99.8
MS-I35-P470	Porphyritic	0.0	30.3	0.4	33.2	0.0	0.0	0.0	0.0	0.1	0.3	0.2	35.4	0.1	0.4	100.4
MS-I35-P473	Porphyritic	0.1	29.5	1.7	37.7	0.1	0.0	0.0	1.5	0.1	0.3	0.5	27.8	0.1	0.4	99.8
MS-I35-P477	Porphyritic	0.0	24.8	2.5	35.0	0.3	0.0	0.0	2.5	0.1	0.3	0.2	34.3	0.0	0.1	100.2
MS-I35-P479	Porphyritic	0.1	24.9	3.9	40.7	0.1	0.0	0.3	0.4	0.2	0.4	0.2	27.8	0.1	0.4	99.6
MS-I35-P496	Porphyritic	0.2	14.4	10.7	38.0	0.1	0.0	0.0	8.6	3.2	0.0	0.3	26.9	0.0	0.2	102.6
MS-I35-P502	Porphyritic	0.0	21.8	1.3	26.6	0.1	0.0	0.0	0.3	0.1	1.4	0.3	48.1	0.1	0.3	100.5
MS-I35-P503	Porphyritic	0.0	25.4	2.1	34.1	1.0	0.1	0.0	3.1	0.1	0.3	0.3	31.8	0.1	2.0	100.3
MS-I35-P504	Porphyritic	0.1	30.3	0.4	38.0	0.2	0.0	0.0	0.6	0.0	0.0	0.4	29.8	0.1	0.1	100.0
MS-I35-P505	Porphyritic	0.0	32.2	0.5	34.9	0.0	0.0	0.0	0.2	0.0	0.3	0.3	30.2	0.1	1.0	99.7
MS-I35-P506	Porphyritic	0.0	29.0	1.7	35.1	0.0	0.0	0.0	0.8	0.1	0.2	0.4	32.6	0.1	0.0	100.1
MS-I35-P507	Porphyritic	0.0	26.0	2.3	34.6	0.1	0.0	0.0	1.4	0.2	0.8	0.3	32.3	0.1	2.2	100.4
MS-I35-P511	Porphyritic	0.1	32.9	2.1	39.1	0.0	0.0	0.0	1.9	0.0	0.1	0.2	23.8	0.1	0.5	100.7

MS-I35-P512	Porphyritic	0.1	32.6	0.1	36.7	0.2	0.0	0.0	0.3	0.0	0.2	0.0	30.9	0.2	0.3	101.6
MS-I35-P517	Porphyritic	0.0	50.4	0.0	40.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8.2	0.0	0.1	99.5
MS-I35-P519	Porphyritic	0.0	22.3	2.3	29.9	0.2	0.0	0.0	1.3	0.1	0.3	0.2	43.2	0.1	0.3	100.3
MS-I35-P524	Porphyritic	0.1	22.7	2.0	27.3	0.1	0.0	0.0	1.4	0.1	0.5	0.2	44.1	0.0	1.1	99.6
MS-I35-P531	Porphyritic	0.0	43.3	0.1	38.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	16.1	0.2	0.1	99.0
MS-I35-P533	Porphyritic	0.0	10.0	4.2	31.9	0.3	0.0	0.0	11.1	0.2	0.1	0.3	42.9	0.1	0.2	101.3
MS-I35-P535	Porphyritic	0.0	30.6	2.6	40.8	0.0	0.0	0.0	2.2	0.1	0.4	0.7	20.5	0.0	0.5	98.5
MS-I35-P547	Porphyritic	0.1	19.8	3.2	30.8	0.1	0.1	0.1	1.4	0.1	1.1	0.2	42.4	0.2	0.5	100.3
MS-I35-P559	Porphyritic	0.0	34.4	1.4	35.2	0.2	0.0	0.0	1.3	0.0	0.2	0.4	22.2	0.0	1.8	97.0
MS-I35-P576	Porphyritic	0.2	27.3	3.4	35.8	0.2	0.0	0.0	3.7	0.2	0.3	0.2	28.1	0.0	0.7	100.2
MS-I35-P583	Porphyritic	0.0	26.5	2.1	35.9	0.2	0.0	0.0	1.4	0.1	0.3	0.3	33.3	0.1	0.1	100.3
MS-I35-P586	Porphyritic	0.1	27.5	2.0	31.6	0.1	0.0	0.1	1.2	0.1	0.5	0.2	34.2	0.2	0.3	98.1
MS-I35-P592	Porphyritic	0.2	37.1	1.6	44.5	0.0	0.0	0.1	0.4	0.1	0.0	0.4	15.4	0.0	0.0	99.7
MS-I35-P596	Porphyritic	0.0	24.9	2.4	31.8	0.1	0.0	0.0	2.3	0.1	0.0	0.3	37.1	0.1	0.4	99.5
MS-I35-P603	Porphyritic	0.0	23.7	1.7	30.3	0.2	0.1	0.0	0.6	0.1	0.5	0.3	42.1	0.1	0.3	100.0
MS-I35-P606	Porphyritic	0.0	34.0	1.3	37.7	0.0	0.1	0.0	0.6	0.1	0.4	0.2	23.7	0.1	0.1	98.3
MS-I35-P607	Porphyritic	0.0	29.5	0.4	33.9	0.1	0.0	0.0	0.9	0.0	0.2	0.3	34.4	0.0	0.3	100.1
MS-I35-P641	Porphyritic	0.0	22.3	1.6	29.7	0.1	0.0	0.0	0.5	0.1	1.6	0.3	43.5	0.1	0.2	100.0
MS-I35-P645	Porphyritic	0.0	16.4	3.5	38.7	0.2	0.0	0.0	3.2	0.2	0.8	0.8	36.1	0.0	0.6	100.4
MS-I35-P647	Porphyritic	0.0	32.1	1.7	40.3	0.0	0.0	0.0	1.4	0.1	0.3	0.4	24.2	0.1	0.1	100.6
MS-I35-P661	Porphyritic	0.0	20.5	2.9	39.5	0.1	0.0	0.0	2.0	0.2	0.3	0.5	34.9	0.0	0.1	101.1
MS-I35-P663	Porphyritic	0.0	24.5	1.5	33.9	0.1	0.0	0.0	0.2	0.0	0.4	0.3	38.0	0.1	0.8	99.8
MS-I35-P665	Porphyritic	0.0	19.1	3.6	39.1	0.2	0.0	0.0	4.3	0.1	0.2	0.4	33.1	0.1	0.3	100.4
MS-I35-P666	Porphyritic	0.0	19.5	2.2	31.5	0.2	0.0	0.0	0.3	0.1	0.2	0.4	46.0	0.2	0.4	101.0
MS-I35-P670	Porphyritic	0.1	34.1	0.3	36.6	0.3	0.1	0.0	0.3	0.1	0.3	0.5	25.1	0.1	0.0	97.7
MS-I35-P677	Porphyritic	0.2	24.4	2.7	30.7	0.2	0.1	0.2	6.2	0.1	0.1	0.3	32.8	-0.2	0.7	98.4
MS-I35-P683	Porphyritic	0.0	18.5	5.1	30.0	0.2	0.1	0.0	1.1	0.1	0.6	0.3	42.5	0.1	0.8	99.4
MS-I35-P684	Porphyritic	0.0	28.4	2.5	31.1	0.1	0.0	0.0	0.3	0.1	0.6	0.2	37.0	0.1	1.1	101.4
MS-I35-P689	Porphyritic	0.0	17.5	4.1	28.4	0.2	0.1	0.0	1.0	0.2	0.6	0.4	47.7	0.1	0.6	100.8
MS-I35-P702	Porphyritic	0.0	16.5	4.6	39.1	0.1	0.0	0.0	2.5	0.2	0.3	0.3	34.6	0.1	1.2	99.5
MS-I35-P710	Porphyritic	0.0	28.4	2.4	35.3	0.3	0.0	0.0	1.1	0.1	0.3	0.2	31.1	0.0	1.6	100.8
MS-I35-P711	Porphyritic	0.0	35.2	1.5	40.1	0.1	0.0	0.0	1.3	0.1	0.0	0.2	20.7	0.1	1.4	100.7
MS-I35-P715	Porphyritic	0.0	18.5	3.0	28.7	0.1	0.0	0.0	2.2	0.2	0.1	0.2	46.4	0.2	0.6	100.2

MS-I35-P716	Porphyritic	0.0	30.3	1.8	36.8	0.1	0.0	0.0	0.8	0.1	0.3	0.2	28.5	0.1	1.5	100.5
MS-I35-P725	Porphyritic	0.0	34.3	0.1	36.5	0.1	0.5	0.0	0.9	0.0	0.0	0.3	26.0	0.1	0.2	99.0
MS-I35-P733	Porphyritic	0.0	47.8	0.1	40.9	0.0	0.0	0.0	0.1	0.0	0.1	0.2	10.7	0.1	0.0	100.0
MS-I35-P734	Porphyritic	0.0	38.0	1.0	38.2	0.1	0.0	0.0	0.2	0.0	0.5	0.2	21.7	0.0	0.5	100.5
MS-I35-P735	Porphyritic	0.0	40.4	0.4	39.1	0.2	0.0	0.0	0.1	0.0	0.4	0.2	19.0	0.1	0.4	100.3
MS-I35-P736	Porphyritic	0.0	17.4	0.9	24.8	0.3	0.0	0.0	0.3	0.1	0.2	0.3	55.6	0.1	0.1	100.2
MS-I35-P755	Porphyritic	0.0	19.7	3.5	34.6	0.1	0.0	0.0	2.4	0.1	0.3	0.2	38.9	0.1	0.3	100.3
MS-I35-P756	Porphyritic	0.2	36.7	2.0	41.6	0.1	0.0	0.0	1.2	0.1	0.7	0.4	16.9	0.1	0.9	100.8
MS-I35-P761	Porphyritic	0.0	22.9	3.5	41.1	0.2	0.0	0.0	1.4	0.2	0.3	0.5	28.9	0.1	0.7	99.8
MS-I35-P763	Porphyritic	0.0	25.8	2.2	35.5	0.1	0.0	0.0	0.5	0.1	0.3	0.2	33.1	0.1	1.8	99.9
MS-I35-P765	Porphyritic	0.0	24.8	1.9	34.7	0.2	0.0	0.0	1.4	0.1	0.1	0.3	35.8	0.2	0.9	100.4
MS-I35-P767	Porphyritic	0.0	31.5	2.6	39.7	0.5	0.3	0.0	1.7	0.1	0.7	0.4	23.3	0.0	0.0	100.8
MS-I35-P768	Porphyritic	0.2	13.1	3.9	32.7	0.3	0.0	0.0	2.4	0.2	0.2	0.6	41.1	0.2	0.8	95.6
MS-I35-P780	Porphyritic	0.0	20.0	2.9	31.8	0.1	0.0	0.0	1.1	0.1	0.5	0.2	40.1	0.6	3.0	100.4
MS-I35-P786	Porphyritic	0.1	29.0	2.6	33.5	0.1	0.0	0.0	0.4	0.3	10.6	0.5	23.3	0.1	0.1	100.7
MS-I35-P787	Porphyritic	0.0	35.8	2.4	42.8	0.3	0.0	0.0	1.7	0.2	0.5	0.3	15.9	0.1	1.1	100.9
MS-I35-P794	Porphyritic	0.0	29.2	2.6	32.1	0.2	0.0	0.0	0.3	0.1	0.2	0.1	35.1	0.1	0.2	100.1
MS-I35-P795	Porphyritic	0.1	29.8	2.7	31.9	0.1	0.1	0.2	0.7	0.1	0.2	0.3	32.7	0.0	0.6	99.3
MS-I35-P810	Porphyritic	0.0	23.8	0.7	39.7	0.2	0.0	0.0	0.9	0.5	0.0	0.5	32.4	0.2	1.0	99.9
MS-I35-P827	Porphyritic	0.0	26.1	4.1	28.3	0.1	0.0	0.0	3.3	0.1	0.3	0.2	35.9	0.2	1.5	100.2
MS-I35-P828	Porphyritic	0.0	26.6	3.1	42.4	0.1	0.0	0.0	0.5	0.1	0.2	0.1	26.6	0.0	0.3	100.1
MS-I35-P837	Porphyritic	0.0	26.9	0.4	32.5	0.0	0.0	0.0	0.2	0.0	0.2	0.2	40.5	0.1	0.0	101.0
MS-I35-P839	Porphyritic	0.2	28.2	3.1	40.4	0.1	0.0	0.0	3.0	0.1	0.2	0.2	24.1	0.1	0.8	100.5
MS-I35-P867	Porphyritic	0.1	20.8	3.1	40.2	0.2	0.0	0.1	4.9	0.1	0.5	0.3	29.3	0.0	0.5	99.9
MS-I35-P870	Porphyritic	0.1	20.5	2.8	31.2	0.1	0.0	0.0	0.5	0.1	0.9	0.2	42.2	0.1	0.9	99.7
MS-I35-P879	Porphyritic	0.0	19.3	3.5	29.0	0.3	0.0	0.0	1.6	0.1	0.5	0.4	45.6	0.2	0.4	100.9
MS-I35-P885	Porphyritic	0.6	32.0	1.8	38.8	0.0	0.0	0.0	1.1	0.1	0.3	0.3	24.9	0.0	0.1	100.1
MS-I35-P889	Porphyritic	0.0	29.5	0.5	34.1	0.1	0.1	0.0	0.5	0.0	0.1	0.0	36.0	0.0	0.2	101.1
MS-I35-P892	Porphyritic	0.0	17.0	3.1	31.2	0.1	0.0	0.0	5.0	0.2	0.6	0.1	42.0	0.2	0.6	100.2
MS-I35-P903	Porphyritic	0.0	27.5	1.8	35.6	0.1	0.0	0.0	1.2	0.1	0.6	0.3	32.4	0.1	0.9	100.5
MS-I35-P904	Porphyritic	0.0	31.7	1.2	36.6	0.1	0.0	0.0	0.5	0.0	0.4	0.3	29.2	0.1	0.2	100.3
MS-I35-P924	Porphyritic	0.1	24.9	2.5	41.2	0.1	0.0	0.0	2.6	0.3	0.5	0.2	27.4	0.0	0.7	100.6
MS-I35-P936	Porphyritic	0.1	28.7	5.0	34.8	0.1	0.0	0.0	0.6	0.1	0.3	0.3	29.3	0.1	0.6	100.0

MS-I35-P948	Porphyritic	0.4	25.0	4.5	39.5	0.1	0.0	0.0	3.2	0.2	0.0	0.3	26.0	0.2	0.2	99.6
MS-I35-P959	Porphyritic	0.1	31.9	2.0	49.7	0.1	0.0	0.1	0.0	0.0	0.3	1.0	15.4	0.1	0.0	100.7
MS-I35-P966	Porphyritic	0.0	34.2	1.6	35.9	0.1	0.1	0.0	0.5	0.1	0.3	0.4	25.8	0.1	0.5	99.6
MS-I35-P974	Porphyritic	0.0	18.3	3.2	27.6	0.2	0.0	0.0	1.7	0.1	0.7	0.2	47.6	0.1	1.1	100.8
MS-I35-P980	Porphyritic	0.0	18.5	2.2	26.3	0.2	0.0	0.0	1.2	0.1	0.4	0.2	47.9	0.2	2.8	99.9
MS-I35-P998	Porphyritic	0.2	15.4	1.9	35.0	0.1	0.2	0.2	0.2	0.1	0.5	0.3	47.0	0.1	0.0	101.3
MS-I35-P1022	Porphyritic	0.0	28.8	2.8	40.1	0.1	0.0	0.0	1.1	0.1	1.5	0.4	23.6	0.1	0.1	98.7
AAS-38-43-P5	Barred	0.0	23.4	3.0	36.6	0.1	0.0	0.0	2.2	0.1	0.4	0.2	32.8	0.1	1.2	100.2
AAS-38-43-P10	Barred	0.2	33.2	0.9	34.3	0.1	0.0	0.1	0.3	0.1	0.5	0.2	28.0	0.1	0.9	98.8
AAS-38-43-P31	Barred	0.0	25.7	2.7	36.2	0.2	0.0	0.0	1.3	0.1	0.6	0.3	31.9	0.1	1.1	100.3
AAS-38-43-P47	Barred	0.0	26.0	3.0	38.5	0.0	0.0	0.0	3.1	0.1	0.1	0.2	28.9	0.0	0.2	100.2
AAS-38-43-P50	Barred	0.0	18.6	0.3	36.3	0.0	0.0	0.0	0.1	0.0	0.2	0.5	43.4	0.0	0.1	99.6
AAS-38-43-P56	Barred	0.0	21.8	1.7	39.2	0.1	0.0	0.0	0.9	0.1	0.2	0.5	35.7	0.1	0.1	100.3
AAS-38-43-P65	Barred	0.0	30.5	0.3	35.1	0.1	0.0	0.0	0.3	0.0	0.4	0.2	31.7	0.0	0.1	98.7
AAS-38-43-P74	Barred	0.0	21.7	3.1	33.6	0.1	0.0	0.0	0.9	0.1	0.4	0.2	39.3	0.1	0.7	100.3
AAS-38-151-P13	Barred	0.0	36.6	0.9	35.7	0.0	0.0	0.0	0.6	0.1	0.4	0.3	23.5	0.0	1.4	99.6
AAS-38-151-P138	Barred	0.0	24.5	3.1	42.0	0.2	0.0	0.0	1.5	0.1	0.2	0.4	28.4	0.1	1.1	101.5
AAS-38-151-P162	Barred	0.0	22.2	3.3	38.0	0.1	0.0	0.0	1.2	0.3	0.3	0.3	33.7	0.1	1.2	100.8
AAS-38-151-P167	Barred	0.0	23.3	3.3	37.3	0.1	0.0	0.0	1.4	0.1	0.4	0.3	33.6	0.2	1.7	101.8
AAS-38-151-P195	Barred	0.0	20.4	2.9	30.3	0.1	0.0	0.0	2.0	0.1	0.4	0.2	42.4	0.1	1.2	100.2
AAS-38-151-P218	Barred	0.0	27.7	3.1	35.9	0.1	0.0	0.0	2.1	0.1	0.3	0.2	31.4	0.1	1.1	102.4
AAS-38-151-P235	Barred	0.0	23.7	3.3	38.9	0.2	0.0	0.0	2.4	0.2	0.5	0.3	33.2	0.2	0.8	103.6
AAS-38-164-P6	Barred	0.0	37.5	0.3	36.7	0.1	0.0	0.0	0.2	0.0	0.3	0.2	21.9	0.1	2.0	99.3
AAS-38-164-P7	Barred	0.1	28.1	2.3	33.5	0.1	0.0	0.2	0.8	0.1	0.6	0.2	33.7	0.0	0.1	99.7
AAS-38-164-P18	Barred	0.0	30.5	2.4	41.1	0.1	0.0	0.0	1.3	0.2	0.3	0.2	22.0	0.0	1.0	99.2
AAS-38-164-P19	Barred	0.0	22.9	2.9	35.6	0.0	0.0	0.0	2.1	0.1	0.2	0.2	34.8	0.0	0.2	99.1
AAS-38-164-P20	Barred	0.0	28.7	2.2	40.6	0.0	0.0	0.0	1.9	0.1	0.2	0.2	23.2	0.1	2.2	99.4
AAS-38-164-P21	Barred	0.0	34.8	0.8	37.5	0.5	0.0	0.0	0.5	0.1	0.6	0.3	24.5	0.0	0.0	99.6
AAS-38-164-P24	Barred	0.1	27.0	3.0	24.9	0.0	0.0	0.0	0.1	0.2	0.3	0.2	41.6	0.1	1.0	98.5
AAS-38-164-P25	Barred	0.0	36.5	1.2	37.3	0.1	0.0	0.0	1.0	0.1	0.3	0.1	22.3	0.1	1.4	100.3
AAS-38-164-P32	Barred	0.1	33.0	1.3	31.9	0.1	0.0	0.0	2.1	0.1	0.7	0.3	28.3	0.0	0.0	97.9
AAS-38-164-P33	Barred	0.0	23.5	3.0	38.9	0.1	0.0	0.0	1.0	0.1	0.4	0.2	32.6	0.0	0.0	99.9
AAS-38-164-P37	Barred	0.0	37.5	0.3	35.6	0.0	0.0	0.0	0.1	0.0	0.5	0.2	21.3	0.1	1.7	97.4

AAS-38-164-P39	Barred	0.2	42.5	0.9	35.9	0.1	0.0	0.0	0.1	0.1	0.5	0.1	17.6	0.0	1.1	99.0
AAS-38-164-P44	Barred	0.0	24.8	2.4	33.4	0.1	0.0	0.0	2.6	0.1	0.6	0.2	33.5	0.1	1.4	99.3
AAS-38-164-P45	Barred	0.0	25.1	2.3	40.0	0.1	0.0	0.0	1.7	0.1	0.2	0.3	28.3	0.1	1.0	99.1
AAS-38-164-P54	Barred	0.0	29.7	1.2	29.5	0.0	0.0	0.0	0.2	0.1	0.5	0.2	36.9	0.1	1.8	100.3
AAS-38-164-P59	Barred	0.0	44.4	0.1	38.7	0.0	0.0	0.0	0.1	0.0	0.3	0.3	14.8	0.0	1.0	99.6
AAS-38-164-P62	Barred	0.0	42.3	0.1	38.9	0.2	0.0	0.0	0.1	0.0	0.7	0.1	15.6	0.1	2.1	100.1
AAS-38-167-P6	Barred	0.0	21.4	3.0	37.2	0.0	0.0	0.0	1.9	0.1	0.4	0.2	34.8	0.1	0.3	99.5
AAS-38-167-P12	Barred	0.0	24.6	2.6	35.3	0.1	0.0	0.0	2.1	0.1	0.3	0.2	32.2	0.0	1.2	98.9
AAS-38-167#1-P2	Barred	0.0	32.1	1.7	38.1	0.0	0.0	0.0	1.4	0.1	0.2	0.2	26.2	0.0	0.7	100.9
AAS-38-167#1-P11	Barred	0.0	34.9	1.2	37.1	0.1	0.0	0.0	1.2	0.1	0.3	0.1	22.7	0.1	1.3	99.2
AAS-38-167#1-P16	Barred	0.0	27.9	3.1	37.6	0.0	0.0	0.0	1.7	0.1	0.1	0.3	28.5	0.1	0.4	100.0
AAS-38-167#1-P20	Barred	0.0	32.3	2.2	43.5	0.0	0.0	0.0	0.7	0.2	1.4	0.2	22.0	0.0	0.5	103.2
AAS-38-167#1-P22	Barred	0.0	31.1	3.0	38.0	0.0	0.0	0.0	1.8	0.1	0.1	0.2	25.1	0.0	0.3	99.8
AAS-38-167#1-P27	Barred	0.3	29.6	2.2	41.6	0.0	0.0	0.0	2.9	0.1	0.1	0.3	21.8	0.0	0.1	99.0
AAS-38-167#1-P32	Barred	0.0	23.5	2.6	32.9	0.0	0.0	0.0	1.5	0.1	0.4	0.2	36.2	0.1	1.2	98.6
AAS-38-167#1-P40	Barred	0.0	37.3	2.2	40.8	0.2	0.0	0.0	1.6	0.2	0.2	0.2	15.4	0.0	0.5	98.6
AAS-38-167#1-P44	Barred	0.0	34.7	2.4	34.9	0.0	0.0	0.0	1.7	0.2	0.1	0.3	24.9	0.0	0.3	99.6
AAS-38-167#1-P63	Barred	0.0	25.5	2.5	37.4	0.1	0.0	0.0	2.7	0.1	0.3	0.2	30.7	0.0	0.1	99.6
AAS-38-167#1-P64	Barred	0.0	25.7	2.3	37.5	0.2	0.0	0.0	1.5	0.1	0.7	0.3	31.8	0.1	0.1	100.3
AAS-38-167#1-P68	Barred	0.0	34.3	1.2	39.3	0.1	0.0	0.0	0.7	0.1	0.5	0.2	23.4	0.0	0.2	99.8
AAS-38-167#1-P69	Barred	0.0	30.7	2.2	40.2	0.1	0.0	0.0	1.9	0.1	0.5	0.2	23.8	0.1	0.5	100.2
AAS-38-167#1-P72	Barred	0.0	30.5	0.3	37.9	0.0	0.0	0.0	0.2	0.0	0.5	0.4	30.5	0.0	0.0	100.4
AAS-38-167#1-P74	Barred	0.0	20.5	3.3	36.7	0.1	0.0	0.0	0.8	0.2	0.5	0.2	38.0	0.0	0.0	100.2
AAS-38-167#1-P75	Barred	0.0	31.2	0.7	35.3	0.1	0.0	0.0	0.2	0.0	0.9	0.2	30.5	0.0	0.0	99.2
AAS-38-167#1-P76	Barred	0.0	33.2	1.0	37.2	0.1	0.0	0.0	0.5	0.0	0.5	0.2	25.4	0.1	1.8	100.1
AAS-38-167#1-P86	Barred	0.1	27.8	1.0	37.2	0.1	0.0	0.2	1.7	0.1	0.4	0.3	30.2	0.0	0.0	99.2
AAS-38-167#1-P89	Barred	0.0	38.8	1.4	37.5	0.1	0.0	0.0	1.5	0.2	0.3	0.2	19.5	0.0	0.5	99.9
AAS-38-167#1-P91	Barred	0.0	32.3	0.2	36.6	0.1	0.0	0.0	0.1	0.1	0.1	0.2	29.5	0.1	0.6	99.7
AAS-38-167#1-P96	Barred	0.0	23.1	2.7	35.4	0.0	0.0	0.0	2.6	0.1	0.3	0.2	34.7	0.1	0.8	99.9
AAS-38-167#1-P99	Barred	0.0	20.9	2.8	35.0	0.1	0.0	0.0	3.4	0.1	0.2	0.2	36.9	0.1	0.3	99.9
AAS-38-167#1-P100	Barred	0.0	29.5	2.4	39.7	0.0	0.0	0.0	1.3	0.1	0.2	0.2	26.5	0.0	0.4	100.3
AAS-38-167#1-P104	Barred	0.0	28.2	2.3	41.4	0.1	0.0	0.0	0.8	0.1	0.2	0.2	25.7	0.1	0.7	99.7
AAS-38-167#1-P111	Barred	0.1	27.3	0.7	38.1	0.1	0.0	0.0	0.5	0.0	0.5	0.7	33.1	0.0	0.0	101.1

AAS-38-167#1-P114	Barred	0.0	34.1	0.3	33.2	0.3	0.0	0.0	0.4	0.1	0.4	0.2	28.8	0.1	1.9	99.8
AAS-38-167#1-P134	Barred	0.0	27.5	2.4	33.6	0.0	0.0	0.0	1.9	0.1	0.1	0.2	34.4	0.0	0.0	100.2
AAS-38-169-P3	Barred	0.0	32.9	1.7	35.3	0.0	0.0	0.0	1.7	0.1	0.3	0.2	25.3	0.1	0.9	98.6
AAS-38-169-P5	Barred	0.0	30.7	2.0	36.4	0.1	0.0	0.0	1.6	0.1	0.3	0.2	25.0	0.1	0.5	96.9
AAS-38-169-P10	Barred	0.0	32.2	2.0	38.5	0.0	0.0	0.0	1.6	0.1	0.6	0.4	21.9	0.0	0.1	97.3
AAS-38-169-P12	Barred	0.1	39.4	1.5	42.9	0.0	0.0	0.0	0.6	0.1	0.4	0.3	14.1	0.0	0.0	99.4
AAS-38-169-P25	Barred	0.0	31.8	2.1	37.1	0.1	0.0	0.0	1.7	0.1	0.2	0.3	22.1	0.1	1.0	96.4
AAS-38-169-P43	Barred	0.1	40.9	1.4	42.6	0.0	0.0	0.0	0.9	0.1	0.2	0.3	13.2	0.0	0.0	99.7
AAS-38-169-P66	Barred	0.0	24.5	2.2	36.0	0.1	0.0	0.0	1.5	0.1	0.2	0.3	32.1	0.1	1.3	98.3
AAS-38-169-P69	Barred	0.0	29.9	2.3	38.0	0.1	0.0	0.0	1.0	0.1	0.3	0.3	25.9	0.0	0.1	98.1
AAS-38-169-P70	Barred	0.0	29.0	2.6	36.8	0.2	0.0	0.0	1.2	0.2	0.3	0.3	26.0	0.0	1.4	97.9
AAS-38-169-P80	Barred	0.0	27.5	1.7	41.7	0.3	0.0	0.0	2.7	0.1	0.3	0.2	21.6	0.1	0.8	97.2
AAS-38-169-P94	Barred	0.0	26.7	2.2	36.8	1.3	0.0	0.0	6.4	0.1	0.4	0.4	23.8	0.1	0.2	98.3
AAS-38-169-P100	Barred	0.0	33.0	0.6	37.8	0.0	0.0	0.0	0.7	0.1	0.0	0.2	26.3	0.1	0.1	98.9
AAS-38-169-P104	Barred	0.0	26.3	3.3	38.7	0.1	0.0	0.0	2.2	0.1	0.2	0.3	27.2	0.0	0.0	98.4
AAS-38-169-P121	Barred	0.0	33.4	0.5	35.3	0.2	0.0	0.1	0.3	0.1	0.1	0.2	26.5	0.0	0.0	96.6
AAS-38-169-P127	Barred	0.0	28.5	2.1	38.2	0.2	0.0	0.0	1.9	0.1	0.3	0.3	24.8	0.1	1.7	98.1
AAS-38-169-P140	Barred	0.0	29.6	1.5	33.3	0.1	0.0	0.0	0.8	0.1	0.7	0.2	30.9	0.1	1.3	98.6
AAS-38-169-P146	Barred	0.1	37.5	1.4	43.9	0.0	0.0	0.0	1.0	0.1	0.6	0.4	13.3	0.0	0.1	98.4
AAS-38-170-P3	Barred	0.0	26.3	2.5	37.4	0.1	0.0	0.0	2.1	0.1	0.4	0.2	29.3	0.1	1.8	100.0
AAS-38-170-P7	Barred	0.0	24.8	2.5	36.9	0.1	0.0	0.0	1.8	0.1	0.5	0.2	31.7	0.1	0.6	99.3
AAS-38-170-P58	Barred	0.0	25.3	2.9	41.7	0.0	0.0	0.0	1.3	0.1	0.4	0.2	27.4	0.0	0.5	99.9
AAS-38-170-P65	Barred	0.0	27.7	2.2	45.2	0.2	0.0	0.0	1.6	0.1	0.7	0.3	21.5	0.0	0.1	99.7
AAS-38-170-P79	Barred	0.0	22.2	2.8	34.9	0.1	0.0	0.0	2.6	0.1	0.2	0.2	35.6	0.1	0.5	99.2
AAS-38-170-P99	Barred	0.0	32.7	0.2	35.5	0.0	0.0	0.0	0.3	0.0	0.4	0.2	29.7	0.0	0.0	99.1
AAS-38-170-P117	Barred	0.0	28.3	2.0	37.3	0.0	0.0	0.0	2.1	0.1	0.2	0.2	28.1	0.1	0.8	99.3
AAS-38-170-P121	Barred	0.0	26.0	3.0	37.4	0.0	0.0	0.0	3.1	0.1	0.1	0.2	29.9	0.0	0.0	99.9
AAS-38-170-P124	Barred	0.0	33.5	1.4	41.4	0.1	0.0	0.0	1.3	0.1	0.3	0.2	21.2	0.0	0.1	99.6
AAS-38-170-P134	Barred	0.0	30.1	2.0	35.1	0.0	0.0	0.0	1.3	0.1	0.2	0.1	28.2	0.1	2.4	99.6
AAS-38-170-P135	Barred	0.0	29.6	2.2	39.6	0.0	0.0	0.0	1.7	0.1	0.1	0.2	24.2	0.1	1.2	99.1
AAS-38-170-P136	Barred	0.0	17.2	1.2	28.0	0.0	0.0	0.0	0.6	0.1	0.5	0.1	46.1	0.3	5.2	99.2
AAS-38-170-P138	Barred	0.0	39.9	0.0	39.3	0.1	0.0	0.0	0.1	0.0	0.1	0.2	19.4	0.0	0.2	99.4
AAS-38-170-P142	Barred	0.0	34.5	2.1	39.3	0.1	0.0	0.0	1.4	0.1	0.3	0.3	20.7	0.0	0.0	98.7

AAS-38-170-P162	Barred	0.0	28.4	1.7	38.4	0.0	0.0	0.0	0.4	0.1	0.4	0.2	30.0	0.0	0.1	99.7
AAS-38-170-P165	Barred	0.0	39.3	0.1	40.2	0.0	0.0	0.0	0.7	0.0	0.1	0.3	18.8	0.0	0.1	99.7
AAS-38-170-P166	Barred	0.0	38.1	0.2	38.5	0.1	0.0	0.0	0.2	0.0	0.2	0.2	22.2	0.1	0.1	99.9
AAS-38-173-P10	Barred	0.0	24.3	0.7	33.1	0.2	0.0	0.0	1.0	0.0	0.1	0.2	38.0	0.1	0.1	97.7
AAS-38-173-P12	Barred	0.0	27.7	2.6	34.4	0.2	0.0	0.0	2.1	0.1	0.3	0.2	28.7	0.1	1.2	97.6
AAS-38-173-P18	Barred	0.1	32.0	3.0	39.9	0.2	0.0	0.0	1.2	0.1	0.8	0.4	24.7	0.1	0.1	102.5
AAS-38-173-P26	Barred	0.0	26.0	3.1	35.6	0.0	0.0	0.0	2.3	0.2	0.2	0.3	28.8	0.1	0.8	97.4
AAS-38-173-P47	Barred	0.0	24.4	2.1	36.0	0.1	0.0	0.0	1.4	0.1	0.3	0.3	33.9	0.2	0.4	99.0
AAS-38-173-P100	Barred	0.0	41.4	0.1	39.0	0.1	0.0	0.0	0.1	0.0	0.1	0.2	17.8	0.1	0.3	99.4
AAS-38-173-P111	Barred	0.0	35.1	0.8	37.4	0.0	0.0	0.0	0.5	0.1	0.1	0.3	24.4	0.1	0.0	98.8
AAS-38-173-P133	Barred	0.0	40.4	0.2	39.3	0.1	0.0	0.0	0.1	0.0	0.1	0.2	17.9	0.0	0.6	98.9
AAS-38-173-P136	Barred	0.0	29.1	0.3	32.2	0.0	0.0	0.0	0.2	0.0	0.3	0.4	35.5	0.0	0.0	98.0
AAS-38-173-P168	Barred	0.0	27.0	2.3	42.0	0.2	0.0	0.0	1.5	0.1	0.2	0.2	23.7	0.2	1.0	98.5
AAS-38-182-P3	Barred	0.0	24.6	2.6	37.4	0.2	0.0	0.0	3.2	0.2	0.2	0.2	30.2	0.0	0.1	98.7
AAS-38-182-P27	Barred	0.1	36.1	1.4	38.4	0.1	0.0	0.0	2.5	0.1	0.2	0.2	19.1	0.1	0.9	99.1
AAS-38-182-P33	Barred	0.0	41.2	0.7	38.6	0.2	0.0	0.0	0.2	0.0	0.4	0.1	15.2	0.2	2.3	99.0
AAS-38-182-P53	Barred	0.0	30.6	2.5	41.5	0.3	0.0	0.0	2.1	0.1	0.2	0.3	19.6	0.2	1.2	98.4
AAS-38-182-P70	Barred	0.0	21.5	2.4	37.1	0.0	0.0	0.0	1.2	0.1	0.4	0.5	36.1	0.0	0.2	99.6
AAS-38-182-P73	Barred	0.0	20.5	3.4	37.2	0.0	0.0	0.0	2.6	0.2	0.2	0.2	33.7	0.1	0.5	98.7
AAS-38-182-P74	Barred	0.0	16.1	0.9	28.1	0.0	0.1	0.0	0.5	0.1	0.3	0.2	52.2	0.1	0.0	98.5
AAS-38-182-P79	Barred	0.0	29.8	2.8	38.8	0.0	0.0	0.0	2.2	0.2	0.1	0.2	25.7	0.0	0.0	99.9
AAS-38-182-P85	Barred	0.1	15.3	0.6	25.1	0.0	0.0	0.1	0.4	0.1	0.1	0.0	53.9	0.4	1.6	97.4
AAS-38-187-P3	Barred	0.0	23.5	1.9	32.9	0.0	0.4	0.0	2.0	0.1	0.3	0.2	38.0	0.1	0.1	99.4
AAS-38-187-P6	Barred	0.0	28.9	2.9	39.0	0.1	0.0	0.0	2.2	0.2	0.2	0.3	24.9	0.1	0.4	99.0
AAS-38-187-P40	Barred	0.0	27.6	0.3	38.9	0.1	0.0	0.0	0.8	0.0	0.2	0.4	30.5	0.0	0.1	98.8
AAS-38-187-P42	Barred	0.0	25.9	2.2	34.3	0.1	0.0	0.0	2.0	0.1	0.4	0.3	32.2	0.1	1.5	99.1
AAS-38-187-P48	Barred	0.0	24.9	3.1	36.4	0.1	0.0	0.0	2.2	0.1	0.4	0.3	31.1	0.1	1.2	99.8
AAS-38-187-P50	Barred	0.0	38.6	0.1	36.3	0.0	0.0	0.0	0.6	0.0	0.3	0.4	23.0	0.1	0.1	99.5
AAS-38-188-P2	Barred	0.1	32.7	1.3	37.9	0.1	0.0	0.0	0.7	0.1	0.4	0.2	25.1	0.1	0.7	99.4
AAS-38-188-P4	Barred	0.0	22.2	3.1	32.1	0.4	0.0	0.0	1.8	0.2	0.7	0.2	37.2	0.1	2.4	100.4
AAS-38-188-P6	Barred	0.0	23.0	2.8	35.5	0.2	0.0	0.0	6.2	0.1	0.5	0.2	30.9	0.1	1.1	100.5
AAS-38-188-P7	Barred	0.0	35.8	1.5	43.1	0.0	0.0	0.0	1.1	0.0	0.1	0.2	17.6	0.0	0.5	100.0
AAS-38-188-P11	Barred	0.1	34.4	1.2	36.8	0.0	0.0	0.2	0.2	0.0	0.3	0.2	23.9	0.0	1.9	99.3

AAS-38-188-P22	Barred	0.1	31.6	0.8	30.6	0.0	0.0	0.0	0.1	0.1	0.5	0.2	32.1	0.0	1.9	97.9
AAS-38-188-P26	Barred	0.2	17.7	0.5	29.8	0.0	0.0	0.1	0.6	0.1	0.1	0.2	50.8	0.0	0.0	100.2
AAS-38-188-P28	Barred	0.2	30.8	2.3	44.3	0.0	0.1	0.1	1.2	0.1	0.8	0.2	19.2	0.0	0.0	99.4
AAS-38-188-P54	Barred	0.1	30.8	2.8	44.9	0.0	0.0	0.0	1.3	0.1	0.5	0.3	18.6	0.0	0.6	100.0
AAS-38-188-P60	Barred	0.3	31.2	0.7	35.0	0.1	0.0	0.2	0.3	0.1	0.1	0.2	31.3	0.1	0.0	99.3
AAS-38-188-P62	Barred	0.0	26.7	3.0	39.5	0.0	0.0	0.0	1.4	0.1	0.1	0.2	29.0	0.1	0.1	100.1
AAS-38-188-P67	Barred	0.0	37.7	0.2	38.5	0.0	0.0	0.0	0.1	0.0	0.3	0.1	21.9	0.1	1.2	100.2
AAS-38-188-P70	Barred	0.0	19.3	2.9	34.1	0.1	0.0	0.0	2.0	0.1	0.4	0.2	39.4	0.0	1.5	100.0
AAS-38-188-P79	Barred	0.0	28.3	2.5	41.6	0.2	0.0	0.0	1.9	0.1	0.3	0.3	24.3	0.1	0.4	100.1
AAS-38-188-P86	Barred	0.0	31.4	2.2	40.1	0.1	0.0	0.0	1.7	0.1	0.1	0.1	23.9	0.1	0.4	100.2
AAS-38-188-P87	Barred	0.0	30.7	0.9	38.9	0.0	0.0	0.0	0.7	0.1	0.0	0.3	28.8	0.0	0.0	100.4
AAS-38-192-P2	Barred	0.0	29.6	2.9	39.3	0.0	0.0	0.1	5.5	0.2	0.1	0.3	20.0	0.0	0.7	98.7
AAS-38-192-P6	Barred	0.0	26.3	2.3	35.0	0.0	0.0	0.0	1.6	0.1	0.3	0.1	32.7	0.1	0.1	98.6
AAS-38-192-P31	Barred	0.0	23.1	3.2	35.9	0.1	0.0	0.0	2.8	0.2	0.4	0.3	35.7	0.0	0.9	102.8
AAS-38-192-P37	Barred	0.0	33.2	2.5	42.4	0.0	0.0	0.0	1.4	0.1	0.1	0.4	18.9	0.0	0.1	99.1
AAS-38-192-P39	Barred	0.0	27.9	2.8	41.0	0.0	0.0	0.0	1.4	0.1	0.1	0.2	25.7	0.1	0.0	99.4
AAS-38-192-P45	Barred	0.1	21.1	3.2	35.2	0.1	0.0	0.0	2.3	0.1	0.3	0.3	37.1	0.1	0.5	100.4
AAS-38-201-P14	Barred	0.0	27.2	2.6	39.7	0.0	0.1	0.0	1.7	0.1	0.3	0.3	25.2	0.1	0.8	98.1
AAS-38-201-P17	Barred	0.0	30.8	2.4	41.3	0.2	0.0	0.0	1.5	0.2	0.6	0.2	20.7	0.1	0.4	98.4
AAS-38-201-P26	Barred	0.0	34.4	0.4	38.8	0.0	0.0	0.0	0.2	0.0	0.2	0.4	24.4	0.1	0.1	99.0
AAS-38-201-P29	Barred	0.0	32.4	0.6	35.8	0.1	0.0	0.0	0.6	0.1	0.1	0.3	28.3	0.1	0.1	98.5
AAS-38-201-P38	Barred	0.0	26.7	2.4	34.5	0.1	0.0	0.0	2.0	0.2	0.5	0.2	30.7	0.0	0.0	97.3
AAS-38-201-P49	Barred	0.0	30.7	2.5	38.6	0.2	0.0	0.0	1.6	0.1	0.4	0.3	23.1	0.0	0.4	97.8
AAS-38-201-P60	Barred	0.0	21.6	2.7	36.2	0.1	0.0	0.0	1.8	0.1	0.7	0.4	34.7	0.0	0.8	99.2
AAS-38-201-P89	Barred	0.0	30.5	0.1	32.7	0.0	0.0	0.0	0.1	0.0	0.3	0.5	33.0	0.0	0.0	97.3
AAS-38-201-P111	Barred	0.0	26.5	2.7	35.9	0.1	0.0	0.0	1.7	0.1	0.5	0.3	30.0	0.1	0.9	98.8
AAS-38-201-P113	Barred	0.0	29.9	1.7	34.5	0.1	0.0	0.0	1.5	0.1	0.7	0.3	28.9	0.1	1.0	98.7
AAS-38-201-P131	Barred	0.0	26.7	3.3	35.4	0.0	0.0	0.0	2.1	0.1	0.2	0.2	29.1	0.2	0.6	98.0
AAS-38-203-P1	Barred	0.1	37.4	1.9	32.0	0.0	0.0	0.0	0.2	0.2	0.3	0.0	27.4	0.0	0.1	99.7
AAS-38-203-P5	Barred	0.0	32.3	1.0	34.7	0.1	0.0	0.0	0.6	0.1	0.6	0.2	27.4	0.1	2.4	99.3
AAS-38-203-P6	Barred	0.0	36.9	0.6	36.7	0.1	0.0	0.0	0.2	0.0	0.5	0.2	22.7	0.1	2.1	100.1
AAS-38-203-P8	Barred	0.1	40.2	0.3	38.8	0.1	0.0	0.1	0.4	0.0	0.4	0.2	18.6	0.1	1.4	100.5
AAS-38-203-P11	Barred	0.0	28.5	2.5	37.6	0.0	0.0	0.0	1.9	0.1	0.1	0.2	28.1	0.0	0.1	99.3

AAS-38-203-P24	Barred	0.0	32.1	1.2	33.2	0.0	0.0	0.0	0.2	0.1	0.5	0.3	33.8	0.1	1.6	102.9
AAS-38-203-P25	Barred	0.0	34.6	1.8	40.0	0.0	0.0	0.0	1.3	0.1	0.2	0.2	22.3	0.0	0.4	100.9
AAS-38-203-P29	Barred	0.1	34.3	0.5	35.7	0.1	0.0	0.0	0.2	0.1	0.8	0.2	26.6	0.1	1.5	100.0
AAS-38-203-P39	Barred	0.0	36.9	1.2	36.0	0.0	0.0	0.0	0.1	0.4	0.9	0.3	20.7	0.1	0.1	96.7
AAS-38-203-P43	Barred	0.1	28.9	0.7	29.4	0.1	0.0	0.0	0.1	0.1	0.4	0.2	39.6	0.0	1.1	100.7
AAS-38-203-P54	Barred	0.0	31.3	2.5	34.4	0.1	0.0	0.0	1.1	0.1	0.4	0.2	30.3	0.1	1.4	101.9
AAS-38-203-P61	Barred	0.0	37.6	0.5	32.0	0.0	0.0	0.0	0.2	0.1	0.1	0.1	26.2	0.0	0.2	97.0
AAS-38-203-P70	Barred	0.0	16.7	2.2	30.9	0.0	0.0	0.0	1.9	0.1	0.0	0.2	48.7	0.0	0.1	100.9
AAS-38-203-P91	Barred	0.0	35.7	0.3	37.2	0.1	0.0	0.0	0.1	0.0	0.4	0.2	25.9	0.1	0.4	100.4
AAS-38-203-P96	Barred	0.0	32.8	1.9	41.3	0.1	0.0	0.0	1.3	0.1	0.3	0.3	24.5	0.0	0.4	102.9
AAS-38-203-P97	Barred	0.0	25.3	2.9	39.9	0.2	0.0	0.0	2.5	0.1	0.2	0.3	29.0	0.0	0.6	100.8
AAS-38-203-P103	Barred	0.1	26.7	0.4	33.8	0.0	0.0	0.0	0.1	0.0	0.0	0.2	33.9	0.1	3.4	98.8
AAS-38-203-P108	Barred	0.0	41.1	1.1	41.5	0.0	0.0	0.0	0.5	0.1	0.0	0.4	14.8	0.0	0.0	99.7
AAS-38-203-P124	Barred	0.0	31.1	1.5	42.9	0.0	0.0	0.0	1.0	0.1	0.4	0.1	22.3	0.1	0.2	99.7
AAS-38-203-P128	Barred	0.0	36.1	0.9	37.7	0.0	0.0	0.0	0.2	0.1	0.2	0.3	22.6	0.0	0.1	98.1
AAS-38-203-P130	Barred	0.0	30.2	0.5	37.9	0.0	0.0	0.0	0.4	0.0	0.3	0.4	30.1	0.0	0.0	100.0
AAS-38-203-P133	Barred	0.0	25.4	2.1	38.1	0.0	0.0	0.0	1.2	0.1	0.1	0.2	33.0	0.0	0.0	100.1
AAS-38-203-P140	Barred	0.0	38.3	0.4	39.3	0.1	0.0	0.0	0.3	0.0	0.2	0.3	21.3	0.0	0.0	100.0
AAS-38-203-P141	Barred	0.0	24.4	2.9	40.6	0.0	0.0	0.0	0.7	0.1	0.3	0.2	30.0	0.0	0.7	99.8
AAS-38-203-P143	Barred	0.0	31.1	0.8	40.6	0.1	0.0	0.0	0.7	0.1	0.4	0.2	26.0	0.0	0.0	100.2
AAS-38-203-P147	Barred	0.0	21.2	2.9	33.0	0.0	0.0	0.0	1.9	0.1	0.2	0.2	39.3	0.1	0.5	99.5
AAS-38-204-P12	Barred	0.0	27.6	2.6	36.8	0.0	0.0	0.0	1.7	0.1	0.3	0.2	29.6	0.1	0.8	99.9
AAS-38-204-P17	Barred	0.0	29.1	3.1	39.2	0.0	0.0	0.0	1.7	0.2	0.1	0.2	26.6	0.0	0.8	101.0
AAS-38-204-P21	Barred	0.0	21.2	2.4	33.4	0.1	0.0	0.0	1.0	0.1	0.4	0.2	39.1	0.1	1.8	99.8
AAS-38-204-P22	Barred	0.0	27.1	2.3	41.8	0.0	0.0	0.0	0.9	0.1	0.5	0.2	26.9	0.0	0.1	100.0
AAS-38-204-P26	Barred	0.0	29.1	1.9	37.5	0.0	0.0	0.0	1.4	0.1	0.2	0.3	30.4	0.0	0.2	101.1
AAS-38-204-P29	Barred	0.0	34.8	2.2	42.3	0.0	0.0	0.0	1.5	0.1	0.1	0.4	19.0	0.0	0.4	100.8
AAS-38-204-P39	Barred	0.0	37.5	1.0	40.1	0.1	0.0	0.0	0.7	0.0	0.2	0.3	20.4	0.1	0.7	101.2
AAS-38-204-P44	Barred	0.0	27.7	2.3	37.5	0.1	0.0	0.0	1.9	0.1	0.3	0.2	28.4	0.1	1.3	99.9
AAS-38-204-P48	Barred	0.0	31.7	0.2	35.1	0.2	0.0	0.0	0.2	0.0	0.3	0.2	30.4	0.1	0.4	98.8
AAS-38-204-P53	Barred	0.0	28.5	2.5	36.7	0.1	0.0	0.0	2.3	0.1	0.2	0.2	28.5	0.0	0.8	99.8
AAS-38-204-P55	Barred	0.0	37.9	0.3	37.5	0.3	0.0	0.0	0.7	0.0	0.1	0.2	22.9	0.0	0.5	100.5
AAS-38-204-P69	Barred	0.0	40.2	0.4	37.3	0.0	0.0	0.0	0.1	0.0	0.1	0.1	18.9	0.1	2.1	99.4

AAS-38-204-P71	Barred	0.0	23.6	2.1	35.9	0.2	0.0	0.0	1.6	0.1	0.4	0.4	35.9	0.0	0.0	100.3
AAS-38-206-P21	Barred	0.0	30.5	0.3	40.1	0.0	0.0	0.0	0.4	0.0	0.1	0.7	26.5	0.0	0.1	98.9
AAS-38-206-P26	Barred	0.0	39.9	0.9	39.2	0.1	0.0	0.0	0.3	0.0	0.6	0.4	18.4	0.0	0.2	100.1
AAS-38-206-P49	Barred	0.0	27.7	1.8	34.8	0.0	0.0	0.0	1.0	0.1	0.5	0.2	28.2	0.2	1.7	96.2
AAS-38-206-P61	Barred	0.0	29.7	1.3	29.4	0.0	0.0	0.0	0.7	0.2	0.2	0.1	30.4	0.3	6.9	99.1
AAS-38-206-P89	Barred	0.0	29.7	1.1	31.0	0.0	0.0	0.0	0.2	0.1	0.7	0.2	35.5	0.1	1.0	99.5
AAS-38-206-P95	Barred	0.0	34.9	1.4	39.3	0.2	0.0	0.0	1.1	0.1	0.3	0.3	19.0	0.1	1.4	98.0
AAS-38-206-P98	Barred	0.0	28.0	2.0	34.6	0.7	0.0	0.1	3.5	0.1	0.4	1.2	28.5	0.0	0.0	99.2
AAS-38-206-P99	Barred	0.1	28.9	0.1	29.8	0.0	0.0	0.0	0.1	0.0	0.3	0.4	39.5	0.1	0.2	99.5
AAS-38-206-P101	Barred	0.0	42.0	0.3	38.2	0.1	0.0	0.0	0.3	0.0	0.3	0.2	16.4	0.1	1.1	98.9
AAS-38-206-P113	Barred	0.0	26.1	3.4	39.6	0.0	0.0	0.0	1.3	0.1	0.2	0.2	30.0	0.0	0.7	101.7
AAS-38-207-P1	Barred	0.0	34.8	2.0	36.8	0.0	0.0	0.0	0.8	0.1	0.4	0.2	24.2	0.1	1.4	100.7
AAS-38-207-P18	Barred	0.0	36.5	2.8	37.9	0.1	0.0	0.0	1.0	0.1	0.3	0.2	20.4	0.1	1.0	100.4
AAS-38-207-P22	Barred	0.0	27.4	2.2	44.3	0.1	0.0	0.0	1.9	0.1	0.3	0.1	23.8	0.1	1.3	101.6
AAS-38-207-P29	Barred	0.0	28.2	0.6	36.1	0.1	0.0	0.0	0.3	0.0	0.6	0.2	31.7	0.1	0.1	98.1
AAS-38-207-P31	Barred	0.0	32.1	0.9	34.4	0.1	0.0	0.0	0.2	0.0	0.9	0.2	30.1	0.1	0.5	99.5
AAS-38-207-P35	Barred	0.1	22.3	1.5	34.7	0.2	0.2	0.1	0.5	0.1	0.5	0.2	38.3	0.0	0.3	98.9
AAS-38-207-P37	Barred	0.0	41.4	0.0	39.0	0.0	0.0	0.0	0.3	0.0	0.3	0.3	18.3	0.0	0.0	99.8
AAS-38-207-P40	Barred	0.0	20.2	2.1	32.5	0.1	0.0	0.0	0.4	0.1	0.2	0.2	43.3	0.1	0.4	99.5
AAS-38-207-P47	Barred	0.0	23.6	2.6	37.0	0.1	0.0	0.0	1.4	0.1	0.3	0.2	35.0	0.1	0.1	100.3
AAS-38-207-P52	Barred	0.0	21.2	2.5	33.1	0.2	0.0	0.0	1.2	0.1	0.4	0.2	39.3	0.1	1.7	99.9
AAS-38-207-P53	Barred	0.0	27.4	2.2	35.2	0.1	0.0	0.0	1.5	0.1	0.5	0.2	30.9	0.1	1.1	99.2
AAS-38-207-P54	Barred	0.0	18.1	1.9	24.8	0.0	0.0	0.0	0.5	0.2	1.4	0.0	50.7	0.2	1.5	99.3
AAS-38-207-P63	Barred	0.0	40.5	2.3	41.4	0.0	0.0	0.0	1.6	0.1	0.3	0.3	13.4	0.0	0.1	99.9
AAS-38-207-P72	Barred	0.1	28.0	0.7	35.2	0.1	0.0	0.0	0.2	0.1	0.2	0.2	33.9	0.1	0.8	99.5
AAS-38-207-P76	Barred	0.0	25.7	2.2	39.2	0.0	0.0	0.3	0.3	0.1	0.1	0.2	30.6	0.0	0.0	98.8
AAS-38-207-P78	Barred	0.0	25.7	3.1	40.0	0.1	0.0	0.0	3.3	0.1	0.2	0.2	26.9	0.1	0.9	100.6
AAS-38-207-P86	Barred	0.0	26.0	2.9	38.9	0.1	0.0	0.0	1.7	0.1	0.2	0.2	30.3	0.0	0.2	100.4
AAS-38-207-P91	Barred	0.0	23.7	0.3	36.9	0.1	0.0	0.0	0.1	0.0	0.2	0.3	37.7	0.1	0.1	99.4
AAS-38-207-P93	Barred	0.0	29.8	2.3	36.6	0.2	0.0	0.0	2.4	0.1	0.4	0.2	26.9	0.1	2.0	100.8
AAS-38-207-P95	Barred	0.0	30.3	2.3	40.7	0.0	0.0	0.0	0.3	0.1	0.3	0.3	27.1	0.0	0.0	101.4
AAS-38-207-P97	Barred	0.0	29.0	2.9	41.7	0.6	0.0	0.0	2.5	0.1	0.1	0.3	23.3	0.0	0.6	101.1
AAS-38-207-P102	Barred	0.0	27.6	0.0	41.6	0.0	0.0	0.0	0.0	0.0	1.1	0.5	30.5	0.0	0.1	101.5

AAS-38-207-P113	Barred	0.0	37.3	0.3	39.1	0.0	0.0	0.0	0.0	0.0	0.6	0.1	23.3	0.1	0.1	100.9
AAS-38-207-P118	Barred	0.1	26.3	0.4	34.9	0.1	0.0	0.1	0.4	0.0	0.2	0.2	35.3	0.1	0.2	98.3
AAS-38-207-P120	Barred	0.0	32.5	2.2	44.5	0.0	0.0	0.0	1.8	0.1	0.3	0.2	19.3	0.0	0.0	100.9
AAS-38-207-P123	Barred	0.0	28.1	0.9	28.2	0.1	0.1	0.0	0.1	0.2	0.8	0.1	40.3	0.1	1.2	100.2
AAS-62-9-P1	Barred	0.1	22.3	1.0	34.2	0.0	0.0	0.2	0.2	0.1	0.4	0.4	41.8	0.0	0.0	100.6
AAS-62-9-P2	Barred	0.0	20.1	0.6	32.0	0.0	0.0	0.0	0.6	0.0	0.1	0.2	43.6	0.1	0.1	97.4
AAS-62-9-P4	Barred	0.0	25.4	3.2	37.1	0.0	0.0	0.0	2.2	0.2	0.3	0.3	28.5	0.2	0.8	98.1
AAS-62-9-P7	Barred	0.1	25.2	3.3	37.5	0.0	0.0	0.0	1.5	0.1	0.1	0.3	29.3	0.0	0.3	97.6
AAS-62-9-P10	Barred	0.0	24.2	3.4	35.3	0.0	0.0	0.0	0.7	0.2	0.4	0.3	32.4	0.1	0.6	97.4
AAS-62-9-P18	Barred	0.0	26.5	2.9	37.7	0.0	0.0	0.0	1.9	0.1	0.2	0.3	30.1	0.0	0.3	100.1
AAS-62-9-P26	Barred	0.0	26.8	3.2	37.3	0.1	0.0	0.0	1.5	0.1	0.3	0.3	32.6	0.0	0.5	102.7
AAS-62-9-P27	Barred	0.0	37.7	1.0	38.0	0.1	0.0	0.0	0.5	0.1	0.7	0.2	20.8	0.1	2.4	101.4
AAS-62-9-P28	Barred	0.0	34.8	1.4	38.7	0.0	0.0	0.0	0.5	0.1	0.0	0.3	23.1	0.0	0.1	98.9
AAS-62-9-P57	Barred	0.0	26.0	3.2	37.3	0.0	0.0	0.0	2.0	0.1	0.1	0.3	30.6	0.0	0.1	99.7
AAS-62-9-P63	Barred	0.0	26.2	2.7	38.7	0.0	0.0	0.0	2.6	0.1	0.1	0.3	27.4	0.0	0.1	98.3
AAS-62-9-P66	Barred	0.5	23.9	0.1	41.3	0.0	0.0	0.1	0.0	0.0	12.9	0.8	18.3	0.0	0.0	98.0
AAS-62-9-P80	Barred	0.0	24.0	1.1	27.6	0.0	0.0	0.0	0.7	0.1	1.3	0.2	42.5	0.3	0.5	98.2
AAS-62-9-P83	Barred	0.0	22.0	3.2	33.5	0.1	0.0	0.0	2.0	0.1	0.4	0.3	34.5	0.2	1.2	97.3
AAS-62-32-P2	Barred	0.0	34.8	1.0	33.4	0.1	0.0	0.0	1.1	0.1	0.3	0.1	26.2	0.1	0.7	97.9
AAS-62-32-P12	Barred	0.0	32.0	3.2	42.7	0.0	0.0	0.0	2.2	0.2	0.4	0.4	21.3	0.0	0.0	102.4
AAS-62-32-P13	Barred	0.1	35.2	1.2	37.6	0.0	0.0	0.0	4.1	0.1	0.4	0.4	19.0	0.1	0.0	98.1
AAS-62-32-P34	Barred	0.0	25.2	3.4	37.7	0.2	0.1	0.0	7.2	0.1	1.2	0.6	22.5	0.0	0.0	98.2
AAS-62-32-P39	Barred	0.0	24.2	2.9	34.8	0.1	0.0	0.0	1.8	0.1	0.4	0.2	33.2	0.1	1.0	98.8
AAS-62-32-P49	Barred	0.0	43.2	0.1	39.8	0.1	0.0	0.0	0.1	0.0	0.1	0.2	16.7	0.0	0.1	100.5
AAS-62-32-P52	Barred	0.0	21.1	2.7	39.2	0.1	0.0	0.0	2.9	0.1	0.2	0.3	32.3	0.1	0.9	99.9
AAS-62-32-P53	Barred	0.0	36.1	0.1	41.2	0.0	0.0	0.0	0.3	0.0	0.1	0.5	23.0	0.1	0.1	101.4
AAS-62-32-P57	Barred	0.0	34.4	1.1	37.8	0.1	0.0	0.0	0.7	0.1	0.2	0.2	24.0	0.1	1.1	99.9
AAS-62-32-P58	Barred	0.0	36.5	0.7	37.6	0.0	0.0	0.0	0.6	0.0	0.5	0.4	24.2	0.0	0.4	101.0
AAS-62-32-P70	Barred	0.0	28.1	0.6	41.9	0.3	0.0	0.0	1.1	0.0	0.2	0.7	27.9	0.0	0.0	100.8
AAS-62-32-P73	Barred	0.0	26.2	2.6	40.1	0.2	0.0	0.0	2.8	0.1	0.3	0.3	27.1	0.2	0.4	100.2
AAS-62-32-P82	Barred	0.0	20.6	1.9	40.3	1.2	0.0	0.0	3.7	0.3	0.3	0.3	25.5	0.1	1.1	95.1
AAS-62-32-P98	Barred	0.0	34.8	0.3	37.3	0.0	0.0	0.0	0.0	0.1	0.0	0.4	24.3	0.0	0.1	97.4
AAS-62-40-P7	Barred	0.1	28.4	2.7	42.1	0.1	0.0	0.0	2.4	0.1	0.2	0.5	20.3	0.0	0.0	97.0

AAS-62-40-P24	Barred	0.0	33.1	2.0	40.5	0.1	0.0	0.0	1.8	0.1	0.5	0.2	20.8	0.1	0.0	99.3
AAS-62-40-P41	Barred	0.0	29.1	2.5	37.4	0.1	0.0	0.0	1.9	0.1	0.3	0.2	25.0	0.0	0.9	97.7
AAS-62-40-P70	Barred	0.0	32.3	0.2	34.6	0.0	0.0	0.0	0.1	0.0	0.3	0.4	30.5	0.0	0.2	98.5
AAS-62-40-P83	Barred	0.1	26.4	0.2	32.9	0.0	0.0	0.0	0.1	0.0	0.2	0.4	37.7	0.1	0.0	98.1
AAS-62-40-P105	Barred	0.0	26.8	3.2	39.3	0.0	0.0	0.0	1.7	0.1	0.2	0.3	28.8	0.1	0.5	101.0
AAS-62-40-P106	Barred	0.0	23.1	2.9	34.8	0.2	0.0	0.0	2.6	0.1	0.4	0.3	32.5	0.1	0.9	97.8
AAS-62-40-P132	Barred	0.0	32.6	0.2	35.6	0.0	0.0	0.0	0.1	0.0	0.6	0.2	26.7	0.0	0.1	96.1
AAS-62-40-P143	Barred	0.0	21.5	2.9	33.8	0.2	0.0	0.0	9.0	0.1	0.4	0.3	31.6	0.1	1.4	101.3
AAS-62-40-P153	Barred	0.0	36.2	1.9	39.5	0.0	0.0	0.0	1.5	0.1	0.1	0.1	17.4	0.0	0.0	96.8
AAS-62-40-P164	Barred	0.0	25.5	3.2	32.8	0.2	0.0	0.0	2.4	0.1	0.4	0.2	30.4	0.2	1.5	96.9
AAS-62-40-P185	Barred	0.0	20.5	0.3	34.9	0.0	0.0	0.0	0.3	0.1	0.2	0.7	41.7	0.1	0.0	98.7
AAS-62-51-P3	Barred	0.0	24.1	2.9	37.6	0.0	0.0	0.0	1.6	0.2	0.9	0.4	31.2	0.0	0.0	99.0
AAS-62-51-P32	Barred	0.0	27.9	2.4	40.3	0.0	0.0	0.0	1.6	0.2	0.1	0.2	26.2	0.0	0.1	98.9
AAS-62-51-P33	Barred	0.0	27.2	2.1	41.0	0.0	0.0	0.0	2.2	0.1	0.4	0.4	25.3	0.0	0.8	99.5
AAS-62-51-P37	Barred	0.0	32.5	0.9	38.2	0.1	0.0	0.0	0.7	0.1	0.5	0.3	23.8	0.1	2.1	99.3
AAS-62-51-P40	Barred	0.0	25.9	3.2	39.6	0.0	0.0	0.0	2.5	0.1	0.2	0.3	26.4	0.1	1.0	99.3
AAS-62-51-P42	Barred	0.0	41.3	0.0	40.3	0.0	0.0	0.0	0.1	0.1	0.0	0.2	18.2	0.0	0.0	100.2
AAS-62-51-P45	Barred	0.0	26.6	2.7	40.4	0.0	0.0	0.0	1.2	0.1	0.2	0.3	27.5	0.0	0.0	99.2
AAS-62-51-P53	Barred	0.0	31.1	0.8	39.0	0.1	0.0	0.0	0.5	0.1	0.1	0.5	26.4	0.1	0.0	98.6
AAS-62-51-P55	Barred	0.0	30.6	2.1	40.5	0.0	0.0	0.0	1.2	0.1	0.2	0.2	21.7	0.0	0.8	97.3
AAS-62-51-P56	Barred	0.0	25.8	3.2	36.8	0.0	0.0	0.0	3.3	0.1	0.1	0.2	28.4	0.0	0.0	97.8
AAS-62-51-P58	Barred	0.0	29.0	1.8	38.4	0.0	0.0	0.0	1.5	0.1	0.1	0.4	27.6	0.0	0.1	98.9
AAS-62-51-P64	Barred	0.0	25.9	2.7	38.4	0.1	0.0	0.0	1.3	0.1	0.5	0.3	28.6	0.0	0.8	98.7
AAS-62-51-P74	Barred	0.0	25.4	1.9	37.6	0.2	0.0	0.0	1.5	0.1	0.3	0.2	30.8	0.0	0.0	97.7
AAS-62-51-P80	Barred	0.0	26.5	3.3	39.9	0.0	0.0	0.0	1.0	0.2	0.5	0.3	26.7	0.0	0.0	98.3
AAS-62-51-P88	Barred	0.0	27.8	2.8	40.8	0.0	0.0	0.0	0.4	0.2	0.3	0.3	25.3	0.1	0.3	98.1
AAS-62-51-P98	Barred	0.0	27.5	2.8	36.8	0.0	0.0	0.0	2.1	0.2	0.2	0.3	27.5	0.1	0.6	98.0
AAS-62-61-P7	Barred	0.0	25.1	1.3	33.0	0.0	0.0	0.0	1.0	0.1	0.5	0.2	36.5	0.1	0.2	98.3
AAS-62-61-P19	Barred	0.0	38.3	1.1	35.8	0.0	0.0	0.2	0.1	0.1	0.3	0.3	23.0	0.1	0.6	99.7
AAS-62-61-P21	Barred	0.0	19.6	3.4	33.5	0.1	0.0	0.0	1.3	0.2	0.4	0.3	37.4	0.1	1.1	97.5
AAS-62-61-P31	Barred	2.2	25.5	2.5	40.3	0.2	0.0	0.3	1.7	0.1	0.2	0.3	25.1	0.1	1.0	99.6
AAS-62-61-P33	Barred	0.0	24.5	2.9	39.1	0.0	0.0	0.0	2.1	0.1	1.0	0.3	27.4	0.0	0.0	97.6
AAS-62-61-P45	Barred	0.0	26.7	2.8	35.4	0.0	0.0	0.0	2.4	0.1	0.3	0.2	29.1	0.1	0.3	97.4

AAS-62-61-P104	Barred	0.0	26.1	3.3	31.8	0.0	0.0	0.0	1.1	0.2	0.1	0.1	35.9	0.0	0.0	98.7
AAS-38-143-1-P1	Barred	0.0	31.9	1.1	38.2	0.1	0.0	0.0	0.8	0.1	0.4	0.2	23.7	0.1	2.1	98.7
AAS-38-143-1-P2	Barred	0.0	40.6	1.9	36.4	0.0	0.0	0.0	0.2	0.0	0.2	0.2	19.7	0.0	0.0	99.4
AAS-38-143-1-P3	Barred	0.0	36.0	0.8	37.8	0.0	0.0	0.0	0.4	0.0	0.5	0.2	22.1	0.1	1.8	99.9
AAS-38-143-1-P13	Barred	0.0	29.2	2.6	38.9	0.0	0.0	0.0	2.0	0.1	0.1	0.1	25.8	0.0	0.1	98.9
AAS-38-143-1-P15	Barred	0.0	25.2	2.8	39.4	0.1	0.0	0.0	2.1	0.1	0.3	0.3	28.3	0.0	0.8	99.5
AAS-38-143-1-P35	Barred	0.0	25.7	3.2	37.2	0.0	0.0	0.0	2.3	0.1	0.3	0.3	29.5	0.1	0.7	99.4
AAS-38-143-1-P55	Barred	0.0	38.9	0.4	39.7	0.1	0.0	0.0	0.1	0.0	0.5	0.1	19.2	0.1	0.4	99.4
AAS-38-143-1-P59	Barred	0.0	30.9	0.6	34.6	0.0	0.0	0.0	0.3	0.0	0.4	0.3	31.1	0.1	0.0	98.3
AAS-38-143-1-P63	Barred	0.0	25.8	3.0	38.6	0.1	0.0	0.0	3.0	0.1	0.1	0.3	27.5	0.1	0.3	98.8
AAS-38-143-1-P65	Barred	0.0	22.4	2.5	33.1	0.0	0.0	0.0	2.2	0.1	0.3	0.2	37.4	0.1	0.9	99.2
AAS-38-143-1-P102	Barred	0.0	23.8	2.7	39.8	0.0	0.1	0.0	1.3	0.2	0.6	0.4	31.0	0.1	0.0	99.9
AAS-38-143-1-P106	Barred	0.0	22.1	3.1	37.4	0.0	0.0	0.0	1.8	0.1	0.3	0.3	32.7	0.0	1.0	98.9
AAS-38-143-1-P120	Barred	0.0	26.2	2.8	35.6	0.1	0.0	0.0	1.6	0.1	0.5	0.2	31.6	0.1	0.7	99.6
AAS-38-143-1-P140	Barred	0.0	28.5	0.2	40.0	0.1	0.0	0.0	0.6	0.0	0.1	0.4	29.0	0.1	0.1	99.0
AAS-38-143-1-P141	Barred	0.0	26.9	1.1	40.1	0.1	0.0	0.0	0.7	0.1	0.7	0.4	28.8	0.0	0.3	99.2
AAS-38-143-1-P152	Barred	0.0	29.1	2.0	36.0	0.1	0.0	0.0	0.8	0.1	0.4	0.2	28.3	0.1	1.2	98.3
AAS-38-143-1-P158	Barred	0.0	25.2	2.5	33.8	0.1	0.0	0.0	1.4	0.1	0.6	0.2	33.7	0.1	1.3	99.0
AAS-38-143-1-P181	Barred	0.0	31.2	2.8	41.0	0.1	0.0	0.0	0.7	0.1	0.3	0.3	22.1	0.1	0.6	99.3
AAS-38-143-1-P196	Barred	0.0	25.8	2.7	39.7	0.1	0.0	0.0	1.3	0.1	0.5	0.4	27.4	0.1	0.9	99.0
AAS-38-177-P24	Barred	0.1	39.2	1.1	40.8	0.0	0.0	0.0	0.4	0.1	0.3	0.3	16.3	0.0	0.5	99.1
AAS-38-177-P25	Barred	0.0	30.4	1.5	39.7	0.1	0.0	0.0	0.3	0.1	0.4	0.2	26.7	0.1	0.5	99.7
AAS-38-177-P39	Barred	0.0	27.2	2.1	39.3	0.0	0.0	0.0	1.4	0.1	0.2	0.3	28.4	0.0	0.1	99.3
AAS-38-177-P60	Barred	0.0	34.7	1.3	33.9	0.1	0.0	0.0	0.2	0.1	0.7	0.2	26.9	0.1	1.3	99.4
AAS-38-177-P75	Barred	0.0	30.8	2.1	36.6	0.1	0.0	0.0	0.8	0.1	0.6	0.2	25.9	0.1	0.7	98.2
AAS-38-177-P81	Barred	0.0	25.2	2.9	39.8	0.0	0.0	0.0	0.2	0.1	0.2	0.3	28.1	0.1	1.3	98.2
AAS-38-177-P84	Barred	0.0	24.1	2.3	34.4	0.0	0.0	0.0	0.1	0.3	0.6	0.2	36.1	0.1	0.8	99.0
AAS-38-177-P97	Barred	0.0	20.5	3.0	31.6	0.1	0.0	0.0	1.2	0.2	0.7	0.2	41.8	0.1	1.5	100.8
AAS-38-177-P99	Barred	0.0	24.3	2.9	37.9	0.1	0.0	0.0	1.9	0.1	0.3	0.3	28.5	0.1	0.1	96.4
AAS-38-177-P123	Barred	0.0	38.0	1.2	41.2	0.1	0.0	0.0	1.2	0.1	0.3	0.3	15.8	0.1	0.4	98.6
AAS-38-184-P8	Barred	0.0	41.9	1.6	39.3	0.1	0.0	0.0	0.9	0.1	0.1	0.1	14.5	0.0	0.2	98.8
AAS-38-184-P28	Barred	0.0	45.9	0.1	36.7	0.0	0.0	0.0	0.1	0.0	0.9	0.3	13.7	0.0	0.5	98.2
AAS-38-184-P60	Barred	0.0	29.3	0.6	38.0	0.0	0.0	0.0	0.4	0.1	0.0	0.6	29.6	0.0	0.0	98.6

AAS-38-184-P66	Barred	0.0	10.4	2.4	23.4	0.1	0.4	0.0	2.2	0.1	0.3	0.2	59.8	0.0	0.0	99.5
AAS-38-184-P74	Barred	0.0	26.2	1.9	42.5	0.1	0.0	0.0	1.6	0.1	0.3	0.4	25.1	0.0	0.8	99.1
AAS-38-184-P87	Barred	0.0	26.1	2.6	35.2	0.1	0.0	0.0	1.8	0.2	0.4	0.3	31.0	0.1	1.2	99.0
AAS-38-184-P88	Barred	0.0	29.9	1.8	39.6	0.0	0.0	0.0	1.3	0.1	0.1	0.4	26.2	0.0	0.0	99.5
AAS-38-184-P94	Barred	0.1	28.8	1.2	30.6	0.1	1.3	0.1	1.4	0.1	0.5	0.5	34.6	0.0	0.2	99.5
AAS-38-184-P106	Barred	0.0	29.2	3.2	39.9	0.0	0.0	0.0	2.7	0.1	0.1	0.2	22.5	0.1	1.7	99.8
AAS-38-185-P12	Barred	0.0	39.9	0.0	39.1	0.0	0.0	0.0	0.4	0.0	0.1	0.4	19.0	0.0	0.0	99.0
AAS-38-185-P17	Barred	0.0	32.1	3.1	39.4	0.2	0.0	0.0	0.7	0.3	0.6	0.2	22.0	0.1	0.8	99.4
AAS-38-185-P24	Barred	0.0	24.1	2.6	37.5	0.1	0.0	0.0	2.3	0.1	0.5	0.3	31.5	0.1	0.8	99.9
AAS-38-185-P36	Barred	0.0	21.3	3.1	34.8	0.0	0.1	0.0	2.9	0.1	0.5	0.2	35.9	0.0	0.0	99.0
AAS-38-185-P37	Barred	0.0	26.0	2.3	38.9	0.1	0.0	0.0	2.3	0.2	0.4	0.3	27.2	0.1	0.9	98.7
AAS-38-185-P39	Barred	0.2	23.4	2.7	33.5	0.0	0.0	0.1	0.4	0.1	0.2	0.4	36.9	0.1	0.7	98.8
AAS-38-185-P41	Barred	0.0	27.0	2.8	38.9	0.1	0.0	0.0	2.8	0.1	0.2	0.2	26.8	0.0	0.5	99.5
AAS-38-185-P49	Barred	0.0	24.4	2.9	34.9	0.1	0.0	0.0	2.6	0.1	0.3	0.2	32.4	0.1	0.8	98.7
AAS-38-185-P56	Barred	0.0	25.8	2.2	35.5	0.1	0.0	0.0	1.5	0.1	0.2	0.5	33.4	0.0	0.2	99.5
AAS-38-185-P69	Barred	0.0	24.0	2.4	31.7	0.2	0.0	0.0	3.5	0.1	0.5	0.2	35.2	0.1	1.1	99.1
AAS-38-185-P72	Barred	0.0	26.1	1.9	32.0	0.1	0.0	0.0	1.2	0.1	0.5	0.2	34.2	0.1	2.3	98.7
AAS-38-185-P74	Barred	0.0	26.6	2.6	39.1	0.0	0.0	0.0	2.0	0.1	0.3	0.4	26.5	0.1	1.1	98.9
AAS-38-185I-P21	Barred	0.0	28.4	2.8	37.3	0.0	0.0	0.0	2.0	0.1	0.1	0.3	27.3	0.1	0.0	98.4
AAS-38-185I-P24	Barred	0.0	42.6	0.3	38.0	0.1	0.0	0.0	0.2	0.0	0.4	0.3	14.6	0.1	2.4	99.1
AAS-38-185I-P33	Barred	0.0	29.9	0.8	34.7	0.0	0.0	0.0	0.3	0.0	0.1	0.1	28.7	0.3	3.7	98.6
AAS-38-185I-P48	Barred	0.0	28.9	2.3	38.6	0.1	0.0	0.0	1.5	0.1	0.3	0.2	26.1	0.0	0.9	99.0
AAS-38-185I-P53	Barred	0.0	26.8	1.6	38.6	0.1	0.0	0.0	0.9	0.1	0.4	0.4	29.0	0.1	0.1	98.0
AAS-38-185I-P60	Barred	0.0	23.7	1.9	36.7	0.0	0.0	0.0	1.0	0.1	0.4	0.5	34.8	0.1	0.2	99.4
AAS-38-193-P8	Barred	0.0	29.3	3.1	37.5	0.0	0.0	0.0	2.2	0.2	0.1	0.2	25.2	0.0	0.2	98.0
AAS-38-193-P16	Barred	0.0	25.8	2.3	35.5	0.1	0.0	0.0	1.0	0.1	0.3	0.3	30.2	0.1	1.5	97.0
AAS-38-193-P19	Barred	0.0	22.0	2.9	33.4	0.1	0.0	0.0	2.5	0.1	0.3	0.2	34.0	0.1	0.9	96.4
AAS-38-193-P25	Barred	0.0	25.6	1.9	38.6	0.2	0.0	0.0	4.5	0.2	0.4	0.2	26.7	0.1	0.7	98.9
AAS-38-193-P26	Barred	0.0	15.6	2.5	25.1	0.0	0.0	0.0	4.2	0.1	0.1	0.1	45.3	0.4	3.6	96.9
AAS-38-193-P29	Barred	0.0	25.0	2.4	36.8	0.2	0.0	0.0	2.2	0.2	0.3	0.2	28.4	0.2	1.6	97.5
AAS-38-193-P30	Barred	0.0	29.4	3.4	40.4	0.1	0.0	0.0	2.3	0.1	0.2	0.2	23.2	0.1	0.4	99.6
AAS-38-193-P31	Barred	0.0	27.3	3.4	42.2	0.1	0.0	0.0	4.1	0.3	0.2	0.3	20.8	0.1	0.7	99.4
AAS-38-193-P37	Barred	0.0	35.5	2.7	38.8	0.0	0.0	0.0	0.9	0.2	0.2	0.1	21.3	0.0	0.0	99.7

AAS-38-193-P39	Barred	0.0	32.5	1.3	37.3	0.0	0.0	0.0	0.3	0.0	0.6	0.3	25.5	0.0	0.1	97.9
AAS-38-193-P47	Barred	0.0	23.9	2.9	34.7	0.1	0.0	0.0	1.7	0.1	0.4	0.2	30.3	0.2	5.2	99.7
AAS-38-193-P50	Barred	0.0	23.2	2.8	35.9	0.1	0.0	0.0	2.6	0.1	0.5	0.3	33.1	0.1	1.0	99.7
AAS-38-193-P51	Barred	0.0	23.9	3.2	37.6	0.1	0.0	0.0	2.1	0.1	0.2	0.3	32.1	0.1	0.4	100.0
AAS-38-193-P61	Barred	0.0	26.9	2.7	37.6	0.1	0.1	0.0	1.7	0.1	0.6	0.3	29.6	0.1	0.0	99.8
AAS-38-193-P62	Barred	0.0	33.3	1.2	33.1	0.1	0.0	0.0	0.3	0.1	0.5	0.2	28.3	0.1	1.8	99.0
AAS-38-193-P69	Barred	0.0	27.0	1.9	31.1	0.2	0.0	0.0	0.8	0.1	1.2	0.1	35.6	0.1	1.3	99.4
AAS-38-193-P74	Barred	0.0	31.1	2.0	34.2	0.2	0.0	0.0	1.6	0.1	0.2	0.1	29.0	0.1	0.1	98.6
AAS-38-193-P76	Barred	0.0	29.2	2.3	35.2	0.1	0.0	0.0	6.2	0.1	0.8	0.7	25.3	0.0	0.0	99.9
AAS-38-193-P78	Barred	0.0	27.1	2.5	34.9	0.1	0.0	0.0	1.1	0.1	0.4	0.3	32.2	0.1	1.3	100.1
AAS-38-193-P79	Barred	0.0	20.5	3.0	33.1	0.1	0.0	0.0	3.1	0.2	0.5	0.3	37.7	0.0	1.1	99.4
AAS-38-193-P99	Barred	0.0	32.4	0.7	43.1	0.2	0.0	0.0	1.2	0.1	0.3	0.2	19.8	0.1	2.1	100.1
AAS-38-193-P100	Barred	0.0	23.7	2.7	29.2	0.1	0.0	0.0	0.2	0.1	0.2	0.3	43.3	0.0	0.0	99.7
AAS-38-193-P102	Barred	0.0	34.2	0.2	40.1	0.4	0.0	0.0	1.3	0.1	0.0	0.3	22.2	0.0	0.4	99.1
AAS-38-193-P106	Barred	0.0	30.1	0.8	33.5	0.0	0.0	0.0	0.0	0.1	0.1	0.1	33.0	0.2	1.2	99.1
AAS-38-193-P107	Barred	0.0	28.0	2.9	29.1	0.0	0.0	0.0	0.7	0.1	0.3	0.2	37.8	0.1	0.5	99.7
AAS-38-193-P114	Barred	0.0	30.1	1.7	37.2	0.0	0.0	0.0	0.7	0.1	0.3	0.6	28.7	0.0	0.0	99.5
AAS-38-195-P11	Barred	0.0	40.6	1.3	36.2	0.1	0.0	0.0	0.4	0.0	0.5	0.2	18.3	0.1	0.9	98.6
AAS-38-195-P13	Barred	0.0	23.2	2.3	33.2	0.1	0.0	0.0	1.6	0.1	0.3	0.2	37.4	0.1	0.7	99.3
AAS-38-195-P31	Barred	0.0	26.7	3.2	38.6	0.0	0.0	0.0	1.8	0.1	0.1	0.2	26.8	0.1	0.2	97.8
AAS-38-195-P35	Barred	0.0	27.6	1.8	39.8	0.1	0.0	0.0	1.2	0.1	0.4	0.1	26.9	0.0	0.1	98.0
AAS-38-195-P37	Barred	0.0	28.4	3.4	43.4	0.0	0.0	0.0	1.4	0.1	0.3	0.3	19.6	0.1	0.0	96.9
AAS-38-195-P52	Barred	0.0	36.6	0.3	39.9	0.0	0.0	0.0	0.4	0.0	0.0	0.3	22.2	0.0	0.0	99.8
AAS-38-195-P54	Barred	0.0	23.6	2.9	35.5	0.0	0.0	0.0	1.0	0.1	0.3	0.3	34.2	0.1	0.7	98.5
AAS-38-195-P66	Barred	0.0	34.8	2.5	42.8	0.1	0.0	0.0	2.1	0.1	0.3	0.1	16.9	0.0	0.0	99.9
AAS-38-195-P70	Barred	0.0	27.5	2.2	37.2	0.1	0.0	0.0	2.1	0.1	0.2	0.3	29.1	0.1	1.1	100.1
AAS-38-195-P77	Barred	0.0	24.7	2.9	38.4	0.0	0.0	0.0	2.3	0.1	0.2	0.3	28.9	0.1	1.2	99.2
AAS-38-195-P80	Barred	0.0	28.9	0.5	30.6	0.0	0.0	0.0	0.1	0.0	0.8	0.4	37.4	0.0	0.3	99.1
AAS-38-195-P88	Barred	0.0	36.0	1.3	34.7	0.2	0.0	0.0	0.8	0.1	0.8	0.2	24.8	0.1	0.2	99.1
AAS-38-195-P89	Barred	0.0	25.9	1.7	27.9	0.1	0.0	0.0	0.4	0.1	0.7	0.1	40.7	0.1	1.5	99.0
AAS-38-195-P92	Barred	0.0	27.8	1.7	39.1	0.0	0.0	0.0	1.5	0.1	0.2	0.4	28.3	0.1	0.1	99.3
AAS-38-195-P107	Barred	0.0	35.2	0.5	40.7	0.0	0.0	0.0	0.5	0.1	0.2	0.5	20.5	0.0	0.7	99.0
AAS-38-196-P12	Barred	0.0	25.5	3.4	39.1	0.1	0.0	0.0	2.5	0.1	0.3	0.3	28.6	-0.1	0.0	99.8

AAS-38-196-P26	Barred	0.0	36.4	2.7	44.4	0.0	0.0	0.0	1.1	0.1	0.2	0.4	14.1	0.0	0.0	99.5
AAS-38-196-P40	Barred	0.0	27.9	1.7	29.6	0.0	0.0	0.0	0.7	0.1	0.7	0.2	35.7	0.1	2.4	98.9
AAS-38-199-P1	Barred	0.0	24.1	3.0	33.5	0.1	0.0	0.0	1.2	0.1	0.4	0.2	34.6	0.1	1.4	98.9
AAS-38-199-P9	Barred	0.0	25.1	2.8	38.0	0.1	0.0	0.0	1.9	0.1	0.4	0.2	29.3	0.1	1.3	99.4
AAS-38-199-P17	Barred	0.0	23.5	3.1	35.9	0.1	0.0	0.0	1.7	0.1	0.4	0.3	32.4	0.1	1.1	98.8
AAS-38-199-P34	Barred	0.0	25.3	2.4	34.0	0.1	0.0	0.0	1.3	0.1	0.7	0.4	33.6	0.1	1.6	99.6
AAS-38-199-P35	Barred	0.0	30.0	2.1	39.9	0.1	0.0	0.0	2.2	0.1	0.1	0.3	23.7	0.1	0.1	98.7
AAS-38-199-P43	Barred	0.0	33.4	1.5	37.5	0.1	0.0	0.0	0.6	0.0	0.2	0.3	25.3	0.1	1.1	100.1
AAS-38-199-P62	Barred	0.1	21.2	2.2	31.0	0.2	0.0	0.1	3.1	0.1	0.5	0.4	38.1	0.1	1.8	98.8
AAS-38-199-P65	Barred	0.0	22.9	3.0	37.9	0.0	0.0	0.0	2.9	0.1	0.1	0.2	31.3	0.1	0.1	98.6
AAS-38-199-P67	Barred	0.0	27.8	2.7	41.4	0.1	0.0	0.0	1.0	0.1	0.4	0.2	26.3	0.0	0.0	100.1
AAS-38-199-P76	Barred	0.0	46.0	1.0	40.7	0.1	0.0	0.0	0.0	0.1	0.3	0.1	10.9	0.1	0.9	100.2
AAS-38-199-P78	Barred	0.0	26.1	2.1	38.3	0.1	0.0	0.0	1.2	0.1	0.5	0.3	30.0	0.1	0.4	99.1
AAS-38-199-P85	Barred	0.0	22.3	2.2	34.1	0.1	0.0	0.0	1.7	0.1	0.3	0.3	37.1	0.1	0.9	99.2
AAS-38-199-P88	Barred	0.0	16.6	2.1	30.0	0.0	0.0	0.0	3.2	0.1	0.1	0.2	47.8	0.1	0.1	100.2
AAS-38-199-P90	Barred	0.0	28.6	2.6	38.7	0.1	0.0	0.0	1.7	0.1	0.3	0.3	25.6	0.1	0.9	98.9
AAS-38-199-P92	Barred	0.0	31.1	1.4	38.2	0.1	0.0	0.0	0.6	0.0	0.4	0.2	26.0	0.1	0.7	98.8
AAS-38-199-P96	Barred	0.0	29.9	2.1	36.9	0.1	0.0	0.0	1.4	0.1	0.2	0.3	27.4	0.0	0.9	99.4
AAS-38-199-P103	Barred	0.0	35.6	0.7	35.7	0.1	0.6	0.0	1.1	0.0	0.5	0.3	25.9	0.0	0.1	100.4
AAS-38-199-P105	Barred	0.0	20.1	2.6	37.3	0.2	0.0	0.0	2.3	0.1	0.3	0.3	35.7	0.1	0.4	99.5
AAS-38-199-P110	Barred	0.0	24.7	2.4	35.6	0.1	0.0	0.0	1.6	0.1	0.5	0.3	32.6	0.1	1.3	99.2
AAS-38-199-P111	Barred	0.1	28.4	2.8	36.9	0.0	0.0	0.0	0.4	0.0	0.3	0.2	27.5	0.0	0.0	96.6
AAS-38-199-P124	Barred	0.0	27.7	1.6	32.4	0.1	0.0	0.0	0.2	0.1	0.4	0.2	35.5	0.1	1.4	99.7
AAS-38-199-P139	Barred	0.0	29.6	1.4	40.3	0.1	0.0	0.0	0.5	0.1	0.5	0.3	26.1	0.0	0.1	99.0
AAS-38-199-P149	Barred	0.0	25.3	3.0	36.1	0.0	0.0	0.0	1.9	0.1	0.0	0.3	32.8	0.0	0.0	99.6
AAS62-34-115	Barred	0.1	31.6	0.4	34.7	0.0	0.0	0.0	0.1	0.1	0.3	0.1	32.8	0.0	0.8	101.1
AAS62-34-161	Barred	0.0	24.6	2.6	37.6	0.0	0.0	0.0	1.6	0.1	0.4	0.3	28.8	0.0	1.4	97.4
AAS62-34-P112	Barred	0.0	25.1	3.8	39.4	0.0	0.0	0.0	3.0	0.2	0.2	0.3	29.0	0.0	0.0	100.9
AAS62-34-P116	Barred	0.1	31.1	0.2	42.5	0.0	0.0	0.0	0.2	0.1	0.2	0.2	25.0	0.0	0.8	100.3
AAS62-34-P123	Barred	0.0	25.1	3.1	35.4	0.0	0.0	0.0	0.9	0.1	0.3	0.3	29.3	0.0	0.1	94.5
AAS62-34-P128	Barred	0.0	11.6	1.6	20.7	0.0	0.0	0.0	0.7	0.1	0.1	0.0	64.3	0.0	2.5	101.5
AAS62-34-P13	Barred	0.0	27.5	2.4	39.1	0.0	0.0	0.0	2.0	0.1	0.2	0.3	28.5	0.0	0.5	100.6
AAS62-34-P136	Barred	0.0	31.8	1.1	36.0	0.0	0.0	0.0	2.2	0.1	0.3	0.2	30.7	0.0	0.4	102.8

AAS62-34-P139	Barred	0.0	26.6	3.1	38.6	0.0	0.0	0.0	2.3	0.1	0.2	0.2	29.8	0.0	0.5	101.6
AAS62-34-p14	Barred	0.0	27.5	2.4	39.1	0.0	0.0	0.0	2.0	0.1	0.2	0.3	28.5	0.0	0.5	100.6
AAS62-34-P15	Barred	0.0	24.4	0.5	32.1	0.0	0.0	0.0	0.4	0.1	0.5	0.3	42.1	0.0	0.2	100.4
AAS62-34-P150	Barred	0.0	27.3	3.1	38.0	0.0	0.0	0.0	0.6	0.1	0.1	0.4	29.0	0.0	0.1	98.6
AAS62-34-P152	Barred	0.0	30.9	1.9	40.1	0.0	0.0	0.0	2.6	0.1	0.1	0.3	24.9	0.0	0.1	101.0
AAS62-34-P153	Barred	0.1	32.7	0.0	40.8	0.0	0.0	0.0	0.2	0.1	0.3	0.2	24.6	0.0	0.4	99.2
AAS62-34-P160	Barred	0.1	30.7	0.0	38.0	0.0	0.0	0.0	0.1	0.0	0.3	0.2	28.5	0.0	1.6	99.4
AAS62-34-P162	Barred	0.0	30.0	0.6	38.0	0.0	0.0	0.0	2.8	0.1	0.2	0.2	28.5	0.0	0.4	100.8
AAS62-34-P165	Barred	0.0	31.6	0.0	38.4	0.0	0.0	0.0	2.9	0.1	0.2	0.2	30.3	0.0	0.4	104.1
AAS62-34-P17	Barred	0.1	25.1	1.8	32.2	0.0	0.0	0.0	1.1	0.1	0.4	0.2	38.2	0.0	1.3	100.5
AAS62-34-P170	Barred	0.0	30.1	0.0	36.6	0.0	0.0	0.0	1.6	0.1	0.4	0.2	34.6	0.0	1.0	104.5
AAS62-34-P174	Barred	0.1	30.4	0.0	36.8	0.0	0.0	0.0	0.2	0.1	0.2	0.3	31.3	0.0	0.1	99.3
AAS62-34-P183	Barred	0.0	29.5	1.3	38.9	0.0	0.0	0.0	2.4	0.2	0.1	0.2	25.5	0.0	0.0	98.1
AAS62-34-P185	Barred	0.0	24.5	3.1	39.4	0.0	0.0	0.0	1.9	0.1	0.4	0.4	27.9	0.0	0.4	98.1
AAS62-34-P188	Barred	0.0	25.8	1.1	36.1	0.0	0.0	0.0	1.4	0.2	0.7	0.2	33.5	0.0	1.4	100.5
AAS62-34-P193	Barred	0.1	26.1	1.1	35.9	0.0	0.0	0.0	0.7	0.1	0.3	0.2	33.6	0.0	0.7	98.8
AAS62-34-P2	Barred	0.0	29.7	2.1	39.6	0.0	0.0	0.0	1.6	0.1	0.5	0.4	23.3	0.0	0.0	97.3
AAS62-34-P201	Barred	0.1	35.2	1.1	51.9	0.0	0.0	0.0	2.2	0.1	0.2	0.2	25.3	0.0	1.6	117.9
AAS62-34-P205	Barred	0.0	25.2	3.4	39.4	0.0	0.0	0.0	0.2	0.0	0.4	0.2	19.9	0.0	2.2	90.9
AAS62-34-P21	Barred	0.0	30.0	1.5	37.7	0.0	0.0	0.0	0.5	0.0	0.2	0.3	30.4	0.0	0.1	100.8
aas62-34-p211	Barred	0.0	40.4	0.7	43.2	0.0	0.0	0.0	1.6	0.1	0.0	0.1	24.8	0.0	1.8	112.5
AAS62-34-P219	Barred	0.0	23.9	3.1	45.3	0.0	0.0	0.0	1.9	0.2	0.5	0.3	23.9	0.0	0.0	99.1
AAS62-34-P222	Barred	0.0	26.5	3.2	41.2	0.0	0.0	0.0	1.0	0.1	0.4	0.2	28.8	0.0	1.3	102.7
AAS62-34-P25	Barred	0.0	32.5	0.7	35.7	0.0	0.0	0.0	0.3	0.1	1.5	0.3	30.3	0.0	0.1	101.6
aas62-34-p31	Barred	0.0	23.9	1.2	41.8	0.0	0.0	0.0	1.7	0.1	0.1	0.6	30.8	0.0	0.3	100.5
AAS62-34-P5	Barred	0.0	32.2	4.2	36.1	0.0	0.0	0.0	3.3	0.2	0.1	0.1	22.5	0.0	0.0	98.6
AAS62-34-P7	Barred	0.0	26.1	2.6	35.1	0.0	0.0	0.0	1.6	0.1	0.5	0.3	31.8	0.0	0.4	98.4
AAS 62-34-p24	Barred	0.0	28.8	2.2	33.8	0.0	0.0	0.0	0.9	0.1	0.5	0.2	31.1	0.0	1.4	99.0
AAS 62-34-p26	Barred	0.0	26.0	2.7	37.7	0.0	0.0	0.0	1.9	0.2	0.6	0.3	29.8	0.0	0.0	99.1
AAS 62-34-p28	Barred	0.0	27.2	2.6	43.5	0.0	0.0	0.0	2.0	0.2	0.3	0.3	22.3	0.0	0.0	98.5
AAS 62-34-p35	Barred	0.0	24.2	5.3	30.9	0.0	0.0	0.0	0.5	0.1	0.5	0.3	34.2	0.0	1.2	97.4
AAS 62-34-p42	Barred	0.0	23.3	2.6	33.6	0.0	0.0	0.0	1.7	0.1	0.5	0.3	33.9	0.0	1.3	97.4
AAS 62-34-p45	Barred	0.0	26.9	3.3	38.8	0.0	0.0	0.0	0.2	0.1	0.1	0.3	29.3	0.0	0.0	99.2

AAS 62-34-p54	Barred	0.0	26.3	1.0	31.1	0.0	0.0	0.1	0.2	0.1	0.5	0.3	37.8	0.0	1.3	98.5
AAS 62-34-p59	Barred	0.0	32.4	1.8	48.3	0.0	0.0	0.0	1.0	0.1	0.8	0.2	12.6	0.0	0.0	97.2
AAS 62-34-p60	Barred	0.0	24.9	4.6	33.8	0.0	0.0	0.1	0.7	0.1	0.7	0.3	31.2	0.0	1.4	97.6
AAS 62-34-p63	Barred	0.0	16.2	2.3	26.6	0.0	0.0	0.0	0.6	0.1	0.4	0.1	51.8	0.0	0.1	98.1
AAS 62-34-p69	Barred	0.0	29.3	2.5	34.7	0.0	0.0	0.0	0.5	0.1	0.6	0.3	30.6	0.0	0.0	98.6
AAS 62-34-p70	Barred	0.0	27.0	3.6	39.2	0.0	0.0	0.0	3.0	0.2	0.1	0.3	25.0	0.0	0.0	98.4
AAS62-20-P10	Barred	0.1	28.4	0.6	38.9	0.0	0.0	0.0	0.2	0.1	1.6	0.2	28.6	0.0	0.4	99.1
AAs62-20-p101	Barred	0.0	23.6	2.3	36.8	0.0	0.0	0.0	2.9	0.1	0.6	0.3	32.7	0.0	0.0	99.3
AAs62-20-p106	Barred	0.0	22.3	3.0	35.1	0.0	0.0	0.0	2.9	0.2	0.3	0.2	34.7	0.0	0.8	99.4
AAS62-20-P108	Barred	0.0	29.6	3.1	39.0	0.0	0.0	0.0	1.9	0.1	0.0	0.2	25.8	0.0	0.0	99.7
AAS62-20-P112	Barred	0.0	21.1	2.5	34.8	0.0	0.0	0.0	2.0	0.1	0.6	0.3	37.3	0.0	0.0	98.6
AAS62-20-P118	Barred	0.0	24.1	3.1	37.5	0.0	0.0	0.0	2.5	0.1	0.2	0.3	30.8	0.0	0.4	99.0
AAS62-20-P123	Barred	0.1	29.0	2.3	44.7	0.0	0.0	0.0	2.2	0.1	0.1	0.3	20.8	0.0	0.0	99.5
AAS62-20-P127	Barred	0.0	15.0	0.5	21.7	0.0	0.0	0.0	0.4	0.1	1.2	0.1	60.8	0.0	0.1	99.8
AAS62-20-P129	Barred	0.0	23.4	2.4	37.5	0.0	0.0	0.0	1.8	0.1	0.4	0.3	31.9	0.0	1.5	99.3
AAS62-20-P13	Barred	0.1	24.9	1.7	35.8	0.0	0.0	0.0	1.1	0.1	0.2	0.2	36.1	0.0	0.1	100.2
AAS62-20-P132	Barred	0.0	23.2	0.0	50.4	0.0	0.0	0.0	1.5	0.1	0.4	0.2	24.6	0.0	0.0	100.3
AAS62-20-P134	Barred	0.0	41.1	0.1	40.2	0.0	0.0	0.0	0.3	0.0	0.0	0.4	17.3	0.0	0.0	99.5
AAS62-20-P139	Barred	0.0	22.8	3.8	35.4	0.0	0.0	0.0	2.0	0.1	0.3	0.2	34.0	0.0	0.5	99.2
AAS62-20-P18	Barred	0.0	24.5	3.1	38.1	0.0	0.0	0.0	2.2	0.1	0.1	0.2	32.1	0.0	0.0	100.5
AAS62-20-P19	Barred	0.0	22.7	3.1	37.0	0.0	0.0	0.0	3.4	0.1	0.4	0.2	31.6	0.0	1.2	99.8
AAS62-20-P22	Barred	0.0	30.7	0.0	42.1	0.0	0.0	0.0	0.1	0.1	0.4	0.2	25.3	0.0	1.8	100.8
AAS62-20-P24	Barred	0.0	34.3	0.7	35.7	0.0	0.0	0.0	0.1	0.0	0.6	0.2	25.9	0.0	2.0	99.6
AAS62-20-P27	Barred	0.0	30.0	1.8	37.5	0.0	0.0	0.0	1.8	0.1	0.3	0.2	25.5	0.0	0.2	97.4
AAS62-20-p37	Barred	0.1	22.6	1.8	36.3	0.0	0.0	0.0	0.0	0.1	0.4	0.2	38.1	0.0	0.6	100.2
AAS62-20-p40	Barred	0.0	26.3	2.8	41.1	0.0	0.0	0.0	1.6	0.1	0.3	0.1	25.3	0.0	1.0	98.7
AAS62-20-p42	Barred	0.1	24.5	2.1	37.7	0.0	0.0	0.0	1.0	0.1	0.6	0.3	34.1	0.0	0.0	100.4
AAS62-20-p43	Barred	0.0	24.6	2.9	37.5	0.0	0.0	0.0	2.2	0.1	0.2	0.2	29.6	0.0	0.1	97.5
AAS62-20-p44	Barred	0.0	23.2	2.9	44.9	0.0	0.0	0.0	2.2	0.1	0.1	0.4	24.9	0.0	0.2	99.1
AAS62-20-p47	Barred	0.3	25.2	2.3	39.4	0.0	0.0	0.1	1.6	0.1	0.3	0.2	27.2	0.0	1.6	98.2
AAS62-20-p49	Barred	0.0	27.4	2.7	38.1	0.0	0.0	0.0	1.7	0.1	0.3	0.3	28.2	0.0	0.6	99.5
AAS62-20-P5	Barred	0.0	30.8	2.7	39.1	0.0	0.0	0.0	2.0	0.1	0.1	0.3	23.6	0.0	0.0	98.8
AAS62-20-p51	Barred	0.1	30.4	0.7	37.4	0.0	0.0	0.0	0.2	0.1	0.2	0.2	29.5	0.0	0.2	98.9

AAS62-20-p52	Barred	0.1	23.2	0.8	38.9	0.0	0.0	0.0	0.2	0.1	0.6	0.3	32.4	0.0	0.8	97.2
AAS62-20-p55	Barred	0.0	30.7	4.0	40.6	0.0	0.0	0.0	2.5	0.2	0.2	0.2	19.9	0.0	0.3	98.5
AAS62-20-P6	Barred	0.0	24.7	2.6	36.9	0.0	0.0	0.0	2.4	0.1	0.6	0.4	31.5	0.0	0.0	99.1
AAS62-20-p61	Barred	0.1	28.0	0.9	36.5	0.0	0.0	0.0	0.1	0.1	0.5	0.2	30.0	0.0	1.8	98.2
AAS62-20-p62	Barred	0.0	19.6	4.7	36.9	0.0	0.0	0.0	4.3	0.3	0.2	0.2	32.3	0.0	0.5	99.0
AAs62-20-p69	Barred	0.0	21.3	2.6	34.2	0.0	0.0	0.0	2.1	0.1	0.5	0.3	36.8	0.0	1.5	99.3
AAS62-20-P7	Barred	0.0	30.1	0.4	38.1	0.0	0.0	0.0	0.2	0.0	0.6	0.2	29.6	0.0	0.0	99.2
AAs62-20-p71	Barred	0.1	28.3	0.8	34.5	0.0	0.0	0.0	1.5	0.1	0.5	0.3	33.1	0.0	0.7	99.8
AAs62-20-p78	Barred	0.0	25.9	0.7	51.3	0.0	0.0	0.0	0.6	0.2	0.4	0.4	19.4	0.0	0.0	98.9
AAs62-20-p79	Barred	0.0	22.9	2.7	32.5	0.0	0.0	0.0	0.6	0.1	0.4	0.2	41.2	0.0	0.1	100.9
AAs62-20-p87	Barred	0.1	23.5	2.0	34.3	0.0	0.0	0.0	0.2	0.1	0.4	0.2	36.4	0.0	1.1	98.2
AAS62-20-P9	Barred	0.1	21.5	3.4	40.8	0.0	0.0	0.0	1.5	0.2	0.6	0.5	31.3	0.0	0.1	99.9
AAs62-20-p93	Barred	0.0	20.0	2.6	31.7	0.0	0.0	0.0	2.2	0.1	0.4	0.3	43.3	0.0	0.0	100.6
AAS62-27-100	Barred	0.0	31.0	0.6	39.2	0.0	0.0	0.0	0.6	0.1	0.1	0.2	27.7	0.0	0.1	99.6
AAS62-27-101	Barred	0.0	24.9	2.2	38.8	0.0	0.0	0.0	1.9	0.1	0.3	0.3	30.7	0.0	0.0	99.3
AAS62-27-114	Barred	0.0	26.0	3.1	39.4	0.0	0.0	0.0	3.0	0.1	0.3	0.3	25.9	0.0	0.8	98.9
AAS62-27-91	Barred	0.0	19.1	3.1	33.6	0.0	0.0	0.0	1.8	0.2	0.5	0.2	40.2	0.0	0.7	99.3
AAS62-27-93	Barred	0.0	25.8	2.6	37.3	0.0	0.0	0.0	2.3	0.1	0.2	0.2	29.7	0.0	0.6	98.9
AAS62-27-94	Barred	0.1	25.5	0.8	36.3	0.0	0.0	0.0	0.1	0.1	0.3	0.2	34.9	0.0	0.2	98.5
AAS62-27-98	Barred	0.0	23.2	3.1	36.3	0.0	0.0	0.0	3.1	0.1	0.2	0.3	32.8	0.0	0.2	99.3
AAS62-27-99	Barred	0.0	21.4	0.3	33.6	0.0	0.0	0.0	0.4	0.0	0.3	0.4	43.9	0.0	0.2	100.5
AAS62-27-P1	Barred	0.0	25.8	3.1	39.2	0.0	0.0	0.0	2.1	0.1	0.5	0.3	27.7	0.0	0.0	98.7
AAS62-27-P13	Barred	0.0	30.7	1.1	36.5	0.0	0.0	0.0	0.6	0.1	0.1	0.2	29.4	0.0	0.4	99.1
AAS62-27-P17	Barred	0.1	27.5	0.9	47.7	0.0	0.0	0.0	0.6	0.1	0.8	0.3	20.7	0.0	0.0	98.7
AAS62-27-P18	Barred	0.0	23.2	3.2	36.2	0.0	0.0	0.0	2.1	0.1	0.3	0.3	32.7	0.0	0.6	98.8
AAS62-27-P19	Barred	0.0	25.0	2.3	38.1	0.0	0.0	0.0	1.2	0.1	0.6	0.2	31.3	0.0	0.4	99.3
AAS62-27-P2	Barred	0.0	29.4	2.6	38.4	0.0	0.0	0.0	2.0	0.1	0.4	0.1	25.9	0.0	0.1	99.0
AAS62-27-P20	Barred	0.1	20.3	1.4	33.8	0.0	0.0	0.0	0.1	0.1	0.5	0.1	39.4	0.0	1.5	97.2
AAS62-27-p26	Barred	0.0	19.7	3.8	31.7	0.0	0.0	0.0	2.2	0.2	0.4	0.3	38.0	0.0	1.4	97.7
AAS62-27-P27	Barred	0.0	27.6	3.1	44.4	0.0	0.0	0.0	2.4	0.1	0.5	0.3	21.1	0.0	0.1	99.7
AAS62-27-P28	Barred	0.0	29.3	0.7	31.9	0.0	0.0	0.0	0.1	0.1	0.5	0.2	34.8	0.0	1.0	98.6
AAS62-27-P30	Barred	0.1	22.0	2.6	38.8	0.0	0.0	0.0	0.9	0.1	0.4	0.1	34.1	0.0	0.4	99.5
AAS62-27-P31	Barred	0.0	23.1	2.8	36.4	0.0	0.0	0.0	1.7	0.1	0.3	0.2	33.2	0.0	1.0	98.9

AAS62-27-P32	Barred	0.0	25.6	2.6	38.6	0.0	0.0	0.0	2.1	0.1	0.2	0.3	29.4	0.0	0.2	99.0
AAS62-27-P35	Barred	0.3	27.4	2.9	37.9	0.0	0.0	0.0	1.7	0.1	0.2	0.2	27.1	0.0	1.2	98.9
AAS62-27-P42	Barred	0.0	19.9	2.9	35.3	0.0	0.0	0.0	3.1	0.1	0.4	0.3	36.2	0.0	1.1	99.2
AAS62-27-P47	Barred	0.0	29.0	3.5	43.4	0.0	0.0	0.0	1.9	0.2	0.4	0.3	19.4	0.0	0.0	98.1
AAS62-27-P49	Barred	0.0	22.8	2.9	38.8	0.0	0.0	0.0	2.5	0.1	0.3	0.3	30.6	0.0	1.2	99.5
AAS62-27-P54	Barred	0.0	19.8	3.7	36.1	0.0	0.0	0.0	2.6	0.2	0.4	0.3	36.3	0.0	0.7	100.0
AAS62-27-P58	Barred	0.1	30.7	0.6	37.0	0.0	0.0	0.0	0.2	0.1	0.1	0.2	29.0	0.0	0.0	97.8
AAS62-27-P6	Barred	0.0	24.7	2.7	39.8	0.0	0.0	0.0	1.1	0.1	0.6	0.4	29.8	0.0	0.0	99.3
AAS62-27-P60	Barred	0.0	36.8	2.3	39.0	0.0	0.0	0.0	2.0	0.2	0.0	0.1	18.0	0.0	0.1	98.6
AAS62-27-P65	Barred	0.0	24.0	2.7	34.2	0.0	0.0	0.0	1.6	0.1	0.7	0.2	35.4	0.0	0.3	99.3
AAS62-27-P67	Barred	0.0	41.5	0.2	39.2	0.0	0.0	0.0	0.6	0.0	0.4	0.4	17.3	0.0	0.0	99.6
AAS62-27-P70	Barred	0.0	25.5	2.9	39.4	0.0	0.0	0.0	1.7	0.2	0.1	0.3	29.3	0.0	0.1	99.5
AAS62-27-P82	Barred	0.0	22.4	2.9	37.6	0.0	0.0	0.0	0.2	0.1	0.5	0.4	36.2	0.0	0.1	100.4
AAS62-27-P83	Barred	0.0	29.0	1.7	35.6	0.0	0.0	0.0	2.0	0.2	0.1	0.2	32.1	0.0	0.0	101.0
AAS62-27-P90	Barred	0.1	25.2	0.4	37.0	0.0	0.0	0.0	0.3	0.1	0.6	0.3	33.5	0.0	0.1	97.4
AAS62-31-P1	Barred	0.0	27.7	3.5	39.0	0.0	0.0	0.0	2.2	0.2	0.1	0.3	25.4	0.0	0.0	98.4
AAS62-31-P11	Barred	0.1	23.4	0.5	36.6	0.0	0.0	0.0	0.1	0.1	0.3	0.2	36.9	0.0	0.1	98.4
AAS62-31-P12	Barred	0.0	24.3	2.3	38.6	0.0	0.0	0.0	2.0	0.1	0.4	0.4	29.7	0.0	1.2	99.0
AAS62-31-P13	Barred	0.0	19.0	2.5	31.7	0.0	0.0	0.0	1.6	0.1	0.4	0.4	43.6	0.0	0.1	99.3
AAS62-31-P16	Barred	0.0	26.5	2.5	34.8	0.0	0.0	0.0	1.2	0.1	0.1	0.2	31.0	0.0	0.7	97.2
AAS62-31-P2	Barred	0.0	31.1	2.5	42.8	0.0	0.0	0.0	1.4	0.1	0.0	0.3	19.8	0.0	0.3	98.4
AAS62-31-P20	Barred	0.0	38.8	0.2	39.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	20.9	0.0	0.0	99.3
AAS62-31-P26	Barred	0.0	23.0	2.9	37.2	0.0	0.0	0.0	1.0	0.1	0.4	0.3	32.7	0.0	1.3	98.8
AAS62-31-P33	Barred	0.0	21.4	3.5	36.4	0.0	0.0	0.0	2.5	0.2	0.2	0.3	33.3	0.0	0.4	98.2
AAS62-31-P38	Barred	0.0	25.7	2.8	41.6	0.0	0.0	0.0	1.5	0.1	0.2	0.4	25.1	0.0	0.8	98.3
AAS62-31-P40	Barred	0.0	8.7	1.2	17.8	0.0	0.0	0.0	0.7	0.0	0.1	0.0	68.8	0.0	0.1	97.5
AAS62-4-P1	Barred	0.0	28.2	2.8	40.4	0.0	0.0	0.0	2.3	0.1	0.5	0.5	23.6	0.0	0.1	98.5
AAS62-4-P102	Barred	0.1	19.0	1.6	28.4	0.0	0.0	0.0	0.2	0.1	0.4	0.2	48.1	0.0	1.1	99.0
AAS62-4-P113	Barred	0.0	27.5	7.7	35.5	0.0	0.0	0.1	0.4	0.1	0.8	0.3	26.2	0.0	0.1	98.5
AAS62-4-P116	Barred	0.0	26.0	2.7	36.9	0.0	0.0	0.0	1.7	0.1	0.6	0.3	31.3	0.0	0.0	99.6
AAS62-4-P13	Barred	0.0	31.1	3.6	41.3	0.0	0.0	0.0	3.2	0.2	0.0	0.3	20.2	0.0	0.0	99.9
AAS62-4-p17	Barred	0.0	31.2	4.3	35.6	0.0	0.0	0.0	0.1	0.1	0.4	0.1	25.4	0.0	1.1	98.3
AAS62-4-p24	Barred	0.0	28.8	2.2	33.8	0.0	0.0	0.0	0.9	0.1	0.5	0.2	31.1	0.0	1.4	99.0

AAS62-4-p26	Barred	0.0	26.0	2.7	37.7	0.0	0.0	0.0	1.9	0.2	0.6	0.3	29.8	0.0	0.0	99.1
AAS62-4-P4	Barred	0.0	25.2	2.3	37.3	0.0	0.0	0.0	1.4	0.1	0.4	0.3	31.8	0.0	0.0	98.8
AAS62-4-p42	Barred	0.0	23.3	2.6	33.6	0.0	0.0	0.0	1.7	0.1	0.5	0.3	33.9	0.0	1.3	97.4
AAS62-4-p45	Barred	0.0	26.9	3.3	38.8	0.0	0.0	0.0	0.2	0.1	0.1	0.3	29.3	0.0	0.0	99.2
AAS62-4-P5	Barred	0.0	27.9	2.7	37.2	0.0	0.0	0.0	1.7	0.1	0.6	0.4	27.8	0.0	0.0	98.5
AAS62-4-p55	Barred	0.0	26.3	1.0	31.1	0.0	0.0	0.1	0.2	0.1	0.5	0.3	37.8	0.0	1.3	98.5
AAS62-4-p60	Barred	0.0	24.9	4.6	33.8	0.0	0.0	0.1	0.7	0.1	0.7	0.3	31.2	0.0	1.4	97.6
AAS62-4-p63	Barred	0.0	16.2	2.3	26.6	0.0	0.0	0.0	0.6	0.1	0.4	0.1	51.8	0.0	0.1	98.1
AAS62-4-P71	Barred	0.1	28.2	3.2	42.6	0.0	0.0	0.0	1.5	0.1	0.7	0.3	21.1	0.0	0.0	97.9
AAS62-4-P73	Barred	0.0	22.5	3.2	34.9	0.0	0.0	0.0	3.2	0.1	0.4	0.3	33.2	0.0	1.2	99.0
AAS62-4-P74	Barred	0.0	23.4	4.1	34.2	0.0	0.0	0.0	2.1	0.2	0.4	0.3	33.9	0.0	1.1	99.7
AAS62-4-P75	Barred	0.0	27.4	1.6	37.0	0.0	0.0	0.0	0.4	0.1	0.7	0.3	30.6	0.0	0.2	98.3
AAS62-4-P91	Barred	0.0	24.2	3.5	35.1	0.0	0.0	0.0	5.9	0.1	0.2	0.2	28.8	0.0	0.4	98.4
AAS62-34-p17	Barred	0.1	25.1	1.8	32.2	0.0	0.0	0.0	1.1	0.1	0.4	0.2	38.2	0.0	1.3	100.5
AAS62-34-p25	Barred	0.1	1.1	0.2	1.4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	87.5	0.0	8.7	99.1
AAS62-34-p38	Barred	0.0	32.6	1.7	31.1	0.0	0.0	0.0	0.8	0.1	0.6	0.2	29.9	0.0	1.1	98.2
AAS62-34-p44	Barred	0.0	31.1	2.6	38.7	0.0	0.0	0.0	0.7	0.1	0.3	0.2	23.9	0.0	2.1	99.7
AAS62-34-p46	Barred	0.1	27.6	1.3	32.7	0.0	0.0	0.0	0.6	0.1	0.6	0.3	36.5	0.0	0.3	100.1
AAS62-34-p51	Barred	0.0	23.9	2.9	37.5	0.0	0.0	0.0	2.5	0.1	0.3	0.3	31.3	0.0	0.9	99.8
AAS62-34-p53	Barred	0.0	27.8	1.5	30.7	0.0	0.0	0.0	0.4	0.1	0.8	0.2	37.4	0.0	1.6	100.4
AAS62-34-p55	Barred	0.1	30.6	0.5	34.7	0.0	0.0	0.1	0.5	0.1	0.6	0.3	32.1	0.0	1.8	101.4
AAS62-34-p62	Barred	0.0	34.1	0.0	40.2	0.0	0.0	0.0	0.1	0.0	0.2	0.2	22.5	0.0	1.3	98.7
AAS62-34-p66	Barred	0.1	31.1	0.8	33.1	0.0	0.0	0.0	0.1	0.1	1.2	0.2	32.0	0.0	1.9	100.5
AAS62-34-p72	Barred	0.1	19.2	0.9	30.7	0.0	0.0	0.0	0.1	0.2	0.4	0.3	46.5	0.0	1.1	99.3
AAS62-34-p74	Barred	0.0	27.4	1.7	27.9	0.0	0.0	0.0	0.2	0.1	1.3	0.2	40.8	0.0	1.6	101.2
AAS62-34-p80	Barred	0.0	29.0	4.1	38.6	0.0	0.0	0.0	2.5	0.2	0.1	0.2	25.7	0.0	0.0	100.4
AAS62-34-p87	Barred	0.0	21.0	0.1	36.6	0.0	0.0	0.0	0.1	0.0	0.3	0.3	41.0	0.0	0.1	99.6
AAS62-34-p82	Barred	0.0	21.2	3.0	39.2	0.0	0.0	0.0	3.4	0.1	0.2	0.3	30.7	0.0	1.2	99.1
AAS62-34-p84	Barred	0.0	23.6	3.5	40.0	0.0	0.0	0.0	3.3	0.2	0.2	0.3	28.8	0.0	0.7	100.4
AAS62-34-p89	Barred	0.0	30.2	1.1	35.1	0.0	0.0	0.0	0.2	0.1	1.0	0.2	33.4	0.0	0.3	101.8
AAS62-34-p111	Barred	0.0	33.2	0.4	40.5	0.0	0.0	0.0	0.2	0.1	0.5	0.3	24.3	0.0	1.7	101.2
AAS62-34-p109	Barred	0.1	28.1	0.6	32.7	0.0	0.0	0.0	0.3	0.0	0.4	0.2	35.5	0.0	2.3	100.2
AAS62-34-p103	Barred	0.0	30.8	1.0	29.0	0.0	0.0	0.0	0.2	0.1	0.4	0.2	36.4	0.0	2.1	100.3

AAS62-34-p99	Barred	0.1	31.0	0.5	37.3	0.0	0.0	0.0	0.2	0.1	0.4	0.3	29.0	0.0	1.9	100.5
AAS62-34-p100	Barred	0.1	25.3	0.3	38.1	0.0	0.0	0.0	0.2	0.0	0.3	0.4	35.6	0.0	0.0	100.3
AAS62-34-p101	Barred	0.0	29.0	0.7	36.2	0.0	0.0	0.0	0.2	0.1	0.2	0.2	32.8	0.0	0.8	100.4
AAS62-34-p122	Barred	0.0	27.2	1.0	36.5	0.0	0.0	0.0	0.7	0.1	0.1	0.3	33.2	0.0	0.6	99.7
AAS62-34-p121	Barred	0.0	26.4	3.7	35.5	0.0	0.0	0.0	2.0	0.2	0.3	0.3	30.4	0.0	0.8	99.4
AAS62-34-p122	Barred	0.0	22.2	3.1	38.6	0.0	0.0	0.0	2.3	0.1	0.4	0.3	31.1	0.0	1.1	99.5
AAS62-34-p121	Barred	0.0	26.4	3.7	35.5	0.0	0.0	0.0	2.0	0.2	0.3	0.3	30.4	0.0	0.8	99.4
AAS62-34-p120	Barred	0.0	22.2	3.1	38.6	0.0	0.0	0.0	2.3	0.1	0.4	0.3	31.1	0.0	1.1	99.5
AAS62-34-p119	Barred	0.0	26.9	2.5	43.0	0.0	0.0	0.0	0.8	0.1	0.4	0.4	25.4	0.0	0.0	99.5
AAS62-34-p116	Barred	0.1	31.1	0.2	42.5	0.0	0.0	0.0	0.2	0.1	0.2	0.2	25.0	0.0	0.8	100.3
AAS62-34-p115	Barred	0.1	31.6	0.4	34.7	0.0	0.0	0.0	0.1	0.1	0.3	0.1	32.8	0.0	0.8	101.1
AAS62-34-p114	Barred	0.1	34.3	1.6	39.9	0.0	0.0	0.0	0.6	0.2	0.7	0.4	22.3	0.0	0.2	100.1
AAS62-34-p112	Barred	0.0	25.1	3.8	39.4	0.0	0.0	0.0	3.0	0.2	0.2	0.3	29.0	0.0	0.0	100.9
P3	Barred	0.0	21.8	2.8	35.2	0.0	0.0	0.0	1.3	0.0	0.3	0.3	37.0	0.1	1.1	99.9
P17	Barred	0.0	29.2	2.8	44.8	0.1	0.1	0.0	2.0	0.0	0.5	0.3	17.3	0.0	0.0	97.0
P22	Barred	0.0	20.3	2.6	34.2	0.1	0.0	0.0	1.0	0.0	0.4	0.2	40.3	0.2	0.9	100.0
P30	Barred	0.0	31.3	2.2	38.5	0.0	0.0	0.0	2.3	0.0	0.1	0.3	25.8	0.1	1.3	101.9
P34	Barred	0.0	16.3	2.6	26.5	0.0	1.8	0.0	1.7	0.0	0.4	0.3	44.1	0.5	11.7	105.9
P42	Barred	0.0	28.2	2.0	37.2	0.2	0.4	0.0	4.1	0.0	0.4	0.3	26.5	0.0	0.1	99.3
P45	Barred	0.0	22.6	0.0	34.8	0.0	0.0	0.0	0.1	0.0	0.1	0.3	43.2	0.0	0.0	101.2
P49	Barred	0.0	26.8	3.4	46.2	0.1	0.1	0.0	1.3	0.0	0.7	0.4	20.7	0.0	0.0	99.5
P55	Barred	0.0	22.3	2.9	36.6	0.0	0.0	0.0	2.2	0.0	0.1	0.2	30.7	0.2	3.0	98.3
P57	Barred	0.0	22.1	2.4	29.9	0.2	0.0	0.0	1.7	0.0	0.4	0.2	39.2	0.1	1.9	98.2
P58	Barred	0.0	23.1	2.4	38.0	0.0	0.0	0.0	1.7	0.0	0.2	0.4	31.1	0.0	0.5	97.4
P63	Barred	0.0	30.5	1.9	42.9	0.0	0.0	0.0	0.1	0.0	0.8	0.4	22.9	0.0	0.0	99.5
P70	Barred	0.0	20.6	4.3	41.9	0.1	0.4	0.0	2.3	0.0	0.6	0.4	26.5	0.0	0.0	97.1
P84	Barred	0.0	22.9	2.3	36.2	0.6	0.0	0.0	1.7	0.0	0.4	0.3	35.6	0.0	0.0	100.1
P119	Barred	0.0	31.6	3.5	45.9	0.0	0.0	0.0	2.8	0.0	0.4	0.3	13.6	0.0	0.0	98.2
P126	Barred	0.0	25.6	2.5	36.8	0.1	0.0	0.0	1.7	0.0	0.7	0.4	26.6	0.1	1.1	95.6
P153	Barred	0.0	19.6	2.6	30.2	0.1	0.0	0.0	2.5	0.0	0.3	0.2	43.6	0.1	0.6	99.9
P157	Barred	0.0	19.2	2.3	35.2	0.1	9.7	0.0	0.9	0.0	0.6	0.2	33.6	0.1	4.0	105.7
P172	Barred	0.0	39.6	0.2	50.1	0.0	0.0	0.0	0.1	0.0	0.2	0.3	8.7	0.0	0.1	99.3
P192	Barred	0.0	34.0	0.9	38.1	0.0	0.0	0.0	0.3	0.0	0.3	0.2	23.3	0.0	2.0	99.1

P202	Barred	0.0	21.6	2.9	35.0	0.1	0.0	0.0	7.4	0.1	0.3	0.3	30.6	0.0	0.4	98.6
P203	Barred	0.0	27.9	1.3	36.1	0.2	0.0	0.0	1.0	0.0	0.5	0.2	24.7	0.1	4.5	96.5
P215	Barred	0.0	23.6	3.1	42.6	0.3	0.0	0.0	2.8	0.0	0.7	0.5	24.6	0.0	0.0	98.2
P236	Barred	0.0	22.3	1.9	36.6	0.0	0.0	0.0	1.6	0.0	0.1	0.2	33.4	0.1	0.2	96.3
P237	Barred	0.0	24.7	1.1	41.7	0.1	0.0	0.0	1.2	0.0	0.2	1.1	28.1	0.0	0.2	98.5
P238	Barred	0.0	24.4	1.7	33.5	0.1	1.5	0.0	2.0	0.0	0.4	0.3	30.2	0.0	1.2	95.3
P267	Barred	0.0	17.6	3.2	33.0	0.0	0.0	0.0	3.2	0.0	0.2	0.2	38.8	0.0	0.2	96.5
P268	Barred	0.0	19.6	3.6	32.9	0.1	0.0	0.0	1.5	0.0	0.3	0.2	38.6	0.1	1.7	98.7
P273	Barred	0.0	25.2	2.3	35.5	0.1	0.0	0.0	3.0	0.0	0.4	0.3	29.9	0.1	1.1	97.9
P326	Barred	0.0	20.5	2.7	37.2	0.0	0.0	0.0	2.1	0.0	0.1	0.4	31.0	0.0	0.4	94.4
P369	Barred	0.0	24.4	2.0	32.6	0.0	0.0	0.0	1.2	0.0	0.4	0.2	35.9	0.1	1.6	98.4
P371	Barred	0.0	24.0	2.6	36.0	0.0	0.0	0.0	0.1	0.0	0.2	0.1	32.4	0.0	0.8	96.3
P380	Barred	0.0	26.3	2.2	32.2	0.0	0.0	0.0	1.8	0.0	0.2	0.2	35.2	0.0	0.9	99.0
P384	Barred	0.1	30.9	0.3	45.7	0.0	0.0	0.0	0.3	0.0	0.3	0.4	18.2	0.0	0.0	96.2
P393	Barred	0.0	21.3	2.9	31.9	0.0	0.0	0.0	2.9	0.0	0.2	0.2	34.6	0.0	0.6	94.6
P405	Barred	0.0	29.3	3.6	45.3	0.0	0.0	0.0	3.2	0.0	0.4	0.4	14.4	0.0	0.1	96.8
P452	Barred	0.0	22.7	3.2	35.6	0.0	0.0	0.0	4.0	0.0	0.1	0.2	30.4	0.0	0.0	96.2
P455	Barred	0.0	17.3	3.3	33.3	0.0	0.0	0.0	1.5	0.0	0.3	0.3	38.5	0.1	1.0	95.5
P462	Barred	0.0	22.8	2.0	32.1	0.1	0.0	0.0	3.0	0.0	0.3	0.3	35.0	0.0	0.5	96.2
P474	Barred	0.0	22.9	3.2	36.1	0.0	0.0	0.0	1.9	0.0	0.3	0.3	32.6	0.0	1.5	98.8
P484	Barred	0.0	23.5	2.6	34.3	0.0	0.0	0.0	2.1	0.0	0.2	0.3	31.3	0.1	2.9	97.1
P489	Barred	0.0	27.0	2.7	39.1	0.0	0.0	0.0	2.5	0.0	0.3	0.1	25.6	0.0	0.2	97.7
P496	Barred	0.0	24.6	2.3	34.1	0.0	0.0	0.0	1.9	0.0	0.2	0.2	31.9	0.1	1.6	97.0
P503	Barred	0.0	26.2	2.9	36.2	0.0	0.0	0.0	2.8	0.0	0.1	0.2	28.6	0.0	0.1	97.2
P513	Barred	0.0	36.2	2.0	30.0	0.0	0.0	0.0	1.2	0.0	0.4	0.4	26.2	0.1	0.8	97.3
P523	Barred	0.0	21.8	2.9	28.4	0.0	0.0	0.0	1.2	0.0	0.2	0.2	42.0	0.0	0.9	97.8
P526	Barred	0.0	26.6	0.8	37.4	0.0	0.0	0.0	1.0	0.0	0.1	0.4	31.6	0.0	0.1	98.1
P536	Barred	0.0	29.2	1.7	31.5	0.0	0.0	0.0	1.3	0.0	0.2	0.0	32.2	0.1	1.0	97.2
P542	Barred	0.0	26.6	2.6	39.0	0.0	0.0	0.0	2.7	0.0	0.4	0.4	25.8	0.0	0.2	97.7
P543	Barred	0.0	24.5	2.4	35.7	0.0	0.0	0.0	0.9	0.0	0.5	0.3	34.0	0.0	0.0	98.4
P550	Barred	0.0	25.9	2.8	40.3	0.0	0.0	0.0	2.5	0.0	0.4	0.4	25.2	0.0	0.0	97.6
P553	Barred	0.0	28.6	2.6	42.2	0.0	0.0	0.0	2.1	0.0	0.3	0.5	19.8	0.1	0.5	96.6
P554	Barred	0.0	28.4	1.9	38.1	0.0	0.0	0.0	1.8	0.0	0.4	0.3	27.8	0.0	0.1	99.0

P555	Barred	0.0	26.1	1.1	42.2	0.0	0.0	0.0	1.5	0.0	0.0	0.2	22.9	0.1	3.8	98.1
P593	Barred	0.0	27.2	1.9	42.1	0.1	0.0	0.0	1.7	0.0	0.4	0.4	24.0	0.0	0.0	97.9
P654	Barred	0.0	35.8	0.4	48.8	0.0	0.0	0.0	0.3	0.0	0.4	0.3	15.7	0.0	0.0	101.8
P655	Barred	0.0	24.1	2.4	33.0	0.0	0.0	0.0	0.3	0.0	0.2	0.1	37.7	0.0	0.1	97.8
P660	Barred	0.0	27.8	2.3	38.3	0.0	0.0	0.0	1.8	0.0	0.1	0.3	26.6	0.0	0.1	97.3
P674	Barred	0.0	26.7	0.6	32.0	0.0	0.0	0.0	1.5	0.0	0.3	0.2	33.7	0.1	1.2	96.2
P677	Barred	0.0	20.2	2.6	33.5	0.0	0.0	0.0	3.4	0.0	0.3	0.2	34.6	0.0	1.1	96.0
P711	Barred	0.0	23.3	2.1	38.9	0.1	0.0	0.0	10.7	0.0	0.2	0.2	22.6	0.1	0.9	99.1
P713	Barred	0.0	26.0	3.1	40.1	0.0	0.0	0.0	1.6	0.0	0.1	0.4	25.8	0.1	0.8	98.1
P714	Barred	0.0	20.5	4.0	31.1	0.0	0.0	0.0	3.2	0.0	0.1	0.1	35.9	0.1	0.5	95.6
P716	Barred	0.0	23.2	2.8	35.4	0.0	0.0	0.0	1.4	0.0	0.2	0.2	35.0	0.0	1.3	99.6
P718	Barred	0.0	18.5	2.5	31.2	0.0	0.0	0.0	3.6	0.0	0.4	0.2	38.1	0.1	3.3	98.0
P731	Barred	0.0	21.3	3.0	34.9	0.0	0.0	0.0	0.8	0.0	0.3	0.2	34.7	0.1	1.6	97.0
P748	Barred	0.0	20.8	3.4	35.8	0.0	0.0	0.0	2.7	0.0	0.1	0.2	34.0	0.0	0.1	97.0
P755	Barred	0.0	24.7	2.5	37.3	0.0	0.0	0.0	0.9	0.0	0.4	0.3	31.2	0.0	0.0	97.4
P764	Barred	0.0	27.9	2.9	39.1	0.0	0.0	0.0	2.8	0.0	0.0	0.2	25.4	0.0	0.0	98.4
P771	Barred	0.0	27.7	1.1	34.5	0.0	0.0	0.0	1.6	0.0	0.2	0.1	32.1	0.0	0.5	98.0
P783	Barred	0.0	23.5	2.0	33.3	0.0	0.0	0.0	2.1	0.0	0.3	0.2	32.0	0.1	1.9	95.6
P798	Barred	0.0	23.0	2.5	30.0	0.0	0.0	0.0	2.0	0.0	0.3	0.2	39.1	0.0	0.8	98.0
P807	Barred	0.0	20.1	3.1	38.5	0.0	0.0	0.0	0.8	0.0	0.3	0.2	32.6	0.1	1.2	97.0
P809	Barred	0.0	22.2	3.6	36.4	0.0	0.0	0.0	3.0	0.0	0.0	0.2	32.4	0.0	0.0	97.9
P812	Barred	0.0	28.7	1.9	40.5	0.0	0.0	0.0	2.1	0.0	0.1	0.3	25.4	0.0	0.0	99.0
P813	Barred	0.0	21.6	2.1	29.0	0.0	0.0	0.0	0.6	0.0	0.2	0.2	41.9	0.0	1.3	97.1
P814	Barred	0.0	28.2	2.1	37.3	0.0	0.0	0.0	1.8	0.0	0.1	0.4	26.6	0.0	0.5	97.0
P815	Barred	0.0	20.1	3.0	32.9	0.0	0.0	0.0	4.0	0.0	0.2	0.2	36.4	0.0	0.7	97.6
P819	Barred	0.0	24.3	2.5	36.1	0.0	0.0	0.0	5.6	0.0	0.3	0.3	29.2	0.0	1.1	99.5
P822	Barred	0.0	34.3	2.6	41.8	0.0	0.0	0.0	0.0	0.0	0.1	0.2	19.4	0.0	0.0	98.4
P828	Barred	0.0	45.5	7.0	41.3	0.0	0.0	0.0	5.4	0.0	0.0	0.0	0.1	0.0	0.0	99.4
P842	Barred	0.0	20.3	2.9	35.0	0.0	0.0	0.0	1.0	0.0	0.2	0.5	35.8	0.0	0.6	96.3
P846	Barred	0.0	28.8	0.5	37.4	0.0	0.0	0.0	0.4	0.0	0.2	0.5	28.4	0.0	0.3	96.5
P848	Barred	0.0	33.8	2.4	38.0	0.0	0.0	0.0	14.4	0.0	0.0	0.4	8.9	0.0	0.0	98.0
P860	Barred	0.0	27.0	2.2	35.5	0.0	0.0	0.0	2.1	0.0	0.3	0.2	29.9	0.1	1.6	98.8
P862	Barred	0.0	24.2	2.6	37.7	0.0	0.0	0.0	1.7	0.0	0.4	0.3	28.8	0.0	1.2	97.0

P868	Barred	1.4	31.7	1.2	46.6	0.1	0.0	0.2	0.8	0.0	0.5	0.6	12.3	0.0	0.0	95.6
P884	Barred	0.0	33.1	2.9	41.6	0.0	0.0	0.0	2.4	0.0	0.0	0.2	18.5	0.0	0.0	98.9
P886	Barred	0.0	25.5	2.1	36.6	0.0	0.0	0.0	1.7	0.0	0.2	0.4	29.8	0.0	0.2	96.6
P895	Barred	0.6	30.1	0.0	46.5	0.0	0.0	0.1	0.0	0.0	0.4	0.4	20.9	0.0	0.0	99.0
P897	Barred	0.0	21.1	1.0	31.5	0.0	0.0	0.0	0.9	0.0	0.0	0.2	44.4	0.1	0.2	99.4
P910	Barred	0.4	28.8	3.5	49.1	0.0	0.0	0.0	3.0	0.0	0.3	0.5	11.6	0.0	0.0	97.3
P922	Barred	0.0	23.4	1.9	29.4	0.0	0.0	0.0	1.7	0.0	0.2	0.1	41.5	0.1	0.2	98.6
P923	Barred	0.0	25.4	2.7	36.3	0.0	0.0	0.0	3.1	0.0	0.2	0.2	27.9	0.0	0.8	96.7
P940	Barred	0.0	27.4	1.3	35.7	0.0	0.0	0.0	0.7	0.0	0.4	0.4	33.1	0.0	0.3	99.2
P943	Barred	0.0	22.6	2.7	36.4	0.0	0.0	0.0	1.9	0.0	0.4	0.3	31.3	0.1	1.0	96.5
P953	Barred	0.0	21.3	1.6	31.0	0.0	0.0	0.0	0.8	0.0	0.4	0.3	44.4	0.0	0.0	100.0
P960	Barred	0.0	26.1	2.7	43.4	0.0	0.0	0.0	2.4	0.0	0.3	0.4	23.0	0.0	0.0	98.4
P977	Barred	0.1	23.3	0.4	47.9	0.0	0.0	0.0	0.4	0.0	0.4	0.7	24.9	0.0	0.0	98.1
P987	Barred	0.2	27.6	2.8	45.4	0.0	0.0	0.0	2.8	0.0	0.2	0.4	18.6	0.0	0.0	98.1
P988	Barred	0.0	19.6	2.8	33.5	0.0	0.0	0.0	1.0	0.0	0.1	0.2	39.7	0.0	0.4	97.3
P995	Barred	0.0	28.4	2.6	38.5	0.0	0.0	0.0	1.9	0.0	0.1	0.4	26.0	0.0	0.0	98.0
P1001	Barred	0.0	23.7	2.3	35.2	0.0	0.0	0.0	1.8	0.0	0.3	0.3	31.7	0.1	1.8	97.1
P1026	Barred	0.0	33.3	2.2	40.2	0.0	0.0	0.0	1.7	0.0	0.2	0.2	18.3	0.0	0.1	96.3
P1034	Barred	0.0	31.2	1.7	35.5	0.0	0.0	0.0	1.7	0.0	0.3	0.2	26.1	0.1	1.1	98.0
P1038	Barred	0.0	19.0	4.4	39.6	0.0	0.2	0.0	3.3	0.0	0.4	0.4	29.4	0.0	0.0	96.6
P1050	Barred	0.0	19.1	2.4	35.0	0.0	0.0	0.0	1.4	0.0	0.3	0.3	39.6	0.0	0.1	98.5
P1058	Barred	0.0	24.9	1.6	36.4	0.0	0.0	0.0	1.0	0.0	0.3	0.4	30.7	0.0	0.4	95.7
P1065	Barred	0.2	32.6	1.2	48.7	0.0	0.0	0.0	0.5	0.0	0.0	0.4	13.8	0.0	0.2	97.8
P1068	Barred	0.3	32.9	1.8	43.4	0.0	0.0	0.1	1.0	0.0	0.0	0.4	16.8	0.0	0.0	96.8
P1071	Barred	0.0	22.0	2.9	41.6	0.0	0.0	0.0	2.9	0.0	0.3	0.2	27.9	0.0	0.0	97.9
P1074	Barred	0.0	21.9	2.6	35.3	0.0	0.0	0.0	3.4	0.0	0.2	0.3	32.6	0.1	1.0	97.4
P1088	Barred	0.0	19.4	3.8	35.2	0.0	0.0	0.0	2.2	0.0	0.2	0.3	36.6	0.0	0.9	98.7
P1101	Barred	0.0	26.4	2.3	37.2	0.0	0.0	0.0	1.5	0.0	0.1	0.3	26.9	0.0	0.6	95.4
P1104	Barred	0.0	22.8	2.3	31.6	0.0	0.0	0.0	2.2	0.0	0.2	0.2	36.2	0.0	0.9	96.5
P1106	Barred	0.0	25.2	0.4	39.3	0.0	0.0	0.0	0.4	0.0	0.1	0.6	33.6	0.0	0.0	99.6
P1118	Barred	0.0	27.3	0.3	34.0	0.0	0.0	0.0	0.4	0.0	0.1	0.4	35.5	0.0	0.5	98.5
P1122	Barred	0.0	16.0	2.8	30.2	0.0	0.0	0.0	3.2	0.0	0.2	0.2	40.3	0.0	1.1	94.1
P1135	Barred	0.4	26.7	0.3	38.9	0.1	0.0	0.1	0.4	0.0	0.3	0.4	31.2	0.0	0.0	98.8

P1156	Barred	0.0	41.2	7.9	40.6	0.0	0.0	0.0	6.0	0.0	0.0	0.0	0.1	0.0	0.1	96.0
P1159	Barred	0.0	20.8	2.5	31.2	0.0	0.0	0.0	1.2	0.0	0.3	0.2	39.7	0.1	0.2	96.2
P1161	Barred	0.0	31.7	0.3	32.9	0.0	0.0	0.0	0.3	0.0	0.2	0.2	29.0	0.0	0.7	95.4
P1170	Barred	0.0	24.3	0.9	49.9	0.0	0.0	0.0	1.2	0.0	0.7	0.4	20.3	0.0	0.3	97.9
P1174	Barred	0.0	28.0	2.8	42.6	0.0	0.0	0.0	2.1	0.0	0.5	0.5	19.7	0.0	0.0	96.3
P1176	Barred	0.0	23.8	2.7	38.8	0.0	0.1	0.0	2.0	0.0	0.4	0.5	26.3	0.1	1.6	96.4
P1179	Barred	0.0	28.2	2.2	40.3	0.0	0.0	0.0	1.7	0.0	0.3	0.4	23.0	0.1	1.4	97.5
P1186	Barred	0.0	27.4	2.5	35.5	0.0	0.0	0.0	2.1	0.0	0.1	0.2	30.9	0.0	0.1	98.7
P1205	Barred	0.0	25.9	1.9	37.4	0.0	0.0	0.0	1.2	0.0	0.1	0.4	31.3	0.0	0.1	98.2
MS-I2 P135A	Barred	0.0	20.6	3.3	35.6	0.1	0.1	0.0	3.6	0.1	0.4	0.3	34.6	0.0	0.0	98.7
MS-I2 P296	Barred	0.0	29.0	2.1	38.9	0.1	0.0	0.0	9.4	0.1	0.4	0.4	17.5	0.0	0.0	97.9
MS-I2 P300	Barred	0.0	25.4	2.9	40.9	0.0	0.0	0.0	1.6	0.1	0.4	0.4	28.3	0.0	0.1	100.1
MS-I2 P326	Barred	0.0	16.3	1.7	34.3	0.0	0.0	0.0	5.2	0.2	0.2	0.3	39.2	0.0	0.4	97.9
MS-I2 P328	Barred	0.0	24.8	0.2	35.2	0.1	0.1	0.0	2.4	0.1	0.2	0.2	33.8	0.1	1.5	98.7
MS-I2 P343	Barred	0.0	34.3	0.0	38.4	0.1	0.0	0.0	1.8	0.1	0.2	0.2	20.4	0.0	1.0	96.4
MS-I2 P382	Barred	0.0	21.0	1.7	35.5	0.1	0.0	0.0	2.2	0.1	0.3	0.3	36.9	0.1	1.0	99.0
MS-I2 P391	Barred	0.0	23.6	2.9	35.0	0.1	0.0	0.0	4.4	0.1	0.2	0.2	32.6	0.0	0.5	99.7
MS-I2 P392	Barred	0.0	27.8	1.6	37.7	0.0	0.0	0.0	2.2	0.1	0.2	0.2	29.0	0.0	0.0	98.8
MS-I2 P452	Barred	0.0	16.0	4.4	32.8	0.2	0.0	0.0	1.8	0.1	0.3	0.2	45.5	0.1	1.0	102.4
MS-I2 P490	Barred	0.0	19.3	2.6	36.0	0.0	0.0	0.0	3.4	0.1	0.3	0.2	37.5	0.1	0.4	100.1
MS-I2 P493	Barred	0.0	27.7	1.4	37.0	0.2	0.0	0.0	1.1	0.1	0.5	0.3	31.7	0.0	0.5	100.6
MS-I2 P502	Barred	0.0	25.2	3.6	37.5	0.1	0.0	0.0	1.3	0.1	0.4	0.3	30.0	0.1	1.2	99.8
MS-I2 P507	Barred	0.0	28.3	3.8	40.3	0.0	0.0	0.0	2.7	0.1	0.0	0.2	21.7	0.0	0.0	97.1
MS-I2 P515	Barred	0.0	18.9	2.1	37.3	0.1	0.0	0.0	3.5	0.2	0.3	0.1	37.3	0.0	0.1	99.8
MS-I3-P3	Barred	0.0	33.0	1.9	43.7	0.0	0.0	0.0	1.5	0.1	0.3	0.4	20.2	0.0	0.8	102.0
MS-I3-P5	Barred	0.0	20.5	2.6	33.2	0.1	0.0	0.0	1.7	0.1	0.4	0.2	40.2	0.1	1.0	100.3
MS-I3-P6	Barred	0.0	21.3	3.0	34.2	0.1	0.0	0.0	1.7	0.1	0.4	0.3	39.3	0.1	1.3	101.8
MS-I3-P8	Barred	0.0	33.6	2.3	43.1	0.0	0.0	0.0	1.9	0.1	0.3	0.2	19.1	0.1	0.3	101.1
MS-I3-P9	Barred	0.0	20.6	7.6	33.9	0.1	0.0	0.0	2.2	0.3	0.3	0.2	34.5	0.1	0.5	100.4
MS-I3-P20	Barred	0.0	28.1	3.1	43.5	0.0	0.0	0.0	2.1	0.1	0.2	0.4	24.4	0.1	0.0	102.0
MS-I3-P21	Barred	0.0	38.2	0.8	40.6	0.0	0.0	0.0	0.7	0.0	0.4	0.3	20.5	0.0	0.0	101.5
MS-I3-P22	Barred	0.0	23.4	2.8	34.9	0.0	0.0	0.0	1.5	0.1	0.5	0.3	36.3	0.1	1.4	101.3
MS-I3-P33	Barred	0.0	28.5	0.8	37.7	0.0	0.0	0.0	1.2	0.1	0.4	0.2	33.3	0.0	0.3	102.5

MS-I3-P39	Barred	0.0	21.7	7.8	42.9	0.0	0.0	0.0	5.1	0.3	0.3	0.8	24.0	0.0	0.0	102.9
MS-I3-P40	Barred	0.0	30.4	3.3	42.6	0.0	0.0	0.0	1.8	0.1	0.3	0.4	22.8	0.0	0.0	101.7
MS-I3-P42	Barred	0.0	24.3	2.3	38.1	0.1	0.0	0.0	1.0	0.1	0.4	0.4	34.8	0.0	0.0	101.4
MS-I3-P44	Barred	0.0	29.3	2.3	40.3	0.0	0.0	0.0	1.8	0.1	0.2	0.3	27.0	0.1	0.5	101.8
MS-I3-P51	Barred	0.0	24.7	3.6	32.8	0.1	0.0	0.0	1.4	0.1	0.5	0.3	38.2	0.0	0.1	101.7
MS-I3-P57	Barred	0.0	26.4	2.0	37.2	0.1	0.0	0.0	1.6	0.1	0.4	0.3	30.8	0.1	1.6	100.6
MS-I3-P60	Barred	0.0	28.6	2.0	38.7	0.1	0.0	0.0	2.4	0.0	0.3	0.3	26.6	0.1	1.3	100.4
MS-I3-P61	Barred	0.0	29.6	1.9	33.0	0.0	0.0	0.0	1.3	0.1	0.5	0.2	33.3	0.1	0.1	100.2
MS-I3-P65	Barred	0.0	18.5	2.6	35.6	0.0	0.0	0.0	0.5	0.1	0.4	0.2	42.0	0.1	0.7	100.7
MS-I3-P69	Barred	0.0	23.7	2.6	33.5	0.0	0.0	0.0	0.6	0.1	0.4	0.3	38.5	0.1	1.5	101.3
MS-I3-P73	Barred	0.0	18.0	2.8	34.4	0.1	0.0	0.0	3.8	0.1	0.4	0.4	39.0	0.1	1.1	100.2
MS-I3-P78	Barred	0.0	26.5	2.3	38.6	0.1	0.0	0.0	2.1	0.1	0.4	0.3	30.0	0.1	0.8	101.3
MS-I3-P101	Barred	0.0	19.0	3.2	33.3	0.1	0.0	0.0	1.7	0.1	0.5	0.3	41.8	0.1	1.7	101.8
MS-I3-P107	Barred	0.0	42.1	1.7	45.0	0.0	0.0	0.0	1.2	0.1	0.2	0.7	9.6	0.0	0.0	100.7
MS-I3-P113	Barred	0.0	26.0	1.5	39.8	0.1	0.0	0.0	1.9	0.0	0.2	0.2	30.1	0.2	1.2	101.2
MS-I3-P116	Barred	0.0	30.3	2.3	36.5	0.0	0.0	0.0	0.6	0.1	0.5	0.3	28.2	0.1	0.7	99.5
MS-I3-P118	Barred	0.0	21.7	2.8	36.6	0.1	0.0	0.0	1.7	0.1	0.3	0.3	36.4	0.1	1.5	101.6
MS-I3-P122	Barred	0.1	28.1	2.8	45.3	0.0	0.0	0.0	3.6	0.1	0.1	0.4	20.1	0.0	0.0	100.5
MS-I3-P124	Barred	0.0	13.2	4.1	34.0	0.1	0.0	0.0	1.0	0.2	0.3	0.2	47.0	0.1	1.1	101.3
MS-I3-P126	Barred	0.0	30.2	3.9	39.8	0.1	0.0	0.0	3.3	0.3	0.5	0.1	22.1	0.0	0.4	100.7
MS-I3-P129	Barred	0.0	29.1	1.6	37.5	0.0	0.0	0.0	1.3	0.1	0.3	0.2	26.9	0.1	3.1	100.1
MS-I3-P136	Barred	0.1	28.6	3.2	41.7	0.0	0.0	0.0	1.2	0.1	0.4	0.4	26.5	0.0	0.1	102.1
MS-I3-P141	Barred	0.0	17.2	3.3	34.5	0.0	0.0	0.0	4.0	0.1	0.3	0.3	40.4	0.1	0.5	100.8
MS-I3-P142	Barred	0.0	16.8	3.8	32.5	0.1	0.0	0.0	4.1	0.2	0.5	0.3	39.9	0.1	1.0	99.1
MS-I3-P148	Barred	0.0	33.3	2.3	43.6	0.0	0.0	0.0	2.2	0.1	0.1	0.2	18.0	0.1	0.7	100.6
MS-I3-P153	Barred	0.0	33.0	1.9	39.2	0.0	0.0	0.0	1.3	0.1	0.3	0.3	24.8	0.1	0.3	101.4
MS-I3-P157	Barred	0.1	30.5	1.6	35.2	0.0	0.0	0.0	0.0	0.0	0.3	0.3	30.6	0.1	0.9	99.5
MS-I3-P163	Barred	0.1	15.5	3.8	32.0	0.0	0.0	0.0	0.0	0.1	0.4	0.2	46.8	0.1	1.1	100.1
MS-I3-P165	Barred	0.0	26.4	3.8	37.6	0.0	0.0	0.0	0.0	0.0	0.1	0.3	32.7	0.0	0.0	101.0
MS-I3-P166	Barred	0.4	24.5	2.8	42.3	0.0	0.0	0.0	0.0	0.0	0.3	0.5	28.3	0.1	0.5	99.8
MS-I3-P185	Barred	0.0	27.4	1.9	37.4	0.0	0.0	0.0	0.0	0.0	0.5	0.3	33.1	0.1	0.5	101.2
MS-I3-P192	Barred	0.3	40.8	1.1	36.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3	21.1	0.0	0.1	100.5
MS-I3-P196	Barred	0.0	26.0	1.9	35.4	0.0	0.0	0.0	0.0	0.0	0.5	0.3	35.6	0.1	1.7	101.4

MS-I3-P203	Barred	0.1	40.4	0.4	39.9	0.0	0.0	0.0	0.0	0.0	0.3	0.7	19.4	0.1	0.7	101.9
MS-I3-P209	Barred	0.0	39.0	0.2	43.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	18.6	0.0	0.0	101.6
MS-I3-P212	Barred	0.0	23.3	2.5	34.8	0.0	0.0	0.0	0.0	0.0	0.2	0.2	40.6	0.0	0.2	101.8
MS-I3-P214	Barred	0.0	26.6	2.5	38.3	0.0	0.0	0.0	0.0	0.0	0.4	0.3	31.7	0.1	1.9	101.9
MS-I3-P215	Barred	0.0	17.9	3.1	34.5	0.0	0.0	0.0	0.0	0.0	0.6	0.4	43.0	0.1	0.8	100.5
MS-I3-P219	Barred	0.0	44.6	2.7	42.6	0.0	0.0	0.0	0.0	0.0	0.2	0.4	8.6	0.1	0.2	99.3
MS-I3-P239	Barred	0.0	19.8	2.9	29.3	0.0	0.0	0.0	0.0	0.0	0.5	0.3	44.8	0.1	1.5	99.4
MS-I3-P249	Barred	0.0	49.2	0.4	41.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	10.5	0.0	0.1	101.5
MS-I3-P250	Barred	0.0	24.5	3.4	40.6	0.0	0.0	0.0	0.0	0.0	0.3	0.3	30.4	0.1	0.7	100.3
MS-I3-P254	Barred	0.0	31.7	1.6	33.7	0.0	0.0	0.0	0.0	0.0	0.5	0.2	33.6	0.1	0.6	102.0
MS-I3-P257	Barred	0.0	30.3	6.3	31.1	0.0	0.0	0.0	0.0	0.0	0.5	0.8	29.5	0.0	0.3	98.8
MS-I3-P261	Barred	0.0	22.9	2.8	36.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	36.8	0.1	1.0	100.2
MS-I3-P262	Barred	0.0	32.3	1.0	36.4	0.0	0.0	0.0	0.0	0.0	0.5	0.3	29.3	0.1	1.6	101.4
MS-I3-P264	Barred	0.0	26.6	3.1	37.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	31.9	0.1	0.0	99.5
MS-I3-P267	Barred	0.0	29.1	2.0	41.6	0.0	0.0	0.0	0.1	0.0	0.6	0.3	26.7	0.1	0.0	100.4
MS-I3-P269	Barred	0.0	34.3	2.1	50.1	0.0	0.0	0.0	0.0	0.0	0.4	0.4	13.2	0.0	0.1	100.6
MS-I3-P273	Barred	0.0	22.5	2.8	30.4	0.0	0.0	0.0	0.0	0.0	0.4	0.3	34.1	0.0	1.0	91.6
MS-I3-P275	Barred	0.0	25.7	3.8	34.4	0.0	0.0	0.0	0.0	0.0	0.1	0.2	36.7	0.0	0.0	100.9
MS-I3-P276	Barred	0.0	19.2	3.2	31.9	0.0	0.0	0.0	0.0	0.0	0.4	0.3	44.2	0.1	1.3	100.6
MS-I3-P289	Barred	0.0	23.9	2.8	39.8	0.0	0.0	0.0	0.0	0.0	0.4	0.4	32.6	0.0	0.0	99.9
MS-I3-P291	Barred	0.0	26.6	0.9	32.8	0.0	0.0	0.0	0.0	0.0	0.8	0.4	39.1	0.0	0.5	101.1
MS-I3-P294	Barred	0.0	24.8	2.5	36.6	0.0	0.0	0.0	0.0	0.0	0.2	0.5	35.8	0.1	0.1	100.6
MS-I3-P308	Barred	0.0	19.8	3.6	36.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	39.5	0.0	0.9	100.4
MS-I3-P324	Barred	0.0	23.3	2.9	36.6	0.0	0.0	0.0	0.0	0.0	0.2	0.3	37.7	0.0	0.0	101.1
MS-I3-P337	Barred	0.0	21.7	2.4	31.2	0.0	0.0	0.0	0.0	0.0	0.4	0.3	43.1	0.1	1.4	100.7
MS-I3-P342	Barred	0.0	31.5	1.3	36.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	28.8	0.1	2.1	100.5
MS-I3-P345	Barred	0.0	33.7	3.8	42.6	0.0	0.0	0.0	0.0	0.0	0.1	0.4	19.2	0.0	0.2	100.0
MS-I3-P350	Barred	0.0	21.0	1.7	36.1	0.0	0.0	0.0	0.0	0.0	0.4	0.2	41.8	0.1	0.0	101.4
MS-I3-P352	Barred	0.0	21.1	2.9	31.2	0.0	0.0	0.0	0.1	0.0	0.8	0.3	42.3	0.1	1.5	100.3
MS-I3-P359	Barred	0.0	21.1	3.5	36.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	39.7	0.0	0.0	101.1
MS-I3-P369	Barred	0.0	20.8	3.1	35.9	0.0	0.0	0.0	0.0	0.0	0.2	0.3	40.9	0.2	0.6	101.8
MS-I3-P375	Barred	0.0	26.9	2.8	41.2	0.0	0.0	0.0	0.1	0.1	0.6	0.3	28.9	0.0	0.0	100.9
MS-I3-P392	Barred	0.0	30.5	1.2	35.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	33.4	0.0	0.2	100.6

MS-I3-P397	Barred	0.0	24.2	2.6	38.4	0.0	0.0	0.0	0.0	0.0	0.5	0.1	34.0	0.1	0.1	100.0
MS-I3-P398	Barred	0.0	21.7	3.0	36.1	0.0	0.0	0.0	0.0	0.0	0.4	0.3	37.3	0.1	1.1	100.2
MS-I3-P413	Barred	0.2	31.2	1.1	49.4	0.0	0.0	0.0	0.0	0.0	0.2	0.4	17.2	0.0	0.1	99.8
MS-I3-P424	Barred	0.0	24.5	2.8	35.9	0.0	0.0	0.0	0.0	0.0	0.2	0.2	35.2	0.1	0.5	99.4
MS-I3-P427	Barred	0.0	22.3	3.2	36.4	0.0	0.0	0.0	0.0	0.0	0.2	0.2	35.8	0.1	0.7	99.0
MS-I3-P431	Barred	0.0	26.5	2.6	34.1	0.0	0.0	0.0	0.0	0.0	0.4	0.2	34.9	0.1	1.6	100.5
MS-I3-P432	Barred	0.0	26.6	2.4	35.3	0.0	0.0	0.0	0.0	0.0	0.2	0.2	34.0	0.1	1.0	99.9
MS-I3-P436	Barred	0.3	29.9	2.4	48.9	0.0	0.0	0.0	0.0	0.0	0.3	0.4	16.1	0.0	0.0	98.3
MS-I3-P437	Barred	0.0	30.6	3.2	39.2	0.0	0.0	0.0	0.0	0.0	0.1	0.2	26.6	0.0	0.0	99.9
MS-I3-P440	Barred	0.0	27.8	2.4	38.4	0.0	0.0	0.0	0.0	0.0	0.3	0.4	28.8	0.1	1.6	99.8
MS-I3-P443	Barred	0.0	21.7	2.6	32.8	0.0	0.0	0.0	0.1	0.0	0.4	0.2	39.3	0.1	1.5	98.8
MS-I3-P446	Barred	0.0	20.8	2.6	32.8	0.0	0.0	0.0	0.3	0.0	0.5	0.2	41.6	0.1	0.8	99.7
MS-I3-P447	Barred	0.0	20.5	3.0	33.9	0.0	0.0	0.1	0.0	0.0	0.2	0.3	41.3	0.1	0.5	100.0
MS-I3-P454	Barred	0.0	25.4	2.4	37.4	0.0	0.0	0.0	0.0	0.0	0.6	0.3	34.3	0.0	0.0	100.3
MS-I3-P455	Barred	0.0	30.0	2.6	40.1	0.0	0.0	0.0	0.0	0.0	0.3	0.4	24.0	0.0	0.0	97.3
MS-I3-P459	Barred	0.0	27.0	2.2	35.5	0.1	0.0	0.0	3.5	0.1	0.5	0.5	31.6	0.0	0.2	101.2
MS-I3-P460	Barred	0.0	26.2	3.8	35.8	0.0	0.0	0.0	0.0	0.0	0.1	0.2	32.0	0.0	0.0	98.2
MS-I3-P478	Barred	4.1	15.3	2.6	44.1	0.0	0.0	0.0	0.0	0.0	0.3	0.3	32.3	0.0	0.1	99.2
MS-I3-P486	Barred	0.0	49.0	0.2	36.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	14.5	0.0	0.2	100.4
MS-I3-P496	Barred	0.1	29.6	0.4	50.1	0.0	0.0	0.0	0.1	0.0	0.4	0.2	17.1	0.0	0.0	97.9
MS-I3-P499	Barred	0.0	23.5	2.9	36.6	0.0	0.0	0.0	2.0	0.2	0.2	0.3	33.8	0.2	0.4	100.0
MS-I3-P508	Barred	0.0	22.4	3.6	34.9	0.0	0.0	0.0	1.9	0.1	0.4	0.3	35.9	0.1	1.1	100.7
MS-I3-P510	Barred	0.0	28.9	2.4	36.2	0.0	0.0	0.0	1.5	0.1	0.2	0.3	29.6	0.1	1.0	100.3
MS-I3-P517	Barred	0.0	22.7	2.8	32.8	0.0	0.0	0.0	0.0	0.0	0.5	0.2	39.9	0.1	0.1	99.2
MS-I3-P526	Barred	0.0	34.5	2.7	40.4	0.0	0.0	0.0	0.0	0.0	0.3	0.2	16.6	0.0	0.8	95.5
MS-I3-P535	Barred	0.0	21.3	3.1	33.7	0.0	0.0	0.0	1.7	0.1	0.2	0.3	38.1	0.1	0.4	99.1
MS-I3-P536	Barred	0.0	27.1	2.4	34.9	0.0	0.0	0.0	0.4	0.1	0.4	0.1	32.3	0.1	1.8	99.6
MS-I3-P539	Barred	0.0	26.9	2.1	35.8	0.1	0.0	0.0	1.4	0.1	0.6	0.3	33.7	0.0	0.0	100.9
MS-I3-P551	Barred	0.0	44.9	0.2	37.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	16.9	0.1	0.7	100.1
MS-I3-P555	Barred	0.0	23.7	2.9	33.7	0.1	0.0	0.0	2.4	0.1	0.3	0.3	35.4	0.1	1.1	99.9
MS-I3-P564	Barred	0.0	28.3	2.1	31.1	0.1	0.0	0.0	3.1	0.1	0.4	0.4	32.8	0.0	0.6	99.1
MS-I3-P566	Barred	0.0	43.4	0.0	36.9	0.0	0.0	0.0	0.3	0.0	0.1	0.3	17.6	0.1	0.0	98.5
MS-I3-P567	Barred	0.0	23.6	2.3	31.3	0.2	0.0	0.0	3.9	0.2	0.2	0.2	36.2	0.1	1.8	100.0

MS-I3-P571	Barred	0.0	25.9	2.2	34.7	0.1	0.0	0.0	2.5	0.1	0.3	0.4	31.8	0.1	1.5	99.5
MS-I3-P572	Barred	0.0	20.4	3.0	31.0	0.0	0.0	0.0	1.8	0.1	0.3	0.2	42.2	0.1	1.0	100.3
MS-I3-P576	Barred	0.0	23.9	2.7	33.9	0.1	0.0	0.0	1.6	0.1	0.5	0.3	35.6	0.1	1.4	100.3
MS-I3-P579	Barred	0.0	20.0	2.3	29.7	0.2	0.0	0.0	4.3	0.1	0.3	0.2	40.9	0.1	1.3	99.4
MS-I3-P582	Barred	0.0	29.0	3.0	33.8	0.1	0.0	0.0	2.4	0.1	0.3	0.2	24.5	0.3	4.5	98.1
MS-I3-P591	Barred	0.0	24.0	2.3	34.1	0.0	0.0	0.0	0.3	0.1	0.4	0.2	35.8	0.1	1.6	98.9
MS-I3-P594	Barred	0.0	25.9	3.1	29.6	0.0	0.0	0.0	2.7	0.1	0.0	0.0	39.7	0.0	0.0	101.3
MS-I3-P597	Barred	0.0	35.7	2.1	40.3	0.1	0.0	0.0	1.8	0.1	0.3	0.1	19.6	0.0	0.0	100.0
MS-I3-P619	Barred	0.0	27.9	0.6	35.3	0.1	0.0	0.0	0.5	0.0	0.6	0.9	33.0	0.1	0.2	99.2
MS-I3-P621	Barred	0.0	27.4	2.4	34.3	0.0	0.0	0.0	1.7	0.1	0.1	0.4	32.2	0.0	0.1	98.8
MS-I3-P631	Barred	0.0	24.4	2.7	35.9	0.2	0.0	0.0	2.1	0.1	0.7	0.4	32.5	0.1	0.6	99.7
MS-I3-P686	Barred	0.0	20.0	3.3	33.6	0.0	0.0	0.0	0.8	0.1	0.1	0.3	40.5	0.1	0.3	99.2
MS-I3-P690	Barred	0.0	26.7	2.2	40.4	0.0	0.0	0.0	1.8	0.1	0.2	0.2	26.8	0.1	0.0	98.5
MS-I3-P691	Barred	0.0	26.4	2.5	33.1	0.1	0.0	0.0	1.9	0.1	0.1	0.3	34.3	0.1	1.2	100.1
MS-I3-P701	Barred	0.0	22.3	2.4	34.2	0.0	0.0	0.0	1.7	0.1	0.1	0.4	37.9	0.0	0.0	99.2
MS-I3-P705	Barred	0.1	26.8	3.4	36.5	0.0	0.0	0.0	1.5	0.1	0.3	0.4	28.8	0.1	1.1	99.0
MS-I3-P707	Barred	0.0	25.0	1.9	31.0	0.1	0.5	0.0	0.4	0.1	0.5	0.3	39.8	0.0	0.1	99.6
MS-I3-P708	Barred	0.0	29.0	3.7	37.1	0.1	0.0	0.0	2.6	0.2	0.1	0.1	25.1	0.1	0.4	98.4
MS-I3-P710	Barred	0.0	30.2	2.1	33.4	0.0	0.0	0.0	1.5	0.1	0.1	0.2	34.7	0.0	0.2	102.5
MS-I3-P719	Barred	0.0	19.9	2.5	28.7	0.1	0.0	0.0	1.1	0.1	0.3	0.2	44.1	0.1	1.5	98.7
MS-I3-P731	Barred	0.0	22.9	2.8	31.8	0.0	0.0	0.0	0.6	0.1	0.2	0.2	40.0	0.1	0.2	98.9
MS-I3-P732	Barred	0.0	25.4	1.8	32.1	0.1	0.0	0.0	3.7	0.1	0.4	0.4	31.2	0.1	0.6	95.8
MS-I3-P746	Barred	0.0	20.5	2.6	32.2	0.3	0.0	0.0	2.3	0.1	0.4	0.2	40.2	0.1	1.2	100.2
MS-I3-P747	Barred	0.0	27.7	2.5	42.8	0.0	0.0	0.0	2.0	0.1	0.5	0.8	23.8	0.0	0.0	100.3
MS-I3-P752	Barred	0.0	22.8	3.1	36.3	0.0	0.0	0.0	2.4	0.1	0.3	0.3	31.4	0.1	1.7	98.5
MS-I3-P755	Barred	0.0	31.1	2.3	38.3	0.0	0.0	0.0	3.4	0.1	0.0	0.4	21.5	0.0	0.3	97.4
MS-I3-P778	Barred	0.0	30.8	2.8	39.0	0.0	0.0	0.0	1.6	0.1	0.1	0.3	23.0	0.1	1.2	98.9
MS-I3-P793	Barred	0.0	22.4	1.9	33.1	0.0	0.0	0.0	0.3	0.1	0.5	0.1	42.3	0.1	0.2	101.0
MS-I3-P797	Barred	0.0	20.7	3.1	34.8	0.1	0.0	0.0	2.3	0.1	0.3	0.3	37.5	0.0	0.8	100.1
MS-I3-P811	Barred	0.0	23.8	2.0	31.9	0.1	0.0	0.0	1.8	0.1	0.5	0.3	37.1	0.1	2.3	99.9
MS-I3-P817	Barred	0.0	29.5	2.6	37.0	0.0	0.0	0.0	2.3	0.1	0.1	0.3	28.0	0.0	0.0	100.0
MS-I3-P820	Barred	0.0	24.9	2.2	33.6	0.1	0.0	0.0	1.9	0.1	0.5	0.4	36.4	0.0	0.0	100.3
MS-I3-P825	Barred	0.0	22.4	2.7	37.5	0.1	0.0	0.0	2.6	0.1	0.4	0.5	32.7	0.0	0.6	99.7

MS-I3-P833	Barred	0.0	23.6	2.8	35.2	0.1	0.0	0.0	2.5	0.2	0.2	0.2	34.6	0.1	0.3	99.7
MS-I3-P840	Barred	0.1	25.0	0.1	51.3	0.1	0.0	0.0	0.1	0.0	0.7	1.5	20.3	0.0	0.0	99.1
MS-I3-P841	Barred	0.0	28.2	2.3	36.7	0.2	0.0	0.0	1.7	0.1	0.5	0.2	29.9	0.1	0.1	100.1
MS-I3-P846	Barred	0.1	28.1	1.8	40.5	0.0	0.0	0.0	1.2	0.1	0.2	0.5	25.8	0.0	0.1	98.5
MS-I3-P884	Barred	0.0	18.8	4.4	32.1	0.2	0.0	0.0	4.2	0.2	0.4	0.3	38.0	0.1	1.3	99.9
MS-I3-P892	Barred	0.0	15.0	5.4	32.9	0.1	0.0	0.0	3.8	0.3	0.3	0.4	41.7	0.0	0.7	100.7
MS-I3-P914	Barred	0.0	27.0	2.7	39.1	0.0	0.1	0.0	0.3	0.1	0.5	0.4	28.9	0.0	0.0	99.2
MS-I3-P916	Barred	0.0	24.6	3.0	37.3	0.0	0.0	0.0	1.8	0.1	0.1	0.2	33.0	0.0	0.0	100.1
MS-I3-P927	Barred	0.0	31.0	1.2	40.5	0.0	0.0	0.0	0.9	0.1	0.1	0.3	25.5	0.0	0.1	99.7
MS-I3-P936	Barred	0.0	24.9	3.1	45.0	0.0	0.0	0.0	2.5	0.1	0.3	0.4	23.0	0.0	0.1	99.4
MS-I3-P950	Barred	0.0	25.5	2.2	39.7	0.0	0.0	0.0	2.0	0.1	0.3	0.3	26.2	0.0	0.0	96.5
MS-I3-P967	Barred	0.0	22.4	3.0	34.2	0.2	0.0	0.0	0.9	0.1	0.7	0.2	36.4	0.1	0.9	99.2
MS-I3-P982	Barred	0.0	23.6	3.4	35.3	0.1	0.0	0.0	2.2	0.1	0.4	0.3	31.8	0.1	1.9	99.1
MS-I3-P1014	Barred	0.0	30.8	2.6	39.1	0.1	0.0	0.0	2.8	0.1	0.3	0.4	22.8	0.1	0.0	99.1
MS-I3-P1024	Barred	0.1	33.0	0.0	42.8	0.1	0.0	0.0	0.0	0.0	0.7	0.5	21.1	0.0	0.0	98.3
MS-I3-P1078	Barred	0.0	20.9	2.7	31.0	0.1	0.0	0.0	0.8	0.1	0.5	0.3	41.6	0.1	2.0	100.1
MS-I3-P1113	Barred	0.0	18.1	3.6	41.5	0.0	0.0	0.0	3.2	0.2	0.3	0.4	32.5	0.0	0.7	100.6
MS-I3-P1127	Barred	0.0	21.3	3.0	34.1	0.0	0.0	0.0	2.0	0.1	0.2	0.2	37.5	0.0	0.4	98.9
MS-I3-P1129	Barred	0.0	20.2	3.4	33.9	0.0	0.0	0.0	3.0	0.1	0.1	0.2	38.9	0.0	0.0	99.8
MS-I3-P1166	Barred	0.1	20.4	1.2	25.7	0.1	0.0	0.0	0.8	0.1	0.3	0.2	52.1	0.0	0.1	101.1
MS-I3-P1177	Barred	0.0	32.2	2.5	42.6	0.0	0.0	0.0	2.0	0.1	0.5	0.5	18.8	0.1	0.2	99.5
MS-I3-P1178	Barred	0.0	21.4	2.8	33.2	0.1	0.0	0.0	2.0	0.1	0.3	0.2	39.0	0.1	1.3	100.5
MS-I3-P1179	Barred	0.0	22.3	2.7	34.9	0.1	0.0	0.0	2.5	0.1	0.3	0.3	35.5	0.1	1.3	100.0
MS-I3-P1185	Barred	0.0	24.3	2.3	34.7	0.0	0.0	0.0	1.1	0.2	0.2	0.2	37.8	0.0	0.1	101.0
MS-I3-P1192	Barred	0.0	20.3	2.6	30.1	0.1	0.0	0.0	2.3	0.1	0.6	0.2	41.9	0.0	1.4	99.8
MS-I3-P1218	Barred	0.0	40.7	0.5	39.7	0.0	0.0	0.0	0.5	0.0	0.0	0.3	17.2	0.1	0.9	100.2
MS-I3-P1226	Barred	0.0	33.1	1.6	37.0	0.0	0.0	0.0	1.7	0.1	0.0	0.1	19.4	0.0	0.0	93.2
MS-I3-P1249	Barred	0.0	29.1	2.3	39.4	0.0	0.0	0.0	1.8	0.1	0.3	0.6	25.4	0.1	0.1	99.3
MS-I3-P1252	Barred	0.0	20.9	2.4	33.8	0.1	0.0	0.0	2.5	0.1	0.3	0.3	38.2	0.1	0.9	99.7
MS-I3-P1274	Barred	0.0	25.4	2.8	36.0	0.1	0.0	0.0	2.4	0.1	0.4	0.1	24.7	0.0	0.0	92.1
MS-I3-P1281	Barred	0.0	24.6	2.1	37.6	0.0	0.1	0.0	1.1	0.1	0.5	0.3	33.7	0.0	0.0	100.2
MS-I4-P12	Barred	0.0	24.1	2.4	35.9	0.1	0.0	0.0	1.8	0.1	0.3	0.3	35.0	0.1	0.9	101.0
MS-I4-P16	Barred	0.0	19.9	2.8	29.7	0.1	0.0	0.0	2.9	0.1	0.4	0.3	44.8	0.1	1.1	102.1

MS-I4-P20	Barred	0.0	30.5	1.5	37.4	0.0	0.0	0.0	1.2	0.1	0.4	0.3	30.7	0.1	0.9	103.1
MS-I4-P66	Barred	0.1	39.9	2.6	45.6	0.0	0.0	0.0	1.6	0.1	0.4	0.2	9.7	0.0	0.1	100.4
MS-I4-P75	Barred	0.0	24.1	2.5	34.0	0.1	0.0	0.0	2.3	0.1	0.3	0.3	37.0	0.1	1.5	102.3
MS-I4-P77	Barred	0.1	32.4	2.4	40.4	0.0	0.0	0.0	0.8	0.1	0.3	0.4	26.5	0.0	0.1	103.4
MS-I4-P88	Barred	0.0	16.2	0.8	16.3	0.0	0.0	0.0	0.2	0.1	0.3	0.0	70.0	0.1	0.3	104.4
MS-I4-P110	Barred	0.0	21.1	2.2	27.6	0.0	0.0	0.0	0.9	0.1	1.0	0.1	47.0	0.3	2.8	103.0
MS-I4-P135	Barred	0.1	15.0	2.1	29.5	0.5	0.0	0.0	0.7	0.2	0.3	0.2	48.6	0.0	0.1	97.5
MS-I4-P140	Barred	0.0	27.5	2.4	34.9	0.0	0.0	0.0	1.1	0.1	0.5	0.2	34.9	0.1	1.4	103.0
MS-I4-P159	Barred	0.0	24.0	3.2	36.7	0.0	0.0	0.0	2.6	0.1	0.1	0.2	35.0	0.1	0.2	102.3
MS-I4-P162	Barred	0.0	36.2	1.6	40.3	0.0	0.0	0.0	0.9	0.1	0.4	0.3	21.7	0.1	1.0	102.6
MS-I4-P168	Barred	0.0	32.6	3.3	47.2	0.0	0.0	0.0	2.1	0.1	0.4	0.4	15.5	0.0	0.0	101.8
MS-I4-P205	Barred	0.0	22.2	3.1	32.9	0.0	0.0	0.0	1.9	0.2	0.5	0.5	41.2	0.1	0.3	103.0
MS-I4-P208	Barred	0.0	37.5	2.3	39.1	0.0	0.0	0.0	4.0	0.1	0.2	0.5	17.3	0.0	0.7	101.8
MS-I4-P227	Barred	0.1	21.9	3.4	32.7	0.0	0.0	0.0	1.7	0.1	0.4	0.2	40.7	0.1	1.6	102.9
MS-I4-P232	Barred	0.0	45.8	1.4	41.7	0.0	0.0	0.0	1.1	0.1	0.0	0.4	10.9	0.0	0.0	101.3
MS-I4-P242	Barred	0.1	27.6	2.6	38.1	0.1	0.0	0.0	1.3	0.1	0.4	0.3	29.6	0.1	1.6	101.9
MS-I4-P256	Barred	0.0	26.3	3.2	39.7	0.0	0.0	0.0	1.8	0.1	0.0	0.2	30.1	0.0	0.0	101.5
MS-I4-P277	Barred	0.0	29.6	0.7	34.1	0.1	0.0	0.0	2.7	0.2	0.1	0.2	34.4	0.0	0.0	102.2
MS-I4-P282	Barred	0.0	17.6	4.2	28.0	0.1	0.0	0.0	1.4	0.1	0.4	0.2	48.9	0.1	1.0	102.1
MS-I4-P285	Barred	0.0	29.8	0.9	36.0	0.1	0.0	0.0	1.0	0.1	0.3	0.4	33.6	0.0	0.5	102.7
MS-I4-P287	Barred	0.0	28.8	2.2	34.9	0.1	0.0	0.0	1.1	0.1	0.5	0.3	33.8	0.1	0.1	102.0
MS-I4-P290	Barred	0.0	26.2	3.0	39.5	0.0	0.1	0.0	1.9	0.1	0.6	0.3	30.3	0.0	0.0	102.1
MS-I4-P296	Barred	0.0	26.4	1.4	30.6	0.2	0.0	0.0	1.0	0.1	0.5	0.2	39.9	0.2	2.2	102.7
MS-I4-P316	Barred	0.0	35.5	1.5	41.8	0.1	0.0	0.0	1.6	0.1	0.3	0.3	20.7	0.1	1.1	103.0
MS-I4-P342	Barred	0.0	17.7	3.3	27.6	0.1	0.0	0.0	0.8	0.1	0.5	0.3	47.8	0.1	1.6	99.9
MS-I4-P343	Barred	0.0	27.3	2.4	36.7	0.0	0.0	0.0	0.9	0.1	0.3	0.3	36.3	0.1	0.2	104.8
MS-I4-P348	Barred	0.0	28.6	1.9	35.2	0.0	0.0	0.0	1.4	0.1	0.1	0.3	35.7	0.1	0.2	103.5
MS-I4-P356	Barred	0.0	28.7	2.6	39.3	0.0	0.1	0.0	2.9	0.1	0.5	0.4	27.2	0.0	0.0	102.0
MS-I4-P368	Barred	0.0	27.4	2.9	41.5	0.0	0.0	0.0	2.7	0.1	0.2	0.5	26.8	0.1	0.6	102.7
MS-I4-P374	Barred	0.0	26.0	2.4	35.5	0.0	0.0	0.0	1.2	0.1	1.1	0.4	36.1	0.1	0.1	103.0
MS-I4-P389	Barred	0.0	26.1	2.1	29.6	0.1	0.0	0.0	0.2	0.1	0.3	0.2	41.1	0.1	1.1	101.2
MS-I4-P399	Barred	0.0	27.9	2.8	40.0	0.0	0.0	0.0	1.0	0.1	0.2	0.2	30.2	0.0	0.0	102.5
MS-I4-P400	Barred	0.4	26.7	2.2	50.4	0.1	0.3	0.1	1.1	0.1	0.5	0.5	16.7	0.4	1.1	100.7

MS-I4-P403	Barred	0.0	28.2	1.7	37.4	0.1	0.0	0.0	1.8	0.1	0.3	0.3	30.1	0.1	0.0	100.1
MS-I4-P412	Barred	0.0	26.2	2.3	39.5	0.2	0.0	0.0	6.6	0.1	0.1	0.3	23.5	0.1	1.1	100.0
MS-I4-P417	Barred	0.0	26.7	2.6	39.1	0.0	0.0	0.0	1.6	0.1	0.3	0.3	29.9	0.1	0.1	100.8
MS-I4-P427	Barred	0.0	27.0	2.7	40.8	0.0	0.0	0.0	0.2	0.1	0.5	0.3	30.9	0.0	0.0	102.7
MS-I4-P428	Barred	0.0	35.5	2.6	31.1	0.0	0.0	0.0	2.6	0.4	0.2	0.8	28.4	0.1	0.6	102.2
MS-I4-P429	Barred	0.0	24.5	3.6	35.9	0.0	0.0	0.0	1.9	0.1	0.1	0.2	35.9	0.0	0.0	102.2
MS-I4-P431	Barred	0.2	27.4	1.5	47.8	0.0	0.0	0.0	0.6	0.1	0.1	0.4	21.5	0.1	0.4	100.2
MS-I4-P434	Barred	0.0	23.7	2.3	32.5	0.0	0.0	0.0	0.5	0.1	0.4	0.2	40.6	0.1	1.4	101.8
MS-I4-P435	Barred	0.0	30.6	2.2	39.7	0.1	0.0	0.0	2.1	0.1	0.2	0.3	24.4	0.1	1.5	101.3
MS-I4-P441	Barred	0.0	33.2	1.5	32.1	0.0	0.0	0.0	1.0	0.1	0.7	0.2	33.4	0.1	1.8	104.2
MS-I4-P450	Barred	0.0	21.1	2.8	40.7	0.1	0.0	0.0	5.1	0.1	0.2	0.2	28.1	0.1	1.1	99.7
MS-I4-P457	Barred	0.0	27.9	2.6	41.9	0.0	0.0	0.0	1.9	0.1	0.3	0.4	26.9	0.0	0.1	102.2
MS-I4-P482	Barred	0.0	23.5	2.0	37.5	0.0	0.0	0.0	1.1	0.1	0.3	0.3	36.5	0.1	1.6	103.2
MS-I4-P502	Barred	0.0	30.4	2.6	36.5	0.0	0.0	0.0	2.0	0.2	0.1	0.2	29.3	0.0	0.1	101.3
MS-I4-P505	Barred	0.0	26.0	3.6	37.2	0.0	0.0	0.0	2.9	0.2	0.1	0.2	31.3	0.1	0.0	101.4
MS-I4-P510	Barred	0.0	37.1	1.0	39.1	0.0	0.1	0.0	0.4	0.0	0.4	0.3	25.0	0.1	0.0	103.7
MS-I4-P525	Barred	0.0	29.7	1.3	33.9	0.0	0.0	0.0	0.6	0.0	0.6	0.3	34.5	0.1	2.2	103.2
MS-I4-P537	Barred	0.0	29.9	2.8	39.2	0.0	0.0	0.0	0.7	0.1	0.1	0.3	27.4	0.0	1.3	102.0
MS-I4-P538	Barred	0.0	24.8	2.4	32.4	0.0	0.0	0.0	0.4	0.1	0.4	0.2	39.0	0.1	1.3	101.1
MS-I4-P541	Barred	0.0	25.2	2.7	35.1	0.1	0.0	0.0	1.8	0.1	0.2	0.3	35.7	0.0	0.6	101.7
MS-I4-P544	Barred	0.0	26.6	2.3	34.3	0.0	0.0	0.0	0.4	0.1	0.4	0.2	35.5	0.1	1.8	101.9
MS-I4-P549	Barred	0.0	31.2	1.0	39.9	0.0	0.0	0.0	1.1	0.1	0.0	0.4	29.0	0.0	0.0	102.8
MS-I4-P572	Barred	0.0	23.8	3.6	35.9	0.1	0.0	0.0	1.2	0.2	0.5	0.2	37.6	0.1	1.2	104.3
MS-I4-P581	Barred	0.0	27.8	2.4	34.3	0.1	0.0	0.0	1.0	0.1	0.6	0.1	36.9	0.0	0.0	103.4
MS-I4-P586	Barred	0.0	35.3	0.6	37.1	0.0	0.0	0.0	0.4	0.1	0.4	0.4	28.6	0.0	0.1	103.2
MS-I4-P590	Barred	0.0	31.1	2.4	35.3	0.0	0.0	0.0	2.0	0.1	0.1	0.0	28.9	0.1	1.0	101.2
MS-I4-P592	Barred	0.0	26.1	2.5	34.1	0.1	0.0	0.0	1.0	0.1	0.4	0.2	34.7	0.1	1.6	101.1
MS-I4-P595	Barred	0.0	24.1	2.3	33.4	0.0	0.0	0.0	1.6	0.2	0.2	0.4	38.9	0.0	0.2	101.4
MS-I4-P598	Barred	0.1	43.6	1.6	41.7	0.1	0.0	0.0	1.1	0.1	0.9	0.4	10.5	0.0	0.1	100.0
MS-I4-P611	Barred	0.0	27.1	2.9	37.2	0.0	0.0	0.0	1.0	0.1	0.4	0.3	31.4	0.1	1.0	101.6
MS-I4-P617	Barred	0.0	25.0	1.3	34.1	0.2	0.0	0.0	0.1	0.1	0.4	0.2	41.8	0.1	1.2	104.3
MS-I4-P634	Barred	0.0	26.2	0.8	38.5	0.8	0.0	0.0	4.0	0.1	0.2	0.4	28.9	0.0	0.3	100.2
MS-I4-P642	Barred	0.0	24.7	2.7	35.4	0.1	0.0	0.0	2.4	0.1	0.4	0.2	37.2	0.1	0.9	104.1

MS-I4-P644	Barred	0.0	20.8	3.0	33.8	0.0	0.0	0.0	2.5	0.1	0.5	0.3	39.4	0.1	1.2	101.7
MS-I4-P646	Barred	0.0	31.2	1.9	39.5	0.0	0.0	0.0	2.9	0.1	0.6	0.2	27.2	0.0	0.0	103.7
MS-I4-P665	Barred	0.0	26.5	2.4	39.8	0.1	0.0	0.0	1.6	0.1	0.4	0.3	28.6	0.1	2.1	102.1
MS-I4-P673	Barred	0.0	22.6	3.4	36.9	0.1	0.0	0.0	1.7	0.2	0.3	0.2	35.3	0.1	1.2	102.1
MS-I4-P674	Barred	0.0	20.5	2.8	32.4	0.0	0.0	0.0	2.8	0.1	0.3	0.3	42.3	0.1	0.5	102.2
MS-I4-P682	Barred	0.0	27.1	2.9	35.7	0.0	0.0	0.0	1.9	0.1	0.4	0.3	32.3	0.1	1.3	102.0
MS-I4-P685	Barred	0.0	20.5	3.3	35.3	0.0	0.0	0.0	1.2	0.1	0.2	0.3	41.5	0.1	1.1	103.5
MS-I4-P688	Barred	0.0	17.8	3.5	27.6	0.1	0.0	0.0	2.1	0.1	0.9	0.2	49.2	0.1	0.9	102.4
MS-I4-P715	Barred	0.0	25.9	0.2	43.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	30.2	0.0	0.0	100.4
MS-I4-P719	Barred	0.0	20.1	2.9	34.4	0.1	0.0	0.0	3.7	0.1	0.4	0.3	38.3	0.1	1.0	101.5
MS-I4-P721	Barred	0.0	21.9	3.3	34.4	0.0	0.0	0.0	2.1	0.1	0.2	0.2	39.9	0.0	0.3	102.5
MS-I4-P725	Barred	0.0	29.8	1.2	36.9	0.1	0.0	0.0	1.1	0.1	0.3	0.2	32.3	0.0	0.0	101.9
MS-I4-P743	Barred	0.0	35.0	2.2	38.4	0.1	0.0	0.0	1.1	0.1	0.4	0.2	23.9	0.1	1.2	102.7
MS-I4-P746	Barred	0.0	29.5	0.7	35.6	0.0	0.0	0.0	0.8	0.1	0.1	0.2	35.2	0.1	1.7	104.0
MS-I4-P761	Barred	0.1	31.0	2.4	46.9	0.0	0.2	0.0	1.3	0.1	0.7	0.2	17.9	0.0	0.0	100.9
MS-I4-P768	Barred	0.7	35.9	1.4	39.8	0.1	0.0	0.0	0.7	0.1	0.2	0.4	22.3	0.0	0.2	101.6
MS-I4-P775	Barred	0.0	31.2	2.2	45.9	0.0	0.0	0.0	1.7	0.1	0.2	0.4	18.8	0.0	0.3	101.1
MS-I4-P789	Barred	0.0	32.0	1.9	36.6	0.1	0.0	0.0	1.7	0.1	0.5	0.2	27.1	0.1	1.5	101.8
MS-I4-P794	Barred	0.0	23.3	3.0	37.6	0.0	0.0	0.0	1.1	0.1	0.4	0.1	34.1	0.1	1.2	101.0
MS-I4-P804	Barred	0.0	24.3	4.4	38.6	0.0	0.0	0.0	1.6	0.2	0.1	0.2	32.3	0.0	0.0	101.8
MS-I4-P808	Barred	0.0	30.0	2.2	35.8	0.1	0.0	0.0	1.1	0.1	0.3	0.2	29.2	0.1	1.3	100.3
MS-I4-P812	Barred	0.0	26.4	2.4	38.0	0.1	0.0	0.0	1.7	0.1	0.4	0.2	30.2	0.1	1.4	100.9
MS-I4-P814	Barred	0.0	26.7	2.3	41.3	0.1	0.0	0.0	1.7	0.1	0.3	0.4	27.4	0.1	1.0	101.3
MS-I4-P829	Barred	0.0	42.1	0.8	41.2	0.0	0.0	0.0	0.9	0.1	0.0	0.3	13.6	0.0	0.0	99.0
MS-I4-P834	Barred	0.0	21.3	2.9	35.4	0.1	0.0	0.0	1.4	0.1	0.5	0.3	36.2	0.1	1.1	99.3
MS-I6 P20	Barred	0.0	22.0	2.8	35.6	0.2	0.0	0.0	2.7	0.1	0.2	0.4	36.5	0.1	0.8	101.4
MS-I6 P21	Barred	0.0	24.1	2.5	35.6	0.0	0.0	0.0	1.1	0.1	0.3	0.2	37.9	0.0	0.7	102.5
MS-I6 P22	Barred	0.0	30.4	3.7	43.4	0.0	0.0	0.0	1.0	0.1	0.2	0.4	21.4	0.0	0.1	100.7
MS-I6 P26	Barred	0.0	19.1	3.8	31.3	0.0	0.0	0.0	2.1	0.1	0.2	0.2	45.5	0.1	0.4	102.8
MS-I6 P31	Barred	0.0	25.1	2.2	37.2	0.1	0.0	0.0	1.7	0.1	0.5	0.2	33.4	0.1	1.1	101.7
MS-I6 P32	Barred	0.0	22.8	3.3	33.1	0.1	0.0	0.0	2.8	0.1	0.4	0.2	36.9	0.1	0.9	100.8
MS-I6 P39	Barred	0.0	19.9	3.4	35.4	0.1	0.0	0.0	2.4	0.1	0.4	0.2	37.2	0.1	1.4	100.6
MS-I6 P52	Barred	0.0	26.4	3.2	41.9	0.1	0.2	0.0	2.4	0.1	0.5	0.3	26.3	0.0	0.0	101.3

MS-I6 P54	Barred	0.0	12.8	3.7	25.8	0.1	0.0	0.0	4.3	0.2	0.5	0.2	52.5	0.1	0.6	100.8
MS-I6 P58	Barred	0.0	22.4	0.6	40.7	0.1	0.0	0.0	2.2	0.1	0.2	0.4	33.9	0.1	0.6	101.2
MS-I6 P59	Barred	0.0	32.5	0.6	33.4	0.1	0.0	0.0	0.5	0.1	0.3	0.1	31.9	0.1	0.2	99.9
MS-I6 P61	Barred	0.0	45.3	0.6	38.9	0.0	0.0	0.0	1.4	0.0	0.2	0.1	14.3	0.1	0.9	101.9
MS-I6 P67	Barred	0.0	22.9	1.1	24.5	0.0	0.0	0.0	0.6	0.1	0.5	0.2	51.6	0.1	1.1	102.9
MS-I6 P68	Barred	0.0	25.2	2.4	37.6	0.1	0.0	0.0	2.5	0.1	0.2	0.2	33.8	0.1	0.1	102.4
MS-I6 P72	Barred	0.0	18.1	4.6	41.8	0.0	0.0	0.0	1.2	0.2	0.2	0.2	34.0	0.1	0.8	101.1
MS-I6 P75	Barred	0.1	28.4	0.1	34.0	0.2	0.2	0.1	0.3	0.1	0.2	0.3	41.1	0.1	0.2	105.3
MS-I6 P76	Barred	0.0	22.3	3.1	41.4	0.0	0.0	0.0	2.4	0.2	0.3	0.3	31.5	0.0	0.1	101.5
MS-I6 P80	Barred	0.0	20.4	3.3	39.6	0.0	0.0	0.0	3.8	0.2	0.1	0.3	33.0	0.1	0.1	100.7
MS-I6 P83	Barred	0.0	35.2	0.3	41.6	0.0	0.0	0.0	0.8	0.1	0.1	0.4	21.2	0.0	1.9	101.7
MS-I6 P84	Barred	0.0	30.3	0.6	30.9	0.1	0.0	0.0	1.1	0.1	0.4	0.3	36.9	0.1	1.2	102.0
MS-I6 P89	Barred	0.0	14.9	0.9	42.2	0.1	0.0	0.0	4.0	0.1	0.0	0.2	39.1	0.2	0.1	101.9
MS-I6 P90	Barred	0.0	32.2	2.6	39.5	0.1	0.0	0.0	2.9	0.1	0.3	0.2	27.2	0.1	0.5	105.8
MS-I6 P99	Barred	0.0	28.4	2.0	36.2	0.1	0.0	0.0	1.3	0.1	0.2	0.3	34.6	0.0	0.2	103.3
MS-I6 P101	Barred	0.0	23.6	2.7	35.7	0.0	0.0	0.0	3.0	0.7	0.2	0.3	33.9	0.1	0.4	100.6
MS-I6 P110	Barred	0.0	30.0	0.0	44.8	0.0	0.0	0.0	0.9	0.2	0.5	0.3	24.9	0.0	0.1	101.7
MS-I6 P118	Barred	0.0	25.3	0.0	35.9	0.0	0.0	0.0	2.0	0.2	0.3	0.2	36.2	0.1	0.7	100.8
MS-I6 P119	Barred	0.0	19.5	3.1	36.3	0.1	0.0	0.0	1.9	0.1	0.2	0.3	39.1	0.0	0.9	101.6
MS-I6 P123	Barred	0.0	28.2	2.0	37.8	0.2	0.0	0.0	0.7	0.1	0.3	0.3	32.0	0.1	1.1	102.6
MS-I6 P136	Barred	0.0	26.8	2.2	34.4	0.1	0.0	0.0	0.9	0.1	0.3	0.3	36.8	0.0	0.9	102.9
MS-I6 P138	Barred	0.0	29.4	0.9	39.7	0.1	0.0	0.0	3.4	0.1	0.7	0.5	26.4	0.0	0.0	101.4
MS-I6 P140	Barred	0.0	26.8	2.7	40.3	0.2	0.0	0.0	2.3	0.2	0.4	0.2	28.7	0.1	0.4	102.3
MS-I6 P152	Barred	0.0	22.8	2.6	36.5	0.0	0.0	0.0	4.1	0.2	0.1	0.2	34.5	0.0	0.0	101.0
MS-I6 P154	Barred	0.0	30.6	3.6	31.7	0.1	0.1	0.1	1.6	0.2	0.1	0.1	28.5	0.1	0.1	96.8
MS-I6 P157	Barred	0.0	33.9	2.9	43.3	0.1	0.0	0.0	2.2	0.2	0.5	0.3	17.3	0.0	0.0	100.7
MS-I6 P170	Barred	0.0	25.4	4.6	33.7	0.1	0.0	0.0	2.0	0.1	0.5	0.3	33.8	0.1	1.8	102.4
MS-I6 P175	Barred	0.1	15.2	5.1	31.1	0.1	0.2	0.0	3.9	0.3	0.2	0.2	44.2	0.0	0.6	101.1
MS-I6 P187	Barred	0.1	26.6	2.2	50.0	0.0	0.0	0.0	2.0	0.1	0.6	0.4	19.5	0.0	0.1	101.6
MS-I6 P193	Barred	0.0	15.0	5.1	40.5	0.1	0.0	0.0	2.2	0.2	0.2	0.4	36.1	0.0	0.3	100.0
MS-I6 P194	Barred	0.0	18.9	3.6	42.1	0.0	0.0	0.0	1.8	0.1	0.2	0.2	32.8	0.1	0.3	100.0
MS-I6 P201	Barred	0.0	33.4	3.1	38.4	0.1	0.0	0.0	1.1	0.1	0.6	0.4	26.6	0.1	0.0	103.8
MS-I6 P202	Barred	0.0	37.4	0.5	36.9	0.0	0.0	0.0	0.2	0.0	0.2	25.3	0.1	1.8	0.5	103.0

MS-I6 P203	Barred	0.0	12.9	4.6	33.2	0.0	0.0	0.0	2.8	0.2	0.2	0.4	47.2	0.1	0.1	101.6
MS-I6 P209	Barred	0.0	31.0	1.2	35.6	0.0	0.0	0.0	2.1	0.1	0.0	0.1	24.4	0.3	4.4	99.1
MS-I6 P213	Barred	0.0	23.7	0.4	40.8	0.1	0.0	0.0	1.0	0.1	0.1	0.3	33.0	0.0	0.1	99.7
MS-I6 P234	Barred	0.0	16.7	1.1	32.1	0.2	0.0	0.0	1.9	0.2	0.6	0.3	44.8	0.1	1.3	99.3
MS-I6 P239	Barred	0.0	16.7	3.4	32.9	0.1	0.0	0.0	1.4	0.2	0.3	0.3	44.8	0.1	1.0	101.2
MS-I6 P240	Barred	0.0	20.9	0.5	34.6	0.0	0.0	0.0	2.2	0.1	0.1	0.2	40.9	0.0	0.1	99.8
MS-I6 P244	Barred	0.0	23.7	2.1	34.4	0.0	0.0	0.0	2.1	0.2	0.2	0.3	37.2	0.1	0.5	100.7
MS-I6 P245	Barred	0.0	24.9	3.1	39.3	0.0	0.0	0.0	2.6	0.1	0.2	0.4	31.4	0.1	0.5	102.6
MS-I6 P249	Barred	0.0	35.7	1.5	36.7	0.0	0.0	0.0	1.7	0.1	0.4	0.3	23.0	0.1	0.3	99.9
MS-I6 P250	Barred	0.1	25.8	1.6	32.2	0.1	0.0	0.0	2.6	0.1	0.4	0.1	34.8	0.1	0.6	98.4
MS-I6 P270	Barred	0.0	29.6	0.0	35.9	0.1	0.3	0.0	2.3	0.1	0.3	0.3	35.4	0.1	0.0	104.4
MS-I6 P279	Barred	0.0	26.2	3.0	37.7	0.0	0.0	0.0	4.3	0.1	0.0	0.2	29.3	0.1	1.0	102.0
MS-I6 P283	Barred	0.0	41.7	1.4	42.2	0.1	0.0	0.0	1.7	0.1	0.1	0.2	13.5	0.0	0.1	101.1
MS-I6 P286	Barred	0.0	15.9	2.9	37.4	0.1	0.0	0.0	2.3	0.1	0.4	0.4	41.2	0.0	0.4	101.3
MS-I6 P298	Barred	0.0	19.1	3.9	33.8	0.0	0.0	0.0	1.8	0.2	0.6	0.2	39.7	0.1	1.9	101.3
MS-I6 P303	Barred	0.0	21.5	3.3	35.9	0.1	0.0	0.0	2.3	0.1	0.4	0.3	37.0	0.1	1.8	102.8
MS-I6 P306	Barred	0.0	23.5	2.7	35.8	0.1	0.0	0.0	1.7	0.2	0.3	0.3	36.5	0.1	0.9	102.0
MS-I6 P308	Barred	0.1	25.8	2.9	36.9	0.0	0.0	0.0	1.4	0.1	0.1	0.2	33.2	0.0	0.0	100.8
MS-I6 P319	Barred	0.2	12.2	1.3	31.4	0.0	0.0	0.0	0.9	0.0	0.2	0.5	53.7	0.1	0.1	100.5
MS-I6 P326	Barred	0.0	16.4	4.2	36.7	0.0	0.0	0.0	2.5	0.1	0.1	0.3	41.7	0.0	0.0	102.1
MS-I6 P342	Barred	0.0	24.2	2.8	38.0	0.0	0.0	0.0	2.3	0.1	0.2	0.3	31.7	0.1	0.6	100.3
MS-I6 P376	Barred	0.0	28.3	2.7	37.7	0.0	0.0	0.0	1.0	0.1	0.0	0.3	30.7	0.0	0.0	101.0
MS-I6 P381	Barred	0.0	25.6	2.2	37.6	0.0	0.0	0.0	2.3	0.1	0.4	0.3	32.1	0.1	0.1	100.8
MS-I6 P388	Barred	0.0	28.9	1.8	37.0	0.1	0.0	0.0	1.7	0.2	0.5	0.4	28.7	0.1	1.4	100.9
MS-I6 P398	Barred	0.0	16.3	2.9	34.8	0.2	0.0	0.0	3.1	0.1	0.2	0.3	40.5	0.1	1.3	99.8
MS-I6 P421	Barred	0.0	27.1	2.6	35.2	0.0	0.0	0.0	0.6	0.2	0.7	0.3	35.0	0.0	0.3	101.9
MS-I6 P476	Barred	0.0	26.5	2.4	37.4	0.0	0.0	0.0	1.9	0.1	0.5	0.3	29.7	0.1	2.1	101.0
MS-I7-P1	Barred	0.0	29.7	1.6	35.0	0.2	0.0	0.0	1.1	0.1	0.2	0.3	30.9	0.1	0.3	99.4
MS-I7-P4	Barred	0.0	28.1	2.7	42.0	0.1	0.0	0.0	1.5	0.1	0.4	0.3	24.1	0.0	0.0	99.3
MS-I7-P14	Barred	0.0	24.5	2.5	38.2	0.2	0.0	0.0	2.3	0.1	0.7	0.3	28.7	0.1	1.6	99.3
MS-I7-P16	Barred	0.0	24.8	2.8	38.2	0.1	0.0	0.0	1.5	0.2	0.6	0.3	28.9	0.1	0.6	98.0
MS-I7-P17	Barred	0.0	22.5	2.3	34.2	0.1	0.0	0.0	4.4	0.2	0.4	0.2	32.0	0.0	1.2	97.5
MS-I7-P25	Barred	0.1	27.4	1.7	32.3	0.3	0.0	0.0	1.2	0.1	0.7	0.2	32.2	0.1	2.1	98.3

MS-I7-P26	Barred	0.1	31.4	1.5	53.1	0.0	0.0	0.0	0.6	0.1	0.4	0.2	11.6	0.0	0.1	99.2
MS-I7-P29	Barred	0.0	26.3	2.5	39.2	0.1	0.0	0.0	3.8	0.1	0.3	0.3	25.7	0.1	1.3	99.7
MS-I7-P31	Barred	0.0	27.4	1.8	33.0	0.1	0.0	0.0	1.6	0.1	0.5	0.2	32.0	0.1	1.4	98.3
MS-I7-P62	Barred	0.0	23.5	3.3	28.6	0.1	0.0	0.0	2.7	0.1	0.5	0.2	35.7	0.1	2.0	97.0
MS-I7-P64	Barred	0.0	22.0	2.7	31.1	0.1	0.0	0.0	0.9	0.1	0.3	0.3	39.8	0.1	1.2	98.6
MS-I7-P81	Barred	0.0	31.2	2.5	33.9	0.1	0.0	0.0	1.3	0.1	0.1	0.2	29.0	0.1	0.0	98.5
MS-I7-P84	Barred	0.0	21.1	2.5	31.3	0.1	0.0	0.0	1.3	0.1	0.5	0.2	39.8	0.1	1.3	98.4
MS-I7-P93	Barred	0.0	19.8	3.9	34.9	0.0	0.0	0.0	3.4	0.1	0.1	0.2	34.9	0.0	0.1	97.6
MS-I7-P100	Barred	0.1	30.9	1.5	35.9	0.5	0.1	0.0	0.8	0.1	0.6	0.5	29.2	0.0	0.1	100.2
MS-I7-P109	Barred	0.0	19.6	6.1	28.7	0.1	0.0	0.0	1.1	0.1	0.3	0.2	31.8	0.1	1.4	89.4
MS-I7-P125	Barred	0.1	21.3	2.4	34.1	0.0	0.0	0.0	1.1	0.1	0.3	0.3	37.7	0.1	0.6	98.2
MS-I7-P126	Barred	0.1	25.8	1.9	26.3	0.1	0.0	0.0	0.5	0.1	0.4	0.2	40.0	0.1	2.2	97.5
MS-I7-P148	Barred	0.0	24.5	2.6	34.3	0.2	0.0	0.0	2.6	0.1	0.6	0.2	32.7	0.2	1.8	99.7
MS-I7-P149	Barred	0.0	21.4	2.6	36.1	0.2	0.0	0.0	1.6	0.1	0.5	0.3	33.1	0.1	1.3	97.4
MS-I7-P154	Barred	0.0	32.5	0.9	36.0	0.0	0.0	0.0	1.5	0.1	0.0	0.2	27.8	0.1	0.1	99.2
MS-I7-P156	Barred	0.0	31.7	4.8	35.5	0.1	0.0	0.0	3.6	0.2	0.1	0.2	22.3	0.0	0.0	98.6
MS-I7-P164	Barred	0.0	26.0	2.4	38.2	0.2	0.0	0.0	2.3	0.1	0.4	0.3	27.9	0.1	0.7	98.5
MS-I7-P177	Barred	0.0	32.9	1.8	38.0	0.1	0.0	0.0	1.3	0.1	0.1	0.2	24.7	0.0	0.0	99.4
MS-I7-P201	Barred	0.0	22.7	3.0	39.4	0.2	0.0	0.0	1.9	0.1	0.5	0.7	29.8	0.1	1.4	99.7
MS-I7-P203	Barred	0.0	26.1	2.8	35.9	0.1	0.0	0.0	1.6	0.2	0.2	0.3	31.5	0.1	0.6	99.5
MS-I7-P218	Barred	0.0	29.2	2.7	38.7	0.1	0.0	0.0	1.1	0.1	0.6	0.3	25.1	0.1	1.0	99.1
MS-I7-P219	Barred	0.3	39.2	2.4	41.4	0.1	0.0	0.0	0.7	0.2	0.2	0.3	12.9	0.0	0.1	97.9
MS-I7-P244	Barred	0.0	18.1	3.2	32.3	0.1	0.0	0.0	1.5	0.1	0.4	0.2	41.9	0.1	1.5	99.5
MS-I7-P262	Barred	0.0	24.6	3.7	36.2	0.0	0.0	0.0	2.8	0.1	0.0	0.2	31.2	0.0	0.1	99.0
MS-I7-P284	Barred	0.0	27.0	2.8	38.9	0.1	0.0	0.0	1.1	0.1	0.4	0.3	26.1	0.1	1.4	98.4
MS-I7-P314	Barred	0.0	30.3	2.8	41.7	0.1	0.0	0.0	2.2	0.1	0.6	0.4	20.0	0.1	0.0	98.3
MS-I7-P333	Barred	0.0	23.6	2.6	33.9	0.2	0.0	0.0	1.6	0.1	0.4	0.3	35.8	0.1	1.3	99.8
MS-I7-P349	Barred	0.1	34.9	1.3	48.1	0.0	0.0	0.0	1.2	0.1	0.7	0.3	12.1	0.0	0.2	99.0
MS-I7-P361	Barred	0.0	31.3	1.7	34.3	0.0	0.0	0.0	1.0	0.1	0.6	0.4	29.1	0.1	1.5	100.1
MS-I7-P377	Barred	0.1	26.8	2.8	37.0	0.8	0.0	0.0	1.7	0.1	0.4	0.3	28.5	0.1	0.9	99.5
MS-I7-P380	Barred	0.0	16.2	2.0	30.8	0.0	0.0	0.0	3.4	0.5	0.3	0.1	45.2	0.1	0.0	98.5
MS-I7-P381	Barred	0.0	26.9	0.4	38.0	0.1	0.0	0.0	0.5	0.0	0.3	0.4	32.7	0.0	0.0	99.3
MS-I7-P400	Barred	0.0	24.2	2.6	33.5	0.2	0.0	0.0	1.2	0.1	0.7	0.3	33.0	0.2	1.8	97.8

MS-I7-P402	Barred	0.1	21.7	3.8	42.1	0.1	0.0	0.0	6.9	0.3	0.8	1.7	20.3	0.0	0.5	98.2
MS-I7-P414	Barred	0.1	21.9	2.9	35.5	0.2	0.0	0.6	2.1	0.1	0.4	0.3	32.1	0.1	1.2	97.4
MS-I7-P417	Barred	0.0	16.4	3.3	26.8	0.1	0.0	0.0	1.0	0.1	0.4	0.2	46.9	0.1	1.3	96.5
MS-I7-P419	Barred	0.0	28.3	2.7	36.9	0.0	0.0	0.0	1.4	0.1	0.2	0.2	28.8	0.2	1.8	100.7
MS-I7-P422	Barred	0.0	23.2	3.1	32.9	0.1	0.0	0.0	1.6	0.2	0.4	0.2	35.7	0.1	1.3	98.7
MS-I7-P423	Barred	0.0	24.2	3.9	32.4	0.2	0.0	0.0	1.6	0.2	0.7	0.2	34.7	0.1	1.1	99.3
MS-I7-P428	Barred	0.0	23.5	2.1	36.5	0.0	0.0	0.0	0.5	0.1	0.4	0.2	34.8	0.1	0.1	98.5
MS-I7-P485	Barred	0.0	20.0	4.0	41.1	0.1	0.0	0.0	3.0	0.2	0.2	0.4	26.7	0.1	0.3	96.1
MS-I8-P11	Barred	0.0	29.1	2.5	38.7	0.3	0.0	0.0	8.1	0.1	0.4	0.5	20.8	0.0	0.0	100.7
MS-I8-P15	Barred	0.0	23.0	2.9	36.8	0.1	0.0	0.0	3.0	0.1	0.4	0.3	31.5	0.1	1.1	99.3
MS-I8-P16	Barred	0.0	21.8	2.9	33.3	0.1	0.0	0.0	3.6	0.1	0.3	0.3	36.0	0.1	1.0	99.6
MS-I8-P17	Barred	0.0	22.1	3.9	41.3	0.1	0.0	0.0	6.4	0.2	0.3	0.3	24.2	0.1	0.1	98.8
MS-I8-P20	Barred	0.0	19.7	2.9	31.8	0.0	0.0	0.0	3.8	0.1	0.2	0.3	38.6	0.1	0.6	98.2
MS-I8-P22	Barred	0.0	18.1	3.4	35.9	0.1	0.0	0.0	4.2	0.2	0.3	0.2	35.6	0.1	0.8	98.9
MS-I8-P25	Barred	0.0	23.2	2.7	33.3	0.1	0.0	0.0	2.2	0.1	0.5	0.2	36.2	0.1	1.4	100.0
MS-I8-P27	Barred	1.0	34.1	0.8	47.3	0.5	0.0	0.3	0.6	0.1	0.5	0.7	14.1	0.0	0.0	100.0
MS-I8-P36	Barred	0.0	23.6	3.6	41.7	0.4	0.0	0.0	3.0	0.2	0.4	0.4	24.7	0.1	1.1	99.2
MS-I8-P46	Barred	0.1	23.8	3.1	36.0	0.2	0.0	0.0	2.7	0.1	0.4	0.3	30.4	0.1	1.0	98.3
MS-I8-P47	Barred	0.1	19.5	1.7	28.6	0.4	0.0	0.1	0.5	0.1	0.9	0.2	46.9	0.0	0.1	99.3
MS-I8-P48	Barred	0.0	22.0	4.0	34.7	0.1	0.0	0.1	2.1	0.1	0.4	0.3	34.7	0.1	1.2	99.9
MS-I8-P54	Barred	0.0	23.3	3.0	33.0	0.2	0.0	0.0	4.1	0.1	0.4	0.3	33.6	0.1	0.9	98.9
MS-I8-P57	Barred	0.0	24.2	3.0	35.4	0.1	0.0	0.0	2.6	0.1	0.5	0.3	31.8	0.1	1.3	99.5
MS-I8-P60	Barred	0.0	22.2	3.3	34.3	0.1	0.0	0.0	2.9	0.1	0.6	0.3	34.1	0.1	1.2	99.2
MS-I8-P63	Barred	0.0	23.2	2.4	32.9	0.0	0.0	0.0	1.0	0.1	0.2	0.3	38.0	0.1	0.2	98.4
MS-I8-P67	Barred	0.0	31.2	1.1	37.0	0.3	0.0	0.0	1.2	0.1	0.2	0.2	26.4	0.1	1.5	99.5
MS-I8-P72	Barred	0.0	26.9	2.4	38.6	0.1	0.0	0.0	2.8	0.1	0.2	0.3	26.9	0.1	0.6	99.0
MS-I8-P73	Barred	0.0	24.4	3.1	37.9	0.0	0.0	0.0	1.7	0.1	0.1	0.2	29.7	0.1	0.4	97.7
MS-I8-P79	Barred	0.0	26.9	2.0	35.5	0.1	0.0	0.0	1.5	0.1	0.5	0.3	30.4	0.1	1.7	99.2
MS-I8-P82	Barred	0.0	23.1	3.0	35.7	0.2	0.0	0.0	1.6	0.1	0.4	0.3	34.0	0.1	0.2	98.8
MS-I8-P87	Barred	0.0	24.1	2.0	35.1	0.1	0.0	0.0	1.7	0.1	0.2	0.2	34.0	0.1	0.2	97.7
MS-I8-P88	Barred	0.0	32.5	2.3	38.5	0.0	0.0	0.0	1.2	0.1	0.1	0.2	23.3	0.0	0.1	98.4
MS-I8-P93	Barred	0.0	32.1	2.0	40.5	0.2	0.0	0.0	1.8	0.1	0.3	0.2	18.8	0.1	0.6	96.8
MS-I8-P94	Barred	0.0	23.5	3.2	38.4	0.1	0.0	0.0	2.5	0.1	0.3	0.3	23.3	0.1	0.6	92.4

MS-I8-P96	Barred	0.0	24.6	2.9	39.0	0.1	0.0	0.0	2.6	0.1	0.2	0.2	22.4	0.0	1.1	93.1
MS-I8-P97	Barred	0.0	34.5	2.9	37.4	0.1	0.0	0.0	3.5	0.1	0.2	0.2	18.4	0.1	0.8	98.1
MS-I8-P98	Barred	0.0	25.0	2.9	37.6	0.2	0.0	0.0	1.6	0.1	0.3	0.2	22.8	0.1	1.2	91.9
MS-I8-P112	Barred	0.0	26.6	3.4	39.6	0.0	0.0	0.0	1.9	0.1	0.1	0.3	23.9	0.0	0.2	96.1
MS-I8-P116	Barred	0.0	26.2	2.7	36.4	0.0	0.0	0.0	2.0	0.1	0.3	0.2	30.1	0.0	0.0	98.1
MS-I8-P137	Barred	0.0	26.5	1.7	34.2	0.2	0.0	0.0	2.5	0.1	0.4	0.2	34.7	0.2	1.2	102.0
MS-I8-P138	Barred	0.0	32.4	0.8	36.7	0.1	0.0	0.0	0.5	0.1	0.5	0.3	28.6	0.1	0.1	100.2
MS-I8-P139	Barred	0.0	26.5	2.6	34.7	0.0	0.0	0.0	1.3	0.1	0.4	0.2	32.2	0.1	1.1	99.0
MS-I8-P142	Barred	0.0	44.6	1.0	42.4	0.0	0.0	0.0	0.5	0.2	0.1	0.1	12.1	0.1	0.1	101.1
MS-I8-P143	Barred	0.0	29.3	2.7	37.8	0.1	0.0	0.0	1.0	0.1	0.2	0.2	29.0	0.0	1.1	101.6
MS-I8-P144	Barred	0.0	28.1	1.9	36.4	0.0	0.0	0.0	0.3	0.1	0.5	0.2	32.1	0.1	1.3	101.0
MS-I8-P148	Barred	0.0	32.2	1.9	39.7	0.1	0.0	0.0	1.2	0.1	0.2	0.3	21.9	0.2	1.6	99.4
MS-I8-P150	Barred	0.0	28.8	1.2	37.1	0.1	0.0	0.0	1.9	0.1	0.2	0.4	27.4	0.2	1.5	98.9
MS-I8-P159	Barred	0.0	16.4	2.3	36.1	0.5	0.0	0.0	6.3	0.1	0.2	0.3	36.1	0.1	0.7	99.0
MS-I8-P160	Barred	0.0	27.7	2.4	38.8	0.2	0.0	0.0	2.4	0.1	0.5	0.4	27.1	0.1	0.9	100.5
MS-I8-P179	Barred	0.0	29.9	2.0	37.9	0.1	0.0	0.0	1.5	0.1	0.3	0.3	27.8	0.1	0.5	100.4
MS-I8-P197	Barred	0.0	30.6	2.5	38.5	0.0	0.0	0.0	0.4	0.1	0.0	0.2	27.0	0.2	0.4	99.9
MS-I13-P4	Barred	0.1	20.3	2.8	35.3	0.1	0.0	0.0	2.1	0.1	0.6	0.2	36.2	0.0	1.4	98.9
MS-I13-P7	Barred	0.0	20.1	3.7	38.4	0.2	0.0	0.0	2.9	0.1	0.2	0.3	32.3	0.0	0.3	98.5
MS-I13-P8	Barred	0.0	37.9	0.7	40.1	0.0	0.0	0.0	1.0	0.2	0.1	0.1	20.6	0.0	0.0	100.8
MS-I13-P11	Barred	0.0	21.3	3.3	37.3	0.1	0.0	0.0	3.8	0.2	0.2	0.3	30.8	0.1	0.4	97.6
MS-I13-P13	Barred	0.0	15.9	3.9	31.4	0.1	0.0	0.0	2.9	0.2	0.8	0.3	44.6	0.1	0.8	100.9
MS-I13-P14	Barred	0.0	27.4	2.3	37.3	0.0	0.0	0.0	1.9	0.1	0.4	0.3	27.1	0.1	1.7	98.6
MS-I13-P16	Barred	0.2	33.2	1.6	46.6	0.0	0.0	0.0	0.5	0.1	0.0	0.4	15.9	0.0	0.2	98.7
MS-I13-P18	Barred	0.0	28.5	1.4	36.3	0.1	0.0	0.0	1.4	0.1	0.3	0.4	27.8	0.1	0.1	96.5
MS-I13-P26	Barred	0.0	25.8	2.7	38.4	0.0	0.0	0.0	2.3	0.1	0.2	0.2	26.7	0.0	0.0	96.4
MS-I13-P27	Barred	0.0	24.5	1.5	36.1	0.2	0.0	0.0	1.4	0.1	0.2	0.2	33.4	0.1	0.6	98.2
MS-I13-P34	Barred	0.0	20.8	3.8	33.0	0.1	0.0	0.0	7.4	0.3	0.2	0.2	30.2	0.1	0.9	97.0
MS-I13-P37	Barred	0.0	23.3	3.1	33.7	0.1	0.0	0.0	1.4	0.1	0.4	0.2	35.7	0.1	1.2	99.4
MS-I13-P38	Barred	0.0	24.8	2.5	38.2	0.1	0.0	0.0	1.3	0.1	0.3	0.4	28.2	0.1	1.5	97.5
MS-I13-P43	Barred	0.0	29.5	1.4	39.7	0.1	0.0	0.0	1.7	0.0	0.3	0.4	27.4	0.1	0.0	100.5
MS-I13-P44	Barred	0.0	26.8	2.8	39.3	0.1	0.0	0.0	2.3	0.1	0.4	0.2	27.7	0.1	0.1	100.0
MS-I13-P45	Barred	0.0	28.6	2.8	41.1	0.0	0.0	0.0	2.1	0.1	0.3	0.4	23.7	0.0	0.3	99.3

MS-I13-P46	Barred	0.0	23.1	2.4	33.9	0.0	0.0	0.0	2.9	0.1	0.1	0.1	35.7	0.0	0.1	98.4
MS-I13-P47	Barred	0.0	24.5	2.8	37.2	0.0	0.0	0.0	1.8	0.1	0.6	0.2	30.5	0.0	1.1	99.0
MS-I13-P52	Barred	0.0	17.0	2.8	33.7	0.2	0.0	0.0	4.0	0.1	0.3	0.2	38.1	0.1	0.9	97.3
MS-I13-P54	Barred	0.0	26.9	4.8	41.5	0.0	0.0	0.0	3.2	0.1	0.1	0.2	22.8	0.0	0.1	99.9
MS-I13-P55	Barred	0.0	23.6	2.9	38.6	0.2	0.0	0.0	2.7	0.1	0.6	0.4	29.5	0.1	0.0	98.7
MS-I13-P56	Barred	0.0	21.9	3.2	36.0	0.0	0.0	0.0	1.9	0.1	0.6	0.2	33.5	0.1	1.3	99.0
MS-I13-P62	Barred	0.0	22.0	3.0	38.6	0.1	0.0	0.0	4.3	0.1	0.3	0.3	29.0	0.1	0.8	98.6
MS-I13-P63	Barred	0.0	21.0	3.4	34.1	0.2	0.0	0.0	3.6	0.1	0.4	0.2	33.5	0.2	0.7	97.5
MS-I13-P65	Barred	0.0	23.6	2.9	36.6	0.0	0.0	0.0	2.1	0.1	0.7	0.4	31.9	0.0	0.0	98.5
MS-I13-P67	Barred	0.1	24.4	2.4	38.4	0.0	0.0	0.0	0.6	0.1	0.3	0.3	32.2	0.1	0.9	99.8
MS-I13-P73	Barred	0.0	14.3	0.3	40.6	0.1	0.0	0.0	0.5	0.0	0.1	0.9	44.3	0.1	0.0	101.3
MS-I13-P80	Barred	0.0	22.5	3.2	33.8	0.1	0.0	0.0	3.7	0.1	0.3	0.3	33.0	0.1	0.8	98.0
MS-I13-P81	Barred	0.0	31.4	2.5	38.5	0.1	0.0	0.0	1.3	0.1	0.1	0.2	23.6	0.1	0.4	98.2
MS-I13-P82	Barred	0.0	35.2	0.9	35.5	0.0	0.0	0.0	0.6	0.0	0.4	0.3	21.9	0.0	1.9	96.8
MS-I13-P83	Barred	0.1	30.1	1.4	35.9	0.0	0.0	0.0	0.8	0.1	0.2	0.4	26.6	0.0	0.0	95.6
MS-I13-P88	Barred	0.0	25.2	2.8	35.2	0.1	0.0	0.0	1.5	0.1	0.3	0.3	32.7	0.1	0.5	98.8
MS-I13-P89	Barred	0.0	27.2	2.6	37.3	0.1	0.0	0.0	1.5	0.1	0.2	0.2	29.2	0.1	0.6	99.2
MS-I13-P90	Barred	0.0	24.6	6.0	35.0	0.0	0.0	0.0	1.9	0.1	0.2	0.2	29.5	0.1	0.3	97.9
MS-I13-P91	Barred	0.0	22.3	0.6	32.8	0.1	0.0	0.0	0.3	0.0	0.2	0.1	40.6	0.2	0.7	98.0
MS-I13-P99	Barred	0.0	38.1	0.1	40.0	0.0	0.0	0.0	0.3	0.1	0.0	0.2	19.5	0.0	0.0	98.3
MS-I13-P111	Barred	0.0	21.1	3.5	36.0	0.1	0.0	0.0	2.4	0.2	0.3	0.2	35.9	0.1	0.9	100.7
MS-I13-P114	Barred	0.0	16.9	3.6	31.3	0.1	0.0	0.0	1.7	0.1	0.4	0.3	43.3	0.1	0.9	98.7
MS-I13-P116	Barred	0.0	27.3	2.0	31.0	0.1	0.0	0.0	3.2	0.1	0.4	0.4	32.9	0.1	1.0	98.3
MS-I13-P119	Barred	0.0	18.6	2.7	28.3	0.1	0.0	0.0	2.0	0.1	0.5	0.3	41.8	0.2	1.5	96.1
MS-I13-P121	Barred	0.0	25.7	1.2	51.8	0.0	0.0	0.0	0.4	0.4	1.6	0.3	20.2	0.0	0.9	102.7
MS-I13-P124	Barred	0.0	14.8	5.0	41.5	0.2	0.0	0.0	4.6	0.2	0.3	0.4	29.2	0.1	1.1	97.3
MS-I13-P126	Barred	0.0	24.3	1.7	34.5	0.1	0.0	0.0	1.4	0.1	0.5	0.4	36.3	0.1	1.0	100.4
MS-I13-P129	Barred	0.0	21.1	3.8	39.9	0.0	0.0	0.0	2.8	0.2	1.4	0.5	30.1	0.0	0.0	99.9
MS-I13-P133	Barred	0.0	25.3	1.8	33.8	0.1	0.0	0.0	1.2	0.1	0.5	0.2	34.3	0.1	1.9	99.3
MS-I13-P134	Barred	0.0	30.0	1.8	41.5	0.3	0.0	0.0	2.6	0.1	0.4	0.2	20.4	0.1	2.0	99.6
MS-I13-P136	Barred	0.0	24.7	2.6	39.6	0.2	0.0	0.0	0.8	0.1	0.5	0.3	31.5	0.1	0.3	100.6
MS-I13-P142	Barred	0.0	18.9	3.9	39.7	0.0	0.0	0.0	3.0	0.2	0.4	0.6	35.0	0.1	0.0	101.7
MS-I13-P144	Barred	0.0	18.5	3.8	37.4	0.0	0.0	0.0	1.1	0.1	0.2	0.2	38.6	0.0	0.3	100.3

MS-I13-P146	Barred	0.0	36.0	0.4	41.3	0.1	0.0	0.0	1.1	0.1	0.1	0.1	18.6	0.1	0.7	98.6
MS-I13-P147	Barred	0.0	23.6	2.7	40.5	0.2	0.0	0.0	3.5	0.1	0.3	0.6	26.6	0.1	0.7	98.9
MS-I13-P155	Barred	0.0	18.8	2.8	33.1	0.4	0.0	0.0	2.4	0.1	0.3	0.2	39.2	0.1	1.0	98.5
MS-I13-P158	Barred	0.0	23.1	2.7	38.4	0.0	0.0	0.0	1.3	0.1	0.2	0.3	33.8	0.0	0.2	100.3
MS-I13-P160	Barred	0.0	25.3	1.3	33.0	0.1	0.0	0.0	0.3	0.0	0.6	0.2	37.6	0.1	2.4	101.0
MS-I13-P163	Barred	0.0	39.5	0.4	40.7	0.1	0.0	0.0	0.2	0.0	0.0	0.4	18.6	0.0	0.2	100.2
MS-I13-P164	Barred	0.0	24.9	2.6	37.6	0.1	0.0	0.0	1.2	0.1	0.5	0.2	32.6	0.2	1.0	101.0
MS-I13-P170	Barred	0.0	34.1	1.1	40.9	0.2	0.0	0.0	2.4	0.1	0.5	1.1	18.6	0.0	0.2	99.0
MS-I13-P172	Barred	0.0	22.8	2.9	34.2	0.1	0.0	0.0	1.2	0.1	0.3	0.2	37.8	0.1	0.8	100.6
MS-I13-P179	Barred	0.0	23.1	2.8	38.1	0.2	0.0	0.0	3.0	0.1	0.2	0.3	29.7	0.1	1.2	98.8
MS-I13-P180	Barred	0.0	14.6	4.0	34.0	0.1	0.0	0.0	3.8	0.1	0.2	0.2	40.1	0.1	0.7	97.9
MS-I13-P183	Barred	0.0	19.9	3.2	31.2	0.2	0.0	0.0	2.5	0.1	0.5	0.2	38.8	0.1	1.4	98.0
MS-I13-P186	Barred	0.0	14.1	3.6	36.4	0.1	0.0	0.0	3.8	0.1	0.4	0.3	37.6	0.0	1.5	97.8
MS-I13-P188	Barred	0.0	28.1	2.9	35.2	0.0	0.0	0.0	2.1	0.2	0.2	0.2	28.5	0.0	1.7	99.1
MS-I13-P189	Barred	0.0	22.4	2.8	36.3	0.1	0.0	0.0	0.7	0.1	0.5	0.3	34.2	0.1	0.2	97.7
MS-I13-P190	Barred	0.0	26.9	2.0	40.8	0.1	0.0	0.0	1.5	0.1	0.5	0.3	26.1	0.1	0.3	98.6
MS-I13-P191	Barred	0.0	35.3	0.9	37.3	0.2	0.0	0.0	1.3	0.1	0.4	0.2	23.7	0.1	1.8	101.2
MS-I13-P197	Barred	0.0	30.1	1.7	38.6	0.0	0.0	0.0	0.6	0.1	0.4	0.3	25.9	0.0	0.2	97.8
MS-I13-P199	Barred	0.0	27.1	1.9	30.5	0.1	0.0	0.0	1.2	0.1	0.6	0.2	36.8	0.1	2.3	100.9
MS-I13-P200	Barred	0.0	13.0	4.3	32.0	0.2	0.0	0.0	2.8	0.2	0.4	0.4	43.2	0.1	0.5	97.0
MS-I13-P203	Barred	0.0	13.6	3.6	32.3	0.0	0.0	0.0	4.0	0.1	0.2	0.2	41.4	0.0	0.1	95.6
MS-I13-P204	Barred	0.0	30.6	1.6	38.9	0.1	0.0	0.0	1.7	0.1	0.3	0.4	22.5	0.1	0.7	97.0
MS-I13-P205	Barred	0.0	17.9	3.4	31.7	0.0	0.0	0.0	0.9	0.1	0.3	0.1	39.7	0.2	2.4	96.7
MS-I13-P206	Barred	0.0	23.3	2.9	38.5	0.1	0.0	0.0	1.9	0.1	0.1	0.3	32.8	0.1	0.2	100.2
MS-I13-P209	Barred	0.0	34.3	1.7	37.7	0.1	0.0	0.0	1.2	0.1	0.4	0.3	21.5	0.0	0.2	97.4
MS-I13-P212	Barred	0.0	24.1	1.8	34.3	0.0	0.0	0.0	1.9	0.1	0.2	0.3	33.9	0.0	0.2	96.7
MS-I13-P216	Barred	0.0	23.1	2.7	33.0	0.0	0.0	0.0	1.4	0.1	0.2	0.3	36.4	0.1	0.2	97.4
MS-I13-P217	Barred	0.0	30.4	2.3	37.1	0.0	0.0	0.0	1.5	0.1	0.1	0.2	25.5	0.1	0.0	97.3
MS-I13-P218	Barred	0.0	14.1	4.5	40.8	0.2	0.0	0.0	2.3	0.1	0.1	0.3	35.0	0.1	0.8	98.3
MS-I13-P220	Barred	0.0	19.0	2.7	29.0	0.0	0.0	0.0	0.2	0.1	0.0	0.3	48.7	0.0	0.0	100.0
MS-I13-P222	Barred	0.0	24.9	2.8	35.9	0.0	0.0	0.0	1.6	0.1	0.2	0.3	32.2	0.1	0.2	98.3
MS-I13-P223	Barred	0.0	29.1	1.9	36.4	0.2	0.0	0.0	0.5	0.1	0.8	0.3	27.2	0.2	1.8	98.4
MS-I13-P225	Barred	0.0	28.0	1.7	29.2	0.1	0.0	0.0	0.4	0.1	2.6	0.3	34.5	0.1	0.3	97.2

MS-I13-P226	Barred	0.0	25.6	2.2	34.4	0.0	0.0	0.0	1.7	0.1	0.3	0.2	32.8	0.1	1.8	99.2
MS-I13-P228	Barred	0.0	28.1	1.7	36.5	0.1	0.0	0.0	1.4	0.1	0.4	0.2	27.3	0.1	1.3	97.1
MS-I13-P229	Barred	0.0	29.9	1.5	30.6	0.1	0.0	0.0	0.9	0.1	0.6	0.3	36.8	0.2	1.2	102.1
MS-I13-P231	Barred	0.0	39.0	0.7	37.2	0.0	0.0	0.0	0.6	0.0	0.2	0.3	20.6	0.0	0.4	99.1
MS-I13-P237	Barred	0.0	12.9	4.4	37.6	0.1	0.0	0.0	4.6	0.2	0.3	0.4	37.4	0.1	1.0	98.9
MS-I13-P239	Barred	0.0	17.8	2.6	28.4	0.1	0.0	0.0	3.8	0.1	0.5	0.3	43.0	0.1	1.1	97.7
MS-I13-P246	Barred	0.0	23.1	2.4	33.9	0.0	0.0	0.0	2.9	0.1	0.1	0.1	35.7	0.0	0.1	98.4
MS-I13-P249	Barred	0.0	21.9	3.3	36.0	0.0	0.0	0.0	4.8	0.1	0.1	0.2	31.6	0.1	0.1	98.3
MS-I13-P255	Barred	0.0	19.8	6.4	33.7	0.1	0.0	0.0	3.5	0.1	0.4	0.3	35.2	0.1	0.4	100.0
MS-I13-P260	Barred	0.0	18.6	2.6	34.2	0.1	0.0	0.0	1.5	0.1	0.3	0.3	39.4	0.1	1.8	99.0
MS-I13-P261	Barred	0.0	27.1	0.5	38.4	0.0	0.0	0.0	1.4	0.1	0.1	0.3	30.6	0.1	1.0	99.7
MS-I13-P263	Barred	0.0	27.2	2.7	41.8	0.0	0.0	0.0	2.1	0.1	0.2	0.3	25.6	0.1	0.8	100.9
MS-I13-P268	Barred	0.0	23.0	3.1	39.2	0.1	0.0	0.0	2.8	0.1	0.3	0.4	29.8	0.1	0.8	99.7
MS-I13-P269	Barred	0.0	26.2	2.4	38.4	0.1	0.0	0.0	1.0	0.1	0.3	0.2	27.4	0.1	2.0	98.2
MS-I13-P271	Barred	0.0	34.7	0.4	35.5	0.2	0.0	0.0	0.2	0.1	0.3	0.2	27.5	0.1	0.3	99.5
MS-I13-P273	Barred	0.0	17.3	3.5	31.2	0.1	0.1	0.0	0.7	0.2	0.3	0.3	42.5	0.1	1.3	97.6
MS-I13-P275	Barred	0.0	24.8	2.9	40.6	0.1	0.0	0.0	3.4	0.1	0.3	0.3	27.9	0.1	0.0	100.7
MS-I13-P278	Barred	0.0	20.0	3.0	38.8	0.2	0.0	0.0	1.3	0.1	0.3	0.3	32.8	0.2	1.3	98.3
MS-I13-P282	Barred	0.0	25.6	2.1	38.3	0.1	0.0	0.0	1.0	0.1	0.5	0.3	30.3	0.1	0.7	99.0
MS-I13-P283	Barred	0.0	27.5	1.2	31.3	0.1	0.0	0.0	0.5	0.1	0.5	0.2	34.1	0.1	1.6	97.1
MS-I13-P284	Barred	0.0	36.3	1.6	41.4	0.1	0.0	0.0	0.6	0.1	0.3	0.2	15.4	0.1	1.4	97.7
MS-I13-P289	Barred	0.0	37.6	1.5	41.4	0.1	0.0	0.0	1.4	0.1	0.2	0.3	15.8	0.1	0.5	99.0
MS-I13-P291	Barred	0.0	24.2	3.0	41.6	0.0	0.0	0.0	2.5	0.1	0.1	0.4	28.9	0.1	0.1	101.0
MS-I13-P292	Barred	0.0	22.8	3.5	38.1	0.0	0.0	0.0	1.3	0.1	0.1	0.2	33.8	0.0	0.0	100.1
MS-I13-P299	Barred	0.0	30.1	1.2	36.9	0.0	0.0	0.0	0.7	0.6	0.3	0.7	27.2	0.0	0.0	97.7
MS-I13-P303	Barred	0.0	25.7	1.4	30.1	0.2	0.0	0.0	0.8	0.1	0.6	0.2	35.6	0.2	2.6	97.3
MS-I13-P308	Barred	0.0	18.0	3.8	33.8	0.0	0.0	0.0	1.0	0.1	0.3	0.2	40.8	0.1	0.6	98.8
MS-I13-P309	Barred	0.0	23.6	2.3	34.5	0.1	0.0	0.0	5.6	0.1	0.2	0.3	31.4	0.0	0.3	98.4
MS-I13-P311	Barred	0.0	21.9	2.7	34.0	0.1	0.0	0.0	1.2	0.1	0.4	0.3	36.2	0.1	1.4	98.3
MS-I13-P316	Barred	0.0	14.0	3.4	35.4	0.2	0.0	0.0	2.4	0.1	0.3	0.3	39.3	0.1	1.1	96.5
MS-I13-P320	Barred	0.0	17.8	4.7	33.6	0.1	0.0	0.0	1.8	0.2	0.5	0.2	38.0	0.2	1.4	98.5
MS-I13-P325	Barred	0.0	26.4	2.5	41.8	0.1	0.0	0.0	1.2	0.1	0.4	0.3	25.8	0.1	0.0	98.7
MS-I13-P328	Barred	0.0	21.1	4.3	35.2	0.1	0.0	0.0	2.9	0.2	0.3	0.3	32.6	0.1	1.3	98.5

MS-I13-P331	Barred	0.0	15.1	2.9	31.3	0.1	0.0	0.0	5.1	0.1	0.3	0.2	38.1	0.1	1.2	94.5
MS-I13-P334	Barred	0.0	27.5	3.0	37.6	0.1	0.0	0.0	0.4	0.1	0.3	0.2	28.3	0.0	0.3	97.9
MS-I13-P339	Barred	0.0	20.0	4.2	36.9	0.2	0.0	0.0	3.0	0.2	0.5	0.3	31.9	0.0	0.0	97.4
MS-I13-P341	Barred	0.0	28.9	2.1	41.1	0.0	0.0	0.0	1.8	0.1	0.3	0.4	24.5	0.1	0.3	99.7
MS-I13-P344	Barred	0.0	20.2	3.1	36.2	0.1	0.0	0.0	2.3	0.1	0.5	0.3	33.7	0.1	1.2	97.8
MS-I13-P345	Barred	0.0	28.4	3.6	30.1	0.0	0.0	0.0	2.6	0.2	0.0	0.0	34.7	0.0	0.0	99.6
MS-I13-P346	Barred	0.0	22.8	2.6	37.0	0.0	0.0	0.0	2.7	0.1	0.1	0.4	30.7	0.0	0.0	96.5
MS-I13-P348	Barred	0.1	27.2	2.5	37.5	0.1	0.0	0.0	1.9	0.1	0.5	0.4	28.5	0.1	0.8	99.7
MS-I13-P351	Barred	0.0	16.8	3.1	34.9	0.1	0.0	0.0	2.9	0.1	0.3	0.2	38.3	0.1	1.5	98.6
MS-I13-P354	Barred	0.0	20.7	3.1	38.5	0.1	0.0	0.0	2.0	0.2	0.3	0.3	31.0	0.1	0.7	97.0
MS-I13-P360	Barred	0.0	23.8	2.5	33.5	0.0	0.0	0.0	3.0	0.1	0.5	0.3	34.3	0.1	0.8	98.9
MS-I13-P362	Barred	0.0	22.7	2.7	34.7	0.1	0.0	0.0	1.6	0.1	0.3	0.3	34.6	0.1	0.8	98.0
MS-I13-P365	Barred	0.0	23.3	2.9	37.5	0.0	0.0	0.0	2.4	0.1	0.4	0.3	26.4	0.1	1.9	95.3
MS-I13-P366	Barred	0.1	23.9	0.4	38.7	0.0	0.0	0.0	0.1	0.0	0.1	0.9	29.0	0.0	0.3	93.6
MS-I13-P367	Barred	0.0	12.8	3.8	36.7	0.2	0.0	0.0	5.4	0.1	0.3	0.3	37.5	0.1	0.8	97.9
MS-I13-P369	Barred	0.0	18.7	3.6	33.7	0.2	0.0	0.0	2.7	0.1	0.6	0.3	37.0	0.1	1.0	98.1
MS-I13-P373	Barred	0.0	26.1	2.6	35.0	0.1	0.0	0.0	1.8	0.1	0.3	0.2	31.8	0.1	0.9	99.2
MS-I13-P377	Barred	0.0	19.4	2.3	32.3	0.1	0.0	0.0	1.5	0.1	1.1	0.3	43.3	0.1	1.0	101.6
MS-I13-P378	Barred	0.0	23.5	2.0	31.1	0.0	0.0	0.0	0.2	0.1	0.2	0.1	39.9	0.1	2.1	99.3
MS-I13-P379	Barred	0.0	18.3	1.5	33.0	0.0	0.0	0.0	0.9	0.1	0.1	0.1	43.0	0.0	0.0	96.8
MS-I13-P382	Barred	0.0	22.0	2.5	34.1	0.1	0.0	0.0	2.5	0.1	0.3	0.2	35.2	0.1	1.2	98.4
MS-I13-P383	Barred	0.0	24.3	2.3	34.8	0.1	0.0	0.0	2.5	0.1	0.5	0.3	30.1	0.0	1.4	96.5
MS-I13-P392	Barred	0.0	36.8	1.4	33.3	0.1	0.0	0.0	1.1	0.1	0.3	0.2	26.0	0.1	0.8	100.2
MS-I13-P400	Barred	0.0	21.0	4.3	33.8	0.0	0.0	0.0	2.1	0.2	0.4	0.3	33.7	0.1	1.3	97.1
MS-I13-P402	Barred	0.0	30.9	2.0	37.9	0.0	0.0	0.0	1.5	0.1	0.1	0.4	24.6	0.1	0.8	98.4
MS-I13-P405	Barred	0.0	23.7	2.7	40.6	0.1	0.0	0.0	1.8	0.1	0.5	0.3	27.6	0.0	0.0	97.5
MS-I13-P406	Barred	1.3	28.0	3.2	46.9	0.4	0.0	0.6	1.4	0.1	0.8	0.4	15.6	0.0	0.0	98.5
MS-I13-P413	Barred	0.0	23.5	3.4	38.4	0.0	0.0	0.0	1.2	0.2	0.1	0.2	30.8	0.0	0.0	97.9
MS-I13-P419	Barred	0.0	21.6	2.8	34.5	0.3	0.0	0.0	4.6	0.1	0.4	0.3	33.0	0.1	1.1	99.0
MS-I13-P449	Barred	0.0	25.2	2.8	37.2	0.0	0.0	0.0	2.7	0.1	0.0	0.1	30.5	0.1	0.0	98.8
MS-I13-P453	Barred	0.0	26.6	2.0	35.3	0.2	0.0	0.0	1.9	0.1	0.3	0.2	29.7	0.1	1.3	97.9
MS-I13-P457	Barred	0.0	24.4	3.4	40.3	0.0	0.0	0.0	1.7	0.2	0.2	0.2	26.9	0.1	1.5	98.9
MS-I13-P458	Barred	0.0	27.6	2.1	42.6	0.2	0.0	0.0	1.9	0.2	0.4	0.1	22.8	0.1	1.2	99.4

MS-I13-P460	Barred	0.0	25.4	2.9	38.8	0.1	0.0	0.0	2.3	0.1	0.1	0.4	27.2	0.1	0.3	97.7
MS-I13-P461	Barred	0.0	19.4	3.2	37.3	0.4	0.0	0.0	1.0	0.1	0.4	0.2	35.7	0.1	0.8	98.6
MS-I13-P463	Barred	0.0	28.7	1.3	37.8	0.1	0.0	0.0	0.8	0.0	0.3	0.1	27.3	0.0	0.0	96.5
MS-I13-P466	Barred	0.0	18.0	3.1	36.5	0.1	0.0	0.0	1.5	0.2	0.3	0.3	36.7	0.1	1.0	97.9
MS-I13-P481	Barred	0.0	24.1	2.4	40.9	0.1	0.0	0.0	2.1	0.1	0.3	0.4	27.7	0.1	0.2	98.3
MS-I13-P486	Barred	0.0	25.4	2.1	29.4	0.1	0.0	0.0	4.8	0.1	0.2	0.3	34.2	0.1	0.9	97.7
MS-I13-P493	Barred	0.0	36.3	0.4	39.9	0.0	0.0	0.0	0.4	0.0	0.3	0.4	23.1	0.0	0.2	101.1
MS-I13-P507	Barred	0.0	18.9	1.8	31.6	0.0	0.0	0.0	1.7	0.2	0.6	0.1	41.9	0.2	1.8	98.6
MS-I13-P513	Barred	0.0	23.5	1.3	27.7	0.1	0.0	0.0	0.3	0.1	0.4	0.2	39.2	0.1	2.1	95.1
MS-I13-P527	Barred	0.0	24.2	2.6	38.1	0.2	0.0	0.0	2.1	0.2	0.9	0.3	28.2	0.1	1.2	98.0
MS-I13-P544	Barred	0.0	29.3	2.5	36.8	0.0	0.0	0.0	4.8	0.1	0.3	0.6	24.2	0.1	1.0	99.7
MS-I13-P547	Barred	0.0	20.6	2.5	34.1	0.0	0.0	0.0	4.7	0.1	0.3	0.2	34.4	0.1	1.1	98.1
MS-I13-P552	Barred	0.0	21.6	2.1	34.9	0.1	0.0	0.0	1.2	0.1	0.4	0.2	37.9	0.2	1.1	99.8
MS-I13-P570	Barred	0.0	29.3	2.3	39.0	0.1	0.0	0.0	8.2	0.1	0.4	0.8	18.7	0.1	0.4	99.3
MS-I13-P571	Barred	0.0	30.9	2.4	41.1	0.0	0.0	0.0	0.5	0.1	0.7	0.6	23.3	0.1	1.1	100.7
MS-I13-P577	Barred	0.0	24.5	0.6	38.7	0.0	0.0	0.0	0.5	0.0	0.4	0.9	31.7	0.1	2.5	99.9
MS-I13-P591	Barred	0.0	24.8	1.7	32.6	0.0	0.0	0.0	1.9	0.1	0.6	0.5	33.5	0.1	1.4	97.2
MS-I13-P623	Barred	0.0	23.9	2.3	33.4	0.1	0.0	0.0	1.2	0.1	0.3	0.2	35.3	0.1	0.6	97.5
MS-I13-P624	Barred	0.0	22.1	2.8	34.9	0.1	0.0	0.0	3.6	0.2	0.2	0.3	34.1	0.1	0.2	98.6
MS-I19-P2	Barred	0.0	27.8	3.1	41.4	0.0	0.0	0.0	2.5	0.2	0.2	0.1	23.5	0.0	0.0	98.8
MS-I19-P4	Barred	0.0	19.7	2.6	33.7	0.1	0.0	0.0	3.0	0.1	0.2	0.1	37.2	0.0	0.4	96.9
MS-I19-P6	Barred	0.0	28.3	2.1	41.2	0.1	0.0	0.0	1.6	0.1	0.2	0.2	22.8	0.1	1.2	97.8
MS-I19-P7	Barred	0.0	30.7	1.1	43.3	0.1	0.0	0.0	1.0	0.0	0.1	0.3	21.6	0.0	0.0	98.2
MS-I19-P8	Barred	0.0	26.6	2.4	39.2	0.0	0.0	0.0	2.2	0.1	0.1	0.2	26.9	0.1	0.1	97.8
MS-I19-P9	Barred	0.0	28.4	3.0	34.0	0.1	0.0	0.0	0.1	0.1	0.3	0.2	30.2	0.1	0.5	96.9
MS-I19-P14	Barred	0.0	25.6	2.0	38.4	0.0	0.0	0.0	1.3	0.1	0.1	0.1	28.9	0.0	0.4	97.0
MS-I19-P16	Barred	0.0	28.0	1.7	39.3	0.0	0.0	0.0	1.5	0.1	0.3	0.3	27.2	0.0	0.0	98.4
MS-I19-P24	Barred	0.0	20.4	3.1	36.8	0.2	0.0	0.0	5.0	0.1	0.1	0.2	30.0	0.1	0.3	96.3
MS-I19-P25	Barred	0.0	34.6	2.1	39.3	0.0	0.0	0.0	0.4	0.1	0.1	0.1	22.4	0.1	0.2	99.5
MS-I19-P28	Barred	0.0	34.5	1.1	38.9	0.0	0.0	0.0	0.7	0.1	0.3	0.2	19.3	0.1	0.9	96.1
MS-I19-P38	Barred	0.0	22.1	2.7	39.0	0.1	0.0	0.0	2.3	0.1	0.2	0.2	29.1	0.1	0.6	96.4
MS-I19-P44	Barred	0.0	27.8	3.4	39.1	0.1	0.0	0.0	2.3	0.1	0.5	0.2	28.9	0.1	0.0	102.5
MS-I19-P46	Barred	0.0	24.1	2.5	35.0	0.0	0.0	0.0	0.9	0.1	0.4	0.2	36.7	0.2	1.3	101.4

MS-I19-P48	Barred	0.0	33.2	1.6	40.6	0.1	0.0	0.0	1.1	0.1	0.3	0.2	24.6	0.1	1.1	103.0
MS-I19-P53	Barred	0.0	27.1	2.5	34.9	0.0	0.0	0.0	1.3	0.1	0.2	0.4	34.6	0.1	0.4	101.6
MS-I19-P55	Barred	0.0	17.2	4.4	37.8	0.1	0.0	0.0	3.7	0.2	0.2	0.3	37.6	0.2	0.8	102.6
MS-I19-P57	Barred	0.0	40.9	2.3	39.6	0.0	0.0	0.0	0.9	0.1	0.3	0.2	14.7	0.1	1.0	100.2
MS-I19-P61	Barred	0.0	26.4	2.5	40.4	0.2	0.0	0.0	2.5	0.1	0.2	0.2	25.7	0.1	1.0	99.4
MS-I19-P64	Barred	0.0	24.6	3.6	38.5	0.1	0.0	0.0	3.0	0.2	0.2	0.2	33.0	0.0	0.0	103.3
MS-I19-P66	Barred	0.0	24.5	1.9	37.5	0.1	0.0	0.0	1.7	0.1	0.3	0.2	32.0	0.2	1.4	99.8
MS-I19-P69	Barred	0.0	28.1	2.7	38.1	0.1	0.0	0.0	1.7	0.1	0.3	0.2	29.9	0.0	0.5	101.8
MS-I19-P73	Barred	0.0	20.8	3.9	35.7	0.2	0.1	0.0	2.6	0.1	0.5	0.2	40.4	0.2	0.3	105.0
MS-I19-P78	Barred	0.0	27.0	2.9	39.6	0.0	0.0	0.0	1.3	0.2	0.1	0.3	29.0	0.1	0.6	101.1
MS-I19-P79	Barred	0.0	44.9	0.5	40.5	0.0	0.0	0.0	0.2	0.1	0.1	0.3	12.3	0.0	0.0	98.9
MS-I19-P81	Barred	0.0	20.8	3.1	34.1	0.2	0.0	0.0	2.3	0.1	0.3	0.3	38.9	0.1	1.1	101.3
MS-I19-P87	Barred	0.0	24.2	3.7	36.4	0.2	0.0	0.0	2.0	0.2	0.3	0.3	32.1	0.0	1.3	100.6
MS-I19-P89	Barred	0.0	24.5	2.9	35.1	0.0	0.0	0.0	2.4	0.1	0.4	0.3	33.8	0.0	1.1	100.6
MS-I19-P91	Barred	0.0	23.2	3.1	37.3	0.2	0.0	0.0	2.3	0.1	0.5	0.4	31.9	0.1	1.2	100.2
MS-I19-P95	Barred	0.0	24.3	2.3	32.2	0.1	0.0	0.0	3.6	0.1	0.6	0.2	35.6	0.1	2.0	101.1
MS-I19-P97	Barred	0.0	22.8	4.1	35.9	0.0	0.0	0.0	3.2	0.1	0.3	0.3	31.2	0.1	1.8	99.9
MS-I19-P102	Barred	0.0	23.5	3.0	34.4	0.0	0.0	0.0	2.8	0.1	0.2	0.2	36.4	0.1	0.4	101.2
MS-I19-P105	Barred	0.0	20.7	3.4	34.0	0.1	0.0	0.0	1.1	0.1	0.6	0.4	36.9	0.1	1.4	98.8
MS-I19-P107	Barred	0.0	24.6	2.7	36.5	0.1	0.0	0.0	2.6	0.1	0.4	0.2	33.5	0.1	0.9	101.8
MS-I19-P108	Barred	0.0	18.6	9.5	30.8	0.1	0.0	0.0	2.9	0.3	0.2	0.2	37.8	0.0	0.4	100.8
MS-I19-P119	Barred	0.0	22.2	2.7	32.8	0.2	0.0	0.0	1.3	0.1	0.5	0.3	39.0	0.0	1.7	100.8
MS-I19-P120	Barred	0.0	25.4	2.7	34.2	0.0	0.0	0.0	1.8	0.1	0.2	0.3	36.9	0.0	0.1	101.7
MS-I19-P121	Barred	0.0	21.7	2.7	36.1	0.0	0.0	0.0	0.9	0.1	0.5	0.3	37.6	0.0	0.5	100.5
MS-I19-P132	Barred	0.0	22.8	3.0	37.7	0.2	0.0	0.0	1.1	0.1	0.4	0.3	34.9	0.1	1.2	101.7
MS-I19-P133	Barred	0.0	27.8	2.0	37.6	0.0	0.0	0.0	1.6	0.2	0.8	0.3	31.0	0.0	0.0	101.4
MS-I19-P138	Barred	0.0	25.2	2.6	36.9	0.0	0.0	0.0	2.3	0.1	0.3	0.3	31.3	0.1	0.3	99.5
MS-I19-P146	Barred	0.0	19.2	3.0	36.5	0.1	0.0	0.0	2.5	0.1	0.2	0.3	38.6	0.0	0.5	101.1
MS-I19-P147	Barred	0.0	25.8	2.0	34.0	0.1	0.0	0.0	1.4	0.1	0.3	0.2	35.4	0.1	1.8	101.2
MS-I19-P148	Barred	0.0	21.5	2.9	31.2	0.1	0.0	0.0	1.3	0.1	0.4	0.2	42.4	0.1	1.2	101.4
MS-I19-P163	Barred	0.0	26.9	2.1	37.7	0.0	0.0	0.0	0.9	0.1	0.7	0.3	31.2	0.0	0.1	100.2
MS-I19-P167	Barred	0.0	16.5	3.4	31.8	0.1	0.0	0.0	5.0	0.1	0.2	0.2	40.6	0.1	1.2	99.3
MS-I19-P173	Barred	0.0	28.9	2.5	34.7	0.0	0.0	0.0	1.3	0.1	0.1	0.2	32.5	0.0	0.0	100.4

MS-I19-P174	Barred	0.0	19.5	3.1	31.3	0.1	0.0	0.0	3.0	0.1	0.4	0.3	41.3	0.1	1.0	100.2
MS-I19-P176	Barred	0.0	28.0	1.2	32.2	0.2	0.0	0.0	0.9	0.1	0.5	0.2	34.0	0.1	0.9	98.3
MS-I19-P189	Barred	0.0	22.7	2.1	28.5	0.1	0.0	0.0	1.3	0.1	0.4	0.2	44.5	0.1	1.3	101.3
MS-I19-P193	Barred	0.0	17.6	3.6	30.4	0.2	0.0	0.0	2.7	0.1	0.3	0.3	43.2	0.1	1.7	100.3
MS-I19-P196	Barred	0.1	23.6	1.1	31.7	0.0	0.0	0.0	0.4	0.1	0.2	0.2	42.6	0.1	0.1	100.2
MS-I19-P203	Barred	0.0	22.9	1.6	26.6	0.1	0.0	0.0	5.6	0.1	0.3	0.4	39.6	0.0	0.7	98.0
MS-I19-P204	Barred	0.0	22.9	2.7	33.5	0.1	0.0	0.0	2.4	0.1	0.1	0.2	40.0	0.0	0.1	102.1
MS-I19-P226	Barred	0.0	21.5	1.9	33.6	0.1	0.0	0.0	2.5	0.1	0.3	0.3	37.8	0.1	1.2	99.5
MS-I19-P231	Barred	0.0	22.4	2.8	37.0	0.0	0.0	0.0	1.3	0.1	0.4	0.2	36.4	0.2	1.4	102.2
MS-I19-P240	Barred	0.0	20.2	2.9	35.4	0.2	0.0	0.0	5.5	0.1	0.2	0.2	32.5	0.1	0.7	98.0
MS-I19-P241	Barred	0.0	28.6	1.8	36.9	0.0	0.0	0.0	1.6	0.1	0.1	0.4	33.1	0.1	0.0	102.7
MS-I19-P243	Barred	0.0	27.1	2.2	34.7	0.2	0.0	0.0	7.3	0.2	0.5	1.4	27.4	0.1	1.3	102.3
MS-I19-P245	Barred	0.0	17.3	3.5	30.9	0.1	0.0	0.0	0.7	0.1	0.6	0.3	44.6	0.1	1.7	99.9
MS-I19-P246	Barred	0.0	28.9	2.2	39.2	0.0	0.0	0.0	2.1	0.1	0.2	0.3	28.8	0.1	0.8	102.6
MS-I19-P247	Barred	0.0	29.2	3.1	41.4	0.0	0.0	0.0	2.3	0.1	0.4	0.3	23.3	0.1	0.2	100.5
MS-I19-P248	Barred	0.0	26.4	1.3	34.4	0.0	0.0	0.0	1.1	0.1	0.2	0.4	32.8	0.0	0.2	96.9
MS-I19-P249	Barred	0.0	23.1	3.1	38.6	0.0	0.0	0.0	2.1	0.1	0.1	0.4	33.5	0.0	0.0	101.1
MS-I19-P251	Barred	0.0	19.9	5.0	35.1	0.1	0.0	0.0	4.0	0.1	0.4	0.3	32.8	0.1	1.2	99.1
MS-I19-P254	Barred	0.4	21.1	1.9	39.0	0.0	0.0	0.0	0.6	0.1	0.2	0.5	36.4	0.1	0.3	100.7
MS-I19-P257	Barred	0.0	20.2	3.2	34.8	0.0	0.0	0.0	1.9	0.1	0.4	0.3	39.4	0.1	0.8	101.3
MS-I19-P260	Barred	0.0	18.9	3.2	33.9	0.1	0.0	0.0	1.6	0.1	0.4	0.3	45.1	0.1	0.1	103.8
MS-I19-P263	Barred	0.0	22.4	2.2	34.5	0.1	0.0	0.0	1.1	0.1	0.2	0.3	41.3	0.1	1.5	103.8
MS-I19-P265	Barred	0.0	29.7	3.7	35.5	0.0	0.0	0.0	2.7	0.2	0.1	0.1	25.7	0.1	2.0	99.7
MS-I19-P282	Barred	0.0	28.2	1.3	34.1	0.1	0.0	0.0	0.5	0.1	0.4	0.3	34.6	0.0	0.0	99.6
MS-I19-P285	Barred	0.0	25.3	2.9	35.5	0.0	0.0	0.0	2.7	0.1	0.1	0.2	30.7	0.1	0.2	98.1
MS-I19-P286	Barred	0.0	36.8	1.9	37.4	0.1	0.0	0.0	0.4	0.1	0.4	0.4	21.1	0.1	1.1	99.7
MS-I19-P287	Barred	0.0	22.8	2.7	33.3	0.0	0.0	0.0	2.5	0.1	0.3	0.3	35.0	0.1	0.5	97.5
MS-I19-P289	Barred	0.0	20.9	3.0	33.7	0.0	0.0	0.0	1.7	0.1	0.2	0.2	37.9	0.0	0.1	98.0
MS-I19-P290	Barred	0.0	29.3	1.3	37.2	0.1	0.0	0.0	0.9	0.1	0.5	0.2	27.4	0.1	1.3	98.3
MS-I19-P293	Barred	0.0	20.8	3.7	36.4	0.0	0.0	0.0	1.5	0.2	0.1	0.2	34.8	0.0	0.0	97.8
MS-I19-P300	Barred	0.0	25.6	2.9	40.2	0.1	0.0	0.0	1.3	0.1	0.4	0.3	27.1	0.1	1.6	99.6
MS-I19-P304	Barred	0.0	41.0	0.3	37.7	0.0	0.0	0.0	0.3	0.0	0.1	0.5	19.1	0.0	0.0	99.0
MS-I19-P305	Barred	0.0	21.3	3.4	33.1	0.1	0.0	0.0	2.4	0.1	0.2	0.2	36.1	0.1	0.4	97.4

MS-I19-P318	Barred	0.0	24.8	2.6	36.0	0.2	0.0	0.0	1.3	0.2	0.6	0.3	32.7	0.1	1.2	99.9
MS-I19-P334	Barred	0.0	24.8	2.8	35.7	0.1	0.0	0.0	1.8	0.1	0.3	0.3	30.7	0.1	0.7	97.3
MS-I19-P339	Barred	0.0	27.5	2.5	38.8	0.0	0.0	0.0	1.3	0.1	0.5	0.2	27.5	0.1	1.7	100.2
MS-I19-P347	Barred	0.0	31.1	1.3	39.0	0.0	0.0	0.0	1.2	0.0	0.1	0.4	26.3	0.0	0.0	99.4
MS-I19-P351	Barred	0.0	26.1	2.3	36.0	0.1	0.0	0.0	2.6	0.2	0.5	0.3	29.3	0.1	1.4	99.0
MS-I19-P356	Barred	0.0	24.9	2.3	34.8	0.1	0.0	0.0	1.8	0.1	0.7	0.3	31.8	0.1	1.9	98.8
MS-I19-P360	Barred	0.0	23.8	2.4	33.8	0.1	0.0	0.0	0.6	0.1	0.4	0.2	36.3	0.1	2.5	100.3
MS-I19-P364	Barred	0.0	22.9	3.1	33.6	0.3	0.0	0.0	4.2	0.2	0.4	0.3	32.8	0.1	0.9	98.7
MS-I19-P382	Barred	0.0	25.9	1.8	25.0	0.1	0.0	0.0	1.3	0.1	0.4	0.2	40.2	0.1	1.1	96.1
MS-I19-P383	Barred	0.0	24.5	2.3	37.2	0.0	0.0	0.0	1.7	0.1	0.3	0.3	30.1	0.1	1.5	98.4
MS-I19-P384	Barred	0.0	24.1	2.4	35.8	0.1	0.0	0.0	1.7	0.1	0.7	0.3	30.9	0.1	2.0	98.2
MS-I19-P407	Barred	0.0	32.0	2.1	38.5	0.1	0.0	0.0	1.2	0.1	0.2	0.2	25.2	0.1	0.4	100.3
MS-I19-P410	Barred	0.0	25.3	1.7	25.4	0.1	0.0	0.0	2.5	0.1	0.6	0.2	39.7	0.1	2.3	97.9
MS-I19-P424	Barred	0.0	26.7	2.4	36.4	0.1	0.0	0.0	1.5	0.1	0.3	0.4	32.2	0.1	0.7	100.8
MS-I19-P427	Barred	0.0	20.7	2.9	33.3	0.1	0.0	0.0	1.7	0.1	0.6	0.2	38.3	0.1	1.7	99.7
MS-I19-P461	Barred	0.0	28.6	2.4	39.9	0.0	0.0	0.0	2.0	0.1	0.3	0.3	24.0	0.1	1.1	98.9
MS-I19-P485	Barred	0.0	25.1	3.6	32.9	0.2	0.0	0.0	2.7	0.3	0.4	0.2	31.9	0.1	1.3	98.8
MS-I19-P491	Barred	0.0	29.6	3.0	40.6	0.0	0.0	0.0	1.4	0.1	0.1	0.2	22.9	0.0	0.0	98.2
MS-I19-P493	Barred	0.0	17.9	3.3	32.3	0.0	0.0	0.0	1.8	0.1	0.4	0.2	41.5	0.1	1.5	99.1
MS-I19-P497	Barred	0.0	20.7	3.5	35.1	0.1	0.0	0.0	2.0	0.1	0.6	0.3	36.7	0.0	0.0	99.3
MS-I19-P500	Barred	0.0	21.7	2.5	31.9	0.1	0.0	0.0	0.6	0.1	0.8	0.1	41.9	0.1	0.3	100.0
MS-I19-P503	Barred	0.0	22.6	3.1	36.9	0.2	0.0	0.0	2.6	0.1	0.3	0.3	32.7	0.1	0.9	99.8
MS-I19-P513	Barred	0.0	20.8	1.6	32.5	0.2	0.0	0.0	2.6	0.1	0.3	0.2	37.8	0.1	1.4	97.7
MS-I19-P514	Barred	0.0	22.9	3.0	33.1	0.1	0.0	0.0	1.5	0.1	0.5	0.2	35.5	0.1	1.5	98.7
MS-I19-P530	Barred	0.0	24.0	2.8	35.8	0.1	0.0	0.0	1.8	0.1	0.6	0.3	31.9	0.2	1.8	99.4
MS-I19-P550	Barred	0.0	22.5	2.2	30.1	0.0	0.0	0.0	0.8	0.1	0.7	0.2	39.5	0.2	1.9	98.3
MS-I19-P566	Barred	0.5	17.8	3.6	38.4	0.0	0.0	0.0	3.4	0.1	0.3	0.5	33.7	0.1	0.9	99.2
MS-I19-P575	Barred	0.0	28.2	3.1	38.6	0.1	0.0	0.0	2.4	0.2	0.3	0.3	25.0	0.0	0.0	98.0
MS-I19-P581	Barred	0.0	21.7	3.4	38.0	0.0	0.0	0.0	3.0	0.2	0.1	0.2	31.5	0.0	0.0	98.1
MS-I19-P586	Barred	0.0	27.0	2.2	36.7	0.1	0.0	0.0	0.8	0.1	0.3	0.2	29.9	0.1	1.5	98.9
MS-I19-P591	Barred	0.0	28.2	2.3	37.7	0.0	0.0	0.0	2.0	0.1	0.4	0.4	25.3	0.1	2.3	98.8
MS-I19-P592	Barred	0.0	22.4	2.6	37.3	0.1	0.0	0.0	0.5	0.1	0.4	0.2	31.7	0.1	2.0	97.4
MS-I19-P599	Barred	0.0	25.1	2.0	39.5	0.2	0.0	0.0	1.9	0.1	0.1	0.5	28.7	0.1	0.8	99.0

MS-I19-P634	Barred	0.0	16.5	3.4	30.9	0.1	0.0	0.0	1.2	0.1	0.4	0.2	44.4	0.1	1.2	98.6
MS-I19-P640	Barred	0.0	22.8	2.3	24.0	0.0	0.0	0.0	0.9	0.1	0.1	0.0	47.4	0.2	0.4	98.3
MS-I19-P643	Barred	0.0	19.8	4.2	35.7	0.1	0.0	0.0	2.8	0.1	0.4	0.3	35.1	0.1	0.5	99.1
MS-I19-P659	Barred	0.0	23.4	1.3	37.4	0.0	0.0	0.0	0.8	0.1	0.3	0.6	35.3	0.1	0.0	99.4
MS-I19-P672	Barred	0.0	27.1	1.9	37.4	0.0	0.0	0.0	1.3	0.1	0.1	0.4	32.0	0.0	0.0	100.2
MS-I19-P674	Barred	0.0	26.7	1.2	27.7	0.0	0.0	0.0	1.3	0.1	0.5	0.3	36.0	0.1	2.1	96.0
MS-I19-P685	Barred	0.0	17.4	3.3	35.5	0.1	0.0	0.0	1.2	0.1	0.3	0.3	39.1	0.1	1.4	98.7
MS-I19-P689	Barred	0.0	17.5	3.5	36.7	0.1	0.0	0.0	4.1	0.2	0.3	0.3	34.0	0.1	0.8	97.8
MS-I19-P691	Barred	0.7	22.1	7.2	42.4	0.0	0.0	0.1	2.5	0.1	0.1	0.2	23.7	0.1	0.6	99.8
MS-I19-P695	Barred	0.0	27.2	3.1	37.5	0.0	0.0	0.0	1.6	0.1	0.1	0.3	26.9	0.0	1.6	98.5
MS-I19-P697	Barred	0.0	39.1	1.4	42.7	0.0	0.0	0.0	1.1	0.1	0.2	0.6	15.9	0.0	0.2	101.1
MS-I19-P715	Barred	0.0	36.3	1.1	38.6	0.0	0.0	0.0	0.9	0.1	0.0	0.4	21.0	0.0	0.0	98.4
MS-I19-P735	Barred	0.0	26.0	3.2	43.3	0.0	0.0	0.0	2.3	0.2	0.4	0.3	22.4	0.1	1.3	99.5
MS-I19-P746	Barred	0.0	31.9	2.4	38.3	0.0	0.0	0.0	0.6	0.1	0.3	0.3	25.8	0.0	0.9	100.6
MS-I19-P783	Barred	0.0	20.1	2.3	30.0	0.1	0.0	0.0	4.5	0.1	0.4	0.3	38.8	0.1	1.5	98.2
MS-I19-P801	Barred	0.0	24.6	2.7	36.6	0.2	0.0	0.0	1.8	0.1	0.4	0.3	31.4	0.1	1.1	99.3
MS-I26-P1	Barred	0.0	20.2	2.6	31.0	0.1	0.0	0.0	4.0	0.1	0.3	0.2	39.6	0.2	1.0	99.4
MS-I26-P3	Barred	0.0	26.1	2.7	37.3	0.0	0.0	0.0	1.2	0.1	0.3	0.1	32.5	0.2	1.1	101.7
MS-I26-P4	Barred	0.1	24.2	2.7	35.9	0.0	0.0	0.0	2.8	0.1	0.2	0.3	32.4	0.0	0.8	99.5
MS-I26-P5	Barred	0.1	29.0	3.9	39.1	0.1	0.0	0.0	4.1	0.1	0.2	0.1	19.8	0.0	1.6	98.0
MS-I26-P6	Barred	0.0	29.2	1.2	37.5	0.1	0.0	0.0	1.5	0.1	0.1	0.2	28.9	0.3	0.2	99.4
MS-I26-P7	Barred	0.1	24.7	2.3	33.6	0.0	0.0	0.0	1.7	0.1	0.5	0.3	33.9	0.1	1.2	98.6
MS-I26-P8	Barred	0.0	27.7	2.2	38.8	0.0	0.0	0.0	0.7	0.1	0.1	0.3	30.1	0.1	0.3	100.4
MS-I26-P10	Barred	0.0	27.0	2.5	38.0	0.1	0.0	0.0	0.6	0.1	0.2	0.2	29.1	0.1	0.9	98.8
MS-I26-P14	Barred	0.0	23.8	2.9	39.4	0.0	0.0	0.0	1.5	0.1	0.2	0.3	29.3	0.2	2.0	99.8
MS-I26-P15	Barred	0.1	21.3	1.8	29.9	0.3	0.0	0.0	2.2	0.2	0.3	0.2	41.1	0.0	0.3	97.7
MS-I26-P16	Barred	0.1	30.1	2.9	41.3	0.5	0.0	0.0	3.0	0.2	0.4	0.3	22.7	0.0	0.0	101.3
MS-I26-P17	Barred	0.0	17.6	3.3	32.9	0.1	0.0	0.0	3.1	0.1	0.4	0.1	39.7	0.1	0.7	98.0
MS-I26-P18	Barred	0.0	16.3	0.2	35.8	0.0	0.0	0.0	0.2	0.0	0.0	0.5	47.7	0.0	0.0	100.7
MS-I26-P19	Barred	0.0	27.4	2.5	37.6	0.0	0.0	0.0	2.4	0.1	0.1	0.2	25.6	0.2	0.6	96.8
MS-I26-P20	Barred	0.0	24.0	2.8	36.1	0.0	0.0	0.0	2.9	0.1	0.2	0.2	33.4	0.1	0.2	100.0
MS-I26-P21	Barred	0.0	30.5	4.5	19.1	0.0	0.0	0.0	2.1	0.2	0.6	0.2	42.0	0.1	1.6	101.1
MS-I26-P24	Barred	0.1	21.8	2.8	33.2	0.3	0.0	0.0	1.6	0.1	0.4	0.3	39.3	0.0	1.1	101.0

MS-I26-P25	Barred	0.0	23.3	2.9	35.8	0.1	0.0	0.0	1.4	0.1	0.6	0.2	34.9	0.1	0.4	100.0
MS-I26-P28	Barred	0.1	22.4	2.6	34.2	0.1	0.0	0.0	3.1	0.1	0.4	0.3	36.0	0.1	1.4	100.7
MS-I26-P30	Barred	0.0	20.9	3.0	33.4	0.1	0.0	0.0	2.1	0.1	0.3	0.2	36.4	0.2	0.9	97.7
MS-I26-P32	Barred	0.1	26.4	2.0	37.3	0.3	0.0	0.0	1.8	0.1	0.3	0.4	30.7	0.1	0.8	100.3
MS-I26-P33	Barred	0.1	20.8	3.6	38.5	0.0	0.0	0.0	2.9	0.2	0.1	0.1	32.8	0.1	0.0	99.1
MS-I26-P34	Barred	0.0	24.2	3.1	33.3	0.1	0.0	0.0	2.3	0.1	0.4	0.3	35.5	0.2	0.8	100.3
MS-I26-P35	Barred	0.0	41.4	0.4	42.5	0.0	0.0	0.0	0.5	0.1	0.0	0.2	16.7	0.0	0.0	101.8
MS-I26-P37	Barred	0.0	22.2	3.0	36.3	0.0	0.0	0.0	1.2	0.1	0.2	0.3	35.4	0.0	0.1	98.8
MS-I26-P40	Barred	0.0	38.0	3.1	41.5	0.1	0.0	0.0	3.4	0.3	0.6	0.2	13.8	0.2	0.1	101.2
MS-I26-P42	Barred	0.0	25.6	2.9	34.7	0.0	0.0	0.0	1.6	0.2	0.1	0.1	29.8	0.0	0.2	95.1
MS-I26-P44	Barred	0.0	23.1	3.4	35.6	0.0	0.0	0.0	2.1	0.2	0.0	0.2	33.0	0.1	0.0	97.7
MS-I26-P46	Barred	0.1	29.0	2.0	34.3	0.2	0.0	0.0	1.6	0.1	0.5	0.2	28.8	0.1	1.8	98.5
MS-I26-P49	Barred	0.0	27.6	2.5	37.2	0.0	0.0	0.0	0.6	0.1	0.6	0.2	27.8	0.2	1.7	98.6
MS-I26-P52	Barred	0.1	34.6	3.9	36.9	0.0	0.0	0.0	2.7	0.2	0.0	0.0	21.0	0.0	0.0	99.3
MS-I26-P53	Barred	0.0	26.0	2.5	34.7	0.0	0.0	0.0	2.6	0.1	0.1	0.4	23.9	0.1	0.0	90.5
MS-I26-P54	Barred	0.0	31.3	3.3	37.6	0.0	0.0	0.0	4.1	0.1	0.0	0.2	22.5	0.1	0.0	99.4
MS-I26-P59	Barred	0.0	25.8	2.3	35.3	0.1	0.0	0.0	1.7	0.1	0.7	0.3	31.9	0.1	1.0	99.2
MS-I26-P60	Barred	0.0	6.0	1.4	20.7	0.1	0.0	0.0	2.3	0.1	0.3	0.2	39.9	0.0	1.6	72.5
MS-I26-P63	Barred	0.0	8.7	1.4	21.3	0.0	0.0	0.0	2.6	0.1	0.1	0.2	30.3	0.1	1.4	66.3
MS-I26-P68	Barred	0.0	6.8	1.3	21.1	0.1	0.0	0.0	2.8	0.1	0.5	0.2	35.4	0.2	1.1	69.6
MS-I30-P2	Barred	0.0	11.3	4.1	37.0	0.0	0.0	0.0	3.1	0.1	0.1	0.2	46.1	0.0	0.0	102.2
MS-I30-P5	Barred	0.0	25.4	3.0	38.7	0.1	0.0	0.0	2.2	0.1	0.5	0.2	30.7	0.0	0.6	101.4
MS-I30-P6	Barred	0.0	27.3	2.5	38.8	0.0	0.0	0.0	3.9	0.1	0.3	0.6	27.6	0.1	0.1	101.1
MS-I30-P8	Barred	0.0	23.9	3.2	37.6	0.1	0.0	0.0	2.6	0.1	0.4	0.3	32.7	0.1	1.2	102.2
MS-I30-P12	Barred	0.0	25.1	2.9	40.2	0.1	0.0	0.0	1.7	0.1	0.6	0.3	30.2	0.0	0.0	101.4
MS-I30-P15	Barred	0.1	39.9	0.9	41.2	0.1	0.0	0.0	0.5	0.1	0.3	0.4	17.7	0.1	0.4	101.6
MS-I30-P16	Barred	0.0	34.2	1.3	43.3	0.0	0.0	0.0	0.8	0.1	0.4	0.5	19.2	0.0	0.1	99.9
MS-I30-P21	Barred	0.0	29.5	3.0	42.0	0.0	0.0	0.0	1.8	0.2	0.4	0.3	23.9	0.0	0.0	101.1
MS-I30-P22	Barred	0.0	16.8	1.2	36.0	0.1	0.0	0.0	1.0	0.1	0.3	0.4	44.7	0.2	1.2	101.8
MS-I30-P23	Barred	0.0	22.7	2.7	35.9	0.0	0.0	0.0	3.1	0.1	0.1	0.2	37.3	0.0	0.0	102.2
MS-I30-P29	Barred	0.1	25.1	2.8	39.1	0.1	0.0	0.2	1.8	0.1	0.6	0.3	29.0	0.1	0.3	99.5
MS-I30-P35	Barred	0.0	22.5	2.9	43.0	0.1	0.0	0.0	2.2	0.1	0.7	0.4	28.4	0.0	0.0	100.5
MS-I30-P36	Barred	0.0	29.5	2.9	39.3	0.0	0.0	0.0	1.2	0.1	0.0	0.2	26.4	0.1	0.0	99.7

MS-I30-P37	Barred	0.0	29.5	1.5	37.8	0.0	0.0	0.0	2.1	0.1	0.0	0.3	29.9	0.0	0.0	101.1
MS-I30-P38	Barred	0.0	23.3	2.8	39.5	0.1	0.0	0.0	3.0	0.2	0.6	0.2	30.1	0.0	1.1	100.9
MS-I30-P39	Barred	0.0	28.8	2.9	38.6	0.1	0.0	0.0	2.5	0.2	0.2	0.1	27.7	0.0	0.0	101.3
MS-I30-P40	Barred	0.0	18.4	2.3	33.0	0.2	0.0	0.0	4.2	0.1	0.4	0.3	41.7	0.1	1.4	102.2
MS-I30-P45	Barred	0.1	17.9	4.7	33.0	0.1	0.0	0.1	2.2	0.2	0.3	0.2	41.8	0.1	1.0	101.7
MS-I30-P46	Barred	0.0	23.9	2.5	37.0	0.1	0.0	0.0	2.0	0.1	0.3	0.3	33.8	0.1	1.0	101.2
MS-I30-P50	Barred	0.0	19.4	3.9	31.4	0.1	0.0	0.0	1.7	0.2	0.6	0.3	41.7	0.1	2.6	101.9
MS-I30-P51	Barred	0.0	31.9	1.4	40.2	0.1	0.0	0.0	1.4	0.1	0.3	0.1	21.0	0.2	3.3	100.1
MS-I30-P53	Barred	0.0	22.1	2.5	34.1	0.0	0.0	0.0	2.7	0.1	0.2	0.3	38.8	0.0	0.2	101.1
MS-I30-P54	Barred	0.1	27.2	3.8	25.2	0.7	0.1	0.0	1.6	0.1	0.6	0.5	39.1	0.1	0.2	99.3
MS-I30-P55	Barred	0.0	26.2	3.0	37.5	0.1	0.0	0.0	1.6	0.1	0.4	0.3	31.4	0.1	1.6	102.3
MS-I30-P56	Barred	0.0	25.3	2.7	36.6	0.0	0.0	0.0	1.5	0.1	0.4	0.3	33.1	0.1	1.6	101.6
MS-I30-P61	Barred	0.0	24.7	2.9	39.7	0.1	0.0	0.0	2.4	0.1	0.4	0.3	30.0	0.1	1.2	101.9
MS-I30-P63	Barred	0.0	32.9	1.4	46.5	0.0	0.0	0.0	1.1	0.1	0.6	0.1	16.4	0.0	0.0	99.2
MS-I30-P66	Barred	0.0	22.4	3.0	35.4	0.1	0.0	0.0	1.3	0.1	0.4	0.2	38.4	0.0	0.9	102.0
MS-I30-P70	Barred	0.1	17.4	3.2	32.5	0.1	0.0	0.0	3.1	0.1	0.4	0.3	43.7	0.0	1.1	102.0
MS-I30-P72	Barred	0.0	24.3	2.5	33.5	0.1	0.0	0.0	1.6	0.1	0.9	0.2	37.6	0.2	1.8	102.7
MS-I30-P74	Barred	0.0	26.9	2.7	37.2	0.1	0.0	0.0	1.5	0.1	0.5	0.3	32.7	0.1	0.5	102.6
MS-I30-P75	Barred	0.0	19.1	3.2	35.3	0.1	0.0	0.0	3.3	0.1	0.4	0.3	38.7	0.1	1.3	102.0
MS-I30-P80	Barred	0.1	25.3	1.7	36.0	0.1	0.0	0.0	1.0	0.1	0.2	0.4	36.2	0.1	0.3	101.4
MS-I30-P83	Barred	0.0	32.9	0.0	35.4	0.0	0.0	0.0	0.0	0.0	0.4	0.7	33.2	0.1	0.1	102.8
MS-I30-P87	Barred	0.1	19.4	4.8	38.5	0.0	0.0	0.0	3.5	0.7	0.4	0.7	31.8	0.0	0.2	100.0
MS-I30-P88	Barred	0.0	23.2	2.8	35.8	0.1	0.0	0.0	1.1	0.1	0.4	0.2	36.2	0.1	1.5	101.6
MS-I30-P92	Barred	0.0	23.2	2.7	38.0	0.1	0.0	0.0	2.3	0.2	0.3	0.4	33.4	0.0	0.4	101.1
MS-I30-P93	Barred	0.0	23.6	3.0	33.0	0.1	0.0	0.0	5.4	0.1	0.3	0.2	33.5	0.1	0.8	100.2
MS-I30-P94	Barred	0.0	22.4	2.7	33.7	0.0	0.0	0.0	1.1	0.1	0.4	0.3	40.1	0.1	0.9	101.8
MS-I30-P95	Barred	0.0	20.0	4.6	37.0	0.2	0.0	0.0	3.9	0.3	0.3	0.3	35.2	0.1	0.4	102.1
MS-I30-P98	Barred	0.0	28.9	2.8	39.3	0.1	0.0	0.0	1.2	0.1	0.4	0.4	27.7	0.1	0.8	101.8
MS-I30-P104	Barred	0.0	22.5	3.3	37.3	0.1	0.0	0.0	1.9	0.1	0.5	0.3	37.7	0.0	0.1	103.7
MS-I30-P106	Barred	0.0	29.3	0.2	33.1	0.7	0.0	0.0	0.3	0.1	0.2	0.3	36.7	0.1	0.5	101.5
MS-I30-P109	Barred	0.0	20.4	3.2	37.8	0.2	0.0	0.0	1.6	0.1	0.3	0.3	36.4	0.1	1.6	102.0
MS-I30-P111	Barred	0.0	23.2	3.4	38.9	0.0	0.0	0.0	2.8	0.2	0.0	0.2	31.9	0.0	0.0	100.7
MS-I30-P121	Barred	0.1	25.7	2.8	36.2	0.0	0.0	0.0	2.1	0.2	0.4	0.2	36.0	0.1	0.0	103.6

MS-I30-P125	Barred	0.0	27.1	2.5	34.9	0.1	0.0	0.0	0.8	0.1	0.6	0.2	33.4	0.1	1.9	101.7
MS-I30-P135	Barred	0.0	24.3	3.1	36.6	0.1	0.0	0.0	3.5	0.1	0.4	0.3	29.8	0.1	1.8	100.0
MS-I30-P138	Barred	0.0	23.0	2.8	34.7	0.1	0.0	0.0	2.2	0.1	0.4	0.2	38.0	0.0	0.7	102.3
MS-I30-P141	Barred	0.0	27.5	1.7	37.5	0.1	0.0	0.0	1.2	0.1	0.4	0.3	33.5	0.1	0.4	102.7
MS-I30-P146	Barred	0.0	26.3	2.5	35.6	0.1	0.0	0.0	1.3	0.1	0.2	0.3	33.2	0.1	0.9	100.8
MS-I30-P166	Barred	0.0	23.6	2.9	35.0	0.0	0.0	0.0	0.6	0.1	0.3	0.2	36.9	0.1	1.1	100.7
MS-I30-P168	Barred	0.0	27.5	4.4	42.1	0.0	0.0	0.0	1.9	0.2	0.2	0.3	25.0	0.1	1.2	102.8
MS-I30-P174	Barred	0.0	23.6	2.5	36.2	0.2	0.0	0.0	2.4	0.1	0.3	0.2	37.5	0.0	0.9	103.9
MS-I30-P180	Barred	0.0	35.2	0.5	35.3	0.1	0.0	0.0	0.3	0.0	0.0	0.2	26.9	0.1	1.0	99.6
MS-I30-P186	Barred	0.0	28.1	2.8	38.7	0.0	0.0	0.0	0.2	0.1	0.1	0.1	25.0	0.0	0.6	95.8
MS-I30-P188	Barred	0.0	25.3	2.8	27.7	0.4	0.0	0.0	3.5	0.2	1.0	0.2	34.8	0.0	0.5	96.4
MS-I30-P189	Barred	0.1	23.8	3.2	39.8	0.3	0.0	0.0	4.6	0.2	0.3	0.2	23.8	0.0	0.1	96.4
MS-I30-P201	Barred	0.0	20.5	3.2	36.1	0.1	0.0	0.0	3.8	0.1	0.2	0.2	30.0	0.0	0.0	94.3
MS-I30-P205	Barred	0.0	25.6	2.3	35.9	0.1	0.0	0.0	1.3	0.2	0.5	0.1	30.1	0.0	0.0	96.2
MS-I30-P215	Barred	0.0	27.7	2.6	38.7	0.0	0.0	0.0	2.0	0.1	0.1	0.2	23.6	0.0	0.5	95.5
MS-I30-P221	Barred	0.0	31.6	2.0	41.6	0.1	0.0	0.0	0.7	0.1	0.4	0.3	20.4	0.1	0.7	98.1
MS-I30-P227	Barred	0.0	24.3	1.1	33.8	0.1	0.0	0.0	0.9	0.1	0.2	0.4	36.8	0.1	0.3	98.0
MS-I30-P257	Barred	0.0	32.3	1.9	39.6	0.1	0.0	0.0	1.0	0.1	0.4	0.3	20.8	0.0	0.5	97.2
MS-I30-P258	Barred	0.1	21.7	5.6	32.8	0.2	0.0	0.0	6.4	0.2	0.2	0.2	26.6	0.1	0.3	94.4
MS-I30-P276	Barred	0.0	21.6	2.6	36.5	0.1	0.0	0.0	3.8	0.1	0.0	0.2	33.5	0.1	0.6	99.2
MS-I30-P277	Barred	0.0	29.2	0.6	39.2	0.1	0.0	0.0	0.8	0.1	0.0	0.3	26.6	0.1	0.2	97.3
MS-I30-P296	Barred	0.0	39.0	1.4	35.9	0.1	0.0	0.0	0.8	0.1	0.3	0.1	20.4	0.1	0.6	98.6
MS-I30-P312	Barred	0.0	30.3	2.6	45.4	0.1	0.0	0.0	2.3	0.1	0.2	0.2	18.5	0.0	0.0	99.8
MS-I30-P313	Barred	0.0	34.5	1.1	40.8	0.0	0.0	0.0	1.8	0.1	0.0	0.5	19.6	0.0	0.0	98.5
MS-I30-P327	Barred	0.1	32.5	1.6	40.8	0.1	0.0	0.0	1.0	0.1	0.2	0.3	21.2	0.0	0.4	98.3
MS-I30-P333	Barred	0.0	51.1	0.4	40.1	0.0	0.0	0.0	0.3	0.0	0.0	0.2	6.3	0.0	0.0	98.4
MS-I30-P335	Barred	0.0	34.1	1.5	38.3	0.0	0.0	0.0	1.1	0.1	0.2	0.2	22.1	0.0	0.0	97.7
MS-I30-P336	Barred	0.0	20.0	5.2	41.5	0.1	0.0	0.0	2.3	0.2	0.1	0.2	25.4	0.1	0.5	95.5
MS-I30-P338	Barred	0.0	28.0	1.8	32.3	0.0	0.0	0.0	0.7	0.1	0.2	0.2	34.1	0.0	0.4	97.7
MS-I30-P366	Barred	0.0	27.2	2.4	34.7	0.0	0.0	0.0	0.8	0.1	0.1	0.1	31.6	0.0	0.1	97.2
MS-I31-P3	Barred	0.0	24.1	3.3	35.5	0.0	0.0	0.0	2.9	0.1	0.1	0.2	31.0	0.0	0.0	97.4
MS-I31-P6	Barred	0.0	26.6	2.0	37.6	0.0	0.0	0.0	1.5	0.1	0.1	0.4	29.2	0.0	0.0	97.5
MS-I31-P7	Barred	0.1	25.6	3.2	38.7	0.1	0.0	0.0	3.9	0.1	0.1	0.3	26.2	0.0	0.3	98.6

MS-I31-P8	Barred	0.1	24.8	3.4	41.4	0.2	0.0	0.0	1.9	0.2	0.2	0.3	24.6	0.1	0.9	98.0
MS-I31-P9	Barred	0.0	23.7	4.0	33.5	0.0	0.0	0.0	2.2	0.2	0.1	0.2	36.0	0.1	0.0	100.0
MS-I31-P10	Barred	0.0	51.0	0.7	38.8	0.0	0.0	0.0	0.3	0.1	0.2	0.1	8.4	0.0	0.0	99.6
MS-I31-P12	Barred	0.1	27.0	2.2	37.3	0.2	0.0	0.0	3.2	0.1	0.2	0.2	28.6	0.1	0.7	99.8
MS-I31-P13	Barred	0.1	30.1	1.5	35.4	0.3	0.0	0.0	0.7	0.1	0.8	0.2	26.8	0.2	1.7	97.8
MS-I31-P14	Barred	0.1	22.2	3.8	32.9	0.0	0.0	0.0	3.3	0.2	0.5	0.2	35.5	0.1	0.9	99.7
MS-I31-P16	Barred	0.0	25.4	3.1	36.6	0.1	0.0	0.0	3.1	0.1	0.6	0.3	29.6	0.0	0.0	99.0
MS-I31-P19	Barred	0.0	28.8	2.1	39.8	0.0	0.0	0.0	2.3	0.1	0.3	0.4	24.6	0.1	1.0	99.4
MS-I31-P20	Barred	0.0	36.1	0.4	39.7	0.0	0.0	0.0	0.5	0.1	0.0	0.2	21.9	0.0	0.0	99.0
MS-I31-P22	Barred	0.0	30.8	3.3	43.6	0.0	0.0	0.0	0.2	0.1	0.8	0.2	19.7	0.1	0.5	99.1
MS-I31-P27	Barred	0.0	26.1	3.0	37.5	0.1	0.0	0.0	1.7	0.1	0.3	0.2	31.4	0.1	0.3	100.7
MS-I31-P28	Barred	0.0	27.9	5.3	36.6	0.3	0.0	0.0	15.6	0.2	0.1	0.1	10.3	0.0	0.0	96.3
MS-I31-P31	Barred	0.1	25.3	2.5	27.4	0.0	0.0	0.0	0.9	0.2	1.2	0.2	40.3	0.2	2.0	100.2
MS-I31-P39	Barred	0.0	38.7	0.8	37.2	0.0	0.0	0.0	0.3	0.1	0.1	0.2	19.2	0.1	0.9	97.6
MS-I31-P40	Barred	0.0	28.8	3.1	41.0	0.0	0.0	0.0	2.6	0.1	0.0	0.3	23.9	0.1	0.1	99.9
MS-I31-P45	Barred	0.1	29.1	2.5	39.0	0.2	0.0	0.0	1.4	0.1	0.3	0.3	26.1	0.2	0.2	99.5
MS-I31-P46	Barred	0.0	19.3	2.6	31.8	0.1	0.0	0.0	1.9	0.1	0.4	0.3	39.2	0.0	1.1	96.6
MS-I31-P51	Barred	0.0	34.2	1.6	40.0	0.5	0.0	0.0	3.3	0.1	0.3	0.2	19.6	0.0	0.7	100.5
MS-I31-P55	Barred	0.1	25.4	2.4	38.5	0.0	0.0	0.0	1.5	0.1	0.1	0.4	29.9	0.0	0.0	98.3
MS-I31-P57	Barred	0.7	35.9	2.1	42.4	0.0	0.0	0.1	1.1	0.1	0.3	0.5	17.0	0.0	0.2	100.4
MS-I31-P60	Barred	0.0	24.4	2.3	32.9	0.1	0.0	0.0	1.7	0.1	0.7	0.3	37.2	0.1	0.1	99.9
MS-I31-P62	Barred	0.0	27.7	2.2	37.9	0.1	0.0	0.0	1.1	0.1	0.2	0.2	28.7	0.0	0.0	98.3
MS-I31-P65	Barred	0.0	24.8	3.1	37.5	0.0	0.0	0.0	3.3	0.2	0.1	0.3	29.3	0.1	0.0	98.6
MS-I31-P66	Barred	0.0	24.2	2.7	39.8	0.2	0.0	0.0	2.2	0.1	0.3	0.3	28.2	0.1	0.3	98.4
MS-I31-P67	Barred	0.0	27.1	2.2	34.8	0.0	0.0	0.0	1.2	0.1	0.3	0.2	31.3	0.1	1.3	98.6
MS-I31-P71	Barred	0.0	23.4	2.9	36.3	0.1	0.0	0.0	2.4	0.2	0.3	0.4	32.8	0.1	0.2	98.9
MS-I31-P72	Barred	0.0	27.9	2.2	34.7	0.0	0.0	0.0	1.9	0.1	0.2	0.3	30.5	0.0	0.0	97.9
MS-I31-P77	Barred	0.1	25.9	2.2	32.6	0.1	0.0	0.0	2.9	0.1	0.4	0.2	32.7	0.1	0.9	98.0
MS-I31-P78	Barred	0.0	40.3	0.4	36.5	0.1	0.0	0.0	0.1	0.0	1.2	0.3	20.9	0.0	0.0	99.7
MS-I31-P80	Barred	0.0	32.5	1.9	40.7	0.1	0.0	0.0	1.8	0.1	0.3	0.3	19.9	0.1	1.2	98.8
MS-I31-P81	Barred	0.0	31.3	3.2	41.7	0.5	0.0	0.0	0.8	0.1	0.2	0.2	21.2	0.1	0.2	99.4
MS-I31-P83	Barred	0.1	39.8	0.2	36.5	0.0	0.0	0.0	0.3	0.0	0.4	0.3	22.7	0.0	0.1	100.5
MS-I31-P89	Barred	0.0	20.3	2.7	31.7	0.1	0.0	0.0	1.8	0.1	0.1	0.2	42.0	0.2	0.2	99.4

MS-I31-P91	Barred	0.0	24.3	3.1	40.2	0.0	0.0	0.0	2.1	0.1	0.2	0.3	26.2	0.1	0.8	97.5
MS-I31-P93	Barred	0.0	27.2	1.6	36.6	0.2	0.0	0.0	1.5	0.0	0.3	0.2	30.1	0.2	1.9	99.6
MS-I31-P98	Barred	0.1	23.4	1.6	35.4	0.1	0.1	0.0	1.4	0.1	0.1	0.2	34.7	0.3	1.7	99.0
MS-I31-P105	Barred	0.0	29.5	2.8	34.5	0.1	0.0	0.0	1.0	0.1	0.3	0.2	29.1	0.1	1.7	99.4
MS-I31-P121	Barred	0.0	20.1	3.1	38.1	0.0	0.0	0.0	0.7	0.2	1.4	0.3	35.6	0.1	0.0	99.8
MS-I31-P123	Barred	0.1	21.5	3.9	35.5	0.1	0.1	0.0	3.3	0.1	0.2	0.3	32.8	0.1	0.2	98.2
MS-I31-P124	Barred	0.0	23.7	2.1	36.9	0.0	0.0	0.0	1.5	0.1	0.6	0.4	32.8	0.0	0.3	98.6
MS-I31-P125	Barred	0.0	35.4	0.9	38.0	0.1	0.0	0.0	0.8	0.1	0.2	0.2	23.5	0.0	0.6	99.9
MS-I31-P132	Barred	0.0	34.3	1.5	39.9	0.0	0.0	0.0	1.2	0.1	0.5	0.4	19.2	0.1	1.0	98.1
MS-I31-P143	Barred	0.0	28.6	1.8	36.1	0.0	0.0	0.0	2.5	0.1	0.6	0.4	30.6	0.0	0.0	100.8
MS-I31-P144	Barred	0.0	18.1	2.7	31.5	0.1	0.0	0.0	2.9	0.2	0.2	0.2	44.2	0.2	0.7	101.0
MS-I31-P147	Barred	0.0	39.5	0.0	38.9	0.0	0.0	0.0	0.1	0.0	0.1	0.2	19.6	0.1	0.0	98.5
MS-I31-P149	Barred	0.1	28.2	3.8	39.0	0.0	0.0	0.0	2.3	0.2	0.1	0.2	25.2	0.0	0.0	99.0
MS-I31-P150	Barred	0.0	24.0	2.7	33.6	0.1	0.0	0.0	1.1	0.2	0.6	0.4	34.4	0.2	1.0	98.3
MS-I31-P152	Barred	0.0	25.1	3.9	40.7	0.0	0.0	0.0	1.9	0.2	0.2	0.3	25.0	0.0	1.0	98.2
MS-I31-P159	Barred	0.1	27.4	2.3	36.1	0.1	0.0	0.0	4.8	0.1	0.1	0.2	28.1	0.0	0.3	99.6
MS-I31-P160	Barred	0.0	27.1	1.2	36.3	0.1	0.0	0.0	1.4	0.1	0.1	0.4	30.9	0.1	0.1	97.7
MS-I31-P170	Barred	0.0	26.3	2.1	32.3	0.2	0.0	0.0	1.8	0.1	0.4	0.2	33.4	0.1	1.6	98.7
MS-I31-P173	Barred	0.1	22.0	2.4	31.7	0.1	0.0	0.0	3.2	0.1	0.5	0.3	36.3	0.1	1.2	98.0
MS-I31-P201	Barred	0.1	31.7	1.9	38.6	0.4	0.0	0.0	2.5	0.2	0.4	0.3	21.6	0.1	0.9	98.6
MS-I31-P211	Barred	0.1	17.6	2.3	27.9	0.0	0.0	0.0	0.1	0.1	0.3	0.2	48.1	0.1	1.6	98.2
MS-I31-P230	Barred	0.0	22.6	2.6	37.0	0.0	0.0	0.0	1.6	0.1	0.2	0.2	32.6	0.1	0.1	97.1
MS-I31-P234	Barred	0.1	24.7	2.8	33.5	0.1	0.0	0.0	3.1	0.1	0.3	0.2	33.8	0.1	0.5	99.5
MS-I31-P242	Barred	0.0	32.9	3.7	39.9	0.6	0.0	0.0	1.1	0.2	0.6	0.2	16.8	0.1	1.4	97.5
MS-I31-P258	Barred	0.0	18.4	3.5	34.3	0.1	0.0	0.0	2.7	0.1	0.3	0.3	37.3	0.1	1.4	98.6
MS-I31-P266	Barred	0.0	25.1	2.0	41.2	0.1	0.0	0.0	1.5	0.1	0.4	0.4	24.8	0.0	0.0	95.7
MS-I31-P271	Barred	0.0	23.3	2.6	32.5	0.1	0.0	0.0	1.4	0.1	0.6	0.3	35.4	0.1	1.8	98.2
MS-I31-P290	Barred	0.1	21.8	2.9	31.2	0.1	0.0	0.0	2.7	0.1	0.4	0.3	36.7	0.2	1.0	97.5
MS-I31-P294	Barred	0.0	22.1	3.4	31.9	0.0	0.0	0.0	0.8	0.2	0.9	0.3	38.8	0.1	1.4	99.7
MS-I31-P302	Barred	0.0	27.3	2.4	36.2	0.1	0.0	0.0	6.9	0.1	0.4	0.3	23.2	0.0	0.4	97.4
MS-I31-P303	Barred	0.0	13.5	4.3	40.0	0.2	0.0	0.0	4.6	0.1	0.1	0.3	34.9	0.1	0.6	98.7
MS-I31-P304	Barred	0.0	26.9	1.2	40.0	0.0	0.0	0.0	1.0	0.1	0.9	0.5	26.3	0.1	0.1	97.1
MS-I31-P324	Barred	0.0	26.8	1.5	31.0	0.0	0.0	0.0	0.7	0.1	1.0	0.4	36.5	0.0	0.6	98.7

MS-I31-P329	Barred	0.0	37.2	0.0	37.8	0.0	0.0	0.0	0.1	0.0	0.0	0.2	23.9	0.0	0.0	99.2
MS-I31-P330	Barred	0.0	21.7	3.7	34.5	0.0	0.0	0.0	2.8	0.2	0.2	0.3	35.2	0.1	0.0	98.5
MS-I31-P334	Barred	0.0	35.2	0.9	35.6	0.2	0.0	0.0	0.2	0.1	0.8	0.1	24.0	0.3	3.4	100.7
MS-I31-P389	Barred	0.0	29.1	3.0	39.1	0.0	0.0	0.0	4.2	0.1	0.1	0.2	21.2	0.0	0.0	97.1
MS-I31-P404	Barred	0.0	29.0	0.5	36.2	0.0	0.0	0.0	0.7	0.1	0.1	0.4	30.5	0.0	0.0	97.6
MS-I31-P410	Barred	0.0	33.3	3.5	40.4	0.1	0.0	0.0	3.0	0.2	0.3	0.2	18.1	0.0	0.1	99.1
MS-I31-P422	Barred	0.0	30.0	2.8	45.0	0.0	0.0	0.0	2.2	0.2	0.2	0.5	18.5	0.0	0.1	99.5
MS-I31-P425	Barred	0.0	40.6	1.7	39.5	0.1	0.0	0.0	0.6	0.1	0.0	0.2	17.1	0.0	0.2	100.2
MS-I31-P428	Barred	0.0	27.5	3.5	39.0	0.0	0.0	0.0	1.8	0.1	0.3	0.2	23.9	0.1	1.0	97.5
MS-I31-P437	Barred	0.0	27.1	2.2	32.0	0.1	0.0	0.0	1.6	0.1	0.8	0.3	33.8	0.1	1.9	100.0
MS-I31-P453	Barred	0.0	36.3	0.1	37.7	0.0	0.0	0.0	0.2	0.0	0.2	0.3	25.5	0.1	0.1	100.5
MS-I31-P483	Barred	0.0	32.4	2.5	39.8	0.0	0.0	0.0	0.2	0.1	0.1	0.3	22.0	0.0	0.0	97.4
MS-I31-P509	Barred	0.1	23.0	3.4	38.3	0.1	0.0	0.0	1.3	0.2	0.3	0.3	32.6	0.1	0.5	100.0
MS-I31-P511	Barred	0.0	35.9	0.9	33.6	0.1	0.0	0.0	0.4	0.1	0.1	0.1	25.5	0.0	1.4	98.2
MS-I31-P525	Barred	0.1	21.3	3.2	34.8	0.1	0.0	0.0	3.2	0.1	0.4	0.2	34.9	0.0	0.9	99.2
MS-I31-P526	Barred	0.0	24.7	2.6	34.7	0.0	0.0	0.0	1.9	0.1	0.1	0.4	35.9	0.0	0.0	100.5
MS-I31-P527	Barred	0.0	30.6	2.0	46.0	0.2	0.0	0.0	2.1	0.2	0.6	0.2	16.2	0.0	0.4	98.4
MS-I31-P607	Barred	0.0	33.1	1.9	37.7	0.1	0.0	0.0	2.2	0.1	0.2	0.2	23.1	0.1	1.5	100.2
MS-I31-P611	Barred	0.0	24.4	3.4	32.7	0.1	0.0	0.0	1.4	0.1	0.4	0.2	34.5	0.1	1.6	98.8
MS-I35-P5	Barred	0.1	28.9	1.5	30.5	0.1	0.0	0.0	1.1	0.1	0.6	0.2	35.3	0.0	1.5	99.8
MS-I35-P13	Barred	0.0	28.2	1.2	32.0	0.1	0.0	0.0	0.6	0.1	0.3	0.3	36.9	0.0	0.2	100.0
MS-I35-P19	Barred	0.0	20.9	2.8	34.6	0.2	0.0	0.0	2.1	0.1	0.3	0.3	39.0	0.2	0.2	100.7
MS-I35-P23	Barred	0.0	29.4	2.9	41.1	0.1	0.0	0.0	2.4	0.2	0.3	0.4	21.3	0.1	0.2	98.4
MS-I35-P28	Barred	0.0	25.8	2.5	36.7	0.1	0.0	0.0	2.4	0.2	0.4	0.2	30.8	0.0	1.3	100.4
MS-I35-P30	Barred	0.0	33.4	1.9	33.7	0.2	0.0	0.0	0.3	0.2	0.5	0.3	29.8	0.0	0.4	100.8
MS-I35-P32	Barred	0.0	18.1	2.8	30.3	0.1	0.0	0.0	1.8	0.1	0.5	0.3	45.2	0.1	1.7	100.9
MS-I35-P34	Barred	0.0	23.7	2.1	32.3	0.2	0.0	0.0	2.1	0.1	0.5	0.4	38.3	0.1	1.3	101.1
MS-I35-P35	Barred	0.0	28.6	3.0	39.1	0.0	0.0	0.0	2.3	0.1	0.4	0.5	25.8	0.1	0.2	100.1
MS-I35-P38	Barred	0.0	21.8	3.5	33.3	0.0	0.0	0.0	3.3	0.1	0.2	0.4	36.1	0.2	0.2	99.1
MS-I35-P44	Barred	0.0	15.0	4.2	29.9	0.0	0.0	0.0	2.4	0.3	0.0	0.1	48.2	0.0	0.1	100.2
MS-I35-P45	Barred	0.0	20.0	2.4	26.4	0.2	0.0	0.0	1.3	0.1	0.7	0.2	47.7	0.2	0.5	99.7
MS-I35-P47	Barred	0.0	21.9	2.6	32.3	0.1	0.0	0.0	2.3	0.1	0.6	0.2	40.1	0.1	0.8	101.0
MS-I35-P48	Barred	0.0	22.9	2.5	31.8	0.1	0.0	0.0	1.8	0.1	0.5	0.3	39.2	0.2	1.2	100.6

MS-I35-P51	Barred	0.0	20.1	3.0	31.7	0.2	0.0	0.0	2.6	0.1	0.6	0.3	40.2	0.1	1.0	99.8
MS-I35-P56	Barred	0.0	21.4	3.4	38.2	0.1	0.0	0.0	2.3	0.2	0.1	0.3	34.1	0.0	0.8	100.7
MS-I35-P59	Barred	0.0	19.7	3.4	33.3	0.0	0.0	0.0	3.5	0.1	0.4	0.3	38.9	0.1	0.7	100.4
MS-I35-P65	Barred	0.0	31.2	0.2	37.5	0.0	0.0	0.0	0.3	0.0	0.2	0.3	31.5	0.0	0.2	101.3
MS-I35-P73	Barred	0.0	23.0	2.6	36.5	0.0	0.0	0.0	2.3	0.1	0.3	0.3	34.0	0.1	1.4	100.6
MS-I35-P75	Barred	0.0	30.5	0.7	33.6	0.0	0.0	0.0	0.0	0.3	0.0	0.1	35.3	0.1	0.1	100.8
MS-I35-P76	Barred	0.0	19.8	3.3	47.8	0.0	0.0	0.0	2.2	0.1	0.3	0.6	25.4	0.0	0.1	99.6
MS-I35-P79	Barred	0.0	21.0	2.4	33.0	0.0	0.0	0.0	2.1	0.1	0.4	0.2	40.2	0.1	0.0	99.5
MS-I35-P82	Barred	0.0	33.9	2.9	41.2	0.0	0.0	0.0	1.9	0.1	0.0	0.1	20.6	0.0	0.2	101.1
MS-I35-P87	Barred	0.0	25.3	1.9	36.5	0.1	0.0	0.0	0.7	0.1	0.6	0.3	35.1	0.0	0.2	100.6
MS-I35-P89	Barred	0.0	24.5	1.7	32.2	0.3	0.0	0.0	0.8	0.1	0.4	0.2	39.0	0.0	1.2	100.5
MS-I35-P97	Barred	0.0	27.2	0.4	35.0	0.1	0.0	0.0	0.1	0.0	0.2	0.2	36.6	0.1	0.1	100.1
MS-I35-P99	Barred	0.0	22.9	3.3	32.1	0.0	0.0	0.0	1.9	0.1	0.6	0.2	36.8	0.1	1.5	99.6
MS-I35-P106	Barred	0.0	25.9	2.6	37.1	0.1	0.0	0.0	1.2	0.2	0.9	0.3	29.5	0.2	1.7	99.8
MS-I35-P111	Barred	0.0	30.7	1.7	27.9	0.0	0.0	0.0	1.0	0.1	0.7	0.4	36.3	0.2	1.7	100.7
MS-I35-P117	Barred	0.0	24.8	2.9	39.9	0.1	0.0	0.0	2.7	0.2	0.2	0.3	28.2	0.0	0.6	99.8
MS-I35-P125	Barred	0.0	39.7	2.6	37.9	0.2	0.0	0.0	1.1	0.1	0.0	0.2	16.2	0.0	0.1	98.1
MS-I35-P126	Barred	0.0	22.3	3.0	34.9	0.0	0.0	0.0	1.7	0.1	0.2	0.4	36.8	0.0	0.6	99.9
MS-I35-P130	Barred	0.0	21.4	2.7	34.5	0.2	0.0	0.0	2.2	0.2	0.5	0.3	36.5	0.1	1.2	99.8
MS-I35-P132	Barred	0.0	21.7	2.5	35.2	0.1	0.0	0.0	0.7	0.1	0.3	0.3	38.3	0.2	0.9	100.5
MS-I35-P136	Barred	0.0	23.9	3.0	35.3	0.0	0.0	0.0	1.5	0.1	0.5	0.0	34.2	0.2	1.4	100.2
MS-I35-P139	Barred	0.0	30.1	2.1	32.5	0.0	0.0	0.0	1.8	0.1	0.0	0.0	31.0	0.2	0.4	98.1
MS-I35-P141	Barred	0.0	19.0	2.9	33.1	0.0	0.0	0.0	1.2	0.1	0.3	0.2	41.7	0.0	0.9	99.6
MS-I35-P143	Barred	0.0	23.6	2.1	39.6	0.0	0.0	0.0	1.1	0.1	0.4	0.3	31.8	0.2	1.2	100.5
MS-I35-P145	Barred	0.0	24.2	2.0	34.4	0.2	0.0	0.0	2.6	0.1	0.7	0.4	35.8	0.2	0.2	100.8
MS-I35-P149	Barred	0.0	25.7	2.0	35.3	0.2	0.0	0.0	2.9	0.1	0.6	0.2	30.7	0.1	1.6	99.3
MS-I35-P152	Barred	0.0	28.6	3.6	41.1	0.0	0.0	0.0	0.3	0.1	0.6	0.0	25.6	0.0	0.3	100.2
MS-I35-P153	Barred	0.0	22.8	3.4	31.1	0.1	0.0	0.0	1.4	0.3	0.4	0.3	38.4	0.0	1.1	99.2
MS-I35-P159	Barred	0.0	19.5	3.8	33.0	0.1	0.0	0.0	3.0	0.1	0.2	0.2	40.7	0.0	0.2	100.8
MS-I35-P167	Barred	0.0	18.0	2.7	30.3	0.1	0.0	0.0	2.3	0.1	0.4	0.3	43.9	0.1	1.5	99.6
MS-I35-P172	Barred	0.0	21.0	3.6	27.0	0.0	0.0	0.0	0.9	0.1	0.3	0.2	40.7	0.3	5.8	100.0
MS-I35-P174	Barred	0.0	25.1	2.4	36.0	0.1	0.0	0.0	2.1	0.1	0.4	0.4	33.3	0.1	0.0	100.0
MS-I35-P177	Barred	0.0	23.8	2.3	38.4	0.2	0.0	0.0	2.0	0.2	0.5	0.3	29.0	0.3	1.0	98.0

MS-I35-P188	Barred	0.0	26.1	1.5	34.0	0.1	0.0	0.0	1.3	0.1	0.5	0.3	26.6	0.1	0.5	91.0
MS-I35-P193	Barred	0.0	25.6	2.4	35.7	0.1	0.0	0.0	1.7	0.1	0.5	0.3	31.5	0.1	1.1	99.1
MS-I35-P194	Barred	0.1	26.8	0.6	39.7	0.3	0.0	0.0	0.3	0.0	0.1	0.5	30.1	0.2	0.0	98.7
MS-I35-P196	Barred	0.0	21.8	1.8	31.2	0.0	0.1	0.0	1.4	0.1	0.2	0.2	32.3	0.0	8.8	98.0
MS-I35-P200	Barred	0.0	15.9	3.7	34.1	0.1	0.0	0.0	2.2	0.2	0.6	0.3	41.7	0.1	0.2	99.1
MS-I35-P202	Barred	0.1	8.0	2.1	55.5	0.4	0.1	0.2	0.5	0.0	0.3	1.0	30.3	0.0	0.9	99.4
MS-I35-P213	Barred	0.0	24.2	2.4	35.8	0.0	0.0	0.0	1.8	0.1	0.5	0.3	34.1	0.0	0.8	100.2
MS-I35-P218	Barred	0.0	20.8	3.3	34.1	0.1	0.0	0.0	1.9	0.1	0.5	0.3	38.0	0.2	1.3	100.5
MS-I35-P224	Barred	0.0	21.9	3.6	33.3	0.0	0.0	0.0	3.0	0.1	0.1	0.2	37.9	0.1	0.2	100.4
MS-I35-P232	Barred	0.0	23.5	3.1	38.7	0.0	0.0	0.0	2.3	0.1	0.2	0.3	31.8	0.2	0.8	100.9
MS-I35-P233	Barred	0.0	20.0	2.8	32.3	0.1	0.0	0.0	0.8	0.1	0.5	0.3	42.9	0.0	1.2	100.9
MS-I35-P238	Barred	0.0	22.1	2.9	34.2	0.1	0.0	0.0	0.4	0.1	0.5	0.3	36.4	0.1	1.5	98.5
MS-I35-P239	Barred	0.0	22.9	2.6	36.0	0.1	0.0	0.0	1.4	0.1	0.6	0.2	34.3	0.1	1.2	99.5
MS-I35-P244	Barred	0.0	20.7	2.5	34.4	0.1	0.0	0.0	1.8	0.1	0.6	0.3	38.1	0.2	1.4	100.1
MS-I35-P247	Barred	0.0	20.1	3.7	33.0	0.0	0.0	0.0	2.3	0.2	0.4	0.3	38.2	0.1	1.5	99.9
MS-I35-P248	Barred	0.0	19.2	2.9	31.0	0.0	0.0	0.0	2.6	0.1	0.3	0.1	42.8	0.2	1.1	100.4
MS-I35-P253	Barred	0.0	25.8	3.3	43.8	0.1	0.1	0.0	2.7	0.2	0.5	0.4	23.2	0.0	0.1	100.1
MS-I35-P261	Barred	0.0	23.1	2.8	37.7	0.0	0.0	0.0	2.5	0.2	0.2	0.4	32.8	0.1	0.3	100.0
MS-I35-P262	Barred	0.0	20.3	2.8	32.9	0.2	0.0	0.0	2.5	0.1	0.3	0.2	39.7	0.2	1.0	100.2
MS-I35-P266	Barred	0.0	18.3	3.2	33.0	0.1	0.0	0.0	1.5	0.1	0.3	0.2	42.2	0.1	1.1	100.2
MS-I35-P272	Barred	0.0	30.1	3.5	45.1	0.0	0.0	0.0	2.6	0.2	0.1	0.3	18.7	0.0	0.0	100.6
MS-I35-P277	Barred	0.0	22.3	1.6	33.3	0.2	0.0	0.0	3.2	0.1	0.4	0.2	38.1	0.0	1.3	100.7
MS-I35-P278	Barred	0.0	26.6	3.6	46.7	0.1	0.1	0.0	3.0	0.2	0.7	0.4	18.7	0.0	0.0	99.9
MS-I35-P293	Barred	0.0	21.6	2.7	34.1	0.1	0.1	0.0	0.1	0.2	0.6	0.1	37.0	0.2	3.4	100.1
MS-I35-P295	Barred	0.1	20.8	2.5	30.5	0.1	0.0	0.0	4.6	0.1	0.2	0.2	41.6	0.0	0.4	101.0
MS-I35-P298	Barred	0.0	38.0	0.2	38.4	0.0	0.0	0.0	0.5	0.0	0.1	0.4	21.3	0.0	0.0	98.8
MS-I35-P299	Barred	0.0	25.3	2.3	35.1	0.2	0.0	0.0	5.0	0.1	0.3	0.2	31.3	0.1	1.0	100.8
MS-I35-P300	Barred	0.0	19.2	3.9	32.0	0.1	0.0	0.0	1.7	0.1	0.3	0.3	41.9	0.2	1.3	100.9
MS-I35-P309	Barred	0.0	25.3	3.2	37.9	0.0	0.0	0.0	2.8	0.2	0.2	0.3	31.4	0.1	0.0	101.2
MS-I35-P318	Barred	0.0	23.5	2.7	38.2	0.0	0.0	0.0	1.4	0.1	0.7	0.5	31.2	0.0	2.2	100.5
MS-I35-P329	Barred	0.0	21.9	2.9	38.2	0.0	0.0	0.0	3.4	0.1	0.2	0.2	33.0	0.1	0.6	100.5
MS-I35-P334	Barred	0.0	20.5	3.1	32.6	0.1	0.0	0.0	1.8	0.2	0.6	0.2	39.8	0.1	1.4	100.4
MS-I35-P335	Barred	0.0	16.6	2.9	34.3	0.2	0.0	0.0	1.3	0.1	0.3	0.3	42.4	0.2	1.1	99.8

MS-I35-P336	Barred	0.0	27.5	3.3	39.6	0.0	0.0	0.0	2.6	0.1	0.2	0.2	26.9	0.0	0.0	100.6
MS-I35-P340	Barred	0.0	23.8	2.3	34.6	0.2	0.0	0.0	2.4	0.1	0.5	0.2	34.7	0.1	2.0	101.0
MS-I35-P357	Barred	0.0	21.1	2.8	31.4	0.1	0.0	0.0	4.0	0.1	0.2	0.3	39.8	0.0	0.8	100.6
MS-I35-P364	Barred	0.0	21.3	2.1	28.8	0.1	0.0	0.0	7.3	0.1	0.4	0.3	39.2	0.3	1.0	100.8
MS-I35-P367	Barred	0.0	24.9	3.3	40.1	0.2	0.0	0.0	2.3	0.2	0.6	0.4	28.3	0.1	1.2	101.7
MS-I35-P372	Barred	0.0	14.7	3.9	32.2	0.0	0.0	0.0	2.7	0.2	0.1	0.3	46.9	0.0	0.1	100.9
MS-I35-P375	Barred	0.0	28.6	2.4	38.2	0.0	0.0	0.0	0.9	0.1	0.4	0.4	28.9	0.1	0.6	100.8
MS-I35-P384	Barred	0.0	20.1	3.1	34.2	0.0	0.0	0.0	0.9	0.2	0.2	0.3	41.2	0.1	0.4	100.6
MS-I35-P397	Barred	0.0	16.5	3.3	34.7	0.1	0.0	0.0	2.4	0.2	0.5	0.2	40.2	0.0	1.2	99.3
MS-I35-P400	Barred	0.0	20.1	3.6	35.8	0.0	0.0	0.0	1.4	0.2	0.5	0.3	37.4	0.2	1.1	100.4
MS-I35-P402	Barred	0.0	22.5	2.4	32.1	0.2	0.0	0.0	6.9	0.1	0.6	0.4	32.4	0.3	1.6	99.4
MS-I35-P403	Barred	0.0	30.0	1.1	37.2	0.1	0.0	0.0	0.6	0.1	0.3	0.5	30.7	0.1	0.0	100.5
MS-I35-P404	Barred	0.0	29.0	0.5	34.7	0.0	0.0	0.0	1.5	0.1	0.1	0.2	33.7	0.0	0.8	100.7
MS-I35-P410	Barred	0.0	18.5	2.3	25.5	0.1	0.0	0.0	1.7	0.1	0.4	0.2	49.5	0.1	2.1	100.3
MS-I35-P411	Barred	0.0	28.0	0.4	28.6	0.8	0.0	0.0	1.0	0.1	1.0	0.2	38.4	0.2	1.6	100.2
MS-I35-P414	Barred	0.0	22.5	2.7	34.4	0.0	0.0	0.0	0.6	0.2	0.0	0.2	39.7	0.1	0.0	100.4
MS-I35-P417	Barred	0.0	21.8	1.6	38.9	0.1	0.0	0.0	7.0	0.1	0.5	0.2	28.6	0.0	1.6	100.5
MS-I35-P423	Barred	0.0	23.8	3.1	38.5	0.0	0.0	0.0	2.7	0.2	0.0	0.3	30.6	0.1	1.2	100.5
MS-I35-P441	Barred	0.0	28.8	2.4	38.4	0.0	0.0	0.0	1.9	0.1	0.0	0.3	28.4	0.1	0.1	100.5
MS-I35-P452	Barred	0.0	18.6	1.2	47.6	0.3	0.0	0.0	0.8	0.1	0.3	0.4	30.9	0.1	0.3	100.7
MS-I35-P455	Barred	0.0	23.8	2.8	36.4	0.1	0.0	0.0	2.4	0.1	0.3	0.3	33.7	0.1	0.5	100.5
MS-I35-P457	Barred	0.0	25.8	2.6	32.9	0.1	0.0	0.0	2.4	0.2	0.1	0.2	38.0	0.1	0.1	102.4
MS-I35-P462	Barred	0.0	30.8	1.9	37.6	0.1	0.0	0.0	1.3	0.1	0.8	0.2	26.7	0.0	1.4	100.9
MS-I35-P464	Barred	0.0	22.3	3.1	32.5	0.1	0.0	0.0	1.7	0.1	0.2	0.3	39.4	0.1	0.9	100.9
MS-I35-P472	Barred	0.0	30.8	1.6	34.5	0.0	0.0	0.0	1.1	0.1	0.1	0.2	32.0	0.1	0.3	100.9
MS-I35-P480	Barred	0.0	23.9	2.7	36.3	0.0	0.0	0.0	1.1	0.1	0.4	0.4	34.2	0.1	1.6	100.9
MS-I35-P481	Barred	0.1	19.4	3.5	36.6	0.1	0.0	0.0	1.5	0.1	0.3	0.3	38.0	0.2	0.9	100.9
MS-I35-P483	Barred	0.1	29.9	2.4	40.1	0.0	0.0	0.0	0.6	0.1	0.4	0.2	25.1	0.2	0.8	99.9
MS-I35-P487	Barred	0.0	27.8	2.8	35.7	0.0	0.0	0.0	2.2	0.1	0.1	0.2	29.4	0.1	1.3	99.7
MS-I35-P488	Barred	0.0	23.1	1.5	37.3	0.5	0.0	0.0	1.3	0.1	0.6	0.4	35.3	0.0	0.0	100.2
MS-I35-P491	Barred	0.0	31.8	3.1	40.1	0.0	0.0	0.0	2.6	0.2	0.1	0.3	21.2	0.1	0.9	100.5
MS-I35-P501	Barred	0.4	29.6	0.9	37.0	0.0	0.0	0.1	0.1	0.0	0.4	0.6	32.0	0.0	0.1	101.3
MS-I35-P509	Barred	0.0	15.6	3.1	28.2	0.0	0.0	0.0	0.7	0.2	0.5	0.0	50.3	0.2	0.6	99.3

MS-I35-P520	Barred	0.0	31.1	1.8	29.3	0.0	0.0	0.0	0.7	0.1	0.1	0.0	34.7	0.1	0.6	98.6
MS-I35-P528	Barred	0.0	19.2	3.8	34.5	0.0	0.0	0.0	2.0	0.2	0.1	0.4	38.1	0.2	0.1	98.6
MS-I35-P532	Barred	1.4	32.5	0.2	47.1	0.6	0.0	0.1	0.1	0.0	1.0	0.8	16.9	0.1	0.0	100.8
MS-I35-P535	Barred	0.0	30.6	2.6	40.8	0.0	0.0	0.0	2.2	0.1	0.4	0.7	20.5	0.0	0.5	98.5
MS-I35-P537	Barred	0.0	34.4	1.9	37.9	0.0	0.0	0.0	1.7	0.1	0.4	0.4	19.8	0.1	0.7	97.4
MS-I35-P542	Barred	0.0	30.9	1.8	37.8	0.1	0.0	0.0	3.6	0.1	0.6	0.5	23.8	0.1	1.2	100.4
MS-I35-P553	Barred	0.0	23.8	2.6	38.8	0.1	0.1	0.0	1.4	0.2	0.6	0.1	31.6	0.0	0.0	99.2
MS-I35-P569	Barred	0.0	23.2	3.5	37.6	0.0	0.0	0.0	2.2	0.2	0.2	0.3	32.5	0.1	0.7	100.3
MS-I35-P594	Barred	0.0	21.8	2.6	30.6	0.1	0.0	0.0	0.8	0.1	0.5	0.3	39.5	0.1	2.0	98.4
MS-I35-P602	Barred	0.0	21.0	2.8	31.2	0.1	0.0	0.0	0.8	0.1	0.4	0.1	41.6	0.1	1.4	99.5
MS-I35-P608	Barred	0.0	31.3	2.1	42.6	0.0	0.0	0.0	1.4	0.1	0.1	0.6	21.1	0.0	0.0	99.3
MS-I35-P611	Barred	0.0	21.8	3.1	34.5	0.1	0.0	0.0	1.0	0.2	0.2	0.2	37.1	0.1	1.3	99.6
MS-I35-P652	Barred	0.0	28.2	2.4	38.4	0.1	0.0	0.0	1.8	0.1	0.2	0.3	26.4	0.0	0.0	97.9
MS-I35-P658	Barred	0.0	24.4	6.4	36.9	0.0	0.0	0.0	3.1	0.1	0.0	0.2	27.3	0.1	0.0	98.6
MS-I35-P676	Barred	0.0	17.3	3.2	31.2	0.1	0.0	0.0	0.8	0.1	0.2	0.3	45.8	0.1	1.1	100.4
MS-I35-P699	Barred	0.0	18.2	2.8	32.3	0.1	0.0	0.0	0.3	0.1	0.4	0.3	42.6	0.2	2.3	99.5
MS-I35-P720	Barred	0.0	17.7	2.2	27.1	0.0	0.0	0.0	1.4	0.1	0.3	0.1	45.6	0.5	4.7	99.8
MS-I35-P747	Barred	0.0	25.9	3.8	40.5	0.0	0.0	0.0	2.5	0.2	0.3	0.3	26.6	0.2	0.0	100.4
MS-I35-P771	Barred	0.0	21.0	2.8	33.7	0.3	0.0	0.0	6.8	0.1	0.4	0.3	33.5	0.1	1.0	100.1
MS-I35-P778	Barred	0.0	10.6	0.5	32.1	0.1	0.0	0.0	0.8	0.0	0.2	0.4	54.9	0.2	0.3	100.1
MS-I35-P792	Barred	0.0	23.4	4.9	37.1	0.0	0.0	0.0	2.8	0.1	0.4	0.4	29.2	0.4	1.6	100.2
MS-I35-P804	Barred	0.0	22.2	1.9	30.3	0.1	0.0	0.0	0.2	0.1	0.8	0.3	42.6	0.1	2.4	101.0
MS-I35-P821	Barred	0.0	19.7	3.4	34.5	0.0	0.0	0.0	6.1	0.1	0.2	0.4	35.3	0.0	0.0	99.6
MS-I35-P823	Barred	0.0	32.1	0.4	48.2	0.3	0.0	0.0	0.2	0.0	0.3	0.9	18.0	0.0	0.1	100.7
MS-I35-P824	Barred	0.3	20.2	3.6	33.7	0.0	0.0	0.0	2.1	0.2	2.5	0.3	35.1	0.1	0.6	98.8
MS-I35-P846	Barred	0.0	20.8	3.4	32.9	0.0	0.0	0.0	2.0	0.1	0.2	0.3	39.2	0.0	0.0	98.9
MS-I35-P847	Barred	0.0	25.4	1.4	34.4	0.0	0.0	0.0	1.4	0.1	0.2	0.4	35.7	0.1	0.3	99.5
MS-I35-P848	Barred	0.0	26.3	2.9	36.7	0.0	0.0	0.0	3.7	0.1	0.1	0.2	29.6	0.2	0.1	99.8
MS-I35-P849	Barred	0.0	19.1	4.0	33.6	0.1	0.0	0.0	1.3	0.1	0.3	0.3	39.1	0.0	1.5	99.5
MS-I35-P854	Barred	0.0	27.4	2.9	41.2	0.0	0.0	0.0	2.3	0.1	0.3	0.6	25.4	0.0	0.6	100.8
MS-I35-P855	Barred	0.0	28.4	3.4	45.1	0.0	0.0	0.0	2.7	0.2	0.6	0.4	19.1	0.0	0.1	100.0
MS-I35-P858	Barred	0.0	26.3	2.0	32.5	0.1	0.0	0.0	2.5	0.1	0.4	0.6	33.0	0.0	0.8	98.4
MS-I35-P864	Barred	0.0	31.8	1.1	37.2	0.0	0.0	0.0	0.6	0.1	0.0	0.3	27.8	0.0	0.6	99.6

MS-I35-P878	Barred	0.0	24.0	2.8	35.9	0.0	0.0	0.0	1.2	0.1	0.2	0.4	32.5	0.2	2.5	99.7
MS-I35-P901	Barred	0.0	25.3	2.7	36.6	0.3	0.0	0.0	1.7	0.1	0.3	0.4	31.5	0.0	0.5	99.5
MS-I35-P915	Barred	0.0	19.9	3.3	41.4	0.2	0.0	0.0	3.4	0.3	0.4	0.6	27.3	0.1	0.3	97.2
MS-I35-P921	Barred	0.0	20.8	3.2	36.4	0.0	0.0	0.0	2.4	0.2	0.2	0.3	36.2	0.1	0.4	100.4
MS-I35-P927	Barred	0.0	27.4	2.4	39.9	0.0	0.0	0.0	1.4	0.1	0.5	0.3	27.3	0.1	1.3	100.7
MS-I35-P937	Barred	0.0	28.8	2.7	42.5	0.0	0.0	0.0	2.6	0.1	0.3	0.3	23.5	0.1	0.9	101.9
MS-I35-P944	Barred	0.0	28.8	0.1	43.5	0.0	0.0	0.0	0.0	0.0	0.6	0.7	25.5	0.0	0.1	99.4
MS-I35-P951	Barred	0.0	22.8	1.4	32.5	0.4	0.0	0.0	1.9	0.1	0.3	0.4	38.8	0.0	0.5	99.2
MS-I35-P972	Barred	0.0	17.8	3.5	31.7	0.1	0.0	0.0	2.0	0.1	0.4	0.3	42.3	0.3	2.0	100.5
MS-I35-P1015	Barred	0.0	25.9	2.3	36.1	0.2	0.0	0.0	2.0	0.1	0.5	0.3	30.1	0.4	1.0	99.1
AAS-38-43-P12	Cryptocrystalline	0.0	24.8	2.6	39.6	0.0	0.1	0.0	0.7	0.1	0.5	0.2	31.1	0.0	0.0	99.8
AAS-38-43-P18	Cryptocrystalline	0.0	33.8	2.5	45.0	0.1	0.0	0.0	1.6	0.2	0.2	0.1	16.8	0.1	0.0	100.3
AAS-38-43-P23	Cryptocrystalline	0.1	26.4	2.0	38.4	0.0	0.0	0.0	2.6	0.1	0.0	0.2	30.2	0.1	0.1	100.2
AAS-38-43-P24	Cryptocrystalline	0.0	27.7	2.9	40.7	0.1	0.0	0.0	1.4	0.1	0.2	0.2	26.5	0.1	0.6	100.4
AAS-38-43-P25	Cryptocrystalline	0.1	26.8	2.5	38.7	0.1	0.0	0.0	1.8	0.1	0.2	0.1	28.7	0.0	0.6	99.7
AAS-38-43-P28	Cryptocrystalline	0.0	25.5	2.8	37.6	0.2	0.0	0.0	2.0	0.1	0.4	0.2	31.2	0.1	0.4	100.3
AAS-38-43-P39	Cryptocrystalline	0.0	24.4	2.9	39.8	0.2	0.1	0.0	2.1	0.1	0.5	0.3	29.7	0.0	0.0	100.2
AAS-38-43-P43	Cryptocrystalline	0.1	26.4	3.2	37.3	0.0	0.0	0.0	2.4	0.2	0.1	0.1	30.4	0.1	0.0	100.3
AAS-38-43-P63	Cryptocrystalline	0.1	35.0	2.4	46.7	0.0	0.0	0.0	0.6	0.1	0.1	0.3	15.4	0.0	0.2	100.8
AAS-38-43-P66	Cryptocrystalline	0.1	28.9	2.1	41.2	0.0	0.0	0.0	0.5	0.1	0.3	0.2	26.8	0.0	0.1	100.2
AAS-38-43-P67	Cryptocrystalline	0.1	28.2	2.9	39.2	0.0	0.0	0.0	2.5	0.1	0.1	0.2	26.7	0.0	0.1	100.1
AAS-38-151-P74	Cryptocrystalline	0.0	27.9	3.4	37.9	0.0	0.0	0.0	2.0	0.2	0.1	0.2	24.8	0.1	0.0	96.6
AAS-38-151-P92	Cryptocrystalline	0.0	31.3	1.7	44.4	0.1	0.0	0.0	1.3	0.1	0.1	0.4	21.7	0.0	0.1	101.0
AAS-38-164-P4	Cryptocrystalline	0.0	27.8	2.5	44.2	0.0	0.0	0.0	2.2	0.1	0.5	0.3	22.8	0.0	0.0	100.5
AAS-38-164-P10	Cryptocrystalline	0.0	33.4	2.3	43.1	0.1	0.0	0.0	1.6	0.2	0.2	0.3	19.0	0.0	0.5	100.9
AAS-38-164-P29	Cryptocrystalline	0.0	33.1	2.6	44.2	0.0	0.0	0.0	0.7	0.1	0.1	0.3	18.8	0.0	0.2	100.3
AAS-38-164-P52	Cryptocrystalline	0.0	30.8	1.9	39.1	0.0	0.0	0.0	1.6	0.1	0.1	0.3	25.1	0.0	0.0	99.2
AAS-38-167-P35	Cryptocrystalline	0.0	28.1	1.8	42.8	0.0	0.0	0.0	1.7	0.1	0.3	0.3	23.9	0.0	0.3	99.3
AAS-38-167-P36	Cryptocrystalline	0.0	32.8	2.4	43.8	0.0	0.0	0.0	2.6	0.2	0.5	0.3	15.5	0.1	0.1	98.3
AAS-38-167-P41	Cryptocrystalline	0.0	29.3	2.4	40.5	0.0	0.0	0.0	1.6	0.1	0.1	0.3	24.5	0.0	0.2	99.1
AAS-38-167-P44	Cryptocrystalline	0.0	29.7	3.4	39.0	0.0	0.0	0.0	2.2	0.1	0.0	0.2	24.3	0.0	0.0	99.1
AAS-38-167-P48	Cryptocrystalline	0.0	28.2	3.3	40.6	0.0	0.0	0.0	2.4	0.1	0.1	0.2	24.9	0.0	0.0	99.8
AAS-38-167-P69	Cryptocrystalline	0.0	26.3	2.3	42.4	0.1	0.0	0.0	1.8	0.1	0.4	0.3	25.0	0.0	0.1	98.8

AAS-38-167#1-P1	Cryptocrystalline	0.0	29.6	3.3	39.3	0.0	0.0	0.0	2.1	0.2	0.1	0.2	24.9	0.0	0.0	99.8
AAS-38-167#1-P10	Cryptocrystalline	0.0	35.3	2.9	43.7	0.0	0.0	0.0	1.5	0.1	0.2	0.3	15.1	0.0	0.0	99.2
AAS-38-167#1-P12	Cryptocrystalline	0.0	28.7	3.0	40.4	0.0	0.0	0.0	2.0	0.1	0.2	0.4	24.5	0.1	0.3	99.7
AAS-38-167#1-P14	Cryptocrystalline	0.0	31.4	3.3	41.8	0.0	0.0	0.0	1.2	0.2	0.0	0.2	21.6	0.0	0.0	99.7
AAS-38-167#1-P26	Cryptocrystalline	0.3	29.6	2.2	41.6	0.0	0.0	0.0	2.9	0.1	0.1	0.3	21.8	0.0	0.1	99.0
AAS-38-167#1-P70	Cryptocrystalline	0.0	26.9	3.0	39.2	0.0	0.0	0.0	2.2	0.1	0.1	0.2	27.8	0.0	0.4	100.1
AAS-38-167#1-P85	Cryptocrystalline	0.0	30.7	1.6	46.4	0.1	0.0	0.0	1.1	0.1	0.3	0.3	19.4	0.0	0.0	100.1
AAS-38-167#1-P93	Cryptocrystalline	0.0	27.4	3.2	39.6	0.0	0.0	0.0	2.5	0.2	0.0	0.2	27.0	0.0	0.0	100.2
AAS-38-167#1-P118	Cryptocrystalline	0.0	29.9	2.6	41.0	0.0	0.0	0.0	1.7	0.1	0.5	0.3	24.2	0.0	0.0	100.4
AAS-38-167#1-P128	Cryptocrystalline	0.0	27.8	2.5	37.4	0.0	0.0	0.0	1.0	0.1	0.6	0.3	30.3	0.0	0.0	100.2
AAS-38-169-P4	Cryptocrystalline	0.0	25.7	3.1	42.3	0.1	0.0	0.0	2.3	0.2	0.6	0.3	22.2	0.1	0.8	97.6
AAS-38-169-P20	Cryptocrystalline	0.0	31.4	1.9	30.7	0.0	0.0	0.0	1.1	0.1	0.6	0.2	32.4	0.0	0.8	99.3
AAS-38-169-P38	Cryptocrystalline	0.0	40.2	2.2	38.3	0.0	0.0	0.0	1.0	0.1	0.0	0.1	16.1	0.0	0.0	98.0
AAS-38-169-P60	Cryptocrystalline	0.1	27.1	2.6	43.5	0.0	0.0	0.0	1.4	0.1	0.2	0.3	22.4	0.0	0.6	98.4
AAS-38-169-P85	Cryptocrystalline	0.0	24.9	1.8	41.0	0.2	0.0	0.0	2.1	0.1	0.4	0.2	27.2	0.1	0.6	98.6
AAS-38-169-P93	Cryptocrystalline	0.0	28.6	3.2	39.0	0.0	0.0	0.0	1.3	0.1	0.2	0.3	26.2	0.1	0.4	99.4
AAS-38-169-P142	Cryptocrystalline	0.0	27.4	0.0	42.2	0.1	0.0	0.0	0.1	0.0	0.1	0.6	27.7	0.0	0.0	98.1
AAS-38-170-P25	Cryptocrystalline	0.0	29.1	2.7	41.4	0.1	0.0	0.0	2.1	0.2	0.5	0.3	22.6	0.0	0.2	99.2
AAS-38-170-P31	Cryptocrystalline	0.0	31.8	1.4	47.8	0.1	0.0	0.0	1.2	0.1	0.7	0.4	15.3	0.0	0.0	98.6
AAS-38-170-P41	Cryptocrystalline	0.5	27.1	3.0	45.4	0.1	0.0	0.1	3.7	0.1	0.1	0.3	18.9	0.0	0.0	99.3
AAS-38-170-P78	Cryptocrystalline	0.0	32.6	2.6	40.9	0.1	0.0	0.0	0.9	0.1	0.2	0.2	21.2	0.1	0.6	99.4
AAS-38-170-P81	Cryptocrystalline	0.0	30.6	2.2	45.2	0.0	0.0	0.0	1.8	0.1	0.4	0.4	18.8	0.0	0.0	99.6
AAS-38-170-P107	Cryptocrystalline	0.0	27.9	2.1	39.5	0.1	0.0	0.0	1.9	0.1	0.9	0.3	26.5	0.0	0.0	99.5
AAS-38-170-P120	Cryptocrystalline	0.0	35.4	1.8	44.9	0.1	0.0	0.0	1.2	0.1	0.1	0.2	14.6	0.1	0.3	98.6
AAS-38-170-P170	Cryptocrystalline	0.0	28.7	2.7	44.6	0.0	0.0	0.0	1.5	0.1	0.5	0.3	21.1	0.0	0.0	99.5
AAS-38-170-P181	Cryptocrystalline	0.0	29.3	3.2	39.4	0.2	0.1	0.0	2.5	0.2	0.5	0.3	23.8	0.0	0.0	99.4
AAS-38-170-P184	Cryptocrystalline	0.0	29.7	2.7	45.8	0.0	0.0	0.0	1.8	0.1	0.3	0.3	18.6	0.0	0.1	99.6
AAS-38-173-P13	Cryptocrystalline	0.1	30.2	1.1	41.7	0.0	0.0	0.0	0.8	0.1	0.1	0.8	24.9	0.0	0.0	99.7
AAS-38-173-P16	Cryptocrystalline	0.0	24.5	3.0	37.4	0.0	0.0	0.0	2.5	0.1	0.1	0.6	28.8	0.1	0.1	97.2
AAS-38-173-P19	Cryptocrystalline	0.0	27.1	3.4	40.9	0.0	0.0	0.0	3.6	0.2	0.0	0.3	24.9	0.0	0.1	100.5
AAS-38-173-P102	Cryptocrystalline	0.0	31.4	2.3	39.4	0.1	0.0	0.0	1.9	0.1	0.3	0.3	24.2	0.0	0.0	99.8
AAS-38-173-P103	Cryptocrystalline	0.0	26.9	2.6	35.2	0.0	0.0	0.0	1.8	0.1	0.1	0.2	32.2	0.1	0.0	99.1
AAS-38-173-P118	Cryptocrystalline	0.0	29.3	2.1	41.1	0.0	0.0	0.0	1.5	0.1	0.2	0.2	22.4	0.1	1.3	98.2

AAS-38-173-P121	Cryptocrystalline	0.0	23.8	2.6	38.8	0.0	0.0	0.0	1.2	0.2	0.1	0.4	31.7	0.0	0.0	98.9
AAS-38-173-P130	Cryptocrystalline	0.0	31.5	3.1	43.4	0.2	0.0	0.0	3.2	0.1	0.1	0.4	16.4	0.0	0.0	98.4
AAS-38-173-P144	Cryptocrystalline	0.0	22.9	2.5	33.7	0.0	0.0	0.0	1.6	0.1	0.2	0.1	38.8	0.0	0.0	100.0
AAS-38-173-P147	Cryptocrystalline	0.0	37.4	2.4	43.2	0.0	0.0	0.0	1.9	0.1	0.0	0.3	14.3	0.1	0.6	100.3
AAS-38-173-P151	Cryptocrystalline	0.0	28.5	3.1	41.7	0.0	0.0	0.0	0.7	0.1	0.5	0.3	23.8	0.0	0.0	98.8
AAS-38-173-P152	Cryptocrystalline	0.0	30.7	0.5	40.6	0.0	0.0	0.0	0.3	0.0	0.0	0.4	26.9	0.0	0.0	99.5
AAS-38-182-P9	Cryptocrystalline	0.0	32.5	1.5	45.0	0.0	0.0	0.0	1.0	0.1	0.6	0.2	18.3	0.0	0.0	99.2
AAS-38-182-P11	Cryptocrystalline	0.0	38.1	2.2	41.4	0.1	0.0	0.0	1.1	0.1	0.1	0.2	15.2	0.0	0.9	99.4
AAS-38-182-P28	Cryptocrystalline	0.0	41.9	1.5	41.7	0.1	0.0	0.0	1.0	0.1	0.3	0.1	11.2	0.1	1.1	99.0
AAS-38-182-P31	Cryptocrystalline	0.0	31.2	1.8	39.9	0.0	0.0	0.0	0.9	0.1	0.4	0.4	23.5	0.0	0.0	98.3
AAS-38-182-P35	Cryptocrystalline	0.0	33.5	3.0	41.8	0.0	0.0	0.0	2.4	0.1	0.0	0.1	17.8	0.0	0.0	98.8
AAS-38-187-P24	Cryptocrystalline	0.0	26.0	3.1	40.5	0.0	0.0	0.0	2.9	0.2	0.2	0.2	24.5	0.0	0.8	98.3
AAS-38-187-P66	Cryptocrystalline	0.0	28.8	2.9	40.6	0.0	0.0	0.0	0.9	0.1	0.1	0.2	24.3	0.1	0.3	98.3
AAS-38-188-P5	Cryptocrystalline	0.1	44.0	0.6	41.8	0.0	0.0	0.0	0.4	0.1	0.1	0.3	12.5	0.0	0.0	99.9
AAS-38-188-P18	Cryptocrystalline	0.1	30.1	0.0	35.9	0.0	0.0	0.0	0.1	0.0	0.2	0.6	31.7	0.0	0.0	98.8
AAS-38-188-P20	Cryptocrystalline	0.0	25.2	2.3	36.8	0.1	0.1	0.0	1.0	0.1	0.6	0.2	33.3	0.0	0.0	99.7
AAS-38-188-P30	Cryptocrystalline	0.0	29.3	3.2	41.3	0.1	0.0	0.0	3.0	0.2	0.1	0.2	23.1	0.0	0.1	100.5
AAS-38-188-P55	Cryptocrystalline	0.0	26.3	2.9	40.0	0.0	0.0	0.0	2.8	0.2	0.6	0.4	27.2	0.0	0.0	100.4
AAS-38-188-P57	Cryptocrystalline	0.0	30.9	2.9	41.5	0.0	0.0	0.0	1.6	0.1	0.1	0.2	22.2	0.0	0.3	99.9
AAS-38-188-P63	Cryptocrystalline	0.1	25.9	2.5	36.8	0.0	0.0	0.0	1.6	0.1	0.1	0.1	32.4	0.0	0.1	99.8
AAS-38-188-P74	Cryptocrystalline	0.0	25.1	3.4	40.5	0.0	0.0	0.0	2.7	0.2	0.1	0.2	27.6	0.0	0.3	100.1
AAS-38-188-P76	Cryptocrystalline	0.1	29.7	0.8	42.9	0.1	0.0	0.0	0.7	0.1	0.7	0.3	24.3	0.0	0.4	99.9
AAS-38-188-P85	Cryptocrystalline	0.0	25.1	3.3	41.0	0.0	0.0	0.0	2.0	0.2	0.1	0.3	28.3	0.0	0.1	100.3
AAS-38-188-P90	Cryptocrystalline	0.1	23.4	2.1	36.6	0.0	0.1	0.0	0.9	0.1	0.4	0.2	35.9	0.0	0.0	99.8
AAS-38-192-P12	Cryptocrystalline	0.0	28.2	3.4	39.2	0.0	0.0	0.0	1.7	0.2	0.1	0.2	26.1	0.0	0.1	99.3
AAS-38-192-P19	Cryptocrystalline	0.1	29.6	2.9	31.4	0.0	0.1	0.0	0.5	0.1	0.2	0.3	34.2	0.1	0.3	99.8
AAS-38-201-P34	Cryptocrystalline	0.0	28.9	2.0	44.4	0.1	0.0	0.0	1.5	0.1	0.4	0.3	20.6	0.0	0.1	98.5
AAS-38-201-P75	Cryptocrystalline	0.0	28.5	2.4	40.7	0.0	0.0	0.0	2.0	0.1	0.1	0.5	23.5	0.0	0.0	97.9
AAS-38-201-P110	Cryptocrystalline	0.0	27.0	2.1	44.2	0.0	0.0	0.0	1.7	0.1	0.5	0.7	20.4	0.0	0.2	97.0
AAS-38-201-P121	Cryptocrystalline	0.0	30.5	1.3	44.6	0.0	0.0	0.0	1.6	0.1	0.1	0.4	19.5	0.0	0.4	98.5
AAS-38-201-P130	Cryptocrystalline	0.0	31.1	3.0	42.6	0.0	0.0	0.0	1.8	0.2	0.1	0.3	20.4	0.0	0.6	100.0
AAS-38-203-P4	Cryptocrystalline	0.1	33.9	1.1	31.5	0.0	0.0	0.0	0.2	0.1	0.3	0.2	31.5	0.0	0.0	99.0
AAS-38-203-P9	Cryptocrystalline	0.0	34.7	2.0	40.2	0.0	0.0	0.0	1.4	0.1	0.1	0.4	21.0	0.0	0.1	100.1

AAS-38-203-P26	Cryptocrystalline	0.0	29.1	2.9	39.9	0.0	0.0	0.0	2.0	0.1	0.1	0.2	25.9	0.0	0.0	100.3
AAS-38-203-P38	Cryptocrystalline	0.0	35.0	1.3	39.7	0.0	0.0	0.0	0.8	0.1	0.4	0.3	23.7	0.1	0.1	101.4
AAS-38-203-P41	Cryptocrystalline	0.0	34.5	2.9	41.5	0.0	0.0	0.0	2.2	0.2	0.0	0.2	18.2	0.1	0.1	99.8
AAS-38-203-P46	Cryptocrystalline	0.0	27.2	3.1	42.1	0.0	0.0	0.0	2.4	0.2	0.3	0.2	24.1	0.0	0.1	99.8
AAS-38-203-P47	Cryptocrystalline	0.0	29.8	3.3	41.7	0.1	0.0	0.0	1.6	0.1	0.1	0.2	24.0	0.1	0.1	101.0
AAS-38-203-P55	Cryptocrystalline	0.0	23.7	2.9	42.4	0.1	0.0	0.0	2.2	0.1	1.2	0.4	27.3	0.0	0.0	100.3
AAS-38-203-P56	Cryptocrystalline	0.0	29.8	2.2	38.1	0.0	0.1	0.0	1.3	0.1	0.4	0.4	27.9	0.0	0.0	100.3
AAS-38-203-P58	Cryptocrystalline	0.1	36.0	1.8	38.1	0.0	0.0	0.3	0.1	0.1	1.6	0.3	20.5	0.0	0.3	99.2
AAS-38-203-P62	Cryptocrystalline	0.0	27.9	2.6	47.2	0.0	0.0	0.0	1.5	0.1	0.4	0.3	20.5	0.1	0.1	100.6
AAS-38-203-P82	Cryptocrystalline	0.0	29.1	3.1	42.4	0.0	0.0	0.0	1.3	0.1	0.1	0.3	23.9	0.0	0.0	100.4
AAS-38-203-P114	Cryptocrystalline	0.0	27.1	2.5	43.7	0.1	0.0	0.0	2.2	0.1	0.2	0.3	23.3	0.1	0.1	99.7
AAS-38-203-P115	Cryptocrystalline	0.0	27.4	2.1	41.4	0.0	0.0	0.0	1.6	0.1	0.2	0.3	25.5	0.0	0.1	98.7
AAS-38-203-P117	Cryptocrystalline	0.0	27.6	2.5	43.8	0.0	0.0	0.0	2.1	0.1	0.2	0.3	22.2	0.0	0.6	99.6
AAS-38-203-P137	Cryptocrystalline	0.0	22.1	0.6	40.4	0.0	0.0	0.0	0.2	0.0	0.0	0.5	35.6	0.0	0.1	99.6
AAS-38-203-P148	Cryptocrystalline	0.0	28.0	2.9	42.9	0.0	0.0	0.0	1.5	0.1	0.4	0.3	24.2	0.0	0.0	100.4
AAS-38-204-P18	Cryptocrystalline	0.1	27.2	3.1	38.6	0.0	0.0	0.0	2.0	0.1	0.1	0.1	28.4	0.0	0.3	100.1
AAS-38-204-P52	Cryptocrystalline	0.0	28.4	2.6	39.4	0.0	0.0	0.0	2.0	0.2	0.2	0.3	25.8	0.1	0.6	99.6
AAS-38-204-P70	Cryptocrystalline	0.0	28.7	3.3	39.6	0.0	0.0	0.0	3.0	0.2	0.0	0.3	25.0	0.0	0.0	100.1
AAS-38-204-P86	Cryptocrystalline	0.0	36.8	2.8	42.0	0.0	0.0	0.0	1.5	0.2	0.2	0.1	15.8	0.0	0.0	99.4
AAS-38-206-P20	Cryptocrystalline	0.0	29.5	2.7	45.0	0.2	0.0	0.0	2.1	0.1	0.2	0.2	20.0	0.1	0.1	100.2
AAS-38-206-P39	Cryptocrystalline	0.0	28.5	3.1	39.1	0.0	0.0	0.0	2.3	0.2	0.1	0.3	25.2	0.0	0.0	98.8
AAS-38-206-P40	Cryptocrystalline	0.0	32.6	2.3	44.9	0.0	0.0	0.0	1.6	0.1	0.4	0.6	16.8	0.0	0.4	99.9
AAS-38-206-P42	Cryptocrystalline	0.0	39.8	1.3	42.0	0.0	0.0	0.0	0.9	0.1	0.0	0.4	14.5	0.0	0.2	99.2
AAS-38-206-P43	Cryptocrystalline	0.0	26.9	2.8	37.4	0.0	0.0	0.0	1.7	0.1	0.3	0.2	29.5	0.1	0.1	99.1
AAS-38-206-P55	Cryptocrystalline	0.0	28.2	2.7	37.1	0.0	0.0	0.0	1.7	0.1	0.2	0.2	27.9	0.1	0.1	98.2
AAS-38-206-P75	Cryptocrystalline	0.0	33.8	2.6	40.6	0.2	0.0	0.0	0.7	0.1	0.2	0.3	19.7	0.0	0.3	98.4
AAS-38-206-P90	Cryptocrystalline	0.0	30.6	2.2	36.7	0.0	0.0	0.0	1.0	0.1	0.0	0.3	28.7	0.0	0.0	99.7
AAS-38-206-P94	Cryptocrystalline	0.1	35.2	1.2	42.8	0.0	0.0	0.0	1.2	0.1	0.2	0.4	18.0	0.0	0.2	99.4
AAS-38-206-P97	Cryptocrystalline	0.0	45.2	0.1	40.8	0.0	0.0	0.0	0.1	0.0	0.0	0.2	11.6	0.0	0.0	98.2
AAS-38-206-P108	Cryptocrystalline	0.0	29.5	3.1	43.9	0.0	0.0	0.0	1.7	0.1	0.1	0.4	23.6	0.0	0.3	102.7
AAS-38-206-P112	Cryptocrystalline	0.1	39.6	0.4	37.2	0.0	0.0	0.0	0.2	0.0	0.1	0.3	22.9	0.1	0.0	101.0
AAS-38-207-P24	Cryptocrystalline	0.0	28.4	2.8	40.3	0.0	0.0	0.0	2.5	0.1	0.1	0.2	24.6	0.0	1.2	100.2
AAS-38-207-P27	Cryptocrystalline	0.1	26.6	1.0	38.6	0.1	0.0	0.0	0.7	0.1	0.6	0.2	31.1	0.1	0.3	99.3

AAS-38-207-P34	Cryptocrystalline	0.0	35.3	1.7	44.0	0.2	0.0	0.0	1.0	0.1	0.3	0.2	17.5	0.0	0.4	100.7
AAS-38-207-P59	Cryptocrystalline	0.0	29.0	1.7	40.1	0.0	0.0	0.0	1.0	0.1	0.1	0.2	27.9	0.0	0.0	100.2
AAS-38-207-P66	Cryptocrystalline	0.1	34.9	1.3	43.4	0.0	0.1	0.0	0.7	0.1	0.3	0.2	18.8	0.0	0.0	99.8
AAS-38-207-P80	Cryptocrystalline	0.0	32.5	3.4	40.7	0.0	0.0	0.0	2.6	0.2	0.0	0.1	20.6	0.0	0.0	100.2
AAS-38-207-P90	Cryptocrystalline	0.0	29.0	2.8	42.8	0.0	0.0	0.0	1.6	0.1	0.3	0.2	23.6	0.0	0.0	100.4
AAS-38-207-P98	Cryptocrystalline	0.0	30.4	3.3	41.7	0.1	0.0	0.0	1.7	0.1	0.0	0.2	23.2	0.0	0.0	100.5
AAS-38-207-P109	Cryptocrystalline	0.0	28.7	2.8	41.5	0.1	0.0	0.0	1.4	0.1	0.3	0.3	25.7	0.0	0.0	100.9
AAS-38-207-P125	Cryptocrystalline	0.0	26.3	2.9	38.4	0.0	0.0	0.0	2.5	0.1	0.2	0.2	29.9	0.1	0.3	100.8
AAS-62-9-P6	Cryptocrystalline	0.0	37.9	0.6	42.7	0.1	0.0	0.0	1.6	0.0	0.1	0.4	14.8	0.0	0.0	98.2
AAS-62-9-P8	Cryptocrystalline	0.0	26.6	3.1	40.5	0.0	0.0	0.0	1.6	0.2	0.3	0.4	26.7	0.0	0.0	99.5
AAS-62-9-P16	Cryptocrystalline	0.0	27.0	2.8	39.8	0.1	0.0	0.0	1.8	0.1	0.6	0.3	25.4	0.0	0.0	97.7
AAS-62-9-P17	Cryptocrystalline	0.0	31.8	4.1	45.3	0.1	0.0	0.0	3.3	0.2	0.0	0.1	13.1	0.0	0.1	98.0
AAS-62-9-P23	Cryptocrystalline	0.0	29.7	2.4	37.5	0.0	0.0	0.0	4.2	0.1	0.3	0.5	21.3	0.0	0.5	96.3
AAS-62-9-P29	Cryptocrystalline	0.0	27.0	3.2	38.1	0.0	0.0	0.0	1.9	0.1	0.1	0.3	26.6	0.1	0.0	97.5
AAS-62-9-P39	Cryptocrystalline	0.0	27.7	2.8	41.5	0.0	0.0	0.0	1.8	0.1	0.4	0.3	23.5	0.1	0.1	98.4
AAS-62-9-P42	Cryptocrystalline	0.0	25.7	2.6	37.7	0.0	0.0	0.0	2.1	0.1	0.1	0.3	28.5	0.1	0.3	97.5
AAS-62-9-P93	Cryptocrystalline	0.0	25.9	2.1	41.2	0.0	0.0	0.0	1.6	0.1	0.5	0.4	26.4	0.0	0.0	98.2
AAS-62-32-P3	Cryptocrystalline	0.0	27.9	3.4	37.3	0.0	0.0	0.0	1.8	0.2	0.1	0.3	24.8	0.0	0.3	96.1
AAS-62-32-P8	Cryptocrystalline	0.0	26.8	2.1	37.3	0.1	0.0	0.0	1.7	0.1	0.3	0.3	28.2	0.0	0.0	96.8
AAS-62-32-P23	Cryptocrystalline	0.0	34.4	3.2	40.2	0.0	0.0	0.0	2.4	0.1	0.0	0.1	20.9	0.0	0.8	102.2
AAS-62-32-P88	Cryptocrystalline	0.0	20.4	3.2	35.3	0.0	0.0	0.0	2.2	0.1	0.2	0.3	35.7	0.1	0.4	97.9
AAS-62-32-P92	Cryptocrystalline	0.0	28.9	2.3	41.4	0.0	0.1	0.0	1.5	0.1	0.4	0.4	26.6	0.0	0.0	101.6
AAS-62-32-P107	Cryptocrystalline	0.0	27.5	2.8	42.4	0.0	0.0	0.0	3.3	0.1	0.3	0.4	22.1	0.0	0.0	99.1
AAS-62-40-P10	Cryptocrystalline	0.0	29.7	3.1	40.0	0.0	0.0	0.0	1.2	0.1	0.1	0.1	22.5	0.0	0.0	96.9
AAS-62-40-P23	Cryptocrystalline	0.0	26.2	2.2	44.5	0.0	0.0	0.0	1.0	0.1	0.1	0.4	22.6	0.0	0.4	97.5
AAS-62-40-P44	Cryptocrystalline	0.0	15.9	0.5	42.2	0.1	0.0	0.0	0.4	0.0	0.4	0.4	37.9	0.1	1.4	99.4
AAS-62-40-P45	Cryptocrystalline	0.0	27.7	1.5	46.1	0.1	0.0	0.0	0.8	0.1	0.3	0.3	19.5	0.0	0.1	96.5
AAS-62-40-P94	Cryptocrystalline	0.0	25.4	1.9	45.4	0.2	0.0	0.0	1.2	0.1	0.6	0.4	23.5	0.1	0.0	98.7
AAS-62-40-P114	Cryptocrystalline	0.0	16.3	1.1	40.6	0.0	0.0	0.0	0.9	0.0	0.2	0.7	40.3	0.0	0.2	100.4
AAS-62-40-P119	Cryptocrystalline	0.0	31.3	0.8	46.7	0.1	0.0	0.0	0.5	0.1	1.4	0.2	18.7	0.0	0.0	99.8
AAS-62-51-P5	Cryptocrystalline	0.0	28.7	2.0	42.4	0.1	0.0	0.0	1.6	0.1	0.5	0.3	23.2	0.0	0.1	99.1
AAS-62-51-P12	Cryptocrystalline	0.1	22.9	2.3	38.4	0.0	0.6	0.0	1.4	0.1	0.6	0.4	32.5	0.0	0.2	99.4
AAS-62-51-P15	Cryptocrystalline	0.0	29.4	3.3	41.2	0.0	0.0	0.0	2.4	0.2	0.1	0.3	22.2	0.0	0.1	99.2

AAS-62-51-P17	Cryptocrystalline	0.0	43.4	0.3	39.7	0.0	0.0	0.0	0.1	0.0	0.0	0.4	15.4	0.0	0.0	99.4
AAS-62-51-P18	Cryptocrystalline	0.0	30.6	2.8	46.3	0.0	0.0	0.0	2.3	0.1	0.1	0.4	17.1	0.0	0.1	99.9
AAS-62-51-P54	Cryptocrystalline	0.0	38.5	2.7	41.2	0.0	0.0	0.0	0.9	0.1	0.0	0.4	13.2	0.1	0.3	97.5
AAS-62-51-P71	Cryptocrystalline	0.1	27.6	2.9	47.1	0.0	0.0	0.0	1.6	0.1	0.1	0.4	16.7	0.1	0.6	97.4
AAS-62-51-P76	Cryptocrystalline	0.0	26.4	2.6	40.5	0.0	0.0	0.0	2.1	0.1	0.6	0.3	25.8	0.0	0.0	98.5
AAS-62-51-P84	Cryptocrystalline	0.0	28.1	2.4	43.5	0.1	0.0	0.0	1.9	0.1	0.3	0.5	21.3	0.0	0.0	98.1
AAS-62-51-P97	Cryptocrystalline	0.0	27.1	2.8	41.1	0.0	0.0	0.0	2.1	0.1	0.7	0.4	25.8	0.0	0.0	100.1
AAS-62-51-P104	Cryptocrystalline	0.0	26.2	2.6	41.1	0.0	0.0	0.0	2.5	0.2	0.1	0.3	24.1	0.0	0.4	97.5
AAS-62-61-P3	Cryptocrystalline	0.0	27.3	3.2	39.9	0.1	0.0	0.0	2.1	0.2	0.1	0.3	23.4	0.1	0.2	96.9
AAS-62-61-P9	Cryptocrystalline	0.0	29.5	3.4	39.7	0.0	0.0	0.0	2.5	0.1	0.1	0.2	24.7	0.1	0.0	100.4
AAS-62-61-P37	Cryptocrystalline	0.0	30.4	3.1	41.3	0.0	0.0	0.0	2.3	0.1	0.0	0.3	20.6	0.1	0.5	98.8
AAS-62-61-P55	Cryptocrystalline	0.1	24.0	1.4	41.6	0.0	0.0	0.4	0.1	0.1	0.4	0.1	28.8	0.0	0.1	97.1
AAS-62-61-P79	Cryptocrystalline	0.0	28.6	3.1	38.5	0.0	0.0	0.0	0.9	0.1	0.2	0.2	31.0	0.0	0.1	102.6
AAS-62-61-P110	Cryptocrystalline	0.0	30.0	2.2	40.1	0.0	0.0	0.0	1.8	0.1	0.0	0.3	24.5	0.0	0.0	99.0
AAS-38-143-1-P17	Cryptocrystalline	0.0	35.3	0.9	45.3	0.0	0.0	0.0	0.7	0.1	0.2	0.3	16.5	0.0	0.1	99.4
AAS-38-143-1-P38	Cryptocrystalline	0.0	30.7	3.3	39.8	0.0	0.0	0.0	2.5	0.2	0.0	0.2	22.6	0.0	0.0	99.4
AAS-38-143-1-P43	Cryptocrystalline	0.2	23.8	2.9	46.5	0.0	0.0	0.0	3.7	0.1	0.1	0.3	21.5	0.0	0.3	99.5
AAS-38-143-1-P60	Cryptocrystalline	0.0	29.5	2.2	43.8	0.2	0.0	0.0	1.9	0.2	0.5	0.2	19.3	0.1	0.6	98.5
AAS-38-143-1-P79	Cryptocrystalline	0.0	28.2	3.3	37.5	0.0	0.0	0.0	3.0	0.2	0.0	0.2	26.7	0.0	0.0	99.2
AAS-38-143-1-P121	Cryptocrystalline	0.0	39.3	2.0	44.1	0.0	0.0	0.0	1.6	0.1	0.0	0.2	11.9	0.0	0.2	99.6
AAS-38-143-1-P125	Cryptocrystalline	0.0	29.1	2.6	42.6	0.0	0.0	0.0	2.0	0.2	0.2	0.3	21.2	0.1	0.7	99.0
AAS-38-143-1-P145	Cryptocrystalline	0.0	26.8	3.3	40.3	0.0	0.0	0.0	1.8	0.2	0.1	0.2	26.1	0.0	0.2	99.1
AAS-38-143-1-P185	Cryptocrystalline	0.0	27.6	3.1	42.0	0.0	0.0	0.0	2.5	0.1	0.1	0.3	23.3	0.1	0.0	99.1
AAS-38-177-P26	Cryptocrystalline	0.0	28.0	3.2	39.4	0.0	0.0	0.0	3.1	0.1	0.1	0.2	24.6	0.0	0.0	98.8
AAS-38-177-P38	Cryptocrystalline	0.0	38.8	1.0	44.1	0.0	0.0	0.0	0.9	0.1	0.3	0.2	14.3	0.0	0.0	99.8
AAS-38-177-P118	Cryptocrystalline	0.0	29.9	2.2	43.3	0.0	0.0	0.0	1.6	0.1	0.4	0.3	21.3	0.0	0.0	99.1
AAS-38-177-P121	Cryptocrystalline	0.0	31.1	2.6	38.0	0.0	0.0	0.0	1.9	0.1	0.0	0.2	24.9	0.0	0.0	98.9
AAS-38-177-P138	Cryptocrystalline	0.0	32.0	2.5	44.5	0.1	0.0	0.0	1.9	0.1	0.1	0.1	17.2	0.1	0.9	99.7
AAS-38-184-P2	Cryptocrystalline	0.0	30.7	2.4	43.0	0.1	0.0	0.0	3.1	0.1	0.1	0.4	19.0	0.0	0.1	98.9
AAS-38-184-P52	Cryptocrystalline	0.0	30.8	2.2	44.8	0.0	0.0	0.0	1.2	0.1	0.5	0.2	18.3	0.0	0.1	98.4
AAS-38-184-P62	Cryptocrystalline	0.0	29.8	2.2	39.6	0.0	0.0	0.0	2.1	0.1	0.2	0.2	23.5	0.1	0.7	98.6
AAS-38-184-P90	Cryptocrystalline	0.0	27.4	3.2	39.0	0.0	0.0	0.0	2.6	0.2	0.1	0.2	26.6	0.1	0.0	99.3
AAS-38-184-P97	Cryptocrystalline	0.0	29.1	3.2	39.2	0.0	0.0	0.0	2.6	0.1	0.1	0.2	24.5	0.0	0.0	99.2

AAS-38-184-P102	Cryptocrystalline	0.0	28.5	2.6	40.7	0.0	0.0	0.0	0.8	0.1	0.6	0.3	25.9	0.0	0.0	99.4
AAS-38-185-P1	Cryptocrystalline	0.0	33.2	3.0	41.3	0.0	0.0	0.0	2.8	0.2	0.0	0.2	17.9	0.0	0.0	98.7
AAS-38-185-P3	Cryptocrystalline	0.0	32.1	2.4	42.6	0.0	0.0	0.0	3.0	0.1	0.1	0.4	18.0	0.0	0.0	99.0
AAS-38-185-P10	Cryptocrystalline	0.0	29.1	3.2	39.6	0.0	0.0	0.0	2.5	0.2	0.0	0.3	23.9	0.0	0.0	98.9
AAS-38-185-P27	Cryptocrystalline	0.0	28.7	2.8	40.9	0.2	0.0	0.0	3.6	0.1	0.2	0.4	22.3	0.0	0.0	99.3
AAS-38-185-P28	Cryptocrystalline	0.0	29.2	2.7	48.2	0.1	0.0	0.0	1.7	0.2	0.1	0.4	15.9	0.0	0.2	98.7
AAS-38-185-P32	Cryptocrystalline	0.0	26.5	3.1	36.7	0.0	0.0	0.0	2.3	0.1	0.1	0.2	30.4	0.0	0.0	99.5
AAS-38-185-P33	Cryptocrystalline	0.0	30.0	3.4	39.5	0.0	0.0	0.0	2.5	0.1	0.0	0.2	23.5	0.0	0.0	99.4
AAS-38-185-P42	Cryptocrystalline	0.0	30.5	2.5	43.0	0.0	0.0	0.0	1.0	0.1	0.2	0.4	21.1	0.0	0.1	98.9
AAS-38-185-P48	Cryptocrystalline	0.0	43.5	1.5	42.1	0.0	0.0	0.0	1.3	0.1	0.0	0.2	10.3	0.0	0.0	99.0
AAS-38-185-P55	Cryptocrystalline	0.0	26.0	3.1	39.4	0.0	0.0	0.0	0.9	0.1	0.5	0.4	28.5	0.0	0.0	99.1
AAS-38-185-P70	Cryptocrystalline	0.0	31.0	2.3	40.8	0.0	0.0	0.0	1.1	0.0	0.0	0.4	23.3	0.0	0.2	99.2
AAS-38-185-P79	Cryptocrystalline	0.0	29.9	2.6	42.9	0.0	0.0	0.0	2.1	0.1	0.4	0.3	20.3	0.0	0.0	98.8
AAS-38-185-P80	Cryptocrystalline	0.0	26.7	2.6	42.8	0.1	0.0	0.0	2.2	0.1	0.4	0.4	22.9	0.0	0.5	98.8
AAS-38-185I-P15	Cryptocrystalline	0.0	29.9	2.3	41.1	0.0	0.0	0.0	1.4	0.1	0.1	0.4	22.5	0.0	0.1	98.0
AAS-38-185I-P34	Cryptocrystalline	0.0	27.9	2.3	36.7	0.1	0.0	0.0	1.6	0.1	0.4	0.2	27.5	0.1	1.2	98.2
AAS-38-185I-P39	Cryptocrystalline	0.0	37.4	1.9	41.4	0.1	0.0	0.0	1.6	0.3	0.3	0.2	15.7	0.1	0.5	99.5
AAS-38-185I-P52	Cryptocrystalline	0.0	32.8	2.9	40.8	0.0	0.0	0.0	2.5	0.1	0.1	0.1	20.1	0.0	0.5	100.0
AAS-38-185I-P64	Cryptocrystalline	0.0	28.1	2.5	42.1	0.2	0.0	0.0	4.9	0.1	0.3	0.6	19.4	0.1	0.3	98.5
AAS-38-193-P7	Cryptocrystalline	0.0	25.2	2.9	35.1	0.0	0.0	0.0	3.0	0.2	0.3	0.3	29.9	0.1	0.5	97.3
AAS-38-193-P9	Cryptocrystalline	0.0	29.7	2.6	37.6	0.0	0.0	0.0	1.4	0.1	0.4	0.3	28.4	0.1	0.4	101.0
AAS-38-193-P12	Cryptocrystalline	0.0	25.2	3.0	39.4	0.0	0.0	0.0	2.0	0.1	0.1	0.2	25.6	0.1	1.5	97.3
AAS-38-193-P34	Cryptocrystalline	0.0	27.4	2.9	39.7	0.0	0.0	0.0	2.0	0.1	0.0	0.4	26.5	0.0	0.0	99.2
AAS-38-193-P54	Cryptocrystalline	0.0	27.2	3.0	41.1	0.1	0.0	0.0	2.4	0.1	0.1	0.4	25.4	0.0	0.3	100.0
AAS-38-193-P56	Cryptocrystalline	0.0	29.3	3.1	45.5	0.1	0.0	0.0	1.7	0.2	0.7	0.4	18.9	0.0	0.2	100.1
AAS-38-193-P57	Cryptocrystalline	0.0	24.7	3.2	40.1	0.0	0.0	0.0	3.3	0.1	0.3	0.2	26.3	0.1	1.0	99.4
AAS-38-193-P77	Cryptocrystalline	0.0	38.8	0.6	41.0	0.0	0.0	0.0	0.5	0.0	0.0	0.4	17.9	0.0	0.0	99.3
AAS-38-193-P82	Cryptocrystalline	0.0	27.6	2.5	39.4	0.0	0.0	0.0	1.1	0.1	0.4	0.4	26.8	0.0	0.1	98.3
AAS-38-193-P85	Cryptocrystalline	0.0	27.9	2.6	39.7	0.1	0.1	0.0	3.1	0.1	0.4	0.5	24.3	0.0	0.0	98.7
AAS-38-193-P91	Cryptocrystalline	0.0	24.5	2.9	36.5	0.0	0.0	0.0	3.1	0.1	0.3	0.3	31.7	0.1	0.6	100.0
AAS-38-193-P93	Cryptocrystalline	0.0	22.8	2.9	39.0	0.0	0.0	0.0	2.8	0.1	0.2	0.3	30.7	0.0	0.4	99.3
AAS-38-193-P96	Cryptocrystalline	0.0	29.2	2.2	42.2	0.1	0.0	0.0	2.5	0.1	0.1	0.1	23.2	0.0	0.2	99.9
AAS-38-193-P98	Cryptocrystalline	0.0	25.6	2.1	33.7	0.0	0.0	0.0	1.7	0.1	0.4	0.2	33.8	0.1	1.2	98.9

AAS-38-193-P105	Cryptocrystalline	0.0	28.7	2.2	43.8	0.0	0.0	0.0	1.8	0.1	0.1	0.4	22.2	0.0	0.0	99.5
AAS-38-193-P116	Cryptocrystalline	0.0	24.8	2.3	38.0	0.0	0.0	0.0	1.2	0.2	0.1	0.2	32.5	0.0	0.0	99.3
AAS-38-195-P15	Cryptocrystalline	0.0	27.2	2.6	39.6	0.1	0.0	0.0	2.9	0.1	0.2	0.4	25.2	0.0	0.3	98.6
AAS-38-195-P17	Cryptocrystalline	0.0	28.6	2.2	43.3	0.0	0.0	0.0	1.8	0.1	0.4	0.5	21.7	0.0	0.1	98.7
AAS-38-195-P29	Cryptocrystalline	0.0	29.9	2.5	42.0	0.0	0.0	0.0	1.8	0.1	0.1	0.3	21.6	0.0	0.4	98.9
AAS-38-195-P30	Cryptocrystalline	0.0	24.2	3.3	37.1	0.0	0.0	0.0	3.3	0.1	0.0	0.2	29.9	0.0	0.0	98.3
AAS-38-195-P38	Cryptocrystalline	0.2	33.4	2.1	48.8	0.0	0.0	0.0	1.3	0.2	0.2	0.4	13.4	0.0	0.0	100.0
AAS-38-195-P40	Cryptocrystalline	0.0	30.4	3.2	43.9	0.1	0.0	0.0	2.3	0.2	0.2	0.2	19.7	0.0	0.0	100.1
AAS-38-195-P45	Cryptocrystalline	0.0	22.3	3.2	36.0	0.1	0.0	0.0	2.5	0.1	0.3	0.2	34.3	0.1	0.8	99.9
AAS-38-195-P46	Cryptocrystalline	0.0	27.7	3.3	42.8	0.2	0.0	0.0	2.3	0.1	0.2	0.4	23.4	0.0	0.1	100.4
AAS-38-195-P49	Cryptocrystalline	0.0	27.8	3.2	41.5	0.0	0.0	0.0	2.6	0.2	0.1	0.3	23.7	0.0	0.0	99.3
AAS-38-195-P61	Cryptocrystalline	0.0	38.1	2.9	41.9	0.0	0.0	0.0	1.9	0.1	0.2	0.5	14.3	0.0	0.0	99.8
AAS-38-195-P75	Cryptocrystalline	0.0	29.5	1.6	43.9	0.3	0.0	0.0	2.4	0.1	0.2	0.4	21.5	0.0	0.0	100.1
AAS-38-195-P79	Cryptocrystalline	0.0	29.4	2.3	38.0	0.0	0.1	0.0	2.2	0.1	0.3	0.5	26.1	0.0	0.0	99.1
AAS-38-195-P82	Cryptocrystalline	0.0	29.2	2.4	45.2	0.0	0.0	0.0	2.2	0.1	0.2	0.5	19.6	0.0	0.4	99.9
AAS-38-195-P86	Cryptocrystalline	0.0	30.0	0.2	41.2	0.0	0.0	0.0	0.3	0.1	0.1	0.3	26.4	0.1	0.3	98.9
AAS-38-195-P98	Cryptocrystalline	0.0	31.2	1.5	44.3	0.2	0.0	0.0	1.2	0.1	0.3	0.2	20.0	0.1	0.3	99.3
AAS-38-195-P102	Cryptocrystalline	0.0	24.6	3.1	42.0	0.0	0.0	0.0	1.8	0.1	0.3	0.3	25.4	0.1	0.6	98.4
AAS-38-196-P5	Cryptocrystalline	0.0	27.5	3.1	44.4	0.0	0.0	0.0	0.3	0.1	0.6	0.1	23.9	0.0	0.0	100.1
AAS-38-196-P11	Cryptocrystalline	0.0	29.6	3.2	40.9	0.0	0.0	0.0	3.9	0.1	0.2	0.5	20.3	0.1	0.9	99.9
AAS-38-196-P15	Cryptocrystalline	0.0	36.1	0.7	37.8	0.1	0.0	0.0	0.5	0.1	0.2	0.1	23.4	0.1	0.0	99.2
AAS-38-196-P31	Cryptocrystalline	0.0	27.3	3.2	41.8	0.1	0.0	0.0	2.6	0.1	0.4	0.3	23.3	0.0	0.0	99.2
AAS-38-199-P25	Cryptocrystalline	0.0	25.4	3.1	37.7	0.0	0.0	0.0	1.5	0.1	0.1	0.2	30.3	0.1	0.1	98.6
AAS-38-199-P33	Cryptocrystalline	0.0	25.7	3.3	39.6	0.0	0.0	0.0	2.6	0.1	0.1	0.3	27.1	0.1	0.1	99.1
AAS-38-199-P41	Cryptocrystalline	0.0	28.8	2.9	40.6	0.0	0.0	0.0	2.7	0.1	0.1	0.3	23.2	0.0	0.5	99.3
AAS-38-199-P49	Cryptocrystalline	0.0	29.0	2.0	41.8	0.1	0.0	0.0	1.6	0.1	0.3	0.3	23.8	0.1	0.1	99.1
AAS-38-199-P61	Cryptocrystalline	0.0	26.5	3.2	45.6	0.0	0.0	0.0	0.8	0.2	1.0	0.4	21.1	0.0	0.1	99.1
AAS-38-199-P113	Cryptocrystalline	0.0	25.4	2.7	41.4	0.1	0.1	0.0	3.1	0.1	0.4	0.4	25.6	0.0	0.0	99.3
AAS-38-199-P120	Cryptocrystalline	0.0	27.6	3.2	45.5	0.0	0.0	0.0	0.6	0.1	0.3	0.3	22.7	0.0	0.0	100.3
AAS-38-199-P129	Cryptocrystalline	0.0	28.5	2.5	42.7	0.0	0.0	0.0	1.3	0.1	0.2	0.4	24.0	0.1	0.0	99.6
AAS-38-199-P140	Cryptocrystalline	0.0	32.4	1.4	40.1	0.0	0.0	0.0	0.4	0.1	0.5	0.5	23.8	0.0	0.0	99.2
AAS62-4-P2	Cryptocrystalline	0.0	27.2	2.5	41.4	0.0	0.0	0.0	1.9	0.1	0.3	0.2	25.0	0.0	0.0	98.7
AAS62-34-p118	Cryptocrystalline	0.0	26.1	3.1	38.2	0.0	0.0	0.0	2.4	0.1	0.1	0.2	28.6	0.0	0.1	99.0

AAS62-34-P126	Cryptocrystalline	0.0	27.0	3.2	40.0	0.0	0.0	0.0	2.2	0.2	0.1	0.2	27.9	0.0	0.0	100.8
AAS62-34-P129	Cryptocrystalline	0.0	26.1	2.6	40.3	0.0	0.0	0.0	1.9	0.1	0.2	0.6	28.4	0.0	0.2	100.4
AAS62-34-P19	Cryptocrystalline	0.1	30.4	0.3	54.2	0.0	0.0	0.0	0.3	0.1	0.2	0.4	13.5	0.0	0.2	99.6
AAS62-34-P18	Cryptocrystalline	0.4	19.2	2.7	45.8	0.0	0.0	0.1	2.5	0.2	0.2	0.5	29.2	0.0	0.0	100.8
AAS62-34-P67	Cryptocrystalline	0.0	26.2	2.7	40.6	0.0	0.0	0.0	1.9	0.1	0.1	0.3	26.5	0.0	0.5	98.9
AAS62-34-P152	Cryptocrystalline	0.0	27.4	1.1	41.1	0.0	0.0	0.0	2.8	0.2	0.1	0.3	25.4	0.0	0.1	98.5
AAS62-27-p7	Cryptocrystalline	0.0	28.1	2.0	42.0	0.0	0.0	0.0	1.9	0.1	0.6	0.3	23.7	0.0	0.2	98.7
AAS62-34-P37	Cryptocrystalline	0.2	30.1	0.8	51.6	0.0	0.0	0.0	1.0	0.1	0.2	0.4	14.1	0.0	0.1	98.6
AAS62-34-P158	Cryptocrystalline	0.0	29.8	2.3	46.2	0.0	0.0	0.0	1.5	0.1	0.3	0.4	19.3	0.0	0.3	100.2
AAS62-34-P163	Cryptocrystalline	0.0	25.4	3.2	39.8	0.0	0.0	0.0	1.8	0.1	0.4	0.3	27.6	0.0	1.2	99.8
AAS62-4-p28	Cryptocrystalline	0.0	27.2	2.6	43.5	0.0	0.0	0.0	2.0	0.2	0.3	0.3	22.3	0.0	0.0	98.5
AAS62-4-p70	Cryptocrystalline	0.0	27.0	3.6	39.2	0.0	0.0	0.0	3.0	0.2	0.1	0.3	25.0	0.0	0.0	98.4
AAS62-4-p39	Cryptocrystalline	0.0	27.1	3.6	39.3	0.0	0.0	0.0	2.5	0.2	0.1	0.3	25.7	0.0	0.0	98.9
AAS62-20-p74	Cryptocrystalline	0.0	27.5	2.6	41.0	0.0	0.0	0.0	1.3	0.1	0.1	0.3	24.2	0.0	1.1	98.2
AAS62-27-P36	Cryptocrystalline	0.0	26.7	3.1	39.5	0.0	0.0	0.0	3.0	0.2	0.0	0.2	25.6	0.0	0.0	98.1
AAS62-31-P36	Cryptocrystalline	0.0	27.3	2.8	40.9	0.0	0.0	0.0	2.2	0.2	0.3	0.4	23.4	0.0	0.3	97.7
AAS62-34-P126	Cryptocrystalline	0.0	33.1	2.7	38.7	0.0	0.0	0.0	2.2	0.2	0.1	0.2	27.2	0.0	0.0	104.4
AAS62-34-P37	Cryptocrystalline	0.2	30.1	0.8	51.6	0.0	0.0	0.0	1.0	0.1	0.2	0.4	14.1	0.0	0.1	98.6
AAS62-34-P14	Cryptocrystalline	0.0	28.9	2.4	38.4	0.0	0.0	0.0	2.0	0.1	0.3	0.2	28.0	0.0	0.0	100.4
AAS62-27-111	Cryptocrystalline	0.0	28.7	3.1	40.7	0.0	0.0	0.0	1.5	0.1	0.0	0.3	24.8	0.0	0.5	99.7
AAS62-27-105	Cryptocrystalline	0.0	26.3	3.9	42.2	0.0	0.0	0.0	2.9	0.2	0.3	0.3	23.5	0.0	0.0	99.5
P4	Cryptocrystalline	0.0	26.6	3.1	37.5	0.0	0.0	0.0	2.4	0.0	0.1	0.2	29.9	0.0	0.0	99.8
P8	Cryptocrystalline	0.0	25.6	2.4	37.3	0.1	0.0	0.0	0.3	0.0	0.4	0.2	32.3	0.0	1.0	99.7
P13	Cryptocrystalline	0.0	28.6	0.2	42.5	0.0	0.0	0.0	0.2	0.0	0.1	0.8	25.9	0.0	0.0	98.4
P15	Cryptocrystalline	0.0	25.6	3.2	39.0	0.0	0.0	0.0	1.5	0.0	0.2	0.3	28.5	0.0	0.0	98.4
P26	Cryptocrystalline	0.1	25.4	1.8	37.9	0.0	0.0	0.0	1.6	0.0	0.3	0.5	30.2	0.0	1.1	99.1
P52	Cryptocrystalline	0.0	26.7	2.4	40.0	0.0	0.0	0.0	1.6	0.0	0.1	0.4	27.1	0.0	0.0	98.3
P91	Cryptocrystalline	0.0	26.9	1.8	41.3	0.0	0.0	0.0	2.3	0.0	0.1	0.4	26.8	0.0	0.2	99.7
P96	Cryptocrystalline	0.1	24.9	2.1	35.8	0.1	0.0	0.0	3.2	0.0	0.2	0.3	30.6	0.0	0.9	98.3
P125	Cryptocrystalline	0.0	24.1	3.1	38.2	0.0	0.0	0.0	2.4	0.0	0.3	0.3	28.8	0.1	1.5	98.8
P137	Cryptocrystalline	0.0	19.3	2.6	33.0	0.1	0.0	0.0	3.6	0.0	0.3	0.3	36.1	0.0	1.9	97.3
P140	Cryptocrystalline	0.0	31.2	0.4	37.3	0.1	0.0	0.0	0.6	0.0	0.2	0.3	27.5	0.0	0.4	98.0
P141	Cryptocrystalline	0.0	31.1	1.6	41.6	0.0	0.0	0.0	3.0	0.0	0.0	0.2	20.4	0.0	0.0	98.0

P144	Cryptocrystalline	0.2	22.6	2.5	32.2	0.1	0.0	0.0	2.8	0.0	0.5	0.2	37.9	0.1	5.1	104.3
P154	Cryptocrystalline	0.0	33.6	1.8	38.6	0.2	0.0	0.0	1.4	0.0	0.4	0.2	20.7	0.1	1.3	98.2
P164	Cryptocrystalline	0.4	24.2	3.7	36.3	0.1	0.0	0.0	0.4	0.0	0.8	0.3	30.0	0.0	0.7	96.9
P173	Cryptocrystalline	0.0	25.5	2.3	37.3	0.0	0.0	0.0	1.8	0.0	0.3	0.3	26.8	0.0	0.7	95.1
P177	Cryptocrystalline	0.0	27.8	1.3	38.5	0.1	0.0	0.0	1.0	0.0	0.1	0.2	26.2	0.0	1.4	96.7
P182	Cryptocrystalline	0.0	22.6	2.9	34.5	0.3	0.0	0.0	1.8	0.0	0.5	0.3	32.9	0.1	1.2	97.0
P209	Cryptocrystalline	0.0	30.2	1.9	39.4	0.1	0.0	0.0	2.3	0.0	0.3	0.2	21.9	0.1	1.2	97.6
P211	Cryptocrystalline	1.3	27.4	1.9	48.7	1.0	0.1	0.3	1.2	0.0	0.3	0.5	12.3	0.0	0.0	95.1
P225	Cryptocrystalline	0.0	29.7	1.2	34.4	0.2	0.0	0.0	0.9	0.0	0.5	0.2	25.5	0.2	2.6	95.3
P244	Cryptocrystalline	0.0	31.7	1.0	37.0	0.0	0.0	0.0	0.2	0.0	0.4	0.2	23.4	0.1	3.5	97.7
P246	Cryptocrystalline	0.0	18.9	2.8	22.4	0.0	0.0	0.0	0.8	0.0	0.6	0.2	49.7	0.1	2.4	98.1
P272	Cryptocrystalline	0.0	21.5	2.6	34.9	0.1	0.0	0.0	3.3	0.0	0.5	0.3	32.7	0.1	0.5	96.7
P295	Cryptocrystalline	0.0	27.8	1.8	35.5	0.2	0.0	0.0	2.0	0.0	0.3	0.2	27.7	0.0	0.7	96.3
P298	Cryptocrystalline	0.0	21.9	2.8	34.1	0.1	0.0	0.0	2.7	0.0	0.4	0.2	31.8	0.0	1.4	95.7
P305	Cryptocrystalline	0.0	24.4	2.2	33.1	0.0	0.0	0.0	3.9	0.0	0.5	0.5	32.3	0.1	1.0	98.0
P317	Cryptocrystalline	0.0	35.7	0.5	38.5	0.0	0.0	0.0	0.4	0.0	0.2	0.4	21.8	0.0	0.2	97.9
P318	Cryptocrystalline	0.0	20.5	2.9	35.3	0.0	0.0	0.0	0.6	0.0	0.4	0.3	34.9	0.1	1.2	96.2
P323	Cryptocrystalline	0.0	22.1	2.5	31.6	0.0	0.0	0.0	4.0	0.1	0.2	0.2	33.5	0.0	0.6	94.8
P328	Cryptocrystalline	0.0	25.3	2.4	39.2	0.0	0.0	0.0	1.7	0.0	0.1	0.4	27.6	0.0	0.0	96.7
P330	Cryptocrystalline	0.3	29.4	2.4	39.9	0.1	0.0	0.0	1.1	0.0	0.2	0.2	21.7	0.0	0.9	96.3
P334	Cryptocrystalline	0.0	26.4	2.1	36.3	0.0	0.0	0.0	1.7	0.0	0.1	0.2	26.6	0.1	3.5	96.9
P345	Cryptocrystalline	0.0	31.7	3.0	36.8	0.0	0.0	0.0	2.5	0.0	0.1	0.1	20.0	0.1	1.8	96.0
P353	Cryptocrystalline	0.0	29.2	2.7	43.4	0.0	0.0	0.0	2.2	0.0	0.3	0.5	19.5	0.1	0.4	98.1
P360	Cryptocrystalline	0.0	32.5	0.4	31.5	0.0	0.0	0.0	0.3	0.0	0.3	0.1	30.1	0.0	0.5	95.7
P395	Cryptocrystalline	0.0	21.3	3.0	32.5	0.0	0.0	0.0	1.5	0.0	0.3	0.3	35.9	0.1	1.3	96.2
P401	Cryptocrystalline	0.0	29.8	1.3	36.6	0.0	0.0	0.0	1.7	0.0	0.1	0.2	26.7	0.1	0.1	96.5
P403	Cryptocrystalline	0.0	22.2	3.2	38.5	0.0	0.0	0.0	2.6	0.0	0.2	0.4	27.0	0.1	0.8	95.1
P409	Cryptocrystalline	0.0	20.5	2.4	29.5	0.0	0.2	0.0	1.9	0.0	0.3	0.3	39.8	0.1	0.8	95.9
P410	Cryptocrystalline	0.0	18.1	4.0	32.6	0.0	0.0	0.0	2.4	0.0	0.1	0.2	37.8	0.0	0.0	95.1
P412	Cryptocrystalline	0.1	27.5	1.7	37.3	0.0	0.0	0.0	1.7	0.0	0.2	0.4	27.5	0.0	0.0	96.5
P414	Cryptocrystalline	0.0	42.5	0.9	38.9	0.0	0.0	0.0	0.2	0.0	0.5	0.2	14.3	0.0	0.4	97.9
P423	Cryptocrystalline	0.0	18.2	2.0	31.0	0.1	0.0	0.0	2.3	0.0	0.2	0.2	40.8	0.1	1.7	96.6
P430	Cryptocrystalline	0.0	27.1	2.6	37.2	0.0	0.0	0.0	2.4	0.0	0.1	0.3	25.0	0.0	1.1	95.8

P434	Cryptocrystalline	0.0	27.6	2.9	37.4	0.0	0.0	0.0	2.4	0.0	0.1	0.3	25.9	0.0	0.1	96.7
P435	Cryptocrystalline	0.0	27.5	2.4	37.3	0.0	0.0	0.0	1.5	0.0	0.3	0.3	27.9	0.1	1.1	98.3
P438	Cryptocrystalline	0.0	24.7	3.4	37.8	0.0	0.0	0.0	2.8	0.0	0.1	0.2	30.1	0.0	0.0	99.1
P442	Cryptocrystalline	0.0	31.8	1.2	36.8	0.0	0.0	0.0	1.7	0.0	0.2	0.2	27.7	0.0	0.3	100.1
P449	Cryptocrystalline	0.0	25.4	2.8	36.6	0.0	0.0	0.0	1.9	0.0	0.2	0.2	29.3	0.1	2.1	98.6
P450	Cryptocrystalline	0.0	20.3	2.7	33.2	0.1	0.0	0.0	2.0	0.0	0.4	0.3	37.1	0.1	1.5	97.6
P460	Cryptocrystalline	0.1	23.5	2.9	36.8	0.0	0.0	0.0	2.7	0.0	0.3	0.2	29.6	0.1	1.0	97.3
P466	Cryptocrystalline	0.0	27.0	2.2	34.5	0.1	0.0	0.0	1.5	0.0	0.4	0.2	29.7	0.0	1.6	97.2
P467	Cryptocrystalline	0.0	16.9	3.1	30.5	0.0	0.0	0.0	2.3	0.0	0.3	0.4	41.4	0.0	0.7	95.6
P469	Cryptocrystalline	0.0	28.3	2.2	39.1	0.0	0.0	0.0	1.8	0.0	0.1	0.4	25.3	0.0	0.0	97.2
P479	Cryptocrystalline	0.0	22.0	3.1	35.4	0.0	0.0	0.0	1.5	0.0	0.4	0.2	34.2	0.1	1.5	98.4
P482	Cryptocrystalline	0.8	28.2	2.4	42.9	0.1	0.0	0.2	1.9	0.0	0.3	0.4	19.3	0.0	0.0	96.5
P494	Cryptocrystalline	0.0	30.9	0.1	37.0	0.0	0.0	0.0	0.3	0.0	0.2	0.4	31.5	0.0	0.0	100.4
P569	Cryptocrystalline	0.1	24.5	1.8	34.8	0.0	0.0	0.0	1.3	0.0	0.3	0.4	33.4	0.0	0.7	97.3
P590	Cryptocrystalline	1.0	30.2	1.3	46.5	0.1	0.0	0.1	1.3	0.0	0.5	0.4	15.2	0.0	0.0	96.5
P622	Cryptocrystalline	0.0	21.0	2.8	34.9	0.0	0.0	0.0	3.6	0.0	0.4	0.3	31.6	0.1	0.7	95.4
P642	Cryptocrystalline	0.0	20.4	2.6	31.7	0.0	0.0	0.0	3.5	0.0	0.3	0.3	36.2	0.1	1.6	96.6
P647	Cryptocrystalline	1.1	31.4	0.1	45.8	0.2	0.0	0.1	0.1	0.0	0.5	1.0	16.3	0.0	0.0	96.6
P650	Cryptocrystalline	0.1	28.8	3.3	37.8	0.0	0.0	0.0	2.6	0.0	0.2	0.3	23.9	0.1	1.5	98.8
P666	Cryptocrystalline	0.0	21.5	3.9	40.4	0.0	0.0	0.0	1.8	0.0	0.3	0.2	29.0	0.0	1.0	98.1
P678	Cryptocrystalline	0.0	25.4	2.8	34.0	0.0	0.0	0.0	1.0	0.0	0.4	0.2	33.0	0.0	1.6	98.4
P682	Cryptocrystalline	0.0	28.6	2.3	41.9	0.0	0.0	0.0	1.9	0.0	0.4	0.4	20.8	0.0	0.6	97.0
P705	Cryptocrystalline	0.0	28.7	2.7	36.2	0.0	0.0	0.0	3.0	0.0	0.1	0.2	24.5	0.0	0.8	96.4
P725	Cryptocrystalline	0.0	17.6	3.0	30.7	0.0	0.0	0.0	3.9	0.0	0.3	0.3	40.7	0.0	0.1	96.7
P735	Cryptocrystalline	0.0	25.4	3.0	37.5	0.0	0.0	0.0	1.1	0.0	0.0	0.3	29.5	0.1	2.2	99.1
P736	Cryptocrystalline	0.0	19.9	2.1	37.7	0.0	0.0	0.0	1.3	0.0	0.3	0.5	33.4	0.1	0.8	96.0
P739	Cryptocrystalline	0.0	26.9	2.3	39.6	0.1	0.0	0.0	3.2	0.0	0.1	0.3	23.8	0.1	1.2	97.5
P747	Cryptocrystalline	0.0	26.4	2.7	37.9	0.0	0.0	0.0	0.9	0.0	0.3	0.3	25.7	0.0	1.7	96.0
P758	Cryptocrystalline	0.0	20.2	3.1	34.2	0.0	0.0	0.0	3.0	0.0	0.2	0.2	34.4	0.0	1.4	96.9
P772	Cryptocrystalline	0.1	15.4	3.1	29.6	0.0	0.0	0.0	2.4	0.0	0.1	0.4	45.7	0.1	0.6	97.6
P774	Cryptocrystalline	0.0	29.5	3.2	40.8	0.0	0.0	0.0	2.2	0.0	0.1	0.2	22.7	0.0	0.0	98.8
P779	Cryptocrystalline	0.0	24.0	2.3	33.8	0.0	0.0	0.0	2.9	0.0	0.3	0.3	31.6	0.0	0.7	95.9
P780	Cryptocrystalline	0.0	18.0	2.4	30.1	0.0	0.0	0.0	6.5	0.0	0.2	0.3	37.5	0.1	1.6	96.6

P789	Cryptocrystalline	0.0	28.1	2.5	43.6	0.0	0.0	0.0	1.7	0.0	0.2	0.4	21.7	0.0	0.6	98.9
P795	Cryptocrystalline	0.0	19.5	3.4	35.7	0.1	0.0	0.0	6.6	0.0	0.2	0.2	29.4	0.1	0.7	95.9
P796	Cryptocrystalline	0.0	23.1	2.3	34.4	0.0	0.0	0.0	5.4	0.0	0.2	0.3	28.5	0.0	1.6	95.8
P801	Cryptocrystalline	0.0	32.6	1.1	40.1	0.0	0.0	0.0	0.9	0.0	0.2	0.5	23.6	0.0	0.2	99.2
P803	Cryptocrystalline	0.0	23.3	3.5	37.4	0.0	0.0	0.0	2.7	0.0	0.1	0.2	31.8	0.0	0.0	99.0
P830	Cryptocrystalline	0.0	21.1	3.0	33.8	0.0	0.0	0.0	1.3	0.0	0.4	0.3	38.3	0.1	1.3	99.4
P853	Cryptocrystalline	0.0	13.9	3.5	29.5	0.1	0.0	0.0	6.1	0.0	0.2	0.2	41.7	0.0	0.7	96.0
P855	Cryptocrystalline	0.2	22.7	1.7	34.6	0.0	0.0	0.0	1.0	0.0	0.2	0.3	34.8	0.0	0.2	95.7
P863	Cryptocrystalline	0.0	24.6	2.9	39.6	0.0	0.0	0.0	1.0	0.0	0.3	0.3	29.1	0.0	1.2	99.0
P873	Cryptocrystalline	0.0	24.1	2.7	35.7	0.0	0.0	0.0	1.5	0.0	0.2	0.3	31.1	0.0	1.1	96.9
P885	Cryptocrystalline	0.0	43.2	1.9	41.9	0.0	0.0	0.0	1.6	0.0	0.1	0.3	8.4	0.0	0.4	97.7
P889	Cryptocrystalline	0.0	26.9	2.3	37.7	0.0	0.0	0.0	1.8	0.0	0.3	0.3	27.5	0.0	1.1	98.0
P892	Cryptocrystalline	0.0	24.0	2.7	35.0	0.0	0.0	0.0	1.3	0.0	0.3	0.2	34.0	0.1	1.0	98.5
P927	Cryptocrystalline	0.0	33.6	0.1	38.2	0.0	0.0	0.0	0.1	0.0	0.2	0.4	26.4	0.0	0.1	99.2
P937	Cryptocrystalline	0.0	28.0	2.6	39.7	0.0	0.0	0.0	2.0	0.0	0.1	0.3	23.1	0.0	0.5	96.4
P942	Cryptocrystalline	0.0	20.8	2.5	34.2	0.0	0.0	0.0	2.3	0.0	0.2	0.2	35.7	0.1	1.2	97.2
P961	Cryptocrystalline	0.0	17.2	2.5	28.4	0.0	0.0	0.0	1.6	0.0	0.2	0.2	46.8	0.1	0.9	97.9
P967	Cryptocrystalline	0.1	16.1	2.8	34.1	0.0	0.0	0.0	1.3	0.0	0.1	0.3	40.8	0.1	1.0	96.6
P998	Cryptocrystalline	0.0	22.5	3.3	33.7	0.0	0.0	0.0	3.4	0.0	0.1	0.2	35.4	0.0	0.0	98.6
P1006	Cryptocrystalline	0.0	20.5	3.3	35.3	0.0	0.0	0.0	0.8	0.0	0.3	0.3	40.0	0.0	0.1	100.7
P1011	Cryptocrystalline	0.0	22.0	3.1	36.7	0.0	0.0	0.0	3.4	0.0	0.4	0.3	31.2	0.0	1.0	98.0
P1037	Cryptocrystalline	0.0	21.6	2.8	37.1	0.0	0.0	0.0	10.0	0.0	0.1	0.2	25.1	0.0	0.1	97.0
P1048	Cryptocrystalline	0.0	23.9	4.5	36.5	0.0	0.0	0.0	3.6	0.1	0.1	0.2	29.0	0.1	0.5	98.4
P1060	Cryptocrystalline	0.0	27.8	2.6	38.5	0.0	0.0	0.0	5.1	0.1	0.0	0.1	22.4	0.0	0.0	96.5
P1062	Cryptocrystalline	0.0	27.5	3.0	38.7	0.0	0.0	0.0	2.2	0.0	0.2	0.3	24.7	0.0	0.0	96.8
P1066	Cryptocrystalline	0.0	21.2	3.0	42.6	0.0	0.0	0.0	3.8	0.0	1.0	0.4	24.7	0.0	0.0	96.7
P1067	Cryptocrystalline	0.0	38.5	0.2	37.2	0.0	0.0	0.0	0.0	0.0	0.4	0.2	19.1	0.3	2.2	98.2
P1076	Cryptocrystalline	0.0	25.4	2.2	36.9	0.0	0.0	0.0	1.4	0.0	0.3	0.3	28.2	0.1	0.9	95.8
P1082	Cryptocrystalline	0.0	24.8	2.9	36.7	0.0	0.0	0.0	2.8	0.0	0.1	0.3	29.0	0.0	0.2	97.0
P1107	Cryptocrystalline	0.1	25.5	2.6	37.9	0.0	0.1	0.0	2.6	0.0	0.3	0.5	28.6	0.0	0.1	98.5
P1109	Cryptocrystalline	0.0	30.7	2.3	38.1	0.0	0.0	0.0	1.3	0.0	0.1	0.2	25.1	0.0	0.3	98.1
P1120	Cryptocrystalline	0.0	16.2	3.1	31.9	0.0	0.2	0.0	3.3	0.0	0.1	0.2	41.1	0.1	0.5	96.9
P1129	Cryptocrystalline	0.0	19.3	3.5	31.4	0.0	0.0	0.0	3.5	0.0	0.2	0.2	37.7	0.1	0.9	96.7

P1146	Cryptocrystalline	0.0	25.3	0.9	38.6	0.0	0.0	0.0	0.7	0.0	0.3	0.9	27.1	0.0	0.8	94.7
P1149	Cryptocrystalline	0.0	32.6	2.4	40.4	0.0	0.0	0.0	0.3	0.0	0.0	0.2	21.1	0.0	0.0	97.1
P1164	Cryptocrystalline	0.0	25.8	2.9	39.4	0.0	0.0	0.0	1.8	0.0	0.3	0.3	28.1	0.1	1.0	99.8
MS-I2 P138	Cryptocrystalline	0.0	29.3	2.9	41.5	0.0	0.0	0.0	0.8	0.1	0.3	0.2	21.6	0.1	0.9	97.7
MS-I2 P199	Cryptocrystalline	0.0	24.5	3.2	39.4	0.1	0.0	0.0	2.4	0.2	0.1	0.1	28.5	0.0	0.5	99.2
MS-I2 P242	Cryptocrystalline	0.0	26.3	2.2	39.9	0.0	0.0	0.0	3.3	0.2	0.1	0.2	24.4	0.0	0.0	96.6
MS-I3-P10	Cryptocrystalline	0.0	33.6	0.0	40.1	0.0	0.0	0.0	0.1	0.0	0.1	0.3	26.8	0.0	0.0	101.1
MS-I3-P28	Cryptocrystalline	0.0	24.3	2.4	41.3	0.0	0.0	0.0	4.3	0.1	0.1	0.2	28.8	0.0	0.3	101.8
MS-I3-P29	Cryptocrystalline	0.0	19.5	2.8	60.1	0.0	0.0	0.0	1.6	0.1	0.1	0.2	15.8	0.0	0.1	100.2
MS-I3-P35	Cryptocrystalline	0.0	34.6	2.1	39.3	0.1	0.0	0.0	1.0	0.1	0.3	0.2	21.5	0.1	1.4	100.6
MS-I3-P56	Cryptocrystalline	0.0	25.8	4.8	41.1	0.0	0.0	0.0	4.1	0.2	0.1	0.3	24.2	0.1	0.7	101.4
MS-I3-P84	Cryptocrystalline	0.0	26.5	2.9	38.3	0.1	0.0	0.0	2.3	0.1	0.3	0.2	28.0	0.1	1.9	100.7
MS-I3-P97	Cryptocrystalline	0.0	21.2	4.4	35.7	0.0	0.0	0.0	1.7	0.2	0.4	0.3	37.6	0.0	1.1	102.6
MS-I3-P99	Cryptocrystalline	0.0	23.9	3.6	41.3	0.0	0.0	0.0	2.4	0.2	0.2	0.3	29.5	0.1	0.5	101.8
MS-I3-P117	Cryptocrystalline	0.0	34.4	2.2	42.4	0.0	0.0	0.0	1.2	0.1	0.1	0.3	19.4	0.1	0.9	101.1
MS-I3-P133	Cryptocrystalline	0.0	21.3	3.3	34.8	0.0	0.0	0.0	0.9	0.1	0.5	0.3	39.2	0.0	1.4	101.9
MS-I3-P140	Cryptocrystalline	0.0	25.2	3.0	40.8	0.0	0.0	0.0	2.6	0.1	0.1	0.2	28.6	0.1	0.1	100.8
MS-I3-P168	Cryptocrystalline	0.0	26.5	2.6	42.6	0.0	0.0	0.0	0.0	0.0	0.6	0.3	27.4	0.1	0.6	100.6
MS-I3-P186	Cryptocrystalline	0.0	22.1	3.3	38.1	0.0	0.0	0.0	0.0	0.0	0.3	0.3	33.5	0.1	1.2	99.1
MS-I3-P187	Cryptocrystalline	0.0	23.5	2.0	31.9	0.0	0.0	0.0	0.0	0.1	0.4	0.3	41.8	0.1	0.4	100.5
MS-I3-P204	Cryptocrystalline	0.0	17.4	3.8	27.7	0.0	0.0	0.0	0.0	0.0	0.2	0.2	49.4	0.1	0.1	98.9
MS-I3-P223	Cryptocrystalline	0.0	30.3	5.7	40.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	21.2	0.1	1.0	98.8
MS-I3-P241	Cryptocrystalline	0.0	25.2	2.6	33.9	0.0	0.0	0.0	0.0	0.0	0.5	0.2	38.1	0.1	1.6	102.3
MS-I3-P252	Cryptocrystalline	0.0	25.8	3.2	38.7	0.0	0.0	0.0	0.0	0.0	0.1	0.3	30.9	0.0	0.0	98.9
MS-I3-P312	Cryptocrystalline	0.3	38.0	1.0	38.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3	21.4	0.0	0.1	100.1
MS-I3-P313	Cryptocrystalline	0.0	27.4	3.3	39.9	0.0	0.0	0.0	0.0	0.0	0.2	0.3	26.6	0.0	0.0	97.6
MS-I3-P336	Cryptocrystalline	0.0	31.6	2.3	42.1	0.0	0.0	0.0	0.0	0.0	0.1	0.5	22.5	0.0	0.2	99.2
MS-I3-P396	Cryptocrystalline	0.0	21.8	2.7	40.5	0.0	0.0	0.0	0.0	0.0	0.5	0.4	33.8	0.1	0.4	100.2
MS-I3-P403	Cryptocrystalline	0.1	39.5	1.2	38.4	0.0	0.0	0.0	0.0	0.0	0.8	0.3	18.2	0.0	0.4	98.9
MS-I3-P406	Cryptocrystalline	0.0	26.2	3.2	61.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	8.7	0.0	0.0	100.0
MS-I3-P497	Cryptocrystalline	0.0	31.4	2.4	39.0	0.0	0.0	0.0	2.3	0.1	0.2	0.3	20.3	0.0	0.5	96.6
MS-I3-P641	Cryptocrystalline	0.0	28.2	2.3	37.2	0.1	0.0	0.0	0.9	0.2	0.4	0.2	27.2	0.1	1.6	98.4
MS-I3-P665	Cryptocrystalline	0.0	22.6	2.6	31.3	0.1	0.0	0.0	1.4	0.1	0.3	0.2	39.7	0.2	1.6	100.3

MS-I3-P678	Cryptocrystalline	0.0	38.6	2.1	39.5	0.1	0.0	0.0	1.8	0.1	0.1	0.1	14.6	0.1	0.5	97.6
MS-I3-P683	Cryptocrystalline	0.0	26.0	3.1	37.3	0.1	0.0	0.0	3.0	0.1	0.1	0.3	26.8	0.0	0.0	96.9
MS-I3-P724	Cryptocrystalline	0.0	27.1	2.8	31.3	0.0	0.0	0.0	1.5	0.1	0.1	0.2	37.0	0.1	0.0	100.4
MS-I3-P742	Cryptocrystalline	0.0	28.2	3.1	39.0	0.0	0.0	0.0	2.4	0.2	0.2	0.3	26.1	0.0	0.0	99.4
MS-I3-P875	Cryptocrystalline	0.0	26.5	2.6	36.0	0.2	0.0	0.0	2.2	0.1	0.6	0.2	30.2	0.1	0.6	99.3
MS-I3-P893	Cryptocrystalline	0.0	30.1	4.0	40.5	0.1	0.0	0.0	1.7	0.2	0.3	0.3	21.5	0.0	1.6	100.5
MS-I3-P1004	Cryptocrystalline	0.0	21.1	3.4	28.6	0.1	0.0	0.0	1.7	0.1	0.2	0.2	38.3	0.1	3.3	97.1
MS-I3-P1005	Cryptocrystalline	0.0	29.2	3.0	35.1	0.0	0.0	0.0	2.2	0.1	0.0	0.3	29.1	0.0	0.0	99.1
MS-I3-P1032	Cryptocrystalline	0.0	39.0	1.4	39.5	0.0	0.0	0.0	1.1	0.1	0.1	0.5	18.8	0.0	0.0	100.5
MS-I3-P1033	Cryptocrystalline	0.0	27.8	2.6	35.6	0.0	0.0	0.0	2.3	0.1	0.1	0.2	29.1	0.1	1.5	99.6
MS-I3-P1052	Cryptocrystalline	0.0	23.4	3.6	39.2	0.1	0.0	0.0	2.4	0.1	0.4	0.3	30.6	0.0	0.1	100.2
MS-I3-P1064	Cryptocrystalline	0.0	28.7	4.5	38.4	0.2	0.0	0.0	3.4	0.4	0.4	0.3	22.4	0.0	0.6	99.2
MS-I3-P1202	Cryptocrystalline	2.8	27.7	1.5	45.1	1.2	0.1	0.1	0.9	0.3	0.6	0.6	17.7	0.0	0.6	99.1
MS-I3-P1232	Cryptocrystalline	0.0	26.9	2.9	36.4	0.0	0.0	0.0	2.1	0.1	0.1	0.1	28.9	0.1	0.2	97.7
MS-I4-P80	Cryptocrystalline	0.0	30.8	2.0	40.9	0.1	0.0	0.0	1.3	0.1	0.2	0.1	24.5	0.1	1.5	101.5
MS-I4-P101	Cryptocrystalline	0.0	30.6	2.7	38.7	0.0	0.0	0.0	1.2	0.1	0.2	0.3	28.8	0.1	0.4	103.2
MS-I4-P142	Cryptocrystalline	0.0	28.5	2.4	35.7	0.0	0.0	0.0	2.4	0.1	0.1	0.2	33.2	0.1	0.0	102.8
MS-I4-P151	Cryptocrystalline	0.0	31.4	2.5	38.8	0.1	0.0	0.0	1.7	0.1	0.4	0.2	25.5	0.1	1.3	102.1
MS-I4-P178	Cryptocrystalline	0.0	29.2	2.7	40.9	0.0	0.0	0.0	1.7	0.1	0.3	0.2	28.3	0.0	0.1	103.6
MS-I4-P188	Cryptocrystalline	0.0	29.1	2.4	38.2	0.0	0.0	0.0	0.9	0.1	0.2	0.3	29.8	0.1	0.5	101.7
MS-I4-P197	Cryptocrystalline	0.0	29.4	1.5	37.2	0.0	0.0	0.0	1.8	0.1	0.1	0.1	30.2	0.2	2.6	103.2
MS-I4-P213	Cryptocrystalline	0.0	38.1	3.3	39.9	0.2	0.2	0.0	1.9	0.1	0.6	0.2	16.2	0.0	0.0	100.6
MS-I4-P270	Cryptocrystalline	0.0	25.9	3.1	37.7	0.1	0.0	0.0	3.5	0.2	0.9	0.4	28.5	0.1	1.3	101.6
MS-I4-P289	Cryptocrystalline	0.0	29.9	2.9	38.8	0.0	0.0	0.0	2.7	0.1	0.0	0.2	28.4	0.0	0.1	103.1
MS-I4-P291	Cryptocrystalline	0.0	23.0	3.1	38.1	0.0	0.0	0.0	1.6	0.1	0.2	0.3	35.1	0.0	0.4	101.9
MS-I4-P293	Cryptocrystalline	0.0	28.0	3.7	38.6	0.0	0.0	0.0	2.7	0.2	0.1	0.2	26.3	0.0	0.0	100.0
MS-I4-P321	Cryptocrystalline	0.0	38.3	2.2	40.6	0.0	0.0	0.0	0.9	0.1	0.1	0.3	20.3	0.1	0.4	103.3
MS-I4-P362	Cryptocrystalline	0.0	26.4	2.2	36.3	0.1	0.2	0.0	2.2	0.1	0.5	0.2	34.8	0.2	0.6	103.8
MS-I4-P369	Cryptocrystalline	0.0	27.8	5.7	38.6	0.0	0.0	0.0	3.6	0.2	0.1	0.2	26.0	0.0	0.0	102.2
MS-I4-P391	Cryptocrystalline	0.1	26.4	2.4	36.8	0.2	0.1	0.0	3.7	0.1	0.2	0.4	31.5	0.1	0.7	102.6
MS-I4-P466	Cryptocrystalline	0.0	27.5	3.2	40.0	0.0	0.0	0.0	2.2	0.2	0.2	0.2	28.3	0.1	0.0	101.9
MS-I4-P473	Cryptocrystalline	0.0	29.3	1.8	41.1	0.0	0.0	0.0	1.7	0.1	0.4	0.3	27.5	0.0	0.0	102.3
MS-I4-P545	Cryptocrystalline	0.0	25.3	3.5	39.6	0.0	0.0	0.0	2.4	0.1	0.2	0.3	28.0	0.0	0.0	99.5

MS-I4-P569	Cryptocrystalline	0.0	28.2	3.3	39.9	0.0	0.0	0.0	2.6	0.1	0.1	0.3	27.7	0.1	0.0	102.2
MS-I4-P574	Cryptocrystalline	0.0	17.7	2.4	37.0	0.0	0.0	0.0	5.3	0.2	0.2	0.3	36.8	0.1	1.0	101.1
MS-I4-P589	Cryptocrystalline	0.0	24.9	3.4	37.6	0.0	0.0	0.0	2.2	0.2	0.2	0.3	32.0	0.1	0.4	101.3
MS-I4-P596	Cryptocrystalline	0.0	40.4	1.6	34.5	0.1	0.0	0.0	1.2	0.0	1.5	0.3	21.7	0.0	0.3	101.9
MS-I4-P609	Cryptocrystalline	0.0	31.1	1.2	38.4	0.0	0.0	0.0	3.4	0.1	0.0	0.2	27.3	0.1	0.0	101.8
MS-I4-P633	Cryptocrystalline	0.0	26.6	3.5	40.3	0.0	0.0	0.0	2.7	0.1	0.2	0.4	27.0	0.1	0.1	101.2
MS-I4-P638	Cryptocrystalline	0.0	28.3	2.1	35.1	0.1	0.0	0.0	1.3	0.1	0.2	0.3	35.1	0.1	0.1	102.7
MS-I4-P672	Cryptocrystalline	0.0	29.2	2.7	38.8	0.0	0.0	0.0	0.7	0.1	0.4	0.2	29.2	0.1	1.7	103.0
MS-I4-P680	Cryptocrystalline	0.0	27.0	2.7	38.0	0.1	0.0	0.0	1.9	0.1	0.3	0.2	32.2	0.0	0.0	102.5
MS-I4-P681	Cryptocrystalline	0.0	28.1	2.6	39.8	0.0	0.0	0.0	1.9	0.1	0.3	0.4	28.5	0.0	0.1	101.9
MS-I4-P766	Cryptocrystalline	0.0	24.3	2.9	40.2	0.4	0.1	0.0	3.8	0.1	0.3	0.4	28.6	0.0	0.1	101.3
MS-I4-P769	Cryptocrystalline	0.0	34.5	2.1	35.1	0.0	0.0	0.0	1.6	0.1	0.0	0.1	27.4	0.1	0.2	101.2
MS-I4-P788	Cryptocrystalline	0.0	27.7	2.7	38.9	0.0	0.0	0.0	2.4	0.1	0.1	0.3	27.6	0.1	0.2	100.1
MS-I4-P792	Cryptocrystalline	0.0	31.1	2.3	37.6	0.1	0.0	0.0	1.5	0.1	0.3	0.2	27.9	0.1	0.9	102.0
MS-I4-P795	Cryptocrystalline	0.0	29.3	2.8	38.4	0.0	0.0	0.0	4.3	0.1	0.1	0.2	24.4	0.1	0.7	100.4
MS-I4-P806	Cryptocrystalline	0.0	26.4	3.5	40.6	0.1	0.0	0.0	1.4	0.1	0.3	0.3	28.3	0.0	0.1	101.2
MS-I4-P818	Cryptocrystalline	0.1	22.1	1.9	59.0	0.0	0.0	0.0	0.3	0.0	0.0	0.1	15.2	0.0	0.1	99.0
MS-I4-P825	Cryptocrystalline	0.0	25.6	0.9	29.2	0.2	0.0	0.0	2.3	0.3	0.4	0.2	40.2	0.2	2.4	101.8
MS-I6 P25	Cryptocrystalline	0.0	30.8	3.1	38.5	0.0	0.0	0.0	2.4	0.1	0.0	0.3	25.4	0.0	0.0	100.5
MS-I6 P28	Cryptocrystalline	0.0	43.1	0.6	42.6	0.0	0.0	0.0	2.4	0.1	0.0	0.1	13.1	0.0	0.0	102.0
MS-I6 P33	Cryptocrystalline	0.0	28.7	2.9	40.5	0.0	0.0	0.0	2.2	0.2	0.2	0.3	26.1	0.0	0.1	101.0
MS-I6 P35	Cryptocrystalline	0.0	37.5	0.3	36.2	0.0	0.0	0.0	0.2	0.0	0.5	0.2	25.2	0.2	1.3	101.6
MS-I6 P149	Cryptocrystalline	0.0	34.7	1.8	40.7	0.0	0.0	0.0	3.7	0.1	0.0	0.2	20.0	0.0	0.0	101.4
MS-I6 P227	Cryptocrystalline	0.0	35.9	2.9	38.9	0.0	0.0	0.0	1.7	0.1	0.0	0.2	20.9	0.0	0.0	100.7
MS-I6 P419	Cryptocrystalline	0.0	25.6	2.4	40.8	0.0	0.0	0.0	1.3	0.1	0.2	0.2	30.4	0.1	0.6	101.8
MS-I7-P43	Cryptocrystalline	0.0	29.8	2.6	39.4	0.0	0.0	0.0	2.1	0.1	0.2	0.3	24.4	0.0	0.0	99.0
MS-I7-P57	Cryptocrystalline	0.0	30.7	2.8	39.2	0.0	0.0	0.0	2.2	0.1	0.0	0.2	21.8	0.1	2.0	99.3
MS-I7-P66	Cryptocrystalline	0.3	30.4	2.7	39.8	0.2	0.0	0.0	3.4	0.1	0.4	0.3	22.0	0.2	1.9	101.6
MS-I7-P70	Cryptocrystalline	0.1	34.6	1.4	35.8	0.1	0.0	0.0	1.0	0.0	0.3	0.2	25.4	0.1	0.9	99.9
MS-I7-P88	Cryptocrystalline	0.0	25.5	2.0	38.1	0.1	0.0	0.0	2.3	0.1	0.4	0.3	27.6	0.1	1.7	98.3
MS-I7-P96	Cryptocrystalline	0.1	26.1	2.2	39.6	0.1	0.3	0.0	1.5	0.1	0.5	0.4	27.2	0.1	0.0	98.1
MS-I7-P140	Cryptocrystalline	0.0	33.5	2.0	41.1	0.0	0.0	0.0	1.8	0.1	0.2	0.3	19.3	0.0	0.8	99.1
MS-I7-P157	Cryptocrystalline	0.0	31.2	2.5	38.5	0.2	0.0	0.0	0.6	0.1	0.1	0.2	24.9	0.1	0.1	98.4

MS-I7-P160	Cryptocrystalline	0.1	17.6	2.7	30.0	0.1	0.2	0.0	0.9	0.1	0.2	0.2	44.9	0.1	0.8	97.9
MS-I7-P169	Cryptocrystalline	0.1	32.5	2.0	38.8	0.1	0.0	0.0	3.6	0.1	0.2	0.6	19.3	0.1	0.7	98.0
MS-I7-P179	Cryptocrystalline	0.0	25.5	3.0	37.1	0.0	0.0	0.0	3.3	0.1	0.1	0.2	29.0	0.1	0.1	98.6
MS-I7-P180	Cryptocrystalline	0.0	28.2	2.2	39.1	0.1	0.0	0.0	1.5	0.1	0.4	0.2	25.2	0.1	1.9	98.9
MS-I7-P266	Cryptocrystalline	0.0	30.7	2.3	42.6	0.2	0.0	0.0	1.7	0.2	0.4	0.2	19.1	0.1	1.1	98.7
MS-I7-P465	Cryptocrystalline	0.0	28.9	2.7	37.0	0.0	0.0	0.0	2.4	0.1	0.2	0.3	23.8	0.0	0.0	95.5
MS-I7-P497	Cryptocrystalline	0.0	32.1	2.3	42.4	0.0	0.0	0.0	1.9	0.1	0.5	0.6	19.3	0.0	0.1	99.1
MS-I8-P5	Cryptocrystalline	0.3	34.7	1.5	46.6	0.4	0.0	0.0	1.2	0.1	0.6	0.7	12.5	0.0	0.0	98.8
MS-I8-P13	Cryptocrystalline	0.0	31.0	2.9	41.6	0.0	0.0	0.0	1.4	0.1	0.2	0.3	22.3	0.0	0.0	99.9
MS-I8-P14	Cryptocrystalline	0.0	28.9	2.9	35.8	0.0	0.0	0.0	2.2	0.2	0.0	0.2	29.3	0.1	0.3	99.8
MS-I8-P52	Cryptocrystalline	0.0	33.8	1.6	46.6	0.1	0.0	0.1	1.4	0.2	0.3	0.1	14.7	0.0	0.5	99.4
MS-I8-P56	Cryptocrystalline	0.0	34.1	0.3	48.2	0.1	0.0	0.0	0.2	0.0	0.7	0.3	15.7	0.0	0.1	99.7
MS-I8-P136	Cryptocrystalline	0.0	28.6	3.1	40.4	0.1	0.0	0.0	2.1	0.1	0.2	0.4	24.7	0.1	0.1	99.8
MS-I8-P145	Cryptocrystalline	0.0	26.3	2.8	42.5	0.0	0.0	0.0	0.4	0.1	0.4	0.2	26.8	0.1	0.9	100.6
MS-I8-P147	Cryptocrystalline	0.0	29.2	2.9	38.5	0.1	0.0	0.0	3.1	0.2	0.1	0.2	25.3	0.1	0.1	99.7
MS-I8-P181	Cryptocrystalline	0.0	27.5	2.8	37.0	0.0	0.0	0.0	2.3	0.1	0.1	0.2	27.9	0.1	0.0	98.2
MS-I13-P9	Cryptocrystalline	0.0	25.3	3.1	37.6	0.0	0.1	0.0	1.5	0.1	0.3	0.2	29.8	0.1	0.8	98.9
MS-I13-P21	Cryptocrystalline	0.0	25.5	2.1	39.7	0.0	0.0	0.0	1.2	0.1	0.1	0.2	29.2	0.1	0.0	98.3
MS-I13-P32	Cryptocrystalline	0.0	27.7	3.0	39.5	0.0	0.0	0.0	3.4	0.1	0.2	0.3	24.1	0.0	0.1	98.4
MS-I13-P33	Cryptocrystalline	0.0	27.9	2.9	39.7	0.1	0.0	0.0	1.2	0.1	0.4	0.2	25.2	0.1	0.0	97.6
MS-I13-P51	Cryptocrystalline	0.0	27.2	3.2	40.6	0.0	0.0	0.0	2.2	0.1	0.2	0.3	23.6	0.0	0.0	97.3
MS-I13-P79	Cryptocrystalline	0.0	28.6	3.1	41.3	0.1	0.0	0.0	1.9	0.1	0.2	0.3	23.2	0.1	0.0	98.9
MS-I13-P93	Cryptocrystalline	0.0	33.3	2.9	39.2	0.0	0.0	0.0	2.0	0.2	0.1	0.2	18.6	0.1	0.0	96.5
MS-I13-P161	Cryptocrystalline	0.0	19.1	3.6	42.1	0.0	0.0	0.0	2.5	0.2	0.5	0.4	32.3	0.1	0.3	101.0
MS-I13-P162	Cryptocrystalline	0.0	28.6	2.3	44.4	0.1	0.0	0.0	1.6	0.2	0.6	0.2	22.0	0.0	0.0	100.1
MS-I13-P210	Cryptocrystalline	0.0	28.5	2.6	40.0	0.0	0.0	0.0	1.6	0.2	0.2	0.4	24.4	0.0	0.1	97.9
MS-I13-P215	Cryptocrystalline	0.0	22.0	1.6	41.2	0.1	0.0	0.0	1.5	0.1	0.1	0.4	31.2	0.1	0.0	98.2
MS-I13-P244	Cryptocrystalline	0.0	27.2	2.6	45.2	0.2	0.1	0.0	2.1	0.1	0.4	0.5	20.6	0.0	0.0	98.8
MS-I13-P267	Cryptocrystalline	0.0	28.1	2.2	42.3	0.0	0.0	0.0	0.7	0.1	0.5	0.3	24.6	0.1	0.1	99.0
MS-I13-P274	Cryptocrystalline	0.0	28.3	2.4	41.1	0.2	0.0	0.0	1.8	0.2	0.5	0.2	23.4	0.1	0.7	98.8
MS-I13-P290	Cryptocrystalline	0.0	27.6	2.7	42.0	0.1	0.0	0.0	2.2	0.2	0.6	0.4	23.3	0.0	0.3	99.3
MS-I13-P327	Cryptocrystalline	0.0	23.4	3.4	40.0	0.0	0.0	0.0	2.6	0.1	0.1	0.4	27.4	0.1	0.2	97.8
MS-I13-P335	Cryptocrystalline	0.0	27.2	3.6	39.4	0.0	0.0	0.0	2.4	0.2	0.2	0.3	25.8	0.0	0.0	99.0

MS-I13-P349	Cryptocrystalline	0.0	31.2	1.3	44.4	0.0	0.0	0.0	1.0	0.1	0.0	0.2	16.9	0.1	1.6	96.8
MS-I13-P380	Cryptocrystalline	0.0	27.7	2.6	40.8	0.0	0.0	0.0	2.3	0.1	0.5	0.3	22.6	0.0	0.0	97.0
MS-I13-P420	Cryptocrystalline	0.0	23.7	3.0	39.0	0.1	0.1	0.0	1.4	0.1	0.5	0.3	29.9	0.0	0.0	98.0
MS-I13-P473	Cryptocrystalline	0.0	26.0	2.8	41.0	0.1	0.0	0.0	1.3	0.1	0.3	0.4	25.3	0.0	0.1	97.3
MS-I13-P487	Cryptocrystalline	0.0	23.8	3.5	38.1	0.1	0.0	0.0	2.3	0.2	0.2	0.4	29.7	0.0	0.3	98.6
MS-I13-P541	Cryptocrystalline	0.0	21.5	2.7	36.1	0.0	0.0	0.0	2.1	0.1	0.2	0.4	34.4	0.1	0.3	98.1
MS-I13-P556	Cryptocrystalline	0.0	25.0	3.4	38.9	0.0	0.0	0.0	1.0	0.2	0.1	0.2	31.3	0.0	0.0	100.1
MS-I19-P3	Cryptocrystalline	0.0	23.0	3.7	42.3	0.0	0.0	0.0	2.0	0.2	0.2	0.2	25.4	0.1	0.3	97.3
MS-I19-P11	Cryptocrystalline	0.0	27.8	5.3	36.0	0.1	0.0	0.0	5.7	0.6	0.2	0.1	21.8	0.1	0.4	98.0
MS-I19-P22	Cryptocrystalline	0.0	31.1	2.6	43.8	0.1	0.0	0.0	2.2	0.2	0.4	0.1	18.1	0.0	0.0	98.6
MS-I19-P31	Cryptocrystalline	0.1	18.1	0.7	40.3	0.0	0.0	0.0	0.3	0.1	0.2	0.5	38.8	0.1	0.1	99.1
MS-I19-P43	Cryptocrystalline	0.0	28.4	2.3	42.1	0.0	0.0	0.0	1.8	0.1	0.4	0.4	25.4	0.0	0.4	101.4
MS-I19-P60	Cryptocrystalline	0.0	28.3	3.0	35.4	0.0	0.0	0.0	1.4	0.1	0.1	0.2	32.7	0.0	0.1	101.3
MS-I19-P74	Cryptocrystalline	0.0	29.9	2.6	43.5	0.0	0.0	0.0	2.0	0.1	0.2	0.4	21.5	0.0	0.2	100.5
MS-I19-P82	Cryptocrystalline	0.0	28.2	1.6	47.5	0.0	0.0	0.0	1.3	0.1	0.2	0.4	19.6	0.0	0.3	99.3
MS-I19-P99	Cryptocrystalline	0.0	28.2	2.6	38.8	0.1	0.0	0.0	2.9	0.2	0.7	0.4	26.4	0.0	0.0	100.3
MS-I19-P159	Cryptocrystalline	0.0	21.7	3.6	35.3	0.0	0.0	0.0	0.9	0.1	0.1	0.3	37.2	0.1	0.1	99.5
MS-I19-P160	Cryptocrystalline	3.4	35.6	0.3	44.8	1.5	0.2	0.1	0.2	0.0	0.4	1.1	11.8	0.0	0.0	99.5
MS-I19-P182	Cryptocrystalline	0.0	32.7	2.2	41.6	0.2	0.0	0.0	4.7	0.2	0.5	0.2	16.0	0.0	1.0	99.2
MS-I19-P259	Cryptocrystalline	0.0	26.5	2.8	39.8	0.0	0.0	0.0	2.5	0.1	0.5	0.4	28.1	0.0	0.0	100.7
MS-I19-P264	Cryptocrystalline	0.0	26.9	3.1	38.6	0.0	0.0	0.0	1.0	0.2	0.2	0.3	30.8	0.1	0.4	101.6
MS-I19-P297	Cryptocrystalline	0.0	37.5	2.5	41.4	0.0	0.0	0.0	1.9	0.2	0.0	0.1	15.4	0.1	0.4	99.5
MS-I19-P350	Cryptocrystalline	0.0	29.9	2.7	39.4	0.0	0.0	0.0	3.1	0.1	0.1	0.2	23.3	0.1	1.2	100.1
MS-I19-P395	Cryptocrystalline	0.0	30.6	0.6	39.0	0.0	0.0	0.0	0.5	0.0	0.1	1.0	26.7	0.0	0.0	98.5
MS-I19-P425	Cryptocrystalline	0.0	39.3	2.1	40.6	0.0	0.0	0.0	1.7	0.1	0.1	0.2	13.6	0.1	0.7	98.6
MS-I19-P430	Cryptocrystalline	0.0	31.2	1.9	40.6	0.1	0.0	0.0	1.4	0.1	0.5	0.1	23.2	0.0	0.0	99.2
MS-I19-P439	Cryptocrystalline	0.0	26.1	2.9	42.0	0.1	0.0	0.0	2.0	0.2	0.4	0.3	25.1	0.1	0.0	99.0
MS-I30-P131	Cryptocrystalline	0.0	31.5	5.2	40.3	0.1	0.0	0.0	3.1	0.3	0.4	0.1	19.0	0.0	0.0	99.9
MS-I30-P232	Cryptocrystalline	0.0	29.0	2.7	42.3	0.1	0.0	0.0	1.7	0.1	0.1	0.2	22.3	0.0	0.0	98.6
MS-I31-P1	Cryptocrystalline	0.0	33.8	1.8	44.2	0.0	0.0	0.0	1.1	0.1	0.1	0.1	17.6	0.0	0.3	99.2
MS-I31-P29	Cryptocrystalline	0.0	28.4	2.3	40.7	0.1	0.0	0.0	2.9	0.1	0.3	0.4	23.9	0.0	0.0	99.2
MS-I31-P56	Cryptocrystalline	0.0	39.5	1.4	43.2	0.0	0.0	0.0	3.1	0.4	0.0	0.2	10.2	0.0	0.2	98.2
MS-I31-P58	Cryptocrystalline	0.1	24.7	3.2	40.0	0.1	0.0	0.0	2.7	0.1	0.3	0.4	26.1	0.1	0.5	98.3

MS-I31-P82	Cryptocrystalline	0.2	30.2	2.9	33.6	0.1	0.0	0.0	1.8	0.1	0.3	0.1	28.1	0.1	1.2	98.8
MS-I31-P84	Cryptocrystalline	0.1	29.7	0.2	35.1	0.0	0.0	0.0	0.2	0.0	0.1	0.6	33.0	0.1	0.0	99.2
MS-I31-P87	Cryptocrystalline	0.0	31.2	2.2	39.1	0.0	0.0	0.0	0.5	0.2	0.3	0.2	23.2	0.1	1.2	98.3
MS-I31-P90	Cryptocrystalline	0.0	28.1	3.3	41.3	0.0	0.0	0.0	2.4	0.2	0.1	0.3	23.0	0.0	0.0	98.8
MS-I31-P99	Cryptocrystalline	0.0	30.9	2.5	40.3	0.1	0.0	0.0	1.8	0.1	0.6	0.4	22.4	0.0	0.1	99.2
MS-I31-P106	Cryptocrystalline	0.0	31.6	2.0	43.3	0.0	0.0	0.0	1.7	0.1	0.3	0.4	20.5	0.1	0.0	100.1
MS-I31-P115	Cryptocrystalline	0.3	28.7	1.5	45.6	0.1	0.0	0.0	2.0	0.1	0.2	0.3	19.4	0.1	0.3	98.6
MS-I31-P116	Cryptocrystalline	0.0	38.8	3.0	42.0	0.0	0.0	0.0	2.4	0.1	0.1	0.4	11.0	0.0	0.3	98.2
MS-I31-P133	Cryptocrystalline	0.0	33.5	2.0	43.0	0.1	0.0	0.0	0.9	0.1	0.3	0.4	17.7	0.0	0.1	98.1
MS-I31-P135	Cryptocrystalline	0.0	27.0	2.4	35.6	0.1	0.1	0.0	1.5	0.1	0.7	0.3	30.3	0.1	0.1	98.3
MS-I31-P142	Cryptocrystalline	0.0	22.7	2.9	33.2	0.0	0.0	0.0	0.8	0.1	0.3	0.3	36.6	0.0	0.2	97.1
MS-I31-P162	Cryptocrystalline	0.0	14.9	3.7	34.4	0.0	0.0	0.0	0.8	0.1	0.2	0.3	42.4	0.1	0.5	97.5
MS-I31-P176	Cryptocrystalline	0.1	34.8	0.3	53.0	0.0	0.0	0.0	0.4	0.1	0.1	0.4	10.1	0.0	0.2	99.4
MS-I31-P192	Cryptocrystalline	0.0	32.6	1.9	45.2	0.1	0.0	0.0	1.4	0.2	0.3	0.3	17.1	0.0	0.6	99.7
MS-I31-P197	Cryptocrystalline	0.0	26.9	3.1	36.9	0.0	0.0	0.0	1.8	0.1	0.1	0.2	29.9	0.0	0.0	99.2
MS-I31-P235	Cryptocrystalline	0.0	21.5	7.3	29.3	0.0	0.0	0.0	1.8	0.3	0.5	0.2	36.6	0.1	1.4	99.0
MS-I31-P268	Cryptocrystalline	0.0	27.0	3.5	38.0	0.0	0.0	0.0	4.5	0.2	0.0	0.2	24.7	0.0	0.0	98.1
MS-I31-P327	Cryptocrystalline	0.0	22.5	2.2	39.1	0.6	0.0	0.0	2.2	0.1	0.7	0.1	27.9	0.1	1.1	96.8
MS-I31-P331	Cryptocrystalline	0.0	21.2	2.1	34.3	0.1	0.0	0.0	1.1	0.1	0.4	0.5	37.3	0.1	0.4	97.5
MS-I31-P346	Cryptocrystalline	0.0	18.0	3.3	34.0	0.0	0.0	0.0	0.5	0.2	0.1	0.2	41.1	0.0	0.0	97.4
MS-I31-P426	Cryptocrystalline	0.1	29.4	3.4	31.8	0.0	0.0	0.0	3.1	0.2	0.0	0.1	30.2	0.1	0.7	99.0
MS-I31-P579	Cryptocrystalline	0.0	31.1	2.2	42.3	0.1	0.0	0.0	2.0	0.1	0.5	0.4	19.7	0.1	0.7	99.1
MS-I31-P580	Cryptocrystalline	0.1	25.6	3.0	41.5	0.1	0.1	0.0	2.9	0.2	0.2	0.4	24.0	0.0	0.7	98.7
MS-I31-P592	Cryptocrystalline	0.0	22.6	2.8	40.9	0.1	0.0	0.0	2.7	0.1	0.3	0.5	26.5	0.1	0.4	97.1
MS-I31-P595	Cryptocrystalline	0.0	22.3	3.8	32.8	0.0	0.0	0.0	1.3	0.1	0.1	0.2	36.8	0.0	0.0	97.5
MS-I35-P1	Cryptocrystalline	0.0	39.5	1.6	41.8	0.1	0.0	0.0	1.2	0.1	0.1	0.1	14.4	0.1	0.7	99.9
MS-I35-P12	Cryptocrystalline	0.0	20.6	4.3	36.6	0.0	0.0	0.1	3.5	0.2	0.0	0.2	33.1	0.1	0.0	98.8
MS-I35-P21	Cryptocrystalline	0.0	27.2	2.2	37.9	0.0	0.2	0.0	1.6	0.1	0.7	0.4	29.4	0.2	0.4	100.2
MS-I35-P46	Cryptocrystalline	0.0	30.4	4.0	39.6	0.0	0.0	0.0	3.5	0.2	0.0	0.2	22.0	0.0	0.2	100.2
MS-I35-P84	Cryptocrystalline	0.0	24.8	2.8	38.2	0.1	0.0	0.0	1.0	0.2	0.8	0.2	32.2	0.2	0.0	100.5
MS-I35-P95	Cryptocrystalline	0.0	25.8	2.3	41.2	0.0	0.0	0.0	1.9	0.1	0.2	0.3	26.6	0.1	0.6	99.3
MS-I35-P107	Cryptocrystalline	0.1	27.3	2.7	41.6	0.0	0.0	0.0	2.4	0.1	0.3	0.5	23.4	0.0	0.3	98.8
MS-I35-P118	Cryptocrystalline	0.0	33.3	1.8	45.7	0.1	0.0	0.0	1.6	0.1	0.3	0.6	14.7	0.0	0.1	98.3

MS-I35-P123	Cryptocrystalline	0.0	27.7	2.5	46.2	0.2	0.0	0.0	3.7	0.3	0.4	0.1	17.7	0.0	0.3	99.1
MS-I35-P181	Cryptocrystalline	0.0	23.0	2.7	38.0	0.0	0.3	0.0	2.0	0.1	0.5	0.3	32.0	0.0	0.1	99.1
MS-I35-P217	Cryptocrystalline	0.0	27.8	3.4	40.4	0.0	0.0	0.0	2.1	0.1	0.1	0.3	25.4	0.1	0.0	99.9
MS-I35-P220	Cryptocrystalline	0.0	27.8	3.2	40.2	0.0	0.0	0.0	2.7	0.3	0.1	0.2	25.3	0.1	0.3	100.2
MS-I35-P234	Cryptocrystalline	0.0	30.3	3.0	39.4	0.0	0.0	0.0	1.6	0.1	0.0	0.3	24.7	0.2	0.0	99.7
MS-I35-P236	Cryptocrystalline	0.0	31.4	2.4	42.4	0.0	0.0	0.0	1.9	0.1	0.2	0.5	20.9	0.0	0.2	99.9
MS-I35-P242	Cryptocrystalline	0.0	33.9	2.4	43.8	0.1	0.0	0.0	1.7	0.2	0.2	0.2	16.2	0.1	0.0	98.6
MS-I35-P243	Cryptocrystalline	0.0	28.2	2.9	41.2	0.0	0.0	0.0	2.3	0.2	0.0	0.3	24.4	0.0	0.0	99.6
MS-I35-P252	Cryptocrystalline	0.0	27.9	2.9	40.8	0.0	0.0	0.0	1.8	0.1	0.1	0.4	25.1	0.2	0.0	99.5
MS-I35-P255	Cryptocrystalline	0.0	25.0	3.0	38.6	0.0	0.0	0.0	1.6	0.1	0.1	0.2	32.3	0.0	0.0	100.9
MS-I35-P258	Cryptocrystalline	0.0	21.6	2.7	35.7	0.0	0.0	0.0	2.1	0.1	0.1	0.4	36.8	0.0	0.1	99.8
MS-I35-P302	Cryptocrystalline	0.0	26.0	3.0	39.1	0.0	0.0	0.0	2.2	0.1	0.2	0.3	28.7	0.1	0.1	99.8
MS-I35-P304	Cryptocrystalline	0.0	16.7	2.4	28.9	0.1	0.1	0.0	2.9	0.1	0.4	0.3	47.9	0.1	1.8	101.7
MS-I35-P368	Cryptocrystalline	0.0	27.0	4.4	41.7	0.1	0.0	0.0	3.7	0.2	0.1	0.2	21.5	0.1	0.3	99.2
MS-I35-P443	Cryptocrystalline	0.0	29.6	2.8	41.5	0.0	0.0	0.0	2.2	0.1	0.0	0.4	24.3	0.1	0.1	101.1
MS-I35-P580	Cryptocrystalline	0.1	24.3	2.4	38.4	0.0	0.0	0.0	2.2	0.2	0.1	0.4	27.9	0.2	0.0	96.1
MS-I35-P620	Cryptocrystalline	0.0	20.8	3.5	33.3	0.0	0.0	0.0	2.4	0.2	0.3	0.2	37.9	0.2	0.4	99.2
MS-I35-P628	Cryptocrystalline	0.0	25.1	2.5	42.1	0.1	0.0	0.0	1.8	0.1	0.9	0.2	26.9	0.1	0.8	100.5
MS-I35-P680	Cryptocrystalline	0.2	9.6	0.3	37.2	0.0	0.0	0.0	0.2	0.0	0.3	0.7	52.1	0.1	0.1	100.8
MS-I35-P749	Cryptocrystalline	0.0	24.2	2.5	43.7	0.1	0.0	0.0	1.2	0.1	0.6	0.7	25.4	0.1	1.1	99.6
MS-I35-P764	Cryptocrystalline	0.2	21.1	3.1	35.0	0.0	0.0	0.0	3.5	0.2	0.1	0.2	36.1	0.1	0.1	99.8
MS-I35-P947	Cryptocrystalline	0.0	24.5	2.9	36.9	0.0	0.0	0.0	2.5	0.2	0.1	0.1	28.9	0.2	0.5	96.7
MS-I35-P971	Cryptocrystalline	0.0	31.5	1.6	42.5	0.0	0.0	0.0	3.0	0.2	0.0	0.1	20.1	0.0	0.1	99.0
MS-I35-P983	Cryptocrystalline	0.0	20.2	3.6	35.6	0.0	0.0	0.0	1.6	0.1	0.3	0.3	36.5	0.1	0.1	98.5
MS-I35-P1003	Cryptocrystalline	0.0	28.4	3.5	36.8	0.0	0.0	0.0	3.6	0.2	0.0	0.3	23.4	0.1	2.4	98.7
MS-I35-P1028	Cryptocrystalline	0.0	24.1	2.1	35.0	0.0	0.0	0.0	1.8	0.1	0.0	0.3	36.6	0.0	0.0	100.1
AAS-38-43-P8	Glass	0.0	30.1	2.3	46.0	0.0	0.0	0.0	1.9	0.1	0.0	0.3	19.2	0.0	0.1	100.1
AAS-38-43-P29	Glass	0.0	28.3	2.5	42.6	0.0	0.0	0.0	1.0	0.2	0.1	0.2	24.9	0.0	0.0	99.9
AAS-38-43-P37	Glass	0.1	35.4	2.2	45.4	0.0	0.0	0.0	1.2	0.1	0.2	0.3	15.1	0.0	0.0	100.0
AAS-38-43-P42	Glass	0.0	32.5	3.0	45.4	0.1	0.0	0.0	2.4	0.2	0.4	0.2	15.5	0.0	0.0	99.6
AAS-38-151-P8	Glass	0.0	32.3	2.3	44.9	0.0	0.0	0.0	3.1	0.1	0.1	0.4	18.2	0.0	0.5	101.8
AAS-38-151-P68	Glass	0.2	26.8	3.2	46.7	0.0	0.0	0.0	4.0	0.1	0.2	0.4	18.6	0.0	0.0	100.2
AAS-38-164-P9	Glass	0.0	38.3	1.4	44.9	0.1	0.0	0.0	1.1	0.1	0.4	0.2	14.4	0.0	0.0	101.0

AAS-38-164-P13	Glass	0.0	28.1	2.7	44.3	0.0	0.0	0.0	2.3	0.1	0.5	0.3	20.7	0.0	0.0	99.1
AAS-38-164-P34	Glass	0.0	29.5	3.0	46.9	0.0	0.0	0.0	1.0	0.1	0.2	0.3	18.7	0.0	0.0	99.8
AAS-38-164-P46	Glass	0.1	26.0	2.8	47.9	0.0	0.0	0.0	1.4	0.1	0.3	0.3	19.9	0.0	0.1	98.9
AAS-38-167-P21	Glass	0.0	28.9	2.2	43.7	0.0	0.0	0.0	1.6	0.1	0.0	0.3	21.9	0.0	0.5	99.2
AAS-38-167-P27	Glass	0.0	33.1	3.3	44.7	0.0	0.0	0.0	1.3	0.2	0.4	0.3	15.3	0.0	0.0	98.8
AAS-38-167-P29	Glass	0.0	34.8	2.7	42.4	0.0	0.0	0.0	2.2	0.2	0.0	0.1	17.0	0.0	0.0	99.4
AAS-38-167-P32	Glass	0.0	29.5	2.8	43.4	0.0	0.0	0.0	1.9	0.2	0.1	0.1	21.0	0.1	0.0	99.1
AAS-38-167-P53	Glass	0.0	27.6	1.2	46.7	0.0	0.0	0.0	0.9	0.2	0.8	0.3	21.8	0.0	0.1	99.7
AAS-38-167#1-P7	Glass	0.6	27.3	1.8	50.8	0.2	0.0	0.1	0.8	0.1	0.7	1.9	14.1	0.0	0.1	98.3
AAS-38-167#1-P71	Glass	0.1	33.2	0.6	48.6	0.1	0.0	0.0	0.4	0.0	0.6	0.5	15.6	0.0	0.0	99.7
AAS-38-167#1-P80	Glass	0.6	24.3	0.8	47.9	0.0	0.0	0.0	0.7	0.1	0.5	0.3	24.2	0.0	0.0	99.5
AAS-38-167#1-P94	Glass	0.3	25.4	2.6	47.1	0.2	0.0	0.0	2.1	0.1	0.4	0.3	21.2	0.0	0.0	99.8
AAS-38-167#1-P126	Glass	0.0	25.6	1.1	47.1	0.0	0.0	0.0	1.1	0.1	0.0	0.2	24.5	0.1	0.1	99.9
AAS-38-169-P1	Glass	0.0	31.7	1.4	45.4	0.1	0.0	0.0	1.2	0.1	0.3	0.4	17.0	0.0	0.0	97.6
AAS-38-169-P13	Glass	0.0	29.6	1.1	43.0	0.0	0.0	0.0	1.4	0.1	0.2	0.4	21.3	0.0	0.2	97.3
AAS-38-169-P21	Glass	0.1	29.2	3.0	43.2	0.0	0.0	0.0	2.0	0.1	0.4	0.3	20.3	0.0	0.0	98.7
AAS-38-169-P72	Glass	0.0	30.0	3.4	38.8	0.0	0.0	0.0	2.4	0.1	0.1	0.3	24.5	0.0	0.0	99.6
AAS-38-170-P17	Glass	0.0	30.4	1.8	46.3	0.0	0.0	0.0	1.1	0.1	0.6	0.2	17.7	0.0	0.1	98.4
AAS-38-170-P60	Glass	0.0	34.3	2.1	47.2	0.1	0.0	0.0	1.0	0.1	0.5	0.2	14.1	0.0	0.1	99.6
AAS-38-170-P62	Glass	0.0	31.1	2.2	47.9	0.0	0.0	0.0	1.8	0.1	0.4	0.4	15.3	0.0	0.1	99.3
AAS-38-170-P93	Glass	0.0	30.3	1.8	50.5	0.0	0.0	0.0	1.6	0.1	0.6	0.2	13.7	0.0	0.0	99.0
AAS-38-170-P161	Glass	0.0	22.3	3.2	48.5	0.0	0.0	0.0	2.7	0.2	0.5	0.6	20.8	0.0	0.0	98.9
AAS-38-170-P168	Glass	0.2	35.0	1.6	47.9	0.0	0.0	0.1	0.5	0.1	0.3	0.2	13.5	0.0	0.0	99.4
AAS-38-170-P182	Glass	0.0	26.8	2.7	46.3	0.0	0.0	0.0	1.6	0.1	0.1	0.3	20.9	0.0	0.1	98.9
AAS-38-173-P8	Glass	0.3	21.5	1.0	53.7	0.0	0.0	0.1	1.6	0.1	0.4	0.6	19.1	0.0	0.1	98.5
AAS-38-173-P11	Glass	0.0	38.3	1.3	49.5	0.0	0.0	0.0	1.0	0.1	0.2	0.1	8.2	0.0	0.0	98.8
AAS-38-173-P30	Glass	0.2	28.9	1.7	51.1	0.0	0.0	0.1	0.5	0.1	0.2	0.3	14.9	0.0	0.2	98.2
AAS-38-173-P33	Glass	0.7	25.3	3.0	53.5	0.0	0.0	0.1	2.8	0.2	0.2	0.5	11.0	0.0	0.0	97.3
AAS-38-173-P66	Glass	0.1	35.3	2.9	44.5	0.0	0.0	0.0	0.7	0.1	0.2	0.4	14.6	0.0	0.1	98.8
AAS-38-173-P115	Glass	0.1	27.2	3.1	49.0	0.1	0.0	0.0	2.0	0.1	0.2	0.5	17.4	0.0	0.1	99.6
AAS-38-182-P19	Glass	0.0	33.6	1.9	51.8	0.0	0.0	0.0	1.3	0.2	0.3	0.3	14.2	0.0	0.0	103.8
AAS-38-182-P44	Glass	0.0	30.0	2.0	48.2	0.0	0.0	0.0	0.8	0.2	0.0	0.4	16.3	0.0	0.0	98.0
AAS-38-182-P57	Glass	0.0	27.8	3.0	48.1	0.0	0.0	0.0	1.8	0.2	0.3	0.3	16.9	0.0	0.1	98.6

AAS-38-187-P45	Glass	0.0	26.5	2.0	50.4	0.0	0.0	0.0	1.6	0.1	0.8	0.3	17.3	0.1	0.0	99.2
AAS-38-187-P69	Glass	0.0	26.7	2.2	44.3	0.0	0.0	0.0	1.5	0.1	0.1	0.4	22.7	0.0	0.0	98.0
AAS-38-188-P9	Glass	0.4	27.1	1.8	52.6	0.1	0.0	0.0	1.6	0.1	0.2	0.3	16.1	0.0	0.0	100.3
AAS-38-188-P19	Glass	0.0	33.1	3.4	46.0	0.0	0.0	0.0	2.5	0.1	0.5	0.9	13.8	0.0	0.1	100.3
AAS-38-188-P44	Glass	0.1	31.2	2.6	45.6	0.1	0.0	0.0	2.1	0.1	0.5	0.3	17.8	0.0	0.1	100.4
AAS-38-188-P47	Glass	0.0	27.3	1.4	49.2	0.0	0.0	0.0	0.9	0.2	0.2	0.3	20.8	0.0	0.1	100.3
AAS-38-188-P53	Glass	0.0	32.5	1.7	46.6	0.1	0.0	0.0	1.4	0.1	0.4	0.4	16.9	0.0	0.0	100.0
AAS-38-188-P68	Glass	0.0	28.5	3.0	47.0	0.0	0.0	0.0	1.0	0.1	0.3	0.2	19.7	0.0	0.0	100.0
AAS-38-188-P81	Glass	0.1	32.6	2.4	47.4	0.1	0.0	0.0	2.0	0.1	0.6	0.3	14.0	0.0	0.0	99.7
AAS-38-192-P24	Glass	0.6	32.4	2.2	47.8	0.0	0.0	0.6	0.6	0.1	0.2	0.2	13.1	0.0	0.2	98.1
AAS-38-201-P31	Glass	0.0	32.9	0.5	45.9	0.1	0.0	0.0	0.5	0.1	0.3	0.4	17.9	0.0	0.1	98.5
AAS-38-203-P14	Glass	0.0	20.9	2.5	47.5	0.0	0.0	0.0	1.9	0.1	0.3	0.3	25.5	0.0	0.3	99.6
AAS-38-203-P42	Glass	0.0	31.7	2.0	49.1	0.0	0.0	0.0	0.8	0.1	0.1	0.1	13.8	0.0	0.1	97.7
AAS-38-203-P88	Glass	0.0	27.1	0.3	53.5	0.0	0.0	0.0	0.5	0.3	0.9	0.3	17.0	0.0	0.2	100.1
AAS-38-203-P93	Glass	0.1	31.4	0.3	55.8	0.0	0.0	0.0	0.5	0.1	0.1	0.4	11.0	0.0	0.0	99.8
AAS-38-204-P10	Glass	0.1	30.6	2.1	48.7	0.0	0.0	0.0	1.5	0.1	0.1	0.3	16.0	0.0	0.0	99.6
AAS-38-204-P25	Glass	0.0	29.1	2.1	50.5	0.0	0.0	0.0	1.6	0.1	0.3	0.8	15.8	0.0	0.0	100.3
AAS-38-204-P46	Glass	0.0	28.6	2.3	41.5	0.1	0.0	0.0	2.0	0.1	0.5	0.4	23.7	0.0	0.0	99.3
AAS-38-204-P54	Glass	0.0	27.2	2.8	41.4	0.0	0.0	0.0	2.3	0.1	0.1	0.2	25.3	0.0	0.0	99.7
AAS-38-204-P58	Glass	0.1	36.8	0.2	52.6	0.0	0.0	0.0	0.1	0.0	0.3	0.3	9.2	0.0	0.1	99.6
AAS-38-204-P63	Glass	0.0	28.5	0.5	53.3	0.0	0.0	0.0	1.0	0.1	0.2	0.4	14.5	0.0	0.0	98.5
AAS-38-204-P75	Glass	0.1	33.3	1.1	47.9	0.0	0.0	0.0	0.8	0.2	0.3	0.4	15.1	0.0	0.0	99.1
AAS-38-206-P18	Glass	0.0	34.4	1.0	45.1	0.1	0.0	0.0	1.3	0.1	0.6	0.3	16.0	0.1	0.8	99.8
AAS-38-206-P76	Glass	0.0	32.7	3.2	45.4	0.0	0.0	0.0	2.5	0.2	0.2	0.2	18.8	0.0	0.1	103.3
AAS-38-206-P83	Glass	0.0	31.5	1.5	46.0	0.1	0.0	0.0	1.1	0.1	0.3	0.5	17.9	0.1	0.2	99.2
AAS-38-207-P2	Glass	0.0	20.8	0.8	45.3	0.0	0.0	0.0	1.0	0.1	0.2	0.6	31.0	0.1	0.0	99.9
AAS-38-207-P7	Glass	0.2	24.8	2.7	45.3	0.0	0.0	0.1	1.8	0.1	0.1	0.3	22.4	0.1	0.8	98.6
AAS-38-207-P36	Glass	0.5	26.3	2.4	53.8	0.1	0.0	0.1	1.7	0.2	0.2	0.3	14.6	0.0	0.1	100.3
AAS-38-207-P36B	Glass	0.0	26.0	0.9	55.1	0.0	0.0	0.0	1.7	0.2	0.3	0.5	14.9	0.0	0.0	99.5
AAS-38-207-P108	Glass	0.1	26.5	3.7	50.1	0.0	0.0	0.0	1.9	0.1	0.6	0.3	17.0	0.0	0.1	100.4
AAS-62-9-P9	Glass	0.0	25.2	3.1	42.7	0.0	0.0	0.0	1.4	0.1	0.1	0.4	23.3	0.0	1.3	97.6
AAS-62-9-P36	Glass	0.0	28.0	2.9	42.6	0.0	0.0	0.0	1.6	0.1	0.4	0.3	21.4	0.0	0.0	97.5
AAS-62-9-P72	Glass	0.0	25.3	3.8	38.0	0.0	0.0	0.0	1.2	0.2	0.1	0.3	28.8	0.1	0.2	98.1

AAS-62-9-P91	Glass	0.0	30.9	1.7	45.8	0.0	0.0	0.0	1.3	0.1	0.6	0.4	17.5	0.1	0.2	98.5
AAS-62-32-P19	Glass	0.0	27.4	2.5	44.4	0.1	0.0	0.0	1.8	0.1	0.1	0.5	20.7	0.0	0.0	97.5
AAS-62-32-P61	Glass	0.0	28.2	2.1	47.3	0.0	0.0	0.0	1.0	0.2	0.9	0.4	21.4	0.0	0.0	101.6
AAS-62-40-P81	Glass	0.0	20.9	0.3	50.3	0.1	0.0	0.0	0.4	0.1	0.4	0.9	24.2	0.0	0.0	97.6
AAS-62-40-P174	Glass	0.0	33.5	0.6	47.3	0.0	0.0	0.0	0.5	0.1	0.2	0.6	17.0	0.0	0.1	99.9
AAS-62-51-P16	Glass	0.0	31.8	2.6	45.2	0.1	0.0	0.0	1.9	0.1	0.2	0.4	15.9	0.0	0.0	98.3
AAS-62-51-P27	Glass	0.0	28.5	1.3	45.1	0.0	0.0	0.0	0.9	0.1	0.1	0.4	23.6	0.0	0.0	99.9
AAS-62-51-P49	Glass	0.0	31.8	1.4	46.2	0.1	0.0	0.0	1.2	0.1	0.5	0.4	16.3	0.0	0.0	98.1
AAS-62-51-P59	Glass	0.0	30.2	0.6	54.0	0.0	0.0	0.0	0.7	0.1	0.4	0.4	11.5	0.0	0.0	97.8
AAS-62-51-P107	Glass	0.0	26.2	2.9	45.2	0.1	0.0	0.0	1.5	0.2	0.4	0.2	21.6	0.0	0.0	98.3
AAS-62-61-P62	Glass	0.0	30.3	2.8	41.5	0.0	0.0	0.0	1.2	0.2	0.1	0.3	21.3	0.1	0.1	97.9
AAS-62-61-P114	Glass	0.0	30.5	3.4	40.9	0.0	0.0	0.0	2.1	0.1	0.0	0.3	20.5	0.0	0.0	97.7
AAS-38-143-1-P67	Glass	0.0	29.0	2.3	45.3	0.1	0.0	0.0	1.7	0.1	0.5	0.4	19.4	0.0	0.0	99.0
AAS-38-143-1-P89	Glass	0.1	25.4	0.6	53.5	0.0	0.0	0.0	0.3	0.0	0.9	0.8	18.1	0.0	0.3	100.0
AAS-38-143-1-P127	Glass	0.0	31.7	3.0	39.7	0.0	0.0	0.0	2.3	0.2	0.1	0.3	21.0	0.0	0.9	99.2
AAS-38-143-1-P170	Glass	0.0	29.6	2.9	45.7	0.0	0.0	0.0	2.1	0.1	0.1	0.4	18.5	0.0	0.2	99.7
AAS-38-143-1-P194	Glass	0.0	38.3	3.0	45.4	0.1	0.0	0.0	2.1	0.1	0.0	0.1	11.1	0.0	0.0	100.4
AAS-38-177-P4	Glass	0.0	32.5	2.1	43.1	0.0	0.0	0.0	1.4	0.1	0.1	0.3	19.5	0.0	0.0	99.3
AAS-38-177-P8	Glass	0.0	32.3	2.4	48.2	0.0	0.0	0.0	1.6	0.1	0.3	0.4	13.8	0.0	0.1	99.2
AAS-38-177-P18	Glass	0.0	35.6	1.1	47.6	0.1	0.0	0.0	0.6	0.1	0.5	0.1	13.9	0.1	0.3	99.9
AAS-38-184-P35	Glass	0.0	33.1	0.8	47.4	0.0	0.0	0.0	0.1	0.0	0.2	0.8	17.2	0.0	0.0	99.9
AAS-38-184-P40	Glass	0.0	28.4	2.4	46.1	0.1	0.0	0.0	1.6	0.1	0.5	0.4	19.7	0.0	0.1	99.3
AAS-38-185I-P30	Glass	0.0	25.0	2.8	42.9	0.0	0.0	0.0	2.2	0.1	0.0	0.3	24.3	0.0	0.0	97.7
AAS-38-185I-P42	Glass	0.0	29.5	2.4	44.6	0.1	0.0	0.0	2.3	0.1	0.3	0.4	19.1	0.0	0.0	98.9
AAS-38-185I-P69	Glass	0.3	29.6	2.4	52.5	0.0	0.0	0.1	1.2	0.1	0.4	0.3	11.3	0.0	0.1	98.3
AAS-38-193-P3	Glass	0.0	26.8	2.0	44.2	0.1	0.0	0.0	2.4	0.1	0.1	0.4	22.7	0.1	0.0	98.9
AAS-38-193-P58	Glass	0.0	29.8	2.4	44.2	0.0	0.0	0.0	2.1	0.2	0.1	0.2	20.7	0.1	0.4	100.1
AAS-38-193-P60	Glass	0.0	24.5	2.3	45.0	0.0	0.0	0.0	1.9	0.2	0.6	0.3	24.7	0.0	0.1	99.5
AAS-38-193-P63	Glass	0.0	11.5	1.3	42.8	0.1	0.0	0.0	1.1	0.1	0.4	0.3	39.6	0.0	0.6	98.0
AAS-38-193-P124	Glass	0.0	36.0	3.4	43.2	0.0	0.0	0.0	1.5	0.3	0.0	0.3	14.9	0.0	0.0	99.8
AAS-38-195-P2	Glass	0.0	26.1	0.5	53.4	0.0	0.0	0.0	0.7	0.1	0.2	0.2	17.5	0.0	0.2	98.7
AAS-38-195-P24	Glass	0.0	40.6	2.1	45.7	0.1	0.0	0.0	0.9	0.2	0.3	0.1	9.0	0.0	0.3	99.3
AAS-38-199-P4	Glass	0.0	27.3	2.9	48.4	0.0	0.0	0.0	1.6	0.1	0.1	0.3	18.7	0.0	0.0	99.6

AAS-38-199-P7	Glass	0.0	24.6	2.6	44.4	0.0	0.0	0.0	1.5	0.1	0.2	0.3	25.5	0.0	0.0	99.3
AAS-38-199-P12	Glass	0.0	32.6	3.4	44.6	0.1	0.0	0.0	1.9	0.1	0.2	0.4	16.7	0.0	0.0	99.9
AAS-38-199-P40	Glass	0.2	28.6	0.8	47.6	0.0	0.0	0.0	0.2	0.0	0.8	0.5	20.6	0.0	0.0	99.2
AAS-38-199-P102	Glass	0.0	31.4	4.0	45.1	0.0	0.0	0.0	1.3	0.0	0.1	0.4	17.1	0.0	0.1	99.7
AAS62-4-P30	Glass	0.0	31.3	2.8	44.1	0.0	0.0	0.0	2.3	0.1	0.5	0.3	16.9	0.0	0.0	98.2
AAS62-4-P38	Glass	0.3	18.7	1.9	50.4	0.0	0.0	0.1	1.4	0.1	1.2	1.6	22.3	0.0	0.0	98.0
AAS62-4-P66	Glass	0.0	27.5	2.8	42.5	0.0	0.0	0.0	2.2	0.1	0.2	0.4	22.2	0.0	0.2	98.1
AAS62-4-P59	Glass	0.0	32.4	1.8	48.3	0.0	0.0	0.0	1.0	0.1	0.8	0.2	12.6	0.0	0.0	97.2
AAS62-20-P1	Glass	0.0	29.1	2.8	43.9	0.0	0.0	0.0	1.4	0.1	0.2	0.4	21.4	0.0	0.0	99.3
AAS62-20-P2	Glass	0.0	30.9	3.0	46.5	0.0	0.0	0.0	2.5	0.1	0.1	0.5	14.4	0.0	0.0	98.2
AAS62-20-P3	Glass	0.0	27.6	2.7	43.0	0.0	0.0	0.0	0.4	0.1	0.6	0.4	23.8	0.0	0.0	98.6
AAS62-20-P4	Glass	0.0	26.3	2.7	40.3	0.0	0.0	0.0	1.7	0.1	0.4	0.4	26.8	0.0	0.0	98.8
AAS62-20-P25	Glass	0.0	22.5	4.0	43.8	0.0	0.0	0.0	0.7	0.1	0.4	0.1	29.8	0.0	0.1	101.3
AAS62-20-P36	Glass	0.0	31.0	3.4	41.1	0.0	0.0	0.0	1.6	0.1	0.0	0.2	21.2	0.0	0.0	98.8
AAS62-20-P39	Glass	0.1	32.2	0.5	46.4	0.0	0.0	0.0	0.1	0.1	0.5	0.3	13.2	0.0	0.1	93.2
AAS62-20-P98	Glass	0.1	32.2	0.5	46.4	0.0	0.0	0.0	0.1	0.1	0.5	0.3	13.2	0.0	0.1	93.2
AAS62-20-P107	Glass	0.0	36.5	0.2	41.6	0.0	0.0	0.0	0.3	0.0	0.0	0.4	20.2	0.0	0.0	99.3
AAS62-27-P3	Glass	0.0	28.3	2.7	43.6	0.0	0.0	0.0	0.8	0.1	0.3	0.3	22.5	0.0	0.0	98.7
AAS62-27-P5	Glass	0.0	30.3	1.6	46.5	0.0	0.0	0.0	1.6	0.1	0.1	0.4	18.0	0.0	0.2	98.6
AAS62-27-P8	Glass	0.0	29.3	1.6	45.7	0.0	0.0	0.0	0.7	0.1	0.2	0.4	20.4	0.0	0.3	98.5
AAS62-27-P37	Glass	0.0	35.6	4.4	44.1	0.0	0.0	0.0	2.6	0.5	0.2	0.3	10.3	0.0	0.2	98.2
AAS62-27-P53	Glass	0.0	25.3	0.3	48.5	0.0	0.0	0.0	0.7	0.2	0.1	0.4	23.0	0.0	0.4	98.9
AAS62-27-P76	Glass	0.0	24.2	3.3	40.1	0.0	0.0	0.0	2.6	0.2	0.1	0.3	27.5	0.0	0.3	98.5
AAS62-27-P92	Glass	0.0	26.2	2.6	40.6	0.0	0.0	0.0	1.9	0.1	0.5	0.5	26.0	0.0	0.0	98.3
AAS62-27-P108	Glass	0.2	25.4	0.8	54.8	0.0	0.0	0.0	1.8	0.2	0.2	0.4	16.2	0.0	0.0	100.0
AAS62-27-P109	Glass	0.0	29.4	3.1	46.3	0.0	0.0	0.0	2.3	0.1	0.2	0.3	16.7	0.0	0.0	98.3
AAS62-31-P23	Glass	0.0	27.6	3.0	43.0	0.0	0.0	0.0	1.2	0.1	0.0	0.4	22.4	0.0	0.4	98.2
AAS62-31-P49	Glass	0.0	27.1	2.8	46.3	0.0	0.0	0.0	0.4	0.1	0.4	0.2	20.7	0.0	0.0	98.1
AAS62-31-P68	Glass	0.0	31.5	3.5	41.2	0.0	0.0	0.0	2.8	0.2	0.0	0.3	17.6	0.0	0.0	97.1
AAS62-34-P1	Glass	0.0	26.8	2.7	40.9	0.0	0.0	0.0	1.7	0.1	0.6	0.3	25.1	0.0	0.0	98.2
AAS62-34-P3	Glass	0.0	32.9	2.1	42.0	0.0	0.0	0.0	1.6	0.1	0.1	0.2	17.6	0.0	0.0	96.7
AAS62-34-P4	Glass	0.0	24.6	2.4	43.7	0.0	0.0	0.0	1.6	0.1	0.6	0.4	23.9	0.0	0.0	97.2
AAS62-34-P6	Glass	0.0	28.2	2.8	42.5	0.0	0.0	0.0	0.8	0.2	0.2	0.3	22.2	0.0	0.2	97.2

AAS62-34-P16	Glass	0.0	25.6	2.6	43.2	0.0	0.0	0.0	2.1	0.1	0.4	0.3	26.3	0.0	0.0	100.6
AAS62-34-P33	Glass	0.3	30.2	1.3	48.1	0.0	0.0	0.3	1.0	0.1	0.9	0.9	16.4	0.0	0.0	99.4
AAS62-34-P54	Glass	0.0	28.1	2.7	44.6	0.0	0.0	0.0	1.8	0.1	0.4	0.4	21.0	0.0	0.5	99.5
AAS62-34-P79	Glass	0.0	33.1	0.4	46.2	0.0	0.0	0.0	0.3	0.0	0.5	0.4	20.4	0.0	0.0	101.3
AAS62-34-P127	Glass	0.0	33.7	2.7	42.2	0.0	0.0	0.0	2.4	0.2	0.0	0.2	19.1	0.0	0.0	100.5
AAS62-34-P137	Glass	0.0	28.0	2.6	47.0	0.0	0.0	0.0	2.0	0.1	0.2	0.5	20.8	0.0	0.1	101.3
AAS62-34-P145	Glass	0.0	31.4	0.4	51.8	0.0	0.0	0.0	1.2	0.1	0.8	0.6	16.1	0.0	0.0	102.5
AAS62-34-217	Glass	0.0	28.1	1.5	47.5	0.0	0.0	0.0	1.6	0.1	0.7	0.5	18.3	0.0	0.2	98.6
AAS62-34-P221	Glass	0.0	30.3	0.0	46.8	0.0	0.0	0.0	0.4	0.0	0.4	0.5	21.0	0.0	0.4	99.8
AAS62-34-140	Glass	0.0	29.1	0.6	58.4	0.0	0.0	0.0	0.7	0.1	0.1	0.5	12.2	0.0	0.0	101.8
AAS62-34-P159	Glass	0.0	32.0	1.5	44.6	0.0	0.0	0.0	0.9	0.1	0.7	0.2	19.4	0.0	0.1	99.5
AAS62-34-P119	Glass	0.0	26.9	2.5	43.0	0.0	0.0	0.0	0.8	0.1	0.4	0.4	25.4	0.0	0.0	99.5
AAS62-34-P211	Glass	0.0	41.2	0.0	43.6	0.0	0.0	0.0	1.4	0.0	0.1	0.4	12.3	0.0	0.0	99.1
AAS62-34-P214	Glass	0.0	26.6	3.0	42.7	0.0	0.0	0.0	0.5	0.1	0.6	0.1	24.8	0.0	0.0	98.5
AAS62-34-P221	Glass	0.0	30.3	0.4	45.6	0.0	0.0	0.0	0.3	0.0	0.3	0.6	20.3	0.0	0.4	98.2
AAS62-27-P66	Glass	0.3	26.9	3.0	53.3	0.0	0.0	0.0	2.0	0.2	0.3	0.4	12.5	0.0	0.0	99.1
AAS62-34-p68	Glass	0.0	36.5	1.3	43.3	0.0	0.0	0.0	1.1	0.1	0.1	0.4	17.2	0.0	0.1	100.0
AAS62-34-p81	Glass	0.1	26.8	1.5	52.3	0.0	0.0	0.0	0.6	0.1	0.6	0.5	17.7	0.0	0.0	100.2
AAS62-27-P88	Glass	0.0	30.1	1.5	43.5	0.0	0.0	0.0	0.5	0.1	0.1	0.3	22.1	0.0	0.7	99.0
AAS62-34-p85	Glass	0.0	26.7	2.3	44.4	0.0	0.0	0.0	1.1	0.1	0.5	0.2	25.1	0.0	0.1	100.5
AAS62-34-P9	Glass	0.0	27.2	2.6	38.9	0.0	0.0	0.0	0.9	0.2	0.6	0.3	26.7	0.0	0.1	97.4
AAS62-34-p90	Glass	0.0	30.9	3.9	39.6	0.0	0.0	0.0	2.5	0.2	0.0	0.2	22.3	0.0	0.0	99.6
AAS62-34-P67	Glass	0.0	26.2	2.7	40.6	0.0	0.0	0.0	1.9	0.1	0.1	0.3	26.5	0.0	0.5	98.9
P2	Glass	0.0	30.7	3.0	46.5	0.0	0.0	0.0	2.1	0.0	0.3	0.3	15.5	0.0	0.1	98.4
P5	Glass	6.7	12.2	4.6	52.7	0.2	0.0	0.1	6.9	0.0	0.0	0.5	12.3	0.0	0.3	96.5
P6	Glass	0.0	33.1	3.2	46.9	0.0	0.0	0.0	2.7	0.0	0.0	0.3	10.8	0.0	0.0	96.9
P9	Glass	0.0	36.4	3.7	50.8	0.0	0.0	0.0	3.2	0.0	0.0	0.2	2.2	0.0	0.0	96.6
P10	Glass	0.0	27.9	3.1	41.1	0.1	0.0	0.0	6.7	0.0	0.4	0.2	18.6	0.0	0.0	98.1
P14	Glass	0.0	18.0	1.2	44.9	0.1	0.1	0.0	1.1	0.0	0.5	0.4	32.0	0.0	0.0	98.5
P16	Glass	0.0	24.8	4.2	46.6	0.0	0.0	0.0	3.2	0.0	0.4	0.1	16.8	0.0	0.0	96.3
P20	Glass	0.0	38.7	0.9	48.9	0.0	0.0	0.0	0.9	0.0	0.2	0.5	7.4	0.0	0.0	97.6
P23	Glass	0.0	27.4	3.9	41.2	0.1	0.0	0.0	2.7	0.0	0.4	0.4	21.0	0.0	0.0	97.3
P24	Glass	0.0	29.3	2.9	43.5	0.0	0.0	0.0	3.2	0.0	0.1	0.4	17.4	0.0	0.0	96.8

P25	Glass	0.0	21.7	3.4	46.5	0.1	0.0	0.0	2.3	0.0	0.2	1.0	20.0	0.1	2.8	98.0
P31	Glass	0.0	35.4	3.3	48.3	0.0	0.0	0.0	2.5	0.0	0.0	0.2	7.1	0.0	0.0	96.9
P32	Glass	0.0	29.0	1.2	47.3	0.0	0.0	0.0	2.3	0.0	0.1	0.4	18.7	0.0	0.0	99.0
P39	Glass	0.0	30.8	0.0	46.2	0.2	0.0	0.0	0.0	0.0	0.2	0.8	20.0	0.0	0.0	98.4
P43	Glass	0.0	33.9	3.3	48.6	0.1	0.0	0.0	2.6	0.0	0.1	0.2	9.4	0.0	0.0	98.2
P62	Glass	0.0	29.4	2.5	46.1	0.0	0.0	0.0	1.9	0.0	0.5	0.3	17.0	0.0	0.1	97.8
P64	Glass	0.0	25.4	2.9	41.4	0.1	0.0	0.0	2.3	0.0	0.3	0.3	21.8	0.0	0.0	94.5
P67	Glass	0.0	30.4	3.2	45.9	0.0	0.0	0.0	2.5	0.0	0.1	0.3	14.1	0.0	0.0	96.5
P68	Glass	0.0	31.4	4.0	49.2	0.0	0.0	0.0	3.0	0.0	0.0	0.6	8.9	0.0	0.0	97.2
P77	Glass	0.0	33.6	3.4	39.9	0.0	0.0	0.0	2.8	0.0	0.0	0.0	16.3	0.0	0.0	96.1
P79	Glass	0.0	34.5	3.0	47.1	0.0	0.0	0.0	5.2	0.0	0.0	0.3	7.0	0.0	0.0	97.3
P81	Glass	0.0	33.1	3.6	45.8	0.0	0.0	0.0	2.7	0.0	0.0	0.3	13.0	0.0	0.0	98.7
P83	Glass	0.0	28.7	3.7	46.5	0.1	0.0	0.0	3.1	0.0	0.2	0.5	15.1	0.0	0.1	97.9
P86	Glass	0.0	33.6	1.4	51.4	0.0	0.0	0.0	1.1	0.0	0.6	0.3	10.3	0.0	0.1	98.8
P90	Glass	0.0	31.2	0.1	45.9	0.0	0.0	0.0	0.1	0.0	0.3	0.6	18.9	0.0	0.2	97.3
P101	Glass	0.0	33.7	0.6	46.7	0.0	0.0	0.0	0.5	0.0	0.0	0.6	14.2	0.0	0.0	96.3
P110	Glass	0.0	31.3	3.1	46.9	0.0	0.0	0.0	2.4	0.0	0.1	0.3	13.1	0.0	0.0	97.3
P112	Glass	0.0	35.8	2.8	49.7	0.0	0.0	0.0	2.2	0.0	0.0	0.1	7.2	0.0	0.0	97.9
P115	Glass	0.0	21.5	3.2	42.4	0.0	0.0	0.0	0.6	0.0	0.1	0.4	27.2	0.0	0.1	95.6
P118	Glass	0.0	31.3	3.0	51.8	0.0	0.0	0.0	2.3	0.0	0.0	0.5	7.4	0.0	0.0	96.3
P121	Glass	0.1	15.7	2.5	36.3	0.0	0.0	0.0	0.5	0.0	0.2	0.6	40.8	0.0	0.1	96.8
P123	Glass	0.0	25.5	4.0	54.1	0.0	0.0	0.0	5.1	0.0	0.0	0.3	6.3	0.0	0.0	95.4
P127	Glass	0.0	24.1	2.0	56.9	0.0	0.0	0.0	7.4	0.0	0.0	0.4	7.1	0.0	0.0	98.0
P129	Glass	0.0	31.6	2.5	49.3	0.0	0.0	0.0	1.8	0.0	0.4	0.2	11.3	0.0	0.0	97.2
P131	Glass	0.0	32.7	1.1	47.5	0.1	0.0	0.0	0.8	0.0	0.6	0.5	14.0	0.0	0.0	97.4
P134	Glass	0.0	30.7	2.5	44.1	0.0	0.0	0.0	2.1	0.0	0.3	0.3	18.8	0.0	0.0	98.9
P139	Glass	0.0	29.0	3.7	39.7	0.0	0.0	0.0	2.9	0.0	0.1	0.2	24.5	0.0	0.0	100.0
P143	Glass	0.0	33.0	3.3	48.9	0.0	0.0	0.0	2.6	0.0	0.0	0.4	11.2	0.0	0.0	99.5
P149	Glass	0.0	24.9	2.1	39.0	0.1	0.0	0.0	1.9	0.0	0.1	0.2	29.5	0.0	0.0	98.0
P155	Glass	0.0	35.6	1.9	46.1	0.0	0.0	0.0	1.6	0.0	0.0	0.4	12.6	0.0	0.1	98.2
P156	Glass	0.0	30.4	1.9	45.7	0.1	0.0	0.0	2.1	0.0	0.1	0.3	15.3	0.0	0.0	95.9
P158	Glass	0.1	26.0	3.0	47.6	0.0	0.0	0.0	4.8	0.0	0.1	0.3	15.5	0.0	0.0	97.5
P169	Glass	0.0	25.1	3.0	40.7	0.0	0.0	0.0	2.1	0.0	0.1	0.2	23.8	0.0	0.5	95.6

P170	Glass	0.0	27.3	3.0	40.3	0.0	0.0	0.0	1.7	0.0	0.1	0.3	23.2	0.0	0.5	96.4
P174	Glass	0.0	29.0	3.6	48.0	0.0	0.0	0.0	2.1	0.0	0.1	0.4	12.0	0.0	0.0	95.1
P178	Glass	0.0	26.7	3.2	44.9	0.1	0.0	0.0	2.4	0.0	0.2	0.3	17.7	0.0	0.0	95.6
P179	Glass	0.0	29.2	2.7	46.7	0.0	0.0	0.0	2.1	0.0	0.2	0.5	15.0	0.0	0.4	96.8
P180	Glass	0.0	33.4	1.6	55.3	0.0	0.0	0.0	1.0	0.0	0.4	0.5	4.8	0.0	0.1	97.0
P181	Glass	0.0	21.4	2.9	33.6	0.0	0.0	0.0	2.2	0.0	0.4	0.3	34.9	0.0	4.2	99.8
P187	Glass	0.0	25.9	3.7	44.8	0.0	0.1	0.0	1.2	0.0	0.8	0.2	20.5	0.0	0.0	97.2
P190	Glass	0.0	28.9	3.1	46.2	0.0	0.0	0.0	1.7	0.0	0.3	0.4	17.0	0.0	0.0	97.5
P199	Glass	0.0	31.9	4.6	42.2	0.0	0.0	0.0	2.9	0.0	0.1	0.3	15.5	0.0	0.2	97.7
P206	Glass	1.5	4.4	0.4	46.5	0.1	2.5	0.3	0.4	0.0	0.2	0.1	39.2	0.0	0.1	95.7
P208	Glass	0.0	29.9	0.4	56.0	0.0	0.0	0.0	0.7	0.0	0.0	0.4	9.9	0.0	0.0	97.5
P213	Glass	0.0	26.8	3.1	45.1	0.0	0.0	0.0	2.6	0.0	0.0	0.5	19.3	0.0	0.0	97.5
P218	Glass	0.0	24.9	2.5	39.8	0.0	0.4	0.0	0.8	0.0	0.5	0.4	26.4	0.0	0.0	95.8
P227	Glass	0.0	34.4	3.2	51.6	0.0	0.0	0.0	2.6	0.0	0.0	0.5	5.4	0.0	0.0	97.8
P229	Glass	0.1	32.8	1.7	49.0	0.1	0.0	0.0	1.4	0.0	0.1	0.7	12.1	0.0	0.0	98.0
P232	Glass	0.0	33.0	2.9	49.9	0.0	0.0	0.0	2.3	0.0	0.2	0.4	7.6	0.0	0.0	96.2
P241	Glass	0.0	31.1	2.6	44.8	0.0	0.0	0.0	5.1	0.0	0.0	0.3	11.6	0.0	0.0	95.6
P242	Glass	0.0	39.7	1.5	51.4	0.0	0.0	0.0	1.4	0.0	0.0	0.3	5.2	0.0	0.0	99.7
P243	Glass	0.0	34.9	3.9	49.5	0.0	0.0	0.0	3.2	0.0	0.0	0.3	7.5	0.0	0.0	99.4
P248	Glass	0.0	35.4	2.2	54.9	0.0	0.0	0.0	2.4	0.0	0.0	0.2	4.8	0.0	0.0	99.9
P253	Glass	0.0	28.5	2.5	40.8	0.0	0.0	0.0	2.1	0.0	0.0	0.3	22.5	0.0	0.0	96.7
P259	Glass	0.0	30.2	0.0	44.5	0.0	0.0	0.0	0.0	0.0	0.1	0.5	23.4	0.0	0.2	99.0
P263	Glass	0.0	32.3	1.8	46.2	0.0	0.0	0.0	1.5	0.0	0.4	0.3	16.4	0.0	0.1	98.9
P264	Glass	0.0	31.6	2.9	44.3	0.0	0.0	0.0	2.3	0.0	0.2	0.2	14.9	0.0	0.3	96.7
P269	Glass	0.0	27.6	2.8	43.2	0.1	0.0	0.0	1.1	0.0	0.6	0.4	22.9	0.0	0.0	98.7
P277	Glass	0.0	30.4	1.4	50.7	0.1	0.0	0.0	1.5	0.0	0.4	0.2	13.5	0.0	0.3	98.6
P279	Glass	0.0	31.2	2.6	45.7	0.0	0.0	0.0	2.3	0.0	0.0	0.4	13.2	0.0	0.3	95.7
P286	Glass	0.0	29.5	0.6	46.2	0.0	0.0	0.0	6.5	0.0	0.1	0.3	12.5	0.0	0.2	96.0
P293	Glass	0.1	30.8	1.9	49.4	0.0	0.0	0.1	1.8	0.0	0.4	0.2	11.7	0.0	0.1	96.6
P294	Glass	0.0	27.3	2.2	39.9	0.2	0.2	0.0	0.6	0.0	0.5	0.3	25.1	0.0	0.0	96.1
P296	Glass	0.0	33.0	3.1	43.4	0.0	0.0	0.0	2.5	0.0	0.0	0.3	14.9	0.0	0.0	97.2
P297	Glass	0.0	31.6	0.9	46.4	0.0	0.0	0.0	6.3	0.0	0.0	0.2	12.6	0.0	0.0	98.0
P301	Glass	0.0	30.3	2.4	50.5	0.0	0.0	0.0	2.3	0.0	0.6	0.4	9.6	0.0	0.1	96.4

P303	Glass	0.0	27.7	3.4	41.8	0.1	0.0	0.0	2.7	0.0	0.2	0.5	19.7	0.0	0.2	96.3
P309	Glass	0.0	31.1	2.5	44.3	0.0	0.0	0.0	2.9	0.0	0.2	0.2	15.0	0.0	0.0	96.1
P319	Glass	0.0	30.5	2.0	53.1	0.0	0.0	0.0	1.8	0.0	0.0	0.4	7.9	0.0	0.0	95.6
P322	Glass	0.0	30.9	2.1	42.7	0.0	0.0	0.0	1.8	0.0	0.3	0.2	16.7	0.0	0.0	94.7
P332	Glass	0.0	30.3	0.0	45.4	0.0	0.0	0.0	0.0	0.0	0.1	0.8	17.7	0.0	0.0	94.4
P338	Glass	0.0	29.2	2.6	46.1	0.0	0.0	0.0	2.2	0.0	0.1	0.4	16.4	0.0	0.2	97.1
P341	Glass	0.0	26.8	4.2	44.2	0.0	0.0	0.0	3.7	0.0	0.2	0.3	18.2	0.0	0.0	97.6
P349	Glass	0.0	30.9	4.8	42.4	0.0	0.0	0.0	4.0	0.0	0.0	0.1	13.6	0.1	0.1	96.1
P352	Glass	0.0	32.9	4.1	45.8	0.0	0.0	0.0	3.3	0.0	0.0	0.1	8.8	0.0	0.0	95.0
P356	Glass	0.7	15.8	3.4	45.9	0.0	0.0	0.1	4.0	0.0	0.2	0.5	21.2	0.0	0.2	92.0
P357	Glass	0.0	28.3	4.8	44.7	0.0	0.0	0.0	3.1	0.0	0.0	0.3	14.1	0.0	0.1	95.4
P359	Glass	0.0	30.3	2.9	38.8	0.0	0.0	0.0	1.5	0.0	0.1	0.2	20.7	0.0	0.1	94.6
P364	Glass	0.0	28.8	1.0	53.0	0.0	0.0	0.0	1.0	0.0	0.4	0.5	11.2	0.0	0.1	96.1
P381	Glass	0.0	34.0	0.9	46.9	0.0	0.0	0.0	0.8	0.0	0.4	0.5	14.2	0.0	0.0	97.8
P383	Glass	0.0	20.4	0.6	31.0	0.0	0.0	0.0	0.5	0.0	0.1	0.2	41.7	0.0	0.0	94.5
P385	Glass	0.0	33.1	2.8	46.5	0.0	0.0	0.0	2.3	0.0	0.0	0.4	11.3	0.0	0.0	96.5
P388	Glass	0.1	26.9	0.4	52.3	0.0	0.0	0.0	1.3	0.0	0.1	0.4	13.0	0.0	0.0	94.7
P398	Glass	0.0	30.2	2.9	48.3	0.0	0.0	0.0	3.9	0.0	0.0	0.3	10.0	0.0	0.0	95.6
P406	Glass	0.0	31.7	1.9	46.4	0.0	0.0	0.0	1.6	0.0	0.1	0.6	12.5	0.0	0.1	94.8
P407	Glass	0.0	37.6	3.7	40.5	0.0	0.0	0.0	2.9	0.0	0.0	0.1	10.0	0.0	0.8	95.7
P411	Glass	0.0	28.3	2.2	46.6	0.0	0.0	0.0	2.1	0.0	0.3	0.3	16.3	0.0	0.0	96.5
P420	Glass	0.0	25.6	4.5	55.3	0.0	0.0	0.0	3.8	0.0	0.2	0.1	7.9	0.0	0.0	97.5
P424	Glass	0.0	30.0	3.6	45.7	0.0	0.0	0.0	3.3	0.0	0.0	0.4	13.1	0.0	0.0	96.1
P426	Glass	0.1	32.9	1.0	45.2	0.0	0.0	0.0	0.8	0.0	0.3	0.5	15.4	0.0	0.1	96.3
P431	Glass	0.0	29.2	2.7	47.3	0.0	0.0	0.0	2.3	0.0	0.1	0.4	14.7	0.0	0.0	96.7
P433	Glass	0.0	33.1	3.5	45.1	0.0	0.0	0.0	2.8	0.0	0.0	0.2	14.3	0.0	0.0	99.0
P451	Glass	0.0	30.8	2.3	51.8	0.0	0.0	0.0	1.8	0.0	0.2	0.4	9.5	0.0	0.2	97.2
P456	Glass	0.0	12.4	0.7	50.1	0.0	0.0	0.0	6.1	0.0	0.2	0.8	28.1	0.0	0.0	98.7
P457	Glass	0.0	29.0	2.8	43.1	0.0	0.0	0.0	0.4	0.0	0.3	0.3	23.0	0.0	0.0	98.9
P458	Glass	0.0	42.6	0.6	55.1	0.0	0.0	0.0	0.5	0.0	0.3	0.1	0.5	0.0	0.0	99.7
P461	Glass	0.0	27.5	2.9	40.7	0.0	0.0	0.0	2.4	0.0	0.0	0.2	22.2	0.0	0.0	96.0
P465	Glass	0.0	31.2	1.7	50.5	0.0	0.0	0.0	1.7	0.0	0.0	0.5	11.1	0.0	0.0	96.7
P468	Glass	0.0	36.6	3.2	48.9	0.0	0.0	0.0	3.5	0.0	0.0	0.4	4.1	0.0	0.0	96.8

P470	Glass	0.0	37.6	3.9	43.0	0.0	0.0	0.0	1.7	0.0	0.0	0.2	10.6	0.0	0.0	97.0
P471	Glass	1.2	32.3	0.7	49.7	0.0	0.0	0.0	0.4	0.0	0.0	1.0	11.1	0.0	0.0	96.5
P473	Glass	0.0	32.7	3.4	42.8	0.0	0.0	0.0	3.0	0.0	0.0	0.3	14.3	0.0	0.0	96.6
P476	Glass	0.0	33.1	2.9	45.4	0.0	0.0	0.0	2.5	0.0	0.1	0.4	12.2	0.0	0.3	96.9
P480	Glass	0.0	24.6	1.1	49.6	0.0	0.0	0.0	1.1	0.0	0.2	0.3	17.3	0.0	0.3	94.5
P483	Glass	0.0	33.7	1.1	49.7	0.0	0.0	0.0	0.8	0.0	0.1	0.8	10.7	0.0	0.0	97.0
P485	Glass	0.0	25.9	3.4	47.9	0.0	0.0	0.0	3.4	0.0	0.0	0.9	14.4	0.0	0.0	96.0
P487	Glass	0.0	34.1	3.5	56.3	0.0	0.0	0.0	3.0	0.0	0.0	0.3	1.3	0.0	0.0	98.5
P488	Glass	0.0	28.0	4.6	49.0	0.0	0.0	0.0	4.0	0.0	0.1	0.5	11.6	0.0	0.0	97.9
P490	Glass	0.0	30.0	2.5	45.8	0.0	0.0	0.0	2.4	0.0	0.1	0.3	17.0	0.0	0.0	98.0
P493	Glass	0.0	26.2	2.2	53.7	0.0	0.0	0.0	5.1	0.0	0.0	0.3	10.6	0.0	0.0	98.2
P497	Glass	5.7	12.6	3.8	54.9	0.2	0.0	0.5	4.8	0.0	0.1	0.4	11.2	0.0	0.1	94.1
P499	Glass	0.0	34.1	5.0	47.2	0.0	0.0	0.0	4.3	0.0	0.0	0.2	6.4	0.0	0.0	97.2
P500	Glass	0.1	18.2	2.1	33.5	3.3	0.0	0.0	21.1	0.0	0.1	0.2	6.6	0.0	0.0	85.3
P502	Glass	0.0	24.3	2.7	37.0	0.0	0.0	0.0	1.9	0.0	0.1	0.2	29.1	0.0	0.2	95.6
P506	Glass	0.0	36.8	3.2	44.7	0.0	0.0	0.0	2.7	0.0	0.0	0.2	10.8	0.0	0.0	98.4
P509	Glass	0.0	30.1	1.8	48.3	0.0	0.0	0.0	2.6	0.0	0.3	0.2	13.4	0.0	0.0	97.0
P511	Glass	1.7	16.5	4.2	42.5	0.1	0.0	0.0	4.0	0.0	0.2	0.4	27.8	0.0	0.4	97.9
P514	Glass	0.0	33.1	3.9	45.3	0.0	0.0	0.0	3.6	0.0	0.2	0.1	12.2	0.0	0.0	98.5
P518	Glass	0.0	40.3	4.2	43.9	0.0	0.0	0.0	3.1	0.0	0.0	0.2	6.5	0.0	0.0	98.0
P521	Glass	0.0	35.1	1.5	53.3	0.0	0.0	0.0	1.8	0.0	0.1	0.4	7.0	0.0	0.0	99.3
P524	Glass	0.0	25.1	6.2	49.3	0.0	0.0	0.0	5.8	0.0	0.2	0.3	8.5	0.0	0.1	95.5
P525	Glass	0.0	42.1	0.2	55.1	0.0	0.0	0.0	0.2	0.0	0.4	0.1	0.2	0.0	0.0	98.4
P527	Glass	0.0	31.1	4.3	52.7	0.0	0.0	0.0	3.7	0.0	0.0	0.2	4.5	0.0	0.0	96.6
P528	Glass	0.0	34.8	1.2	48.4	0.1	0.0	0.0	2.1	0.0	0.1	0.1	10.9	0.0	0.4	98.0
P530	Glass	0.8	21.7	3.6	51.8	0.0	0.0	0.1	1.0	0.0	1.3	0.3	15.8	0.0	1.2	97.6
P532	Glass	0.0	32.6	2.2	41.9	0.0	0.0	0.0	1.6	0.0	0.0	0.3	17.6	0.0	0.0	96.4
P535	Glass	0.0	24.6	2.0	48.9	0.0	0.0	0.0	1.8	0.0	0.0	0.1	19.4	0.0	0.5	97.3
P537	Glass	0.0	31.3	2.6	47.4	0.0	0.0	0.0	2.2	0.0	0.0	0.4	15.4	0.0	0.0	99.4
P539	Glass	0.0	25.3	1.9	46.0	0.0	0.0	0.0	1.8	0.0	0.4	0.4	20.9	0.0	0.0	96.7
P545	Glass	0.0	37.7	4.0	50.8	0.0	0.0	0.0	3.9	0.0	0.0	0.0	1.6	0.0	0.0	98.1
P549	Glass	0.0	38.4	2.0	50.0	0.0	0.0	0.0	1.2	0.0	0.0	0.3	5.8	0.0	0.0	97.7
P552	Glass	0.5	25.8	2.3	44.6	0.0	0.0	0.1	1.9	0.0	0.4	0.4	21.4	0.0	0.2	97.6

P563	Glass	0.1	9.7	3.5	47.0	0.0	0.0	0.0	4.4	0.0	0.1	0.9	30.3	0.0	0.0	95.8
P565	Glass	0.0	28.5	1.7	49.0	0.0	0.0	0.0	1.0	0.0	0.1	0.4	17.9	0.0	0.0	98.6
P568	Glass	0.0	35.1	3.4	46.2	0.0	0.0	0.0	2.6	0.0	0.0	0.2	10.1	0.0	0.0	97.7
P573	Glass	0.0	25.7	3.3	39.0	0.0	0.0	0.0	2.9	0.0	0.1	0.3	27.6	0.0	0.0	98.8
P578	Glass	0.0	33.5	0.4	48.1	0.0	0.0	0.0	0.8	0.0	0.0	0.8	12.4	0.0	0.1	96.1
P581	Glass	2.4	30.9	1.2	46.2	0.3	0.0	0.2	0.8	0.0	0.6	0.7	13.4	0.0	0.0	96.6
P591	Glass	0.0	26.0	2.6	41.6	0.0	0.0	0.0	2.3	0.0	0.1	0.3	25.7	0.0	0.1	98.7
P592	Glass	0.0	30.3	2.8	42.9	0.0	0.0	0.0	2.4	0.0	0.2	0.3	20.6	0.0	0.0	99.4
P595	Glass	0.0	26.9	4.4	45.6	0.0	0.0	0.0	3.2	0.0	0.0	0.3	15.0	0.0	0.0	95.6
P596	Glass	0.0	30.5	3.8	42.4	0.0	0.0	0.0	3.3	0.0	0.0	0.3	17.0	0.0	0.0	97.4
P597	Glass	0.0	39.2	2.4	49.0	0.0	0.0	0.0	1.8	0.0	0.0	0.2	5.5	0.0	0.0	98.2
P600	Glass	0.0	43.9	1.4	50.0	0.0	0.0	0.0	1.2	0.0	0.0	0.1	3.0	0.0	0.0	99.5
P601	Glass	0.0	35.3	3.3	55.3	0.0	0.0	0.0	2.8	0.0	0.1	0.2	1.9	0.0	0.0	98.8
P606	Glass	0.6	25.7	3.7	52.4	0.0	0.0	0.0	3.3	0.0	0.1	0.4	9.8	0.0	0.4	96.4
P611	Glass	0.0	25.9	1.2	43.9	0.0	0.0	0.0	0.6	0.0	0.0	0.6	25.3	0.0	0.0	97.5
P613	Glass	0.0	32.2	2.8	48.6	0.0	0.0	0.0	2.5	0.0	0.0	0.3	11.6	0.0	0.0	98.1
P616	Glass	0.0	28.8	2.3	50.2	0.0	0.0	0.0	1.8	0.0	0.3	0.7	13.8	0.0	0.0	97.9
P618	Glass	0.0	34.6	1.0	49.6	0.0	0.0	0.0	0.8	0.0	0.0	0.8	10.7	0.0	0.0	97.5
P619	Glass	0.0	30.6	3.2	44.0	0.0	0.0	0.0	0.3	0.0	0.0	0.2	19.1	0.1	0.4	97.9
P625	Glass	0.0	27.6	2.0	47.6	0.0	0.0	0.0	1.9	0.0	0.0	0.5	17.0	0.0	0.0	96.6
P626	Glass	0.0	28.9	1.6	44.4	0.0	0.0	0.0	0.9	0.0	0.1	0.4	19.7	0.0	0.1	96.1
P629	Glass	0.9	24.2	2.6	47.8	0.1	0.1	0.6	1.9	0.0	0.6	0.5	17.5	0.0	0.0	96.8
P630	Glass	0.0	29.2	3.6	43.8	0.0	0.0	0.0	2.9	0.0	0.3	0.3	15.7	0.0	0.1	96.0
P634	Glass	0.0	27.6	4.1	38.6	0.0	0.0	0.0	5.7	0.0	0.0	0.1	20.0	0.0	0.0	96.2
P637	Glass	0.0	41.4	0.5	52.8	0.0	0.0	0.0	0.4	0.0	0.1	0.1	2.1	0.0	0.0	97.6
P641	Glass	0.0	28.1	2.8	43.6	0.0	0.0	0.0	2.4	0.0	0.0	0.4	18.2	0.0	0.0	95.4
P649	Glass	0.0	24.7	2.9	38.5	0.0	0.0	0.0	2.4	0.0	0.1	0.3	28.7	0.0	0.0	97.6
P657	Glass	0.1	24.7	2.7	54.9	0.0	0.0	0.0	3.1	0.0	0.0	0.4	10.0	0.0	0.0	95.9
P661	Glass	0.0	32.2	3.0	48.4	0.0	0.0	0.0	3.0	0.0	0.2	0.4	10.3	0.0	0.0	97.5
P663	Glass	0.0	31.5	3.1	41.0	0.0	0.0	0.0	2.3	0.0	0.1	0.1	17.6	0.0	1.0	96.9
P664	Glass	0.4	23.8	3.4	48.4	0.0	0.0	0.0	6.2	0.0	0.0	0.3	13.5	0.0	0.1	96.3
P667	Glass	0.0	37.9	2.2	50.9	0.0	0.0	0.0	2.2	0.0	0.0	0.5	3.8	0.0	0.0	97.5
P672	Glass	0.0	29.0	2.9	43.5	0.0	0.0	0.0	2.5	0.0	0.2	0.4	17.6	0.0	0.1	96.1

P673	Glass	0.0	28.9	0.9	52.2	0.0	0.0	0.0	1.0	0.0	0.3	0.4	11.7	0.0	0.3	95.8
P676	Glass	0.0	30.0	0.1	46.1	0.0	0.0	0.0	0.0	0.0	0.1	1.5	20.6	0.0	0.1	98.5
P680	Glass	0.0	32.0	3.8	43.8	0.0	0.0	0.0	2.3	0.0	0.0	0.2	14.1	0.0	0.0	96.2
P683	Glass	0.0	53.7	0.5	43.3	0.0	0.0	0.0	0.4	0.0	0.0	0.0	1.3	0.0	0.0	99.3
P684	Glass	0.0	40.7	0.4	56.9	0.0	0.0	0.0	0.3	0.0	0.0	0.1	2.1	0.0	0.0	100.6
P688	Glass	0.0	35.8	1.7	53.2	0.0	0.0	0.0	1.4	0.0	0.2	0.1	7.5	0.1	0.1	100.1
P690	Glass	0.0	29.9	3.0	46.4	0.0	0.0	0.0	2.5	0.0	0.1	0.4	13.8	0.0	0.0	96.2
P699	Glass	0.0	32.5	1.3	44.0	0.0	0.0	0.0	1.2	0.0	0.1	0.5	18.5	0.0	0.0	98.0
P708	Glass	0.0	43.0	2.4	42.0	0.0	0.0	0.0	2.1	0.0	0.3	0.2	8.6	0.0	0.1	98.6
P709	Glass	0.0	30.5	0.6	54.8	0.0	0.0	0.0	0.5	0.0	0.0	0.9	11.3	0.0	0.0	98.7
P717	Glass	0.0	36.8	2.6	50.5	0.0	0.0	0.0	1.9	0.0	0.0	0.2	8.4	0.0	0.0	100.5
P719	Glass	0.0	32.2	3.4	42.7	0.0	0.0	0.0	3.0	0.0	0.0	0.2	16.7	0.0	0.0	98.4
P720	Glass	0.0	32.7	0.3	47.6	0.0	0.0	0.0	0.2	0.0	0.1	1.0	14.7	0.0	0.0	96.6
P729	Glass	0.0	32.5	1.0	55.9	0.0	0.0	0.0	2.3	0.0	0.1	0.5	5.0	0.0	0.0	97.4
P732	Glass	0.0	30.1	2.4	49.9	0.0	0.0	0.0	2.1	0.0	0.1	0.6	13.5	0.0	0.0	98.7
P738	Glass	0.0	29.5	3.1	47.1	0.0	0.0	0.0	2.4	0.0	0.5	0.3	15.9	0.0	0.0	98.9
P741	Glass	0.0	29.5	2.7	45.2	0.0	0.0	0.0	1.8	0.0	0.3	0.3	18.7	0.0	0.0	98.6
P745	Glass	0.0	29.9	2.1	45.3	0.0	0.0	0.0	1.8	0.0	0.3	0.3	18.1	0.0	0.0	97.9
P746	Glass	0.4	31.2	3.0	47.9	0.0	0.0	0.0	2.6	0.0	0.0	0.4	12.9	0.0	0.0	98.3
P757	Glass	0.0	40.0	0.9	47.3	0.0	0.0	0.0	1.1	0.0	0.1	0.2	9.0	0.1	0.5	99.2
P759	Glass	0.0	53.1	1.8	43.9	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.1	0.0	0.0	100.6
P761	Glass	0.0	25.5	3.2	42.3	0.0	0.0	0.0	2.1	0.0	0.0	0.4	24.0	0.0	0.0	97.4
P767	Glass	2.6	31.3	1.4	47.4	0.2	0.0	0.2	0.8	0.0	0.4	0.6	12.8	0.0	0.0	97.8
P770	Glass	0.0	28.9	3.3	53.5	0.0	0.0	0.0	1.7	0.0	0.0	0.3	10.3	0.0	0.1	98.2
P776	Glass	0.0	29.9	2.7	50.0	0.0	0.0	0.0	2.2	0.0	0.1	0.4	13.3	0.0	0.0	98.7
P782	Glass	0.0	31.2	1.8	40.9	0.0	0.0	0.0	1.4	0.0	0.0	0.3	21.2	0.0	0.0	96.7
P785	Glass	0.0	39.4	1.3	50.8	0.0	0.0	0.0	1.3	0.0	0.1	0.3	4.9	0.0	0.0	98.3
P790	Glass	0.0	51.5	2.7	44.3	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.3	0.0	0.0	101.2
P792	Glass	0.3	30.3	0.7	47.6	0.0	0.0	0.0	0.5	0.0	0.1	0.9	18.4	0.0	0.0	98.9
P802	Glass	0.0	31.5	3.1	45.6	0.0	0.0	0.0	2.3	0.1	0.1	0.3	15.1	0.0	0.0	98.1
P805	Glass	0.0	41.9	0.8	53.8	0.0	0.0	0.0	0.7	0.0	0.0	0.1	3.1	0.0	0.0	100.4
P806	Glass	0.0	29.7	4.3	42.8	0.0	0.0	0.0	3.5	0.0	0.0	0.3	17.9	0.0	0.0	98.5
P808	Glass	0.0	27.2	2.2	38.5	0.0	0.0	0.0	1.6	0.0	0.3	0.3	29.2	0.0	0.0	99.5

P818	Glass	0.0	29.4	1.6	43.3	0.0	0.0	0.0	1.5	0.0	0.0	0.3	22.1	0.0	0.1	98.4
P820	Glass	0.0	30.2	0.2	55.2	0.0	0.0	0.0	0.8	0.0	0.0	0.4	10.8	0.0	0.0	97.7
P821	Glass	0.1	29.3	3.3	46.4	0.0	0.0	0.0	1.8	0.0	0.0	0.3	18.1	0.0	0.1	99.5
P825	Glass	0.0	30.5	1.8	44.3	0.0	0.1	0.0	1.5	0.0	0.4	0.3	18.1	0.0	0.0	97.1
P829	Glass	0.0	33.5	3.9	48.7	0.0	0.0	0.0	3.2	0.0	0.2	0.3	7.0	0.0	0.1	96.9
P831	Glass	0.0	29.0	2.4	51.4	0.0	0.0	0.0	2.3	0.0	0.1	0.3	9.7	0.0	0.2	95.5
P832	Glass	0.0	42.1	3.4	44.3	0.0	0.0	0.0	2.8	0.0	0.0	0.1	6.3	0.0	0.0	99.1
P840	Glass	0.0	32.5	2.0	45.9	0.0	0.0	0.0	1.1	0.0	0.1	0.4	18.0	0.0	0.0	100.2
P843	Glass	0.0	36.3	4.1	39.5	0.0	0.0	0.0	5.8	0.0	0.0	0.1	10.3	0.0	0.0	96.1
P849	Glass	0.6	27.6	2.6	44.4	0.1	0.1	0.4	1.7	0.0	0.3	0.6	20.2	0.0	0.0	98.6
P850	Glass	0.0	35.8	0.5	51.6	0.0	0.0	0.0	0.4	0.0	0.1	0.2	11.4	0.0	0.1	100.0
P851	Glass	0.0	26.6	2.4	49.6	0.0	0.0	0.0	2.3	0.0	0.2	0.3	16.0	0.1	0.3	97.9
P854	Glass	2.9	29.4	1.1	46.4	0.2	0.1	0.2	0.4	0.0	0.5	0.7	14.5	0.0	0.0	96.2
P856	Glass	0.0	28.6	1.7	44.2	0.0	0.0	0.0	1.2	0.0	0.0	0.3	19.4	0.0	0.1	95.6
P861	Glass	0.0	28.8	2.6	48.8	0.0	0.0	0.0	1.9	0.0	0.1	0.6	15.4	0.0	0.1	98.3
P864	Glass	0.0	34.3	3.4	47.6	0.0	0.0	0.0	0.9	0.0	0.0	0.3	10.4	0.0	0.0	97.1
P869	Glass	0.0	34.1	2.1	49.5	0.0	0.0	0.0	2.1	0.0	0.0	0.1	10.7	0.0	0.1	98.8
P872	Glass	0.9	33.1	0.0	47.0	0.1	0.0	0.0	0.0	0.0	0.7	0.8	14.7	0.0	0.0	97.2
P875	Glass	0.0	26.5	3.0	43.2	0.0	0.0	0.0	2.0	0.0	0.0	0.2	20.3	0.0	0.0	95.2
P876	Glass	0.0	27.2	3.3	43.8	0.0	0.0	0.0	0.8	0.0	0.5	0.2	21.9	0.0	0.0	97.7
P877	Glass	0.0	32.8	4.0	41.3	0.0	0.0	0.0	3.4	0.0	0.0	0.2	14.2	0.0	0.0	95.9
P879	Glass	0.0	31.1	2.8	48.7	0.0	0.0	0.0	2.4	0.0	0.2	0.5	11.6	0.0	0.1	97.5
P883	Glass	0.0	32.9	1.0	46.0	0.0	0.0	0.0	0.7	0.0	0.1	0.5	16.3	0.0	0.0	97.5
P891	Glass	0.0	30.2	3.5	40.1	0.0	0.0	0.0	2.3	0.0	0.0	0.1	21.6	0.1	0.1	97.9
P896	Glass	0.9	16.1	4.5	41.0	0.0	0.0	0.2	3.5	0.0	0.1	0.3	30.7	0.0	0.1	97.4
P904	Glass	0.0	37.4	0.6	47.1	0.0	0.0	0.0	0.5	0.0	0.0	0.2	12.6	0.0	0.0	98.3
P906	Glass	0.0	29.8	2.0	47.3	0.0	0.0	0.0	1.8	0.0	0.0	0.6	15.5	0.0	0.0	96.9
P911	Glass	0.0	34.2	1.4	54.2	0.0	0.0	0.0	1.3	0.0	0.2	0.5	5.5	0.0	0.0	97.3
P912	Glass	0.0	35.5	1.6	49.6	0.0	0.0	0.0	1.4	0.0	0.0	0.4	8.6	0.0	0.0	97.1
P915	Glass	0.0	23.1	4.8	34.9	0.0	0.0	0.0	4.6	0.0	0.0	0.3	27.3	0.1	1.0	96.2
P916	Glass	0.0	28.8	2.7	41.4	0.0	0.0	0.0	2.1	0.0	0.1	0.4	21.3	0.0	0.0	96.9
P920	Glass	0.0	31.0	3.0	46.3	0.0	0.0	0.0	2.5	0.0	0.0	0.4	13.8	0.0	0.1	97.2
P926	Glass	0.0	29.6	2.7	45.6	0.0	0.0	0.0	2.0	0.0	0.0	0.3	17.6	0.0	0.0	97.9

P929	Glass	0.0	30.1	3.2	47.2	0.0	0.0	0.0	2.5	0.0	0.1	0.4	14.7	0.0	0.0	98.3
P935	Glass	0.0	35.7	1.1	51.6	0.0	0.0	0.0	0.6	0.0	0.0	0.3	8.0	0.0	0.0	97.4
P936	Glass	0.0	39.2	3.5	49.1	0.0	0.0	0.0	3.0	0.0	0.0	0.2	4.3	0.0	0.0	99.5
P938	Glass	0.9	28.1	3.1	52.0	0.0	0.0	0.3	2.6	0.0	0.2	0.4	10.4	0.0	0.0	98.2
P941	Glass	0.7	25.6	2.6	52.3	0.0	0.0	0.1	1.1	0.0	0.1	0.4	14.7	0.0	0.1	97.8
P948	Glass	0.0	30.6	3.7	41.6	0.0	0.0	0.0	1.7	0.0	0.0	0.2	20.3	0.0	0.0	98.2
P949	Glass	0.3	28.5	1.2	55.2	0.0	0.0	0.0	0.7	0.0	0.1	0.4	13.3	0.0	0.0	99.7
P951	Glass	0.0	20.8	1.5	30.2	0.0	0.0	0.0	0.9	0.0	0.0	0.1	5.9	0.0	0.0	59.4
P952	Glass	0.0	27.8	3.4	56.5	0.0	0.0	0.0	3.0	0.0	0.1	0.6	6.9	0.0	0.1	98.4
P955	Glass	0.4	17.7	3.5	42.4	0.0	0.0	0.1	3.1	0.0	0.2	0.6	27.7	0.0	0.5	96.3
P956	Glass	0.0	26.3	3.7	40.6	0.0	0.0	0.0	1.7	0.0	0.1	0.3	24.6	0.0	0.0	97.4
P959	Glass	0.0	32.1	0.6	53.6	0.0	0.0	0.0	0.7	0.0	0.0	0.5	11.2	0.0	0.0	98.7
P963	Glass	0.0	28.5	2.6	43.5	0.0	0.0	0.0	2.1	0.0	0.4	0.4	19.9	0.0	0.0	97.4
P965	Glass	0.0	27.6	2.3	43.8	0.0	0.0	0.0	1.9	0.0	0.2	0.4	20.0	0.1	0.3	96.4
P973	Glass	0.0	49.4	3.1	42.5	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.7	0.0	0.0	98.2
P981	Glass	0.1	29.5	2.2	48.9	0.0	0.0	0.0	2.1	0.0	0.3	0.2	12.0	0.0	0.7	96.0
P982	Glass	0.0	29.0	2.9	50.9	0.0	0.0	0.0	2.1	0.0	0.1	0.4	12.7	0.0	0.0	98.1
P984	Glass	0.0	29.0	4.1	45.8	0.0	0.0	0.0	2.0	0.0	0.1	0.2	15.5	0.0	0.5	97.2
P985	Glass	0.0	32.7	2.7	49.9	0.0	0.0	0.0	2.1	0.0	0.0	0.4	9.7	0.0	0.0	97.7
P991	Glass	0.0	35.3	1.5	47.5	0.0	0.0	0.0	1.0	0.0	0.1	0.1	11.7	0.0	0.0	97.2
P994	Glass	0.0	36.7	1.0	42.0	0.0	0.0	0.0	0.3	0.0	0.1	0.4	17.0	0.0	0.3	97.8
P997	Glass	0.0	29.9	3.6	47.5	0.0	0.0	0.0	1.2	0.0	0.1	0.4	14.4	0.0	0.6	97.6
P999	Glass	1.0	32.1	1.3	47.1	0.2	0.0	0.2	1.0	0.0	0.5	0.7	13.8	0.0	0.0	98.0
P1000	Glass	0.0	34.4	0.8	45.8	0.0	0.0	0.0	0.6	0.1	0.0	0.2	15.4	0.0	0.0	97.4
P1002	Glass	0.0	35.7	3.2	43.0	0.0	0.0	0.0	2.7	0.0	0.0	0.2	12.4	0.0	0.2	97.5
P1004	Glass	0.0	49.5	2.8	42.4	0.0	0.0	0.0	2.1	0.0	0.0	0.2	1.3	0.0	0.0	98.3
P1005	Glass	0.0	31.7	3.3	46.1	0.0	0.0	0.0	0.2	0.0	0.0	0.1	15.6	0.0	0.0	97.1
P1008	Glass	0.0	27.5	1.4	42.4	0.0	0.0	0.0	2.6	0.0	0.1	0.1	21.4	0.1	0.8	96.5
P1009	Glass	0.0	28.8	2.6	41.2	0.0	0.0	0.0	2.2	0.0	0.4	0.3	22.2	0.0	0.0	97.9
P1010	Glass	0.0	33.7	2.8	48.4	0.0	0.0	0.0	2.3	0.0	0.0	0.5	9.5	0.0	0.0	97.3
P1012	Glass	0.0	35.1	1.1	51.8	0.0	0.0	0.0	0.5	0.0	0.0	0.8	10.2	0.0	0.0	99.7
P1014	Glass	0.0	25.9	2.6	45.1	0.0	0.0	0.0	1.6	0.0	0.3	0.3	20.9	0.0	0.7	97.5
P1016	Glass	0.0	28.0	1.1	47.4	0.1	0.0	0.0	2.0	0.0	0.0	0.4	18.1	0.0	0.1	97.2

P1018	Glass	0.0	35.3	1.7	43.4	0.0	0.0	0.0	3.0	0.0	0.0	0.4	14.3	0.0	0.0	98.2
P1021	Glass	0.0	26.5	2.8	42.6	0.0	0.0	0.0	0.9	0.0	0.2	0.2	23.7	0.1	0.3	97.2
P1025	Glass	0.0	33.7	3.9	39.4	0.0	0.0	0.0	3.2	0.0	0.0	0.2	14.5	0.0	0.0	94.9
P1030	Glass	0.0	25.9	2.1	39.8	0.0	0.0	0.0	1.2	0.0	0.1	0.4	26.5	0.0	0.4	96.6
P1040	Glass	0.0	50.0	1.1	41.9	0.0	0.0	0.0	0.9	0.0	0.0	0.1	3.4	0.0	0.0	97.5
P1041	Glass	0.0	36.8	3.3	45.0	0.0	0.0	0.0	2.8	0.0	0.0	0.2	9.1	0.0	0.0	97.3
P1044	Glass	0.0	24.2	1.9	34.0	0.0	0.0	0.0	1.3	0.0	0.1	0.2	11.1	0.0	0.2	73.1
P1047	Glass	0.4	27.7	1.4	55.7	0.0	0.0	0.0	2.3	0.0	0.1	0.4	9.7	0.0	0.0	97.8
P1049	Glass	0.0	27.0	3.3	38.8	0.0	0.0	0.0	2.3	0.0	0.0	0.2	26.4	0.0	0.0	98.1
P1053	Glass	0.0	30.5	3.1	45.4	0.0	0.0	0.0	0.6	0.0	0.0	0.1	16.8	0.0	0.0	96.5
P1055	Glass	0.0	33.1	2.5	48.1	0.0	0.0	0.0	1.9	0.0	0.0	0.5	10.5	0.0	0.0	96.7
P1056	Glass	0.0	23.6	2.0	46.1	0.0	0.0	0.0	2.4	0.0	0.2	0.6	21.6	0.0	0.2	96.7
P1063	Glass	0.8	15.1	4.0	55.5	0.0	0.0	0.1	3.1	0.0	0.0	0.7	15.8	0.0	0.3	95.4
P1072	Glass	0.0	29.7	3.2	48.8	0.0	0.0	0.0	3.0	0.0	0.0	0.6	11.8	0.0	0.3	97.5
P1075	Glass	0.0	25.0	3.8	37.8	0.0	0.0	0.0	1.2	0.0	0.0	0.2	28.6	0.0	0.0	96.6
P1077	Glass	0.0	21.7	3.9	35.6	0.0	0.0	0.0	0.9	0.0	0.5	0.3	33.5	0.0	0.0	96.5
P1087	Glass	0.0	31.6	1.4	51.1	0.0	0.0	0.0	1.3	0.0	0.1	0.4	11.1	0.0	0.3	97.5
P1090	Glass	0.0	20.7	1.7	53.9	0.0	0.0	0.0	1.2	0.0	0.0	1.6	20.2	0.0	0.0	99.4
P1093	Glass	0.0	29.5	2.9	42.5	0.0	0.0	0.0	0.8	0.0	0.0	0.2	20.4	0.1	0.6	97.0
P1099	Glass	0.2	29.6	1.2	56.4	0.0	0.0	0.0	0.7	0.0	0.2	0.5	11.6	0.0	0.0	100.3
P1102	Glass	0.0	32.3	3.7	39.9	0.0	0.0	0.0	5.3	0.0	0.0	0.1	15.4	0.0	0.0	96.6
P1103	Glass	0.0	31.5	1.1	53.4	0.0	0.0	0.0	2.6	0.0	0.0	0.5	10.8	0.0	0.0	99.8
P1112	Glass	0.0	26.6	3.1	40.6	0.0	0.0	0.0	2.9	0.0	0.2	0.3	22.0	0.0	0.0	95.7
P1115	Glass	0.0	35.8	1.2	50.1	0.0	0.0	0.0	0.8	0.1	0.0	0.7	9.5	0.0	0.0	98.2
P1117	Glass	0.0	30.7	2.0	46.9	0.0	0.0	0.0	1.7	0.0	0.3	0.3	15.8	0.0	0.1	97.9
P1119	Glass	0.3	28.4	2.9	47.9	0.0	0.0	0.0	2.1	0.0	0.3	0.5	14.5	0.0	0.1	96.9
P1126	Glass	0.0	22.4	4.7	41.6	0.0	0.0	0.0	4.0	0.0	0.1	0.3	22.8	0.0	0.0	95.9
P1130	Glass	4.1	18.7	4.9	48.9	0.1	0.0	0.2	1.4	0.0	0.1	0.6	16.7	0.0	0.2	95.9
P1142	Glass	0.0	33.0	1.8	48.4	0.0	0.0	0.0	1.9	0.0	0.0	0.4	8.7	0.0	0.1	94.3
P1144	Glass	0.2	23.5	4.5	45.6	0.0	0.0	0.0	3.7	0.0	0.2	0.3	12.8	0.0	0.0	90.9
P1147	Glass	0.0	40.9	3.6	46.6	0.0	0.0	0.0	2.9	0.0	0.0	0.3	0.8	0.0	0.0	95.1
P1152	Glass	0.2	27.0	2.3	37.7	0.0	0.0	0.0	1.8	0.0	0.2	0.3	25.0	0.1	0.8	95.5
P1155	Glass	0.0	22.2	2.4	51.0	0.0	0.0	0.0	6.9	0.0	0.0	0.3	13.8	0.0	0.0	96.6

P1160	Glass	0.0	25.2	1.8	43.5	0.0	0.0	0.0	1.3	0.0	0.1	0.4	20.8	0.1	1.2	94.3
P1163	Glass	0.1	22.9	3.7	46.7	0.0	0.0	0.0	2.9	0.0	0.5	0.5	18.0	0.1	0.7	96.2
P1168	Glass	0.0	29.9	4.8	49.2	0.0	0.0	0.0	4.1	0.0	0.0	0.2	6.3	0.0	0.0	94.6
P1177	Glass	0.0	30.2	1.9	57.5	0.0	0.0	0.0	0.8	0.0	0.0	0.4	9.3	0.0	0.0	100.1
P1178	Glass	0.0	31.9	3.3	43.6	0.0	0.0	0.0	2.6	0.0	0.1	0.3	16.9	0.0	0.1	98.9
P1182	Glass	0.0	34.7	2.6	50.5	0.0	0.0	0.0	2.1	0.0	0.1	0.1	5.8	0.0	0.0	95.9
P1187	Glass	0.0	38.7	4.0	47.9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8.3	0.0	0.0	99.0
P1193	Glass	0.0	30.0	2.2	47.4	0.0	0.0	0.0	1.7	0.0	0.3	0.5	16.9	0.0	0.3	99.2
P1194	Glass	0.0	32.6	3.3	42.6	0.0	0.0	0.0	2.3	0.0	0.0	0.2	14.0	0.0	0.0	95.0
P1197	Glass	0.0	33.4	2.8	43.4	0.0	0.0	0.0	2.6	0.0	0.0	0.2	16.7	0.0	0.0	99.2
P1199	Glass	0.0	32.2	0.7	46.2	0.0	0.0	0.0	0.5	0.0	0.1	1.0	14.1	0.0	0.1	94.9
P1202	Glass	0.0	27.1	2.3	44.4	0.0	0.0	0.0	1.5	0.0	0.2	0.4	21.1	0.0	0.0	97.1
P1206	Glass	0.0	33.9	3.7	49.6	0.0	0.0	0.0	2.9	0.0	0.0	0.1	5.5	0.0	0.0	95.8
P1208	Glass	0.0	30.0	2.0	47.7	0.0	0.0	0.0	1.8	0.0	0.2	0.5	14.3	0.0	0.2	96.8
P1210	Glass	0.0	29.6	3.8	45.1	0.0	0.0	0.0	3.0	0.0	0.2	0.3	14.3	0.0	0.1	96.4
P1211	Glass	0.0	40.8	4.2	44.5	0.0	0.0	0.0	2.2	0.0	0.0	0.2	7.4	0.0	0.0	99.3
P1213	Glass	0.0	34.1	1.2	49.2	0.0	0.0	0.0	0.7	0.0	0.0	0.4	13.5	0.0	0.1	99.3
P1215	Glass	0.0	28.9	3.6	40.4	0.0	0.0	0.0	2.3	0.0	0.0	0.2	23.2	0.0	0.0	98.6
MS-I2 P140	Glass	0.7	1.5	16.1	48.9	0.0	0.4	2.0	6.3	0.4	0.1	0.1	17.5	0.0	0.4	94.4
MS-I2 P298	Glass	0.1	27.5	2.4	52.5	0.0	0.0	0.0	3.0	0.1	0.5	0.4	11.8	0.0	0.0	98.3
MS-I2 P439	Glass	0.0	28.8	2.3	40.0	0.0	0.0	0.0	1.6	0.2	0.1	0.4	24.3	0.1	0.8	98.6
MS-I2 P489	Glass	0.1	28.6	0.5	53.9	0.0	0.0	0.0	0.5	0.1	0.2	0.3	14.1	0.0	0.0	98.1
MS-I3-P27	Glass	0.0	28.4	3.9	39.8	0.0	0.0	0.0	2.6	0.1	0.0	0.2	26.6	0.0	0.0	101.5
MS-I3-P59	Glass	0.1	24.8	2.4	51.5	0.0	0.0	0.1	1.3	0.1	0.5	0.4	19.8	0.0	0.1	101.1
MS-I3-P70	Glass	0.6	30.0	3.4	50.6	0.0	0.0	0.1	2.2	0.1	0.3	0.4	13.1	0.0	0.0	100.8
MS-I3-P81	Glass	0.0	36.3	1.2	51.3	0.0	0.0	0.0	0.7	0.1	0.1	0.2	9.7	0.0	0.1	99.7
MS-I3-P115	Glass	0.5	23.5	5.8	47.9	0.0	0.0	0.0	1.6	0.2	0.4	0.3	19.7	0.0	0.0	99.9
MS-I3-P147	Glass	0.0	26.9	1.9	45.4	0.0	0.0	0.0	0.6	0.1	0.0	0.4	25.3	0.1	0.4	101.0
MS-I3-P164	Glass	0.0	31.3	1.3	46.5	0.0	0.0	0.0	0.0	0.0	0.1	0.4	20.0	0.0	0.1	99.7
MS-I3-P183	Glass	0.0	30.4	2.3	44.8	0.0	0.0	0.0	0.0	0.0	0.2	0.3	21.2	0.1	0.7	100.1
MS-I3-P205	Glass	0.0	27.4	2.6	44.6	0.0	0.0	0.0	0.0	0.0	0.3	0.3	25.6	0.0	0.1	100.8
MS-I3-P272	Glass	0.0	37.9	1.2	43.8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	17.8	0.0	0.1	100.9
MS-I3-P314	Glass	0.0	27.2	2.5	45.6	0.0	0.0	0.0	0.0	0.0	0.1	0.4	23.1	0.0	0.0	98.9

MS-I3-P371	Glass	0.0	25.7	3.1	40.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	28.2	0.0	0.0	98.1
MS-I3-P391	Glass	0.0	28.9	3.6	41.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	24.5	0.0	0.0	98.8
MS-I3-P475	Glass	0.0	30.6	2.3	42.3	0.0	0.0	0.0	0.5	0.1	0.1	0.5	22.7	0.0	0.0	99.1
MS-I3-P476	Glass	0.0	25.3	1.1	49.1	0.0	0.0	0.0	0.7	0.1	0.6	0.4	21.3	0.0	0.0	98.6
MS-I3-P541	Glass	0.0	27.0	3.3	43.4	0.0	0.0	0.0	2.5	0.2	0.5	0.4	21.5	0.0	0.1	99.0
MS-I3-P556	Glass	0.0	33.1	2.2	41.7	0.1	0.0	0.0	1.3	0.1	0.4	0.4	19.8	0.0	0.0	99.0
MS-I3-P568	Glass	0.0	29.4	3.1	36.7	0.0	0.0	0.0	1.1	0.1	0.0	0.2	28.1	0.1	0.2	99.1
MS-I3-P607	Glass	0.0	35.4	1.5	42.2	0.1	0.0	0.0	3.7	0.1	0.1	0.1	15.7	0.0	0.5	99.5
MS-I3-P628	Glass	0.0	27.8	3.0	35.3	0.0	0.0	0.0	2.1	0.2	0.1	0.3	29.6	0.0	0.0	98.4
MS-I3-P639	Glass	0.0	24.1	2.8	37.2	0.1	0.6	0.0	1.4	0.1	0.5	0.4	32.3	0.0	0.0	99.6
MS-I3-P822	Glass	0.0	26.5	3.6	39.4	0.0	0.1	0.0	0.6	0.1	0.5	0.3	28.3	0.0	0.0	99.4
MS-I3-P881	Glass	0.0	40.9	2.8	39.8	0.0	0.0	0.0	1.1	0.2	0.0	0.1	13.6	0.0	0.0	98.5
MS-I3-P895	Glass	0.0	29.5	1.4	41.9	0.0	0.0	0.0	1.3	0.1	0.1	0.5	22.5	0.0	1.2	98.5
MS-I3-P899	Glass	0.0	28.9	2.9	45.1	0.0	0.0	0.0	2.0	0.1	0.5	0.4	18.4	0.0	0.0	98.3
MS-I3-P941	Glass	0.0	28.2	2.4	37.7	0.1	0.1	0.0	1.9	0.1	0.6	0.5	25.6	0.0	0.0	97.3
MS-I3-P991	Glass	0.0	29.5	2.4	37.3	0.0	0.0	0.0	2.0	0.1	0.1	0.2	24.8	0.1	1.9	98.5
MS-I3-P1116	Glass	0.0	33.2	1.7	41.1	0.1	0.0	0.0	1.5	0.1	0.6	0.3	20.7	0.0	0.0	99.1
MS-I3-P1189	Glass	0.0	20.9	3.7	35.3	0.0	0.0	0.0	4.3	0.2	0.0	0.2	33.4	0.0	0.0	98.1
MS-I4-P91	Glass	0.0	27.6	2.6	44.3	0.0	0.2	0.0	1.1	0.1	0.6	0.3	25.1	0.0	0.0	102.0
MS-I4-P116	Glass	0.3	30.9	1.2	50.9	0.0	0.0	0.0	0.7	0.1	0.5	0.4	14.8	0.0	0.3	100.1
MS-I4-P150	Glass	1.3	31.8	0.5	45.8	0.4	0.0	0.2	0.4	0.0	0.9	1.0	19.0	0.0	0.0	101.2
MS-I4-P463	Glass	0.0	38.0	1.3	44.7	0.1	0.0	0.0	1.0	0.1	0.1	0.2	15.0	0.0	0.0	100.6
MS-I4-P475	Glass	0.0	28.0	2.0	41.7	0.0	0.0	0.0	1.7	0.1	0.0	0.3	27.9	0.0	0.0	101.7
MS-I4-P493	Glass	0.0	36.1	2.7	42.7	0.0	0.0	0.0	1.8	0.2	0.0	0.3	18.7	0.0	0.0	102.5
MS-I4-P527	Glass	0.0	30.0	3.2	45.5	0.0	0.0	0.0	2.6	0.1	0.2	0.5	15.6	0.0	0.0	97.7
MS-I4-P667	Glass	0.3	22.3	1.5	49.8	0.0	0.0	0.0	1.3	0.1	0.8	0.5	23.5	0.0	0.3	100.4
MS-I4-P678	Glass	0.0	29.4	5.9	44.4	0.0	0.0	0.0	4.5	0.2	0.1	0.1	15.7	0.0	0.0	100.4
MS-I6 P44	Glass	0.0	30.0	3.4	39.2	0.0	0.0	0.0	2.8	0.2	0.0	0.2	25.7	0.0	0.0	101.5
MS-I6 P291	Glass	0.0	26.0	2.9	38.4	0.0	0.0	0.0	3.6	0.1	0.0	0.1	29.5	0.0	0.0	100.7
MS-I6 P362	Glass	0.0	40.1	2.6	42.0	0.0	0.0	0.0	2.0	0.1	0.0	0.2	12.8	0.0	0.0	99.8
MS-I7-P22	Glass	0.0	29.5	4.5	44.4	0.1	0.0	0.1	2.0	0.1	0.2	0.3	17.9	0.0	0.0	99.3
MS-I7-P23	Glass	0.0	32.0	3.8	43.7	0.5	0.0	0.0	2.4	0.2	0.1	0.1	17.0	0.0	0.1	100.0
MS-I7-P50	Glass	0.0	31.8	1.6	44.1	0.0	0.0	0.0	1.4	0.1	0.1	0.3	17.7	0.0	0.0	97.1

MS-I7-P58	Glass	0.1	33.8	2.6	46.2	0.0	0.0	0.0	0.7	0.2	0.5	0.4	15.2	0.0	0.1	99.8
MS-I7-P110	Glass	1.1	27.5	2.5	42.2	0.5	0.1	0.5	1.7	0.1	0.6	0.5	16.5	0.0	0.0	93.8
MS-I7-P115	Glass	0.3	33.3	1.3	52.4	0.0	0.0	0.1	0.8	0.1	0.2	0.3	9.5	0.0	0.1	98.3
MS-I7-P150	Glass	0.0	27.5	3.8	46.6	0.2	0.0	0.0	3.3	0.2	0.3	0.4	16.1	0.0	0.1	98.5
MS-I7-P165	Glass	0.0	27.0	3.1	37.4	0.0	0.0	0.0	3.7	0.2	0.1	0.3	26.8	0.0	0.0	98.5
MS-I7-P221	Glass	0.1	35.0	0.4	43.3	0.0	0.0	0.0	0.4	0.0	0.6	0.3	18.5	0.0	0.0	98.7
MS-I7-P323	Glass	0.0	27.6	5.2	45.3	0.0	0.0	0.0	1.1	0.1	0.0	0.1	17.5	0.1	0.2	97.3
MS-I7-P343	Glass	0.1	34.5	2.3	47.4	0.0	0.0	0.1	1.6	0.1	0.2	0.2	11.8	0.0	0.1	98.3
MS-I7-P429	Glass	0.0	24.6	5.0	41.4	0.0	0.0	0.1	3.1	0.2	0.3	0.4	21.2	0.0	0.4	96.7
MS-I7-P445	Glass	0.0	29.8	2.5	42.7	0.0	0.0	0.0	2.1	0.1	0.3	0.3	19.1	0.0	1.0	98.0
MS-I7-P489	Glass	0.0	23.6	2.8	41.2	0.0	0.3	0.0	1.7	0.1	0.4	0.4	26.9	0.0	0.0	97.3
MS-I7-P496	Glass	0.0	27.4	5.7	40.7	0.0	0.0	0.0	2.4	0.2	0.2	0.2	23.1	0.0	0.0	99.9
MS-I8-P3	Glass	0.0	30.8	3.5	41.2	0.0	0.0	0.0	3.3	0.2	0.2	0.3	19.5	0.0	0.0	99.0
MS-I8-P9	Glass	0.0	32.1	3.1	41.8	0.0	0.0	0.0	3.1	0.1	0.1	0.3	18.2	0.0	0.0	99.0
MS-I8-P12	Glass	0.0	33.0	2.2	45.5	0.0	0.0	0.0	1.5	0.1	0.3	0.4	15.8	0.0	0.1	99.0
MS-I8-P33	Glass	0.0	30.0	1.4	42.3	0.0	0.0	0.0	1.1	0.1	0.0	0.6	23.8	0.0	0.0	99.4
MS-I8-P182	Glass	0.0	29.4	3.1	39.2	0.0	0.0	0.0	2.1	0.2	0.0	0.2	24.2	0.1	0.1	98.7
MS-I13-P50	Glass	0.2	28.7	1.6	53.6	0.0	0.0	0.0	1.1	0.1	0.4	0.4	13.5	0.0	0.1	99.7
MS-I13-P68	Glass	0.0	32.3	1.2	48.8	0.0	0.0	0.0	1.0	0.1	0.3	0.2	13.1	0.0	0.0	97.0
MS-I13-P102	Glass	0.0	29.5	1.6	42.3	0.1	0.0	0.0	1.3	0.1	0.3	0.6	21.0	0.0	0.1	96.8
MS-I13-P128	Glass	0.0	31.4	0.6	46.6	0.1	0.0	0.0	0.5	0.1	0.4	0.7	18.1	0.0	0.2	98.7
MS-I13-P195	Glass	0.1	31.2	0.1	48.1	0.1	0.0	0.0	0.1	0.1	0.7	0.4	18.9	0.0	0.0	99.4
MS-I13-P258	Glass	0.0	21.2	2.9	40.7	0.0	0.0	0.0	1.3	0.1	0.2	0.2	29.4	0.1	0.1	96.2
MS-I13-P307	Glass	0.0	25.4	2.1	50.2	0.0	0.1	0.0	1.5	0.1	0.9	1.3	18.6	0.0	0.0	100.3
MS-I13-P525	Glass	0.3	34.4	2.4	45.6	0.0	0.0	0.0	0.9	0.1	0.3	0.4	14.3	0.0	0.1	98.7
MS-I19-P36	Glass	0.0	30.2	2.1	41.9	0.1	0.0	0.0	1.8	0.1	0.1	0.1	21.7	0.0	0.0	98.2
MS-I19-P41	Glass	0.0	26.5	3.0	42.1	0.0	0.0	0.0	1.8	0.1	0.1	0.4	26.4	0.1	0.8	101.4
MS-I19-P50	Glass	0.0	30.2	0.7	46.1	0.0	0.0	0.0	0.6	0.1	0.3	0.5	22.4	0.0	0.0	100.8
MS-I19-P54	Glass	0.0	31.5	1.5	45.3	0.0	0.0	0.0	1.3	0.1	0.2	0.5	19.8	0.0	0.6	100.9
MS-I19-P80	Glass	0.0	33.8	2.2	43.0	0.0	0.0	0.0	1.7	0.1	0.0	0.2	18.0	0.0	0.1	99.2
MS-I19-P127	Glass	0.0	29.0	3.2	41.2	0.0	0.0	0.0	2.3	0.1	0.1	0.5	22.9	0.0	0.6	100.0
MS-I19-P205	Glass	0.0	28.9	2.8	42.3	0.1	0.0	0.0	2.3	0.1	0.2	0.4	23.6	0.0	0.3	101.1
MS-I19-P218	Glass	0.0	32.0	3.0	39.6	0.0	0.0	0.0	2.4	0.1	0.0	0.4	21.9	0.0	0.0	99.4

MS-I19-P354	Glass	0.0	26.9	2.7	40.3	0.1	0.1	0.0	1.0	0.1	0.6	0.3	26.4	0.1	0.0	98.5
MS-I19-P537	Glass	0.0	29.0	3.1	46.0	0.0	0.0	0.0	2.4	0.1	0.1	0.2	15.8	0.0	0.7	97.5
MS-I19-P603	Glass	0.0	48.9	0.6	41.0	0.0	0.0	0.0	0.7	0.0	0.0	0.3	7.3	0.0	0.0	98.9
MS-I26-P2	Glass	0.0	30.6	2.4	46.4	0.0	0.0	0.0	1.7	0.1	0.3	0.3	16.3	0.0	0.1	98.3
MS-I26-P31	Glass	0.0	28.3	3.0	39.9	0.0	0.0	0.0	4.0	0.1	0.1	0.4	22.7	0.0	0.1	98.7
MS-I30-P9	Glass	0.1	31.1	2.5	47.3	0.1	0.0	0.0	2.2	0.2	0.3	0.1	15.8	0.0	0.8	100.6
MS-I30-P24	Glass	0.0	28.4	2.5	45.1	0.0	0.0	0.0	2.1	0.1	0.2	0.6	21.5	0.0	0.2	100.9
MS-I30-P59	Glass	0.0	30.5	2.6	45.4	0.0	0.0	0.0	1.7	0.1	0.2	0.4	19.6	0.0	0.0	100.6
MS-I30-P90	Glass	0.0	28.3	0.1	45.9	0.0	0.0	0.0	0.1	0.0	0.2	0.2	25.9	0.0	0.1	100.8
MS-I30-P96	Glass	1.1	25.9	3.4	49.4	0.1	0.0	0.1	2.3	0.1	0.5	0.4	16.7	0.0	0.2	100.1
MS-I30-P142	Glass	0.0	33.2	1.4	41.6	0.1	0.0	0.0	1.2	0.1	0.2	0.2	23.3	0.0	0.1	101.5
MS-I30-P187	Glass	2.0	20.8	4.6	43.3	0.1	0.0	0.2	2.1	0.2	0.2	0.4	22.2	0.1	0.2	96.1
MS-I30-P369	Glass	0.0	23.9	2.9	48.4	0.1	0.3	0.0	0.7	0.2	0.5	0.2	21.1	0.1	0.0	98.4
MS-I31-P38	Glass	2.9	34.9	1.7	47.1	0.6	0.1	0.4	1.6	0.1	0.9	0.7	9.6	0.0	0.0	100.4
MS-I31-P113	Glass	0.2	10.2	11.0	49.3	0.0	0.0	0.0	10.2	0.5	0.5	0.2	14.4	0.0	0.1	96.6
MS-I31-P130	Glass	0.2	31.8	0.3	46.5	0.1	0.0	0.0	0.2	0.1	0.4	0.8	17.0	0.0	0.1	97.4
MS-I31-P145	Glass	0.1	28.5	3.0	39.2	0.0	0.1	0.0	0.9	0.1	0.6	0.1	27.5	0.0	0.0	100.0
MS-I31-P158	Glass	0.0	28.2	2.6	41.1	0.0	0.1	0.0	1.3	0.1	0.4	0.3	23.1	0.1	0.0	97.4
MS-I31-P180	Glass	0.0	30.8	2.9	41.6	0.1	0.0	0.0	2.2	0.1	0.6	0.3	19.3	0.0	0.0	98.0
MS-I31-P186	Glass	0.1	27.8	1.6	43.9	0.0	0.0	0.0	1.8	0.1	0.5	0.4	21.2	0.0	0.6	98.1
MS-I31-P226	Glass	0.0	26.1	2.7	41.5	0.0	0.1	0.0	1.6	0.1	0.3	0.2	25.7	0.0	0.0	98.4
MS-I31-P273	Glass	0.0	24.6	2.5	46.0	0.0	0.1	0.0	2.0	0.1	0.7	0.4	21.5	0.0	0.1	98.0
MS-I31-P337	Glass	0.0	23.8	2.6	38.4	0.1	0.8	0.0	1.4	0.1	0.5	0.3	31.2	0.0	0.0	99.3
MS-I31-P390	Glass	0.0	23.3	2.7	49.0	0.0	0.0	0.0	2.4	0.1	0.4	0.4	18.7	0.0	0.0	97.0
MS-I31-P457	Glass	0.0	21.9	0.6	48.8	0.0	0.0	0.0	0.5	0.0	0.5	0.2	25.5	0.0	0.4	98.5
MS-I31-P590	Glass	0.0	31.2	0.0	46.0	0.1	0.0	0.0	0.0	0.0	0.4	0.5	20.8	0.0	0.0	99.1
MS-I35-P18	Glass	0.0	26.7	2.5	41.4	0.1	0.0	0.0	1.9	0.1	0.6	0.4	26.2	0.0	0.0	100.0
MS-I35-P22	Glass	0.0	26.7	2.5	41.4	0.1	0.0	0.0	1.9	0.1	0.6	0.4	26.2	0.0	0.0	100.0
MS-I35-P29	Glass	0.0	31.0	1.7	47.9	0.2	0.0	0.0	2.5	0.2	0.8	0.2	14.1	0.0	0.2	98.7
MS-I35-P39	Glass	0.3	20.1	3.9	43.3	0.1	0.0	0.1	4.8	0.2	0.2	0.3	23.3	0.0	0.2	96.7
MS-I35-P43	Glass	0.0	29.3	1.7	41.7	0.0	0.0	0.0	0.9	0.1	0.1	0.3	22.8	0.0	0.0	97.0
MS-I35-P191	Glass	0.0	26.6	1.1	48.0	0.0	0.0	0.0	1.0	0.1	0.6	0.5	18.9	0.0	0.4	97.2
MS-I35-P326	Glass	0.0	25.6	2.8	41.4	0.1	0.0	0.0	2.3	0.1	0.7	0.5	26.2	0.0	0.0	99.9

MS-I35-P332	Glass	0.0	19.2	1.9	47.5	0.0	0.0	0.0	1.7	0.1	0.2	0.9	27.0	0.1	1.2	99.9
MS-I35-P345	Glass	0.1	29.5	2.4	56.9	0.0	0.0	0.0	1.2	0.1	0.5	0.3	9.4	0.0	0.0	100.6
MS-I35-P421	Glass	0.0	25.0	2.5	37.6	0.0	0.0	0.0	1.9	0.1	0.4	0.3	31.3	0.1	0.1	99.3
MS-I35-P434	Glass	0.0	24.8	3.3	37.5	0.1	0.0	0.0	3.0	0.2	0.1	0.3	30.9	0.0	0.0	100.3
MS-I35-P435	Glass	0.0	25.1	3.4	38.1	0.1	0.0	0.0	3.0	0.2	0.0	0.2	30.7	0.0	0.1	101.0
MS-I35-P466	Glass	0.0	21.1	3.1	35.3	0.0	0.2	0.0	1.4	0.1	0.5	0.3	37.2	0.0	0.0	99.3
MS-I35-P469	Glass	0.0	27.5	3.2	38.8	0.0	0.0	0.0	0.9	0.1	0.0	0.1	29.5	0.0	0.0	100.2
MS-I35-P514	Glass	0.5	27.5	1.3	53.2	0.0	0.0	0.3	0.9	0.1	0.7	0.8	13.4	0.0	0.0	98.8
MS-I35-P560	Glass	0.0	27.0	2.3	45.4	0.0	0.0	0.0	1.8	0.1	0.5	0.6	20.0	0.0	0.3	97.9
MS-I35-P564	Glass	0.0	23.5	3.4	46.6	0.1	0.0	0.0	3.1	0.1	0.6	0.6	19.4	0.3	0.2	97.8
MS-I35-P632	Glass	0.3	15.1	14.0	45.5	0.0	0.0	0.0	4.9	0.0	0.2	0.1	17.1	0.1	0.1	97.5
MS-I35-P656	Glass	0.7	1.3	4.4	34.6	1.3	0.8	0.8	3.1	0.4	0.0	0.1	52.8	0.1	0.0	100.5
MS-I35-P685	Glass	0.1	25.0	3.8	37.1	0.0	0.0	0.0	1.3	0.1	0.0	0.1	32.2	0.1	0.0	99.9
MS-I35-P698	Glass	0.8	31.6	3.8	44.9	0.3	0.1	0.1	0.0	0.0	0.8	0.7	17.4	0.0	0.0	100.4
MS-I35-P782	Glass	0.0	33.6	4.8	40.6	0.1	0.0	0.0	4.2	0.3	0.0	0.3	15.9	0.0	0.0	99.8
MS-I35-P785	Glass	0.0	24.2	2.5	45.4	0.1	0.1	0.0	3.0	0.1	0.5	0.4	23.3	0.0	0.4	100.0
MS-I35-P928	Glass	0.0	36.2	2.6	44.0	0.0	0.0	0.0	0.9	0.1	0.1	0.3	15.4	0.1	0.0	99.7
MS-I35-P954	Glass	0.0	29.3	3.0	37.2	0.0	0.0	0.0	2.2	0.2	0.0	0.0	26.9	0.0	0.1	98.8
MS-I35-P996	Glass	0.0	44.9	0.1	40.7	0.0	0.0	0.0	0.1	0.0	0.0	0.2	9.5	0.1	0.0	95.6