



## Properties of exopolymeric substances (EPS) produced during cyanobacterial growth: potential role in whiting events

Marlisa Martinho de Brito<sup>1\*</sup>, Irina Bundeleva<sup>1</sup>, Frédéric Marin<sup>1</sup>, Emmanuelle Vennin<sup>1</sup>, Annick Wilmotte<sup>2</sup>, Laurent Plasseraud<sup>3</sup> and Pieter T. Visscher<sup>1,4</sup>,

<sup>1</sup>Biogeosciences Laboratory, Department of Life, Earth and Environmental Sciences, University of Bourgogne Franche-Comté, 21000 Dijon, France <sup>2</sup>InBios Research Unit, Department of Life Sciences, Faculty of Sciences, University of Liège, 4000 Liège, Belgium <sup>3</sup>ICMUB Institute of Molecular Chemistry (CNRS UMR CNRS 6302), University of Burgundy-Franche-Comté, 21000 Dijon, France <sup>4</sup>Department of Marine Sciences, The University of Connecticut, Groton, CT 06340, USA

Correspondence to: Marlisa Martinho de Brito (marlisa de-brito@etu.u-bourgogne.fr)

12 13 14

16 17

18

19 20

21

22

23

24 25

27 29

30 31

40

45

47

48

49

50 51

52

53 54


55

57

58 59 Extracellular polymeric substances (EPS) are an important organic carbon reservoir in many pelagic and benthic environments. The production of EPS is intimately associated with the growth of phyto- and picoplankton. EPS plays a critical role in carbonate precipitation through the binding of cations and by acting as a nucleation site for minerals. Large-scale episodes of fine-grained calcium carbonate precipitation in the water column (whiting events) have been linked to cyanobacterial blooms, including of Synechococcus spp.,. The mechanisms that trigger these precipitation events are still debated. We pose that the cyanobacterial EPS, produced during exponential and stationary growth phases plays a critical role in the formation of whitings. The aim of this study was to investigate the production of EPS during a two-month cyanobacterial growth, mimicking a bloom. We further evaluated the potential role of EPS in carbonate precipitation. The production and properties of EPS produced at different Synechococcus spp., growth stages were investigated and carbonate mineral formation within these EPS matrices was determined in forced precipitation experiments. EPS produced during the early and late stationary phase contained a larger amount of negatively charged groups than present in EPS produced during the exponential phase. Consequently, a higher Ca2+ binding affinity of the stationary phase-EPS led to the formation of a larger amount of smaller carbonate minerals (<50 µm) compared to crystals formed in exponential phase-EPS, which were tess and larger (> 50 µm). These findings were used to establish a conceptual model for picoplankton bloom-mediated CaCO3 precipitation that can explain the role of EPS in whitings (see graphical abstract).

### Graphical abstract

## EPS production at three different stages of Synechococcus growth



### 1. Introduction

### 1.1 Significance of this study

Massive carbonate precipitation episodes in the water column, also referred to as 'whitings events' are a well-known phenomenon of modern freshwater ( Schultze-Lam et al., 1997; Hodell et al., 1998; Stanton et al., 2021) and marine environments (Shinn et al., 1989; Robbins and Blackwelder, 1992; Larson and Mylroie, 2014). Whitings are caused by large-scale precipitation of micron-sized calcium carbonate particles (visible from space) and represent a major sink in the carbon cycle. The particles associated with whitings can make up a major sedimentary constituent of the modern-day and ancient carbonate rock records (Pomar and Hallock, 2008). Whiting events can be triggered by a combination of biological and physicochemical processes. Among the biological mechanisms that have been studied in this context, picocyanobacterial proliferations also known as blooms (Huisman et al., 2018) have often been invoked in the initiation of whitings (Thompson and Ferris, 1990; Hodell et al., 1998; Thompson, 2000; Obst et al., 2009). The process of photosynthesis results in an increase of pH levels and alkalinity during cyanobacterial blooms, ultimately causing the saturation state of calcium carbonate to rise, thereby leading to its potential precipitation. The role of Synechococcus spp. bloomforming cyanobacteria in CaCO3 precipitation has been demonstrated in laboratory experiments (Yates and Robbins, 1998; Dittrich et al., 2003; Obst et al., 2009; Bundeleva et al., 2014; Martinho de Brito et al., 2022) and observed in field investigations (Wells and Iling, 1964; Thompson et al., 1990; Dittrich and Obst., 2004). e in temperature, salinity, CO<sub>2</sub> pressure as well as turbulence are some of the physicochemical factors can lead to the formation of supersaturated solutions and subsequent precipitation of CaCO3 thus initiating the whiting. Even though several possible biogenic and abiotic mechanisms have been identified, the formation of whitings is still poorly understood.





#### 61 1.2 Overview of phytoplankton blooms

Phytoplankton blooms, including those of picoplankton, are dense accumulations of cells resulting in a visible discoloration of the surface water layers (Reynolds and Walsby, 1975; Huisman et al., 2018). Their occurrence has been recorded worldwide in marine and freshwater bodies (Paerl et al., 2001; Paerl and Huisman, 2008; Ploug, 2008). Light intensity, water temperature, nutrient availability, weather conditions and hydrodynamics are key factors that determine the onset and persistence of a bloom. Blooms are typically seasonal, frequently observed during late spring or summer, and can be dominated by picoplankton (Huisman et al., 2018). Some phytoplankton organisms, notably cyanobacteria, may produce toxins and form large-scale harmful algal blooms (Paerl et al., 2001). The intensity and frequency of cyanobacterial blooms have been increasing due to anthropogenic eutrophication (Heisler et al., 2008; O'Neil et al., 2012), a trend expected to exacerbate due to climate change (Lürling et al., 2018). Cyanobacteria comprise a diverse group of photoautotrophic organisms that play a pivotal role in global primary production and are key players in the biogeochemical cycles of carbon, nitrogen and oxygen (Callieri and Stockner, 2000; Whitton and Potts, 2012; Raven et al., 2017). The unicellular cyanobacterium *Synechococcus* is one of the most abundant photosynthetic microorganisms on Earth (Whitton and Potts, 2012), which contribute substantially to the picoplankton community in marine (Murphy and Haugen, 1985; Coello-Camba and Agustí, 2021) and freshwater environments (Weisse, 1993) that can form dense blooms (Schultze-Lam et al., 1992; Phlips et al., 1999; Dittrich and Obst, 2004b).

#### 1.3 Phytoplankton blooms and CaCO<sub>3</sub> precipitation

During the occurrence of dense phytoplankton blooms, high rates of photosynthetic activity lead to a rapid depletion of CO₂ in the surface waters, increasing alkalinity.

Depending on the buffering capacity of the water, this could result in pH values ≥ 9 to as high as 11 (Ibelings and Maberly, 1998; Zepernick et al., 2021). Consequently,
the inorganic carbonate equilibrium shifts towards carbonate (CO₃²). Some cyanobacteria possess a carbon concentrating mechanism (CCM) that converts HCO₃¹ to
CO₂ through the action of carbonic anhydrase enzymes (Price et al., 1998; Badger et al., 2002) and produce hydroxide ions (Kupriyanova and Pronina, 2011). The
activity of extracellular carbonic anhydrase (eCA) may contribute to the create an alkaline microenvironment in the extracellular polymeric substances (EPS)
surrounding the cyanobacterial cells (Price et al., 2002; Dupraz et al., 2009). When OH¹ ions are released during photosynthesis it causes the pH to rise, which favors
carbonate mineral precipitation, assuming there is enough calcium ions available (Kamennaya et al., 2012). Consequently, during blooms, carbonate minerals can
form on EPS or precipitated in the microenvironment surrounding cyanobacterial cells.

#### 82 1.4 The role of EPS

73

Cyanobacteria are known producers of EPS (De Philippis et al., 2001; Pereira et al., 2009; Dittrich and Sibler, 2010), especially during blooms (Pannard et al., 2016; 83 Liu et al., 2018). EPS serve as a boundary between cells and their immediate environment (Whitton and Potts, 2012) and may act as a template for CaCO<sub>3</sub> nucleation (Dupraz and Visscher, 2005; Dupraz et al., 2009; Kamennaya et al., 2012). EPS are high molecular weight organic molecules composed of polysaccharides, proteins, nucleic acids and lipids (Pereira et al., 2009; Marvasi et al., 2010; Decho and Gutierrez, 2017). This complex mixture of molecules may contain specific monomers components, such as uronic or sialic acids (monosaccharides), aspartic or glutamic acids (amino acids) or functions (sulfate, phosphate), which carry negative charges in physiological conditions and can therefore bind cations, such as Ca<sup>2+</sup>, and promote the nucleation of CaCO<sub>3</sub> crystals (Trichet and Defarge, 1995; Braissant et al., 2003; Dupraz et al., 2009; Dittrich and Sibler, 2010; Walker et al., 2019). Conversely, polyanionic EPS in solution can inhibit crystal growth by poisoning the faces of growing nuclei by an adsorption mechanism, according to a classical and accepted view prevailing for other macromolecules of similar charge properties: synthetic peptides (Wheeler et al., 1991), skeletal proteins (Wheeler et al., 1981; Addadi and Weiner, 1985), coccolith-associated polysaccharides (Borman et al., 1982) or natural organic matter dissolved in seawater (Mitterer and Cunningham, 1985). The production and composition of EPS differ among different species of microorganisms and their type of metabolism and depend on environment in which they live and stresses (e.g., nutrient availability, pH, temperature, light, salinity) and the stage of their growth (Pereira et al., 2009; Pannard et al., 2016; Martinho de Brito et al., 2022). The deprotonation of functional groups at elevated pH enhances the binding capacity of cations such as Ca2+ and controls crystal nucleation and growth by reducing the interfacial energy barrier between the crystal and the EPS  $substrate \ (Dupraz\ et\ al., 2009;\ Dittrich\ and\ Sibler, 2010).\ EPS\ play\ a\ two-fold\ role\ in\ carbonate\ formation\ by\ initially\ inhibiting\ (through\ Ca^{2+}\ binding)\ and\ subsequently$ promoting carbonate precipitation by releasing calcium ions during EPS alteration and degradation (Dupraz and Visscher, 2005; Dupraz et al., 2009). Furthermore, through specific functional group composition and structural architecture, EPS may also exert control over the mineralogy, morphology and/or abundance of the minerals that are formed (Trichet and Defarge, 1995; Dupraz et al., 2009).

## 1.5 The goal of this study

100

We have previously reported that the pH of *Synechococcus* cultures increased when grown in a non-buffered medium (Martinho de Brito et al., 2022). In these growth conditions, the production of EPS was enhanced compared to growth in a buffered medium. Furthermore, the EPS from cells grown in non-buffered conditions contained more negatively-charged functional groups that impacted the properties of the carbonate minerals that precipitated (Martinho de Brito et al., 2022). The current study further investigates the properties of EPS produced during different growth phases of *Synechococcus* spp. Over an extended incubation time (mimicking a prolonged natural bloom). We aim to better understand the role of cyanobacterial blooms in carbonate precipitation through EPS production and develop a conceptual model of picoplankton-mediated organomineralization to explain the biological origin of whiting events.

### 107 2. Materials and Methods

### 2.1 Synechococcus PCC7942 strain and culture growth conditions

Synechococcus PCC7942 was obtained from the Centre de Ressources Biologiques de l'Institut Pasteur (Paris). Cultures were grown in a one-third-strength, non-buffered liquid BG-11 medium (Allen, 1968; Rippka et al., 1979). The medium consists of (per liter): 1.5 g of NaNO<sub>3</sub>; 0.04 g of K<sub>2</sub>HPO<sub>4</sub>2H<sub>2</sub>O; 0.075 g of MgSO<sub>4</sub>7H<sub>2</sub>O; 0.036 g of CaCl<sub>2</sub>2H<sub>2</sub>O; 6 mg of citric acid combined with 6 mg of ferric citrate; 0.001 g of Na<sub>2</sub>EDTA2H<sub>2</sub>O and 0.02 g of Na<sub>2</sub>CO<sub>3</sub>. Trace metal solutions contained (per liter) 2.86 mg of H<sub>3</sub>BO<sub>3</sub>; 1.81 mg of MnCl<sub>2</sub>4H<sub>2</sub>O; 0.222 mg of ZnSO<sub>4</sub>7H<sub>2</sub>O; 0.39 mg of Na<sub>2</sub>MOO<sub>4</sub>2H<sub>2</sub>O; 0.079 mg of CuSO<sub>4</sub>5H<sub>2</sub>O and 0.0494 mg of Co(NO<sub>3</sub>)<sub>2</sub>6H<sub>2</sub>O. Cultures were incubated at room temperature (21°C±2), in a light/dark cycle of 12h/12h under 36.8 μE m<sup>-2</sup> s<sup>-1</sup> of photon irradiance while shaken at 200 rpm in a Cimarec i Multipoint Stirrer, 6 Position, 2000 rpm, 3L per Multipoint, 100-240 VAC rotary shaker.





#### 115 2.2 Experimental design of Synechococcus-bloom formation

- 116 Two independent growth experiments were performed in 1L glass serum bottles containing 800 mL of 1/3 BG-11 medium adjusted to pH 7.5, sealed with silicone caps
- 117 to allow gas exchange. Cells used for the inoculum (pH = 9.2) were pre-cultured in a full-strength BG-11. Immediately after inoculation (30 mL/bottle), the pH
- 118 increased to approximately 8.2.

#### 119 2.2.1 Experiment I

- 120 In the first growth experiment, six bottles were inoculated with Synechococcus PCC7942. Cell growth and EPS production were examined. Optical density (OD<sub>750mm</sub>),
- 121 pH and cell counts were monitored weekly (2-3 times by week). EPS was extracted on days 14, 28 and 56 of cultivation (two bottles were harvested at each sampling
- 122 time).

127

#### 123 2.2.2 Experiment II

- 124 The second growth experiment was performed in quadruplicate. Chlorophyll a (Chla), extracellular carbonic anhydrase activity (eCA), nutrients (NO<sub>3</sub><sup>-</sup> and PO<sub>4</sub><sup>3-</sup>) and
- 125 calcium concentration were analysed at 0, 14, 28 and 56 days of cultivation. pH values, OD and cell counts were also assessed at longer intervals (once per week) than
- 126 in Experiment I.

#### 2.3 Growth assessment

#### 128 2.3.1 Optical density, cell counts and pH values

- 129 The pH value was measured with a CRISON GLP 21 pH meter (Crison Instruments SA, Alella, Spain). Cell growth was monitored through cell counts and OD<sub>750</sub>
- 130 measurements. Cell counts were performed using a counting chamber (Neubauer, Mariangela, Germany) by randomly selecting five fields of view and counting
- 131 approximately 100-200 cells. The OD at 750 nm of a 1-ml sample of the culture was measured in a Bio-Rad SmartSpec Plus Spectrophotometer (Bio-Rad, Hercules,
- 132 CA, USA)

#### 133 2.3.2 Chlorophyll-a extraction

- 134 Chla was extracted from 2 ml culture aliquots using a methanol extraction method (Stal et al., 1984). Following the extraction in the dark at 4 °C, samples were
- 135 centrifuged. The Chla absorbance was measured in the supernatant at 665 nm using a Bio-Rad SmartSpec Plus Spectrophotometer (Bio-Rad, Hercules, CA, USA).

## 136 2.3.3 Extracellular carbonic anhydrase activity

- 137 The extracellular carbonic anhydrase (eCA) activity was measured using a BioVision Carbonic Anhydrase Activity Assay Kit Kit (BioVision, Ref. K472-100, Abcam,
- 138 Waltham, MA, USA) according to the manufacturer's specifications. Aliquots of ~ 5 ml were analysed immediately after the collection. To avoid cell lysis and
- 139 intracellular CA contamination, samples were not centrifuged. The cells were separated from the supernatant by using a 1 mL syringe and a 0.20 µm NALGENE®
- 140 syringe filter. The absorbance was measured in a Bio-Rad Model 680 Microplate Reader at 405 nm.

### 141 2.3.4 Nitrogen, phosphorus and calcium measurements

- 142 Phosphate, nitrate, nitrite and calcium concentrations were determined in the growth medium at 0, 14, 28 and 56 days of cultivation. Cells were removed by
- $143 \qquad centrifugation and filtration through a 0.20 \ \mu m \ Millipore filter under a mild vacuum. The samples were stored at 4°C in the dark until measured by ion chromatography.$
- 144 Analyses were realized within the PEA2t technical platform of the Chrono-Environment Laboratory UMR6249 (Université de Franche-Comté, Besançon, France) and
- 145 the Ca<sup>2+</sup> concentration was determined by ICP-AES (dual axial and radial view iCAP Pro XP model with fast loop, Thermofisher Scientific, Courtaboeuf, France)
- 146 available at the University of Franche-Comté, Besançon, France.

### 147 2.4 EPS extraction and purification

- 148 EPS were extracted from the Synechococcus cultures as previously described by Martinho de Brito et al. (2022). EPS were harvested after 14, 28 and 56 days of
- 149 cultivation. Cyanobacterial cells were inspected by microscopy to ensure that no cell lysis had occurred during the extraction process. The pure EPS fractions were
- 150 obtained by ultrafiltration (>10 kDa = retentate) for volume reduction and the weight of the material was determined following by dialysis (using a 1 kDa Membrane)
- 151 lyophilization on a high-precision analytical balance (Quintix 35-1S, Sartorius, Gottingen, Germany).

### 152 2.5 EPS characterization

### 153 2.5.1 Fourier Transform-Infrared Spectroscopy

- 154 FT-IR spectra were obtained from freeze-dried EPS on an FT-IR Bruker Alpha spectrometer (Bruker Optics SARL, Marne la Vallée, France) fitted with an Attenuated
- 155 Total Reflectance (ATR) ALPHA-P device equipped with a mono-reflection diamond crystal. A total of 24 scans were performed on each sample at a spectral
- 156 resolution of 4 cm<sup>-1</sup> in the 4000–375 cm<sup>-1</sup> wavenumber range. The qualitative assignment of absorption bands was performed by comparison with spectra available in
- 157 the literature (Coates, 2000).

### 158 2.5.2 Protein, sugar and glycosaminoglycan [quantification]

- 159 The total protein content of EPS was determined using the Bicinchoninic acid assay (Pierce\* BCA Protein Assay Kit) and bovine serum albumin as the standard. The
- total sugar content was determined by a modified phenol-sulfuric acid method (Dubois et al., 1956) and xanthan and dextran were used as standards (Sigma-Aldrich,
- 161 St. Louis, MO, USA). The total glycosaminoglycan (GAGs) content was quantified using the Blyscan Assay according to the manufacturer's protocol (Blyscan Kit
- 162 B1000, Biocolor Ltd., Antrim, UK) with chondroitin sulphate as the standard. All assays were carried out in duplicate.





#### 163 2.5.3 Visualization of polyanionic macromolecules on Alcian Blue stained gels

- 164 Sodium Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis (SDS-PAGE) followed by Alcian Blue staining (Wall and Gyi, 1988) were used to separate and to stain
- negatively charged macromolecules (10- > 170 kDa), respectively. Alcian Blue is a dye that specifically binds to glycoconjugates with an acidic character (e.g.,
- containing carboxylated or sulfated functional groups). Samples were analysed on one-dimensional precast gradient protein gels (TGX Gel 4-15%, 90 mm x 70 mm)
- on a Mini-Protean 3 cell (Bio-Rad, Hercules, CA, USA), according to the method previously described by Martinho de Brito et al. (Martinho de Brito et al., 2022). 167
- Prior to migration, samples were heat-denatured in standard 2xLaemmli sample buffer (5 min., 99°c, ref. 1610737, Bio-Rad). A pre-stained protein ladder (Euromedex, 168
- #06P-0111; MW: 10 kDa to > 170 kDa) was used as a reference. 169

#### 170 2.5.4 Inhibitory effect of EPS using pH-drift assay

- 171 The capacity of negatively charged functional groups in EPS to inhibit the in vitro precipitation of calcium carbonate was tested with the pH-drift assay (Wheeler et
- 172 al., 1981; Marin et al., 2000; Kawaguchi and Decho, 2002). This assay was performed as previously described by Martinho de Brito et al. (2022). Briefly, the pH was
- recorded by a pH meter (Laboratory Research Grade Benchton pH/mV Meter with 0.001 pH Resolution-HI5221) connected to a PC via a USB cable. Data were 173
- recorded by the HANNA HI92000 software. The pH was measured every 2 s for 15 min. The shape of the curve (after reaching its maximum, about one minute after 174 175
- T0) reflects directly the inhibitory capacity of the tested EPS: a fast decrease in pH (decreasing exponential) indicates ongoing precipitation, i.e. the absence of
- inhibition, while a delayed decrease, resulting in a plateau around pH 8, means an inhibitory effect, proportional to the length of the plateau. Between each experiment,
- the electrode was refreshed with dilute acid and blank tests (without EPS) were performed.

#### 2.6 Interaction of EPS with the in vitro precipitation of CaCO<sub>3</sub> 178

- The potential of the EPS matrix to interact with the precipitation of calcium carbonate was tested via the diffusion method in the presence of a closed ammonia-CO2 179
- saturated atmosphere (Albeck et al., 1993). 200 µL of the mixture containing pre-filtered (0.22 µm) CaCl<sub>2</sub> solution (10 mM) and EPS at increasing concentrations (3, 180
- 18, and 36 µg.mL-1) were incubated in duplicate in 16-well plates (Lab-Tek, Nunc/Thermo Scientific, Rochester, NY, USA). The EPS concentrations were selected
- to match the EPS yields at the extraction times (14, 28 and 56 days of cultivation). The plastic covers of the well plates were perforated to allow the reaction between 182
- CaCl<sub>2</sub> solutions containing EPS and ammonium bicarbonate. The well plates were placed in a desiccator that was incubated at 4°C in the dark for 72 hrs. At the 183
- completion of the incubation period, the pH value was measured in each well and the overlying solutions were carefully removed to dryness and CaCO3 crystals 184
- analysed. Blank experiments were performed without any EPS. The experiment was carried out in duplicates. 185

### 2.6.1 Morphology and mineralogy of the crystals

- The 16-well plates containing crystals were used in two manners: first, the morphology of the CaCO3 crystals was checked with a tabletop scanning electron microscope 187
- 188 (Hitachi TM 1000, Ibariki, Japan) in back-scattered electron mode. To this end, the glass plate base was unsealed from its plastic well part and directly observed
- 189 without carbon or gold sputtering. Secondly, the polymorph of the calcium carbonate minerals was determined by FT-IR spectroscopy using an FT-IR Bruker Alpha
- (Bruker Optics, SARL, Champs-sur-Marne, France), Mineral phases were determined by comparison of the spectra with the reference spectra available in the RRUFF 190
- Project database (https://rruff.info, accessed on January1st, 2022). 191

#### 192 2.6.2 Crystal counts and size distribution

- 193 CaCO3 crystals were counted directly in the 16-well plates using an inverted microscope (Nachet, Paris, France) equipped with Mosaic 2.2.1 image analysis software.
- 194 Images were processed to obtain crystal sizes (average width and length of size classes < 50 um and > 50 um) and the total count of crystals in each well. A total of
- ten fields of view accounting for 15.5 mm<sup>2</sup> were analysed. The results are reported as the mean  $\pm$  standard error of the mean. 195

#### 2.7 Statistical analysis 196

- All the data concerning Synechococcus growth and EPS production are representative of two independent experiments with two technical replicates (four replicates 197
- 198 for EPS extracted at 56 days of culture). The results are reported as the mean ± standard error of the mean. Statistical significance was assessed by performing single-
- factor ANOVA tests; p-values < 0.05 were statistically different. 199

#### 3. Results 200

201

## 3.1 Trends in Synechococcus PCC7942 growth experiments and pH evolution

- Cell density and pH values increased over the Synechococcus cultivation period (Figure 1A and 1B). The growth of Synechococcus cells showed a typical pattern 202
- including a brief lag phase (~6-7 days) followed by a 7-day (experiment I) and 14-day (experiment II) exponential phase and finally a stationary phase. The stationary 203
- 204 phase (early stationary phase) was reached after 14 and 21 days of growth in experiment I and II, respectively, and lasted until day 56 of cultivation in both experiments
- (late stationary phase) (Figure 1A). Growth experiments I and II started with a similar cell density of approximately 1010 cells.L-1 and demonstrated reproducible 205
- 206 growth patterns. At the time of inoculation, cell density was  $9.51 \times 10^{10}$  in experiment I and  $7.11 \times 10^{10}$  cells.L<sup>-1</sup> in experiment II (Figure 1A). Synechococcus grew
- 207 exponentially over the first 19 days in experiment I and over 21 days in experiment II until reaching a maximum of  $1.9 \times 10^{12}$  and  $1.5 \times 10^{12}$  cells.L<sup>-1</sup>, respectively. 208
- At the end of the exponential growth phase, the cell numbers levelled off and achieved a stable growth stage (stationary phase). Typical evolutions of pH values in culture media during the Synechococcus growth experiments are presented in Figure 1B. As a general trend, pH is linked to the photosynthetic activity of cyanobacteria. 209
- The pH levels rose rapidly during the exponential phase in both experiments, reaching around 10, and stayed steady during the stationary phase. While experiment 1
- ed significant pH fluctuations during the latter part of the stationary phase, overall, the pH evolution trends for both experiments are comparable (Figure








Figure 1. Evolution of biomass of Symechococcus PCC 7942 culture in units of 10<sup>10</sup> cells.L.<sup>10</sup> (A) and pH evolution (B) during exponential, early and late stationary phases. The vertical dotted lines (B) represent the stage transition between lag, exponential and stationary phases. Each value is the mean ± SD of all replicate values.

#### 216 3.2 Extracellular carbonic anhydrase

The activity of extracellular carbonic anhydrase (eCA) in solution changed slightly over the growth experiment (Figure 1S). The highest eCA activity (~1600) was detected after 14 days of culture, during the exponential phase. The lowest activity was measured after 56 days of growth, in the late stationary phase.

#### 3.3 Nutrient concentrations during growth

Nutrient concentration during the growth experiment is shown in Table 1. High nitrate concentrations supported exponential growth and high cell density. The results show that a major decrease in nitrate and phosphate concentrations occurred during the exponential growth phase and remained slowed down progressively over the stationary phase. At the end of the stationary phase, phosphate was virtually depleted, whereas 67% of nitrate was still available compared to its initial concentration. Ammonium concentration was below the limit of detection (0.05–40 µg.L<sup>-1</sup>). Ca<sup>2+</sup> concentrations decreased gradually and accounted for the total calcium concentration of 81% in the late stationary phase.

Table 1. Concentrations of NO<sub>3</sub><sup>+</sup>, PO<sub>4</sub><sup>5</sup> and Ca<sup>2+</sup> (μM) in the culture medium before inoculation (one-third-strength BG-11 medium) and at 0, 14, 28 and 56 days of *Synechococcus* growth experiment are given as mean concentrations of four replicates (n=4).

		Synechococcus growth phases			
Major anions and cations $(\mu M) \label{eq:mumum}$	Initial concentrations in the medium	Exponential	Early stationary	Late stationary	
NO <sub>3</sub> -	7082	5731	5544	4716	
PO <sub>4</sub> 3-	68	39	41	21	
Ca <sup>2+</sup>	102	91	88	83	

### 3.3 Abundance of EPS

The recovery yields of the EPS produced (mean  $\pm$  SD) resulting from the applied extraction method are listed in Table 2. The EPS yields varied from  $2.9\pm0.5$  to  $18.6\pm2.1$  mg.L<sup>-1</sup> during exponential and early stationary phases and reached the highest yield of  $35.4\pm4.2$  mg.L<sup>-1</sup> at 56 days of culture, in the late stationary phase (Table 2). When the values were normalized per cell yield, data/results showed that the EPS concentration increased significantly between the exponential and late stationary phases (p-value < 0.05) (Figure 2). Synechococcus continuously produced EPS during the 56-day experiment. In the first 14 days of growth, cells grew exponentially and EPS production was deficient. Between exponential and early stationary phases, EPS production increased by a factor of five to seven, reaching a maximum in the late stationary phase, after the 56-day growth experiment.

Table 2. Cell yield, total EPS production and cell-specific EPS production in Synechococcus PCC7942 cultures during exponential, early and late growth phases. Data represent the means of two independent experiments.

	Time of harvest (growth phase)		
	Exponential	Early stationary	Late stationary
Cell yield (cells.L <sup>-1</sup> )	(161.6±21.6)10 <sup>10</sup>	(211.2±6.0)10 <sup>10</sup>	(268.8±14.4)10 <sup>10</sup>
EPS yield (mg.L-1)	2.9±0.5	18.6±2.1	35.4±4.2
Cell-specific EPS production (mg. cells-1)	(1.9±0.6)10 <sup>-12</sup>	(8.8±0.8)10 <sup>-12</sup>	(13.1±0.9)10 <sup>-12</sup>






Figure 2. Cell-specific EPS production during the exponential, early and late stationary phases. MEAN±SD replicates from (n=2).

#### 3.4 Chemical properties of EPS

241 242

244

245

246 247

248 249

250 251

252

253 254

255

256

257

258

259

260 261

264 265

266

267

#### 3.4.1 FT-IR spectroscopy of EPS

FT-IR spectroscopy was used to check the overall EPS properties and composition. The IR spectra of EPS harvested during the exponential, early and late stationary phases of the growth experiment are depicted in Figure 3. The three spectra show strong similarities, exhibiting characteristic absorption bands for polysaccharides and protein moieties (highlighted in Figure 3 by vertical-coloured areas). However, differences in sample composition were also revealed by the presence of additional absorptions indicated by arrows in Figure 3. Interestingly, the spectrum of the exponential phase EPS exhibits a strong band, isolated at 582 cm<sup>-1</sup>, which according to the literature on EPS could be assigned to a C-X stretch of alkyl halides (Kavita et al., 2011). Bands at 1039 - 1128 cm<sup>-1</sup> (C-O and C-O-C stretching vibrations) could be assigned to polysaccharides and polysaccharide-like structures (Wang et al., 2012b) and were observed in all EPS samples (Figure 3, blue area). In contrast, the small shoulders observed in the early and late stationary phase EPS, at ~1242 and 1244 cm<sup>-1</sup> correspond to sulfate groups. Bands at 811-868 cm<sup>-1</sup>, most likely representing the glycosidic linkage between sugar monomers, were only present in EPS extracts in the early and late stationary phases. Low-intensity bands observed in the range of 1450-1370 cm<sup>-1</sup> are assigned to CH<sub>3</sub> and CH<sub>2</sub> deformations (bends) of proteins (Kansiz et al., 1999). These absorption bands were more evident in EPS obtained during the early stationary phase. The bands present in the range of 1660 and 1540 cm<sup>-1</sup> are attributed to C=O and C=N stretching vibrations and are characteristic of Amide I and II functions (Figure 3, orange and green areas, respectively), which are typically associated with proteins (Coates, 2000). Spectra of the early stationary phase EPS showed higher peaks of protein than those observed in EPS from exponential and late stationary phases. The medium bands at 1730 and 1727 cm<sup>-1</sup>, present in samples extracted from exponential and late stationary phases, can be attributed to C=O stretching vibrations resulting from lipids and fatty acids (Kansiz et al., 1999). Absorptions in the range of 2960-2850 cm<sup>-1</sup> corresponding to C-H stretching vibrations of aliphatic hydrocarbons and possibly indicative of long-chain polymers (e.g., sugars or proteins), were observable in all EPS extracts. The amide A band (3345 cm<sup>-1</sup>), characteristic of the N-H vibration of peptide groups in proteins, is present in all spectra (Figure 3, yellow area), but is particularly visible on the early stationary phase EPS spectrum. In the samples at 14 and 56 days of growth, this band is included in shoulders due to the presence of OH absorptions centred at 3342 and 3351 cm<sup>-1</sup>, respectively. The list of band assignments is summarized in Table 1S (Supplementary data).




Figure 3. FT-IR spectra of EPS produced during the exponential (black line), early (green line) and late (blue line) stationary phases. Amide A absorbs in the range of 3342-3351 cm<sup>-1</sup> (yellow area), amides I-II at 1542–1650 cm<sup>-1</sup> (orange and green areas), sulfate groups at ~1242-1244 cm<sup>-1</sup>, polysaccharides at ~1040–1070 cm<sup>-1</sup> (blue area), and the  $\beta$ -glycosidic linkages are visible as a shoulder at ~867cm<sup>-1</sup>.





#### 3.4.2 Protein, sugar and glycosaminoglycan (GAGs) contents

Total protein and sugar contents in all EPS extracts were assessed by colorimetric assays. There were remarkable differences in the amounts of protein and these varied within the different growth phases (Table 3). The EPS produced during the exponential growth phase revealed the lowest concentration of protein (79±9 μg.mg EPS¹). The highest protein concentration was measured in EPS produced during the early stationary phase (253±42 μg.mg EPS¹), whereas during the late stationary phase EPS, the protein concentration decreased by ~ two-fold. When accounting for the cell yield at times of EPS extraction (Table 2), cells produced EPS with *ca* 11-15 times more protein in the stationary phase than in the exponential phase (Table 3). The sugar content in the EPS harvested during the three different growth stages did not vary significantly (Table 3). The EPS produced during the exponential phase contained a slightly higher sugar content (584±9 μg of xanthan and 504±78 μg of dextran equivalents. mg EPS¹) than that measured in EPS produced during the early and late stationary phases (1.8 times and 1.3 times lower, respectively). These results demonstrate that sugars, rather than proteins, are the major component of all EPS extracts (Table 3). Our results show that, over the cultivation time, cells enhanced the production of larger amounts of glycosaminoglycans (GAGs) which can be associated with amino sugars and glycoproteins (Table 3). The highest fraction of sulfated groups (GAGs) to total EPS (217±143 μg GAGs.mg EPS⁻¹) was found in the late stationary phase EPS (Table 3). These results corroborate with data obtained from FTIR analysis.

Table 3. Protein, sugar and glycosaminoglycan content of the harvested EPS at times 14, 28 and 56 days of Synechococcus PCC7942 culture. Values represent the average of two replicates (n=2).

	Time of EPS harvesting (days/growth phase)			
Community (FERC 2-11	14 days	28 days	56 days	
Components of EPS yield	Exponential	Early stationary	Late stationary	
Protein (μg·mg <sup>-1</sup> EPS)	79±9	253±42	128±13	
Cell-specific protein production (µg protein.cell-1)	(1.5±0.6) × 10 <sup>-10</sup>	(2.2±0.1)× 10 <sup>-9</sup>	(1.7±0.0)×10 <sup>-9</sup>	
Sugar (µg xanthan equivalents·mg <sup>-1</sup> EPS)	584±95	326±26	434±11	
Cell-specific sugar production (µg xanthan equivalent.cell-1)	(1.0±0.2)×10 <sup>-9</sup>	(2.8 ±0.1)×10 <sup>-9</sup>	(5.7±0.2)×10 <sup>-9</sup>	
Sugar (µg dextran equivalents·mg <sup>-1</sup> EPS)	504±78	292±22	381±90	
Cell-specific sugar production (µg dextran equivalent.cell-1)	(8.9±1.4)×10 <sup>-10</sup>	(2.6 ±0.1)×10 <sup>-9</sup>	(5.0±0.2)×10 <sup>-9</sup>	
Glycosaminoglycans (μg GAGs·mg <sup>-1</sup> EPS)	4±0	31±13	217±143	
Cell-specific GAGs production (µg GAGs.cell-1)	(5.5±5.5)×10 <sup>-12</sup>	(2.6±0.8)×10 <sup>-10</sup>	(3.0±2.0)×10 <sup>-9</sup>	
GAGs/Sugar (xanthan) ratio	0.01±00	0.09±00	0.51±0.3	
GAGs/Sugar (xanthan) ratio	0.01±00	0.10±00	0.58±0.4	

### 3.4.3 SDS-PAGE

The results of gel electrophoresis after the migration of exponential, early and late stationary phase EPS samples are illustrated in Figure 4. Replicates showed similar band patterns that are distributed between 10 and > 170 kDa. A sharp greenish band in the migration front is strongly stained in late stationary phase EPS (Figure 4, lanes 6 and 7) and may correspond to chlorophyll. A less pronounced smear is visible in extracts obtained from the early stationary phase (Figure 4, lanes 4 and 5). Bands of < 10 kDa were not detected in the EPS produced during the exponential phase (Figure 4, lanes 2 and 3). A marked smear pattern is evidenced in all EPS extracted between 10-26 kDa: one prominent band was individualized at 17 kDa. A discrete blue smear (> 17-43 or 55 kDa) is evidenced in exponential phase EPS samples (Figure 4, lanes 2 and 3) and is less obvious in EPS samples from the early and late stationary phase (lanes 4-5 and 6-7, respectively). No specific bands were individualized in this molecular mass range, for the three growth phases. A band at about 45-47 kDa was strongly stained in exponential phase only. It may represent an extracellular carbonic anhydrase (Kupriyanova et al., 2018) but this would need to be confirmed. Another possibility could be that the 45-47 kDa-band is chlorophyll synthase, also referred to as ChIF, which seems to migrate around 46 kDa (Shen et al., 2019). An area between 43 and 170 kDa was noted in all EPS extracts, accounting for 5-6 individualized bands that may correspond to the consecutive addition of an identical 'module', because the progression is logarithmic: is clearly seen in the early and late stationary phase lanes (lanes 4-7). The individualized bands were densely stained in EPS from the late stationary phase, including a smear at ~43-55 or 72 kDa (Figure 4, lanes 6 and 7) and a prominent band at > 170 kDa (Figure 4, lanes 6 and 7).




Figure 4. SDS-PAGE of EPS harvested during exponential (lanes 2-3), early (lanes 4-5) and late (lanes 6-7) stationary phases. Alcian blue staining was applied. The molecular ladder (MW) reference is shown in lane 1.





#### 3.4.4 pH-drift assay

Recordings of the pH-drift assay are shown in Figure 5. The pH-drift assay determined the inhibitory effect of the EPS matrix (e.g., negatively charged functional groups) on the rate of CaCO<sub>3</sub> precipitation. Negatively charged groups of EPS can bind calcium ions from the solution. The main phenomenon observed in this assay is mineral-binding in which small calcium carbonate nuclei (nanometric or even pre-nucleation clusters) are very rapidly formed but they can be quickly poisoned by EPS which do not allow them to grow more. We believe that in this case, their growth is simply stopped because soluble EPS molecules adsorb on mineral surfaces. This mineral-binding also occurs due to the overall negative charge of the polymer of the matrix and is a much more efficient mechanism because of the ratio between nanometric nuclei and EPS molecules in theory. In theory, one CaCO<sub>3</sub> mineral of few nanometres requires a great amount of Ca<sup>2+</sup> ions for its formation. Thus, it is more a "one-to-one" story (or something of that magnitude) between nanometric nuclei and single EPS molecules. Complete carbonate inhibition is reached when the total Ca-binding capacity is achieved. CaCO<sub>3</sub> minerals start to nucleate, lowering the pH of the solution. Results show that the inhibitory effect was concentration-dependent and clear differences were visible between EPS extracted in the exponential (Figure 5A), early (Figure 5B) and late (Figure 5C) growth phases. EPS matrices from the stationary phase of culture growth (Figures 5B and 5C) exhibited a stronger inhibitory effect on CaCO<sub>3</sub> precipitation than the EPS extracted during the exponential phase (Figure 5A). Complete inhibition was only reached in EPS from early and late stationary phases when 50 µg of EPS.mL<sup>-1</sup> was tested. In this case, a drop in pH was not observed and nucleation of crystals did not occur (Figure 5B and 5C), which means that the inhibition was total. Conversely, the exponential phase EPS exhibited less inhibition of CaCO<sub>3</sub> precipitation (Figure 5A). The short




Figure 5. In vitro inhibition of calcium carbonate precipitation by using EPS extracted during exponential (A), early (B) and late (C) stationary phases. Each panel shows the effect of six different EPS concentrations (0, 10, 20, 30, 40 and 50 μg) on CaCO<sub>3</sub> precipitation using the pH-drift assay method. The drop in pH indicates nucleation of CaCO<sub>3</sub> (= precipitation) and a plateau indicates inhibition of precipitation. A larger plateau indicates a higher Ca-binding capacity of the matrix and thus stronger inhibition. Complete inhibition was observed when 50 μg of EPS solution from early and late stationary phases were used (e.g., see arrows). The results in each panel represent single experiments. Replication showed identical results (see Supplementary Figure 2S).

### 3.5 Calcium carbonate crystallization in the presence of EPS

Forced CaCO<sub>3</sub> experiments were performed using a control solution (without EPS) and EPS solutions, at same pH, with concentrations of 3, 18 and 36 µg.mL<sup>-1</sup>. Each concentration corresponds to the EPS yield at different growth stages: exponential phase (= 3 µgEPS.mL<sup>-1</sup>), early (18 µgEPS.mL<sup>-1</sup>) and late (36 µgEPS.mL<sup>-1</sup>) stationary phases. The crystals formed in the various EPS solutions showed different morphological (Figure 6) and mineralogical (Figure 3S) features as well as distinct crystal sizes and distributions compared to those formed in control solution (Figure 7).

### 3.5.1 Mineral morphology

A preliminary light microscopic analysis was carried out in order to identify the most significant samples to analyse by SEM (Figure 6). The morphology of crystals precipitated in the negative controls was very homogeneous and predominantly composed of calcite rhombohedrons that sometimes formed polycrystalline aggregates of size > 50µm (Figure 6A). All control solutions tested for the various EPS harvested during exponential and stationary phases showed similar crystal characteristics. In the EPS solutions, CaCO<sub>3</sub> crystals showed both rhombohedral and spheroidal morphologies (Figure 6B-D). The morphology of crystals appears to change with increasing EPS concentrations. Spherical minerals formation was observed in the exponential phase-EPS solution (Figure 6B) and were less frequent in the EPS solution from early stationary phase (Figure 6C). In the late stationary phase-EPS solution, rhombohedrons represented the prevalent crystal morphology while spherical minerals were absent (Figure 6D).








Figure 6. In vitro forced CaCO<sub>3</sub> precipitation assay in (A) the absence of the EPS (control solution) and in the presence of EPS extracted during the (B) exponential, (C) early and (D) late stationary phases under increasing EPS concentrations of 3, 18 and 36 µg.mL<sup>-1</sup>, respectively. The images show two different CaCO<sub>3</sub> morphologies: rhombohedral (white squares) and spheroidal (white circles), in some cases shown as polycrystalline crystals. The scale bar (black) at the bottom right of the images is 500 µm.

#### 341 3.5.2 Crystal mineralogy

The crystals' mineralogy was assessed by FT-IR microscopy performed on selected individual crystals of > 10 µm (Figure 3S). The results revealed that calcite was the only CaCO<sub>3</sub> polymorph formed in the control solution. Calcite and vaterite formed in all EPS solutions tested. The FT-IR spectra revealed that all rhombohedrons and polycrystalline aggregates with "sharp edges" represent calcite polymorphs. In contrast, spheroidal crystals revealed a vaterite signature (Figure 3S).

#### 3.5.3 Crystal size and distribution

The results from image analysis showed that a larger quantity of crystals precipitated in the stationary phase (early and late) EPS solutions (Figure 7) and that major differences were also observed in crystal size distribution (Figure 7). A comparison of the class of small crystal sizes (< 50 µm) with the large crystal size class (>50µm) showed a clear trend of an increasing total number of small crystals in the stationary phase EPS solutions compared to those formed in the EPS solutions from the exponential phase. The size reduction of the crystals at 18 and 36 mg/L (Figure 7, early and late stationary phases) suggests a partial inhibitory effect of the EPS on the formation of calcium carbonate.




Figure 7. Total numbers of small (< 50 μm) and large (> 50 μm) crystal size classes of precipitated CaCO<sub>3</sub> in EPS solutions obtained from exponential and stationary phases, in EPS concentrations of 3, 18 and 36 μg.mL<sup>-1</sup>, respectively.

## 4. Discussion

Our study demonstrates that the amount and properties of EPS change significantly (p-value < 0.05) at the three different stages of Symechococcus growth in an artificial bloom experiment. Cells continuously produce EPS that increases in concentration and become more negatively charged in the stationary phase. We sampled this EPS over the exponential, early and late stationary phases and studied its role in carbonate mineral precipitation. Based on this, a conceptual model was developed to correlate the findings of this investigation with the potential EPS production of the naturally occurring picoplankton blooms and its possible involvement in whiting events. Though natural blooms experience a variety of factors that are not represented in the experiments described in this paper, the first part of the discussion is focussing only on the experimental data, whereas the interaction of these basic processes with other biotic and abiotic factors acting in the environment is discussed afterwards.

### 4.1 Exponential growth phase

Macronutrients, such as nitrogen (N) and phosphorus (P) promote the initiation of cyanobacterial blooms (Reynolds and Walsby, 1975; Reynolds, 1987; Paerl, 1988; Phlips et al., 1999; Paerl, 2008; Xu et al., 2015). In our growth experiment, the beginning of the exponential phase (and the persistence of bloom) (Figure 1A) was positively correlated with the high initial nutrient concentration in the medium (Table 1). Environmental factors such as water temperature, light intensity. hydrodynamics and availability of dissolved inorganic carbon (DIC) are also important determinants of cyanobacteria bloom development (Clark and Flynn, 2000;





Dokulil and Teubner, 2000; Havens, 2008). Blooms can dramatically alter the supply of inorganic carbon for photosynthesis, which causes the pH to increase (Ibelings and Maberly, 1998). In the early exponential phase of our batch cultures, the high photosynthetic activity of cyanobacteria cultures resulted in fast pH increase thereby reducing the total inorganic carbon of the grown medium. Light and CO<sub>2</sub> are the sources of energy and carbon for cyanobacteria, and are of critical importance for their growth (Takahashi et al., 2004). At pH 9 (Figure 1B), the concentration of CO<sub>2</sub> predicted is close to zero (< lμM) and the HCO<sub>3</sub> concentration is 475 μM (PhreeqC data). A similar scenario was observed in natural blooms occurrence: the population of cyanobacteria draws down the partial pressure of CO<sub>2</sub> (pCO<sub>2</sub>) in the photic zone, increasing the surface water pH up to 9-10 (Ibelings and Maberly, 1998; Verspagen et al., 2014) and CO<sub>2</sub> concentration can become completely depleted or reach values close to zero (Maberly, 1996; Ibelings and Maberly, 1998; Verspagen et al., 2014). Under extreme conditions, the concentration of HCO<sub>3</sub> can also become markedly reduced (Talling, 1976; Maberly, 1996). When the rate of photosynthesis is greater than the combined rate of resupply of CO<sub>2</sub> from the atmosphere and DIC in the hypolimnion, deviation from the air equilibrium occurs, favouring CaCO<sub>3</sub> precipitation. The pH of most aquatic systems ranges from 7.5-8.1 and keeps inorganic carbon primarily in the form of bicarbonate (O'Neil et al., 2012). In poorly buffered systems, such as highly productive lakes, the pH and speciation of DIC experience large fluctuations which vary widely on a scale from daily (diel) to episodic, to seasonal (Maberly, 1996) with diel variations as high as two pH units and 60 μmol DIC.L<sup>-1</sup> (Maberly, 1996). Because CO<sub>2</sub> favors the C<sub>3</sub> photosynthesis (C<sub>3</sub> cycle operation of Calvin-Beson cycle), the high pH of ~ 10 in our growth medium could be associated with carbon limitation (Ibelings and Maberl

To alleviate CO2 limitation, cyanobacteria have developed an efficient CO2-concentrating mechanism (CCM) (Aizawa and Miyachi, 1986; Badger and Price, 1992; Badger et al., 2002; Burnap et al., 2015) and can use bicarbonate as an inorganic carbon source for photosynthesis (Price et al., 1998, 2002; Giordano et al., 2005) Sandrini et al., 2016). By activating CCM, cyanobacteria concentrate CO2 by a factor of up to a thousand (Badger and Andrews, 1982; Badger et al., 2002, Price, 2011). CO2-deficient conditions experienced during the exponential phase of our growth experiment, coupled with the continuous cellular demand for inorganic carbon to support photosynthetic carbon fixation likely led the cells to activate CCM. The predicted concentrations of CO<sub>2</sub> and HCO<sub>3</sub> in the growth medium (PhreegC data) in the early and late exponential phase infer that Synechococcus cells actively transported across the membrane and accumulated DIC into the cell, where the HCO<sub>3</sub>pool was utilized to generate elevated CO<sub>2</sub> levels around Rubisco (Badger et al., 2002; Price et al., 2008). The CCM of cvanobacteria accomplishes very high carbon concentrating factors (Cextrenal: Cinternal) at deficient specificity factors of RuBisCo (Tortell, 2000; Tortell et al., 2000). CCM involves bicarbonate transporters in the cell membrane, intracellular (iCA) and extracellular (eCA) carbonic anhydrase enzymes and concentrated RuBisCO activity located in carboxysomes (Badger et al., 2006; Price et al., 2008; Rae et al., 2013). CA converts HCO<sub>3</sub> to CO<sub>2</sub> (Badger and Price, 1994), which increases the external pH in close proximity to the cells. In our study, eCA activity was ~ 1.6-2.0 times higher during the exponential growth phase and reduced gradually through the stationary phase (Supplementary figure, Figure S1). Similarly, Yang et al. (2023) measured the CA anhydrase in solution over a 30-day growth experiment with Synechococcus PCC 7942 and reported an increase over the lag phase and large fluctuations over the exponential phase. During the stationary phase, CA did not vary greatly but a minor decrease was recorded in the late stationary phase (Yang et al., 2023). In our study, the higher eCA activity recorded could explain the strongly stained ~45-47-kDa band that was only identified in our SDS-PAGE gels of EPS produced during the exponential phase (Figure 4, lanes 2-3). The molecular weight (MW) of this band is similar to a 42-43 kDa eCA previously identified by Kupriyanova et al. (2018) and discussed by Martinho de Brito et al. (2022). As explained in the Results section 3.4.3, we cannot exclude that the band is chlorophyll f synthase, which seems to show up around 46 kDa. A more substantiated demonstration of the identity of the SDS-PAGE band will require other approaches (beyond the scope of the present study), such as micro-sequencing of the purified 43 kDa band or the use of a CA-specific antibody.

Active uptake of  $HCO_3^-$  and accumulation of Ci species requires the input of metabolic energy e.g., ATP (BCT1  $HCO_3^-$  transporter), NADPH or reduced ferredoxin ( $CO_2$  uptake) or coupling to an electrochemical  $Na^+$  gradient (SbtA or BicA  $HCO_3^-$  transport) (Badger et al., 2002; Price et al., 2008). This energetic cost may therefore reflect on the growth rates achieved. *Synechococcus* PCC 7942 grows at > 80% of its maximum growth rate when provided with  $HCO_3^-$  as its main inorganic carbon source (Miller et al., 1984). During the exponential phase, the carbon production from photosynthesis is mainly allocated for biomass production, not for EPS synthesis. Our results showed the production of small amounts of EPS during the exponential phase (Figure 2, Table 2), which comprises a relatively larger amount of sugars and lower protein and GAG contents than EPS from the stationary phase (Figure 3, Table 3). The smaller amount of negatively charged groups of the EPS during the exponential phase (Figure 4, lanes 2-3) compared to those of EPS from the early and late stationary phases (Figure 4, lanes 4-7) resulted in weak to moderate inhibitory capacity (Figure 5A). Consequently, our forced precipitation experiment with EPS from the exponential phase induced small amount of mostly large-sized carbonate crystals (>50 \mum), very similarly to the negative control experiment (Figure 7) (Martinho de Brito et al., 2022). The high concentration of  $Ca^{2+}$  in the medium (83  $\mu$ M) compared to the initial [ $Ca^{2+}$ ] at the beginning of the experiment (103  $\mu$ M), indicates that a small amount of calcium ions was bound to negatively charged functional groups of EPS (Table 1, see [ $Ca^{2-1}$ ]).

In our batch experiment, cells continue to grow exponentially for  $\sim$ 20 days of cultivation. At this point, cultures reached the maximum cell density (Figure 1A) and pH values ranged between 10-11 (Figure 1B). Based on our calculations, under these alkaline conditions, CO<sub>2</sub> was completely depleted  $(1.7 \times 10^{-3} \, \mu\text{M})$  in the growth medium, whereas HCO<sub>3</sub><sup>-2</sup> was extremely low ( $\sim$ 79  $\mu$ M). Thus, the dominant inorganic carbon speciation was CO<sub>3</sub><sup>-2</sup> (421  $\mu$ M). Because cells cannot take up CO<sub>3</sub><sup>-2</sup> and HCO<sub>3</sub><sup>-1</sup> concentration seems to be insufficient to cover the carbon demands of cyanobacterial growth, we assume that this may have been the cause of cell numbers starting to level off (Figure 1A, early stationary phase). Consequently, cultures entered a stationary state due to a lack of inorganic carbon availability required to increase cell population (Miller et al., 1984; Mayo et al., 1989; Verspagen et al., 2014). The excess of nutrients measured in the medium in the late exponential phase (Table 1) suggested that the specific growth rate was not limited by nutrient availability but by a rather low level of CO<sub>2</sub> carbon content.

# 419 420 **4.2 Early stationary phase**

Insufficient CO<sub>2</sub> availability is considered to be the external stress factor constraining the growth rate of cyanobacteria (Maberly, 1996; Hein, 1997; Ibelings and Maberly, 1998) and low [HCO<sub>3</sub>\*] could sustain a constant population density for at least ~ 40 days (See Figure 1A, stationary phase). (Although cell numbers ceased to increase (Figure 1A), the EPS production still increased; the total EPS yield was six times higher at the early stationary phase than in the exponential phase (Figure 2, Table 2). We assume that at this point, carbon fixation was allocated to EPS synthesis, not to biomass production (Miller et al., 1984). Increased EPS production is



427

428

429

430

431

432

434

437 438

440

441

442

443

444

445

446

448

449 450

451

452 453 454

455 456

457

458 459

460

462

463

464

465

466

467

468

470 471

472



usually associated with external stress factors (Rossi and De Philippis, 2015), including high pH conditions (Martinho de Brito et al., 2022). Moreover, metabolic stress may also alter the composition of EPS (Babele et al., 2019; Martinho de Brito et al., 2022). In the present study, the negative functional group abundance increased, resulting in a higher acidity of EPS (Figure 4, lanes 4-5) due to an increase in protein and sulfated glycan (GAG) (Table 3). In the pH conditions of the early stationary phase, all the functional groups of the EPS matrix are deprotonated and are able to bind calcium ions (Figure 5B) (Dupraz and Visscher, 2005; Braissant et al., 2003, 2007; Dittrich and Sibler, 2010) and bind calcium more efficiently nanometric nuclei in formation (if their formation is thermodynamically favoured). We suggest that the increased calcium-binding capacity of the EPS probably accounts for lower the Ca<sup>2+</sup> concentration measured in the medium (Table 2, see [Ca<sup>2+</sup>]). In our *in vitro* forced precipitation assay, we measure the second effect, the inhibitory one (mineral-binding effect), which results in the production of small-sized calcium carbonate crystals (< 50 µm), in comparison to what happens in the exponential phase (Figure 7).

#### 4.3 Late stationary phase

The late stationary phase of our experiment is characterized by minor fluctuations in cell density and pH values (pH ~ 11) (Figure 1A-B). The overall trend shows that ued to produce more EPS, reaching a maximum concentration of one order of magnitude greater (twelve times higher) than in the exponential phase (Figure 2. Table 2). When raised to the cell-specific EPS production (in mg.cells<sup>-1</sup>), this ratio is about seven. As mentioned above, we assume that the continuous increase in EPS production over the late stationary phase, including an overall augmentation of negatively charged functional groups (Figure 4, lanes 6-7), including GAG content (Table 2), might be a specific response to a stress scenario As expected, the present study shows that the greater amount of negatively charged functional groups of EPS from the late stationary phase (Figure 4, lanes 6-7) resulted in a higher Ca-binding capacity than exponential and early stationary phase-EPS (Figure 5C). Our forced precipitation experiments showed that minerals produced in the late stationary-EPS solutions are smaller and more abundant than those formed in EPS solutions from the early stationary phase (Figure 7). Under natural conditions, when the Ca2+ supply is continuous, the crystals may or may not continue to grow, depending on the physical space within the EPS matrix (Dupraz et al., 2009). Based on the high concentration of nitrate (4720  $\mu$ M) measured in the late stationary phase (Table 1), we assume that the abundance of this nutrient supported the persistence of the stationary phase, i.e., similar to a prolonged bloom in natural conditions. The death phase was not observed in our 56-day-long experiment. Given that our cultures were continuously stirred, we can assume that light was not limiting cyanobacterial growth. Furthermore, in natural blooms, the increase in population density may affect cells at greater depth through self-shading by decreasing the light available for photosynthesis (Townsend et al., 1994). Yet, cyanobacteria (including Synechococcus) are known to be well-adapted to low-light conditions (Campbell and Carpenter, 1986; Palenik, 2001; Callieri et al., 2011). Additionally, the presence of sulfated constituents on late stationary phase-EPS contributes to a higher negative charge of the matrix and higher Ca-binding potential (Decho and Kawaguchi, 2003; Braissant et al., 2007; Dupraz et al., 2009; Skoog et al., 2022), compared to EPS extracted in the exponential phase which contained significantly lower GAG (Table 2). The present study shows that the greater amount of negatively charged functional groups of EPS from the late stationary phase (Figure 4, lanes 6-7) resulted in a higher Ca-binding capacity than exponential and early stationary phase-EPS (Figure 5C). Our forced precipitation experiments showed that minerals produced in the late stationary-EPS solutions are smaller and more abundant than those formed in EPS solutions from the early stationary phase (Figure 7), suggesting an increased inhibitory ability of the late stationary-EPS.

## 4.4 Natural bloom and formation of whitings - Conceptual model

Our observations made during exponential and stationary phases can be applied to generate a conceptual model of EPS properties during a bloom event (Figure 8A-C). The onset of a bloom starts with an increase in cell numbers, with high values in spring-summer (exceeding 10<sup>5</sup>-10<sup>7</sup> cells.mL<sup>-1</sup>) and lower values in winter months (< 105 cells.mL-1) in both marine (Agawin et al., 1998; Phlips et al., 1999) and freshwater (Maeda et al., 1992: Tai and Palenik. 2009) environments. This resembles the exponential growth phase in our study (Figure 1, exponential phase). We predict that during the initial phase of a natural bloom, there is little EPS production: cells grow relatively quickly and the carbon fixed during photosynthesis is predominantly allocated to biomass production (Figure 8A). The fast growth is followed by a phase during which cell numbers level off, typically due to stress conditions, which is represented by the early stationary phase in our study. Under certain conditions, blooms can be sustained for weeks and possibly longer (Anderson et al., 2002; Havens, 2008; Zhao et al., 2013), similar to what we observed in our growth experiments (Figure 1A, early stationary phase). The maintenance of a bloom requires continuous input of nutrients, which is also the case in our experiment (Table 1) or in the case of natural systems, a turnover from lysing cells recycled by other microbes. During this phase, we did not observe a significant increase in cell density but the production of EPS continued at a disproportionately high rate (Figure 8B-C). Our findings are in agreement with the lab studies using diatom cultures which show that EPS production is low during exponential growth and increases in the stationary phase (Myklestad and Haug, 1972; Myklestad et al., 1989; Bhosle et al., 1995). These authors reported that nutrient-deficient conditions enhanced the production of EPS over the growth phases. If carbon fixation continues and some critically required nutrient is lacking from the growth medium, most likely the phototrophic organisms produce carbohydrate reservoirs (Ciebiada et al., 2020). These include storage polymers like glycogen and the production of other carbohydrate-rich compounds, including EPS (De Philippis et al., 1996, 1998, 2001; Decho and Gutierrez, 2017). The decline of blooms in natural environments is typically associated with nutrient, low or high light intensity, grazing or viral infection. Under these stressful conditions, an increase in EPS production by the phyto/picoplankton community may be expected.

Cyanobacterial blooms, including those of *Synechococcus* spp., can produce the so-called whiting events (Thompson and Ferris, 1990; Thompson et al., 1990; Robbins and Blackwelder, 1992; Schultze-Lam et al., 1992; Thompson, 2000). A whiting is defined as the occurrence of a large number of CaCO<sub>3</sub> minerals in surface water (Strong and Eadie, 1978). These often large-scale carbonate precipitation phenomena have been observed from space (Robbins et al., 1997; Dierssen et al., 2010). The source and cause of whiting formation have been widely debated over the past decades and several biotic and physicochemical mechanisms have been proposed (Shinn and Steinen, 1989.; Larson and Mylroie, 2014). The most accepted mechanisms include chemical/spontaneous precipitation (Brunskill, 1969; Broecker et al., 2000), physical disturbance and resuspension of carbonate sediments (Boss and Neumann, 1993; Broecker et al., 2000; Morse et al., 2003) and biologically-mediated CaCO<sub>3</sub> precipitation as a result of photosynthetic activity of picoplankton and phytoplankton community (Thompson and Ferris, 1990; Robbins and Blackwelder, 1992; Schultze-Lam et al., 1992; Robbins et al., 1997; Thompson, 2000). However, the role of EPS in massive CaCO<sub>3</sub> production has been poorly investigated (Stanton et al., 2021). Carefully transporting the results from forced precipitation experiments to a whiting event, we suggest that early in the bloom (Figure 8A), relatively large CaCO<sub>3</sub> crystals form, provided sufficient Ca<sup>2+</sup> is available (Figure 8D). As the bloom continues to grow, progressively the larger quantity of negatively charged



485

486

487

488

489

491 492

493

494

495

496

498 499

500

501

502 503



functional groups in the EPS provides more cation-binding sites and thus inhibits calcium carbonate precipitation to a greater extent. Depending on the threedimensional structure of the EPS and surface properties (Wang et al., 2012), nucleation may yield smaller CaCO3 crystals (Figure 8). If this occurs, then the production of a more negatively charged matrix (largely contributed by the enrichment in sulfated polysaccharides) may offer some selective advantage to the cyanobacteria population, by inhibiting and/or delaying mineral precipitation and by reducing crystal size formed around the cells. This might result in slow sinking rates, extending the residence time of the cyanobacterial community in the photic zone. If the bloom occurrence is short (e.g., similar to 14-28 days in our growth experiment), minerals making up the whiting will be relatively larger. Consequently, the aggregates of cyanobacteria, EPS and CaCO<sub>3</sub> minerals may sink faster because mineral precipitation in EPS increases the cyanobacterial-specific density several-fold. The Synechococcus specific density (p) is 1.040 g·cm<sup>-3</sup> (Reynolds, 1987), near-neutrally buoyant, whereas ρ<sub>calcine</sub> is 2.710 g·cm<sup>-3</sup> (Lange, 1999). The production of larger amounts of more negatively charged EPS may act as a protection mechanism against carbonate. formation in the vicinity of the cell wall (Martinez et al., 2010; Bundeleva et al., 2012), thus allowing the organisms to reside longer in the photic zone. Interestingly, the production of EPS that contained sulfated groups among bacteria seems to be exclusive to cyanobacteria (Pereira et al., 2009; Maeda et al., 2021). Maeda et al. (2021) reported that the cyanobacterium Synechocystis 6803 produced large amounts of GAG compounds during an experimental bloom formation. The authors suggested that these constituents can be advantageous for the development of surface bloom as it may increase the buoyancy, permitting cells to migrate upward rapidly when the water column is stable (Walsby et al., 1995). Thus, GAG production may be considered as an alternative for organisms that lack gas vesicles to remain longer in the photic zone (Maeda et al., 2021). The negative charge of EPS produced containing high sulfated content also protects the community against viral infection (Matsunaga et al., 1996). Therefore, the production of GAG by pelagic cyanobacteria contributes to stress tolerance and viral infectivity, helping in the persistence of bloom. In our growth experiments, a decline in cell numbers was not observed, which would represent the end of the bloom. In the natural environment, nutrient depletion, grazing or viral lysis/infection are the most likely causes of terminating a bloom (Gons et al., 2002). The cell lysis releases organic matter, which supports the growth of heterotrophic bacteria (Kjelleberg et al., 1987; Hagström et al., 1988; Kieft et al., 2021). Photosynthetically derived organic carbon is one of the major carbon and energy sources for heterotrophic bacteria (Allgaier et al., 2008). These heterotrophs can degrade EPS and liberate bound Ca<sup>2+</sup> (Visscher et al. 1998; Arp et al., 2001; Dupraz et al., 2004; Braissant et al. 2009; Ionescu et al., 2015; Diaz et al., 2017). In addition, microbial respiration will produce HCO<sub>3</sub>/CO<sub>2</sub>, increasing the saturation index of CaCO<sub>3</sub>, and may enhance the whiting (Figure 8). Although our model is [somewhat] largely theoretical at this stage, its merit is to focus on an overlooked actor of whiting events, the EPS. Furthermore, it provides a conceptual framework to work with, for designing novel experiments and measurements both in natural systems and at the lab bench, to validate the molecular mechanisms involved in microbial bloom associated CaCO3 formation in marine and lacustrine

## **EPS** production




Figure 8. Conceptual diagram of proposed EPS-supported carbonate precipitation mechanism explaining the origin of whiting events.

### 508 Data availability

506 507

509 All raw data can be provided by the corresponding authors upon request.

## 510 Author contributions

M.M.d.B., I.B. and P.T.V. designed the study in a project directed by P.T.V., I.B. and E.V.; M.M.d.B., P.T.V., F.M., A.W. and L.P. developed the methodology; M.M.d.B. and I.B. carried out the laboratory measurements; M.M.d.B., P.T.V. and I.B. analysed the data; M.M.d.B. wrote the manuscript draft with significant





- contributions of P.T.V. and I.B. M.M.d.B., P.T.V., I.B., E.V., F.M., A.W and L.P. reviewed and edited the manuscript. All authors have read and agreed to the
- 514 published version of the manuscript.

#### Competing interests 515

516 The authors declare that they have no conflict of interest.

#### 517 Acknowledgements

- 518 We thank to Nelly Debrosse (Bourgogne Franche-Comté University, Dijon), Adrien Force (Bourgogne Franche-Comté University, Dijon) and Elodie Cognard (Bourgogne Franche-Comté University, Dijon) for helping with the measurements; Michel Picquet and Christine Stern (ICMUB Institut de Chimie Moléculaire,
- 519
- Bourgogne Franche-Comté University, Dijon, France) for their technical assistance with FT-IR analysis; Christophe Loup and Nadia Crini (Laboratoire Chrono-
- environnement, UMR CNRS 6249, Bourgogne Franche-Comté University, Besançon, France) for their technical assistance with Ion chromatography and ICP analyses. 521

#### Financial support 522

- This study is a contribution of the SEDS and SAMBA teams of Biogeosciences laboratory (Bourgogne Franche-Comté University, Dijon, France) to the I-SITE project 523
- UB18016-BGSIS.

#### 525 References

- Addadi, L. and Weiner, S.: Interactions between acidic proteins and crystals; stereochemical requirements in biomineralization. Proceedings of the National Academy of Sciences,
- 527
- 528 Agawin, N., Duarte, C., and Agustí, S.: Growth and abundance of *Synechococcus* sp. in a Mediterranean Bay: seasonality and relationship with temperature, Mar. Ecol. Prog. Ser., 170, 45–53, https://doi.org/10.3354/meps170045, 1998.
- Aizawa, K. and Miyachi, S.: Carbonic anhydrase and CO<sub>2</sub> concentrating mechanisms in microalgae and cyanobacteria, FEMS Microbiology Letters, 39, 215–233, https://doi.org/10.1111/j.1574-6968.1986.tb01860.x, 1986.
- Albeck, S., Aizenberg, J., Addadi, L., and Weiner, S.: Interactions of various skeletal intracrystalline components with calcite crystals, Journal of the American Chemical Society, 115, 11691–11697, 1993.
- 534 Allen, M. M.: Simple Conditions for Growth of Unicellular Blue-Green Algae on Plates 1, 2, Journal of phycology, 4, 1-4, 1968.
- Anderson, D. M., Glibert, P. M., and Burkholder, J. M.: Harmful algal blooms and eutrophication: Nutrient sources, composition, and consequences, Estuaries, 25, 704–726, https://doi.org/10.1007/BF02804901, 2002.
- 537 Arp, G., Reimer, A., and Reitner, J.: Photosynthesis-induced biofilm calcification and calcium concentrations in Phanerozoic oceans, Science, 292, 1701-1704, 2001.
- 538 Babele, P. K., Kumar, J., and Chaturvedi, V.: Proteomic de-regulation in cyanobacteria in response to abiotic stresses, Frontiers in Microbiology, 1315, 2019.
- Badger, M. R. and Andrews, T. J.: Photosynthesis and Inorganic Carbon Usage by the Marine Cyanobacterium, Synechococcus sp, Plant Physiol., 70, 517-523,
- https://doi.org/10.1104/pp.70.2.517, 1982.
- 541 Badger, M. R. and Price, G. D.: The CO<sub>2</sub> concentrating mechanism in cyanobacteria and microalgae, Physiologia Plantarum, 84, 606-615, 1992.
- 542 Badger, M. R. and Price, G. D.: The role of carbonic anhydrase in photosynthesis, Annual review of plant biology, 45, 369-392, 1994.
- 543 Badger, M. R., Hanson, D., and Price, G. D.: Evolution and diversity of CO<sub>2</sub> concentrating mechanisms in cyanobacteria, Functional Plant Biology, 29, 161–173, 2002.
- Badger, M. R., Price, G. D., Long, B. M., and Woodger, F. J.: The environmental plasticity and ecological genomics of the cyanobacterial CO<sub>2</sub> concentrating mechanism, Journal of Experimental Botany, 57, 249–265, https://doi.org/10.1093/jxb/eri286, 2006.
- 545
- Bhosle, N. B., Sawant, S. S., Garg, A., and Wagh, A. B.: Isolation and Partial Chemical Analysis of Exopolysaccharides from the Marine Fouling Diatom Navicula subinflata, Botanica Marina, 38, https://doi.org/10.1515/botm.1995.38.1-6.103, 1995.
- 547
- Borman, A. H., Jong, E. W., Huizinga, M., Kok, D. J., Westbroek, P., and Bosch, L.: The Role in CaCO3 Crystallization of an Acid Ca2+-Binding Polysaccharide Associated with
- 549 Coccoliths of Emiliania huxleyi, Eur J Biochem, 129, 179–183, https://doi.org/10.1111/j.1432-1033.1982.tb07037.x, 1982.
- 550 Boss, S. K. and Neumann, A. C.: Physical versus chemical processes of "whiting" formation in the Bahamas, Carbonates Evaporites, 8, 135-148, https://doi.org/10.1007/BF03175171,
- Braissant, O., Cailleau, G., Dupraz, C., and Verrecchia, E. P.: Bacterially induced mineralization of calcium carbonate in terrestrial environments: the role of exopolysaccharides and amino acids, Journal of Sedimentary Research, 73, 485–490, 2003.
- Braissant, O., Decho, A. W., Dupraz, C., Glunk, C., Przekop, K. M., and Visscher, P. T.: Exopolymeric substances of sulfate-reducing bacteria: interactions with calcium at alkaline pH and implication for formation of carbonate minerals, Geobiology, 5, 401–411, 2007.
- 556
- ant, O., Decho, A. W., Przekop, K. M., Gallagher, K. L., Glunk, C., Dupraz, C., & Visseher, P. T.: Characteristics and turnover of exopolymeric substances in a hypersaline microbial mat. FEMS microbiology ecology, 67(2), 293-307, 2009. 557
- Broecker, W. S., Sanyal, A., and Takahashi, T.: The origin of Bahamian Whitings revisited, Geophys. Res. Lett., 27, 3759–3760, https://doi.org/10.1029/2000GL011872, 2000. 558
- Brunskill, G. J.: Fayetteville Green Lake, New York. II. Precipitation and sedimentation of calcite in a meromictic lake with laminated sediments 1: Sedimentation in Green Lake, Limnol. Oceanogr., 14, 830–847, https://doi.org/10.4319/lo.1969.14.6.0830, 1969.
- Bundeleva, I. A., Shirokova, L. S., Bénézeth, P., Pokrovsky, O. S., Kompantseva, E. I., and Balor, S.: Calcium carbonate precipitation by anoxygenic phototrophic bacteria, Chemical Geology, 291, 116–131, https://doi.org/10.1016/j.chemgeo.2011.10.003, 2012.
- Bundeleva, I. A., Shirokova, L. S., Pokrovsky, O. S., Bénézeth, P., Ménez, B., Gérard, E., and Balor, S.: Experimental modeling of calcium carbonate precipitation by cyanobacterium *Gloeocapsa* sp., Chemical Geology, 374–375, 44–60, https://doi.org/10.1016/j.chemgeo.2014.03.007, 2014.
- 564
- Burnap, R., Hagemann, M., and Kaplan, A.: Regulation of CO<sub>2</sub> Concentrating Mechanism in Cyanobacteria, Life, 5, 348–371, https://doi.org/10.3390/life5010348, 2015.
- 566 Callieri, C. and Stockner, J.: Picocyanobacteria success in oligotrophic lakes: fact or fiction?, J Limnol, 59, 72, https://doi.org/10.4081/jlimnol.2000.72, 2000.
- Callieri, C., Lami, A., and Bertoni, R.: Microcolony Formation by Single-Cell Synechococcus Strains as a Fast Response to UV Radiation, Appl Environ Microbiol, 77, 7533–7540,
- https://doi.org/10.1128/AEM.05392-11, 2011





- Campbell, L., & Carpenter, E. J.: Diel patterns of cell division in marine Synechococcus spp. (Cyanobacteria): use of the frequency of dividing cells technique to measure growth rate. Mar. Ecol. Prog. Ser, 32, 139-148, 1986.
- Ciebiada, M., Kubiak, K., and Daroch, M.: Modifying the Cyanobacterial Metabolism as a Key to Efficient Biopolymer Production in Photosynthetic Microorganisms, IJMS, 21, 7204, https://doi.org/10.3390/ijms21197204, 2020.
- 572
- Clark, D. R. and Flynn, K. J.: The relationship between the dissolved inorganic carbon concentration and growth rate in marine phytoplankton, Proc. R. Soc. Lond. B, 267, 953-959,
- https://doi.org/10.1098/rspb.2000.1096, 2000
- 575 Coates, J.: Interpretation of infrared spectra, a practical approach, 2000.
- Coello-Camba, A. and Agustí, S.: Picophytoplankton Niche Partitioning in the Warmest Oligotrophic Sea, Front. Mar. Sci., 8, 651877, https://doi.org/10.3389/finars.2021.651877,
- De Philippis, R., Sili, C., and Vincenzini, M.: Response of an exopolysaccharide-producing heterocystous evanobacterium to changes in metabolic carbon flux. Journal of Applied
- Phycology, 8, 275-281, 1996. 579
- De Philippis, R., Margheri, M. C., Materassi, R., and Vincenzini, M.: Potential of unicellular cyanobacteria from saline environments as exopolysaccharide producers, Applied and 580
- ental Microbiology, 64, 1130-1132, 1998.
- 582 De Philippis, R., Sili, C., Paperi, R., and Vincenzini, M.: Exopolysaccharide-producing cyanobacteria and their possible exploitation: a review, Journal of Applied Phycology, 13,
- 584 Decho, A. W. and Gutierrez, T.: Microbial extracellular polymeric substances (EPSs) in ocean systems, Frontiers in microbiology, 8, 922, 2017.
- 585 Decho, A. W. and Kawaguchi, T.: Extracellular polymers (EPS) and calcification within modern marine stromatolites, in: Fossil and Recent Biofilms, Springer, 227-240, 2003.
- Diaz, M. R., Eberli, G. P., Blackwelder, P., Phillips, B., and Swart, P. K.: Microbially mediated organomineralization in the formation of ooids, Geology, 45, 771–774, https://doi.org/10.1130/G39159.1, 2017.
- Dierssen, H., Zimmerman, R., Drake, L., and Burdige, D.: Benthic ecology from space: optics and net primary production in seagrass and benthic algae across the Great Bahama Bank, Mar. Ecol. Prog. Ser., 411, 1–15, https://doi.org/10.3354/meps08665, 2010.
- 590 Dittrich, M. and Obst, M.: Are picoplankton responsible for calcite precipitation in lakes?, AMBIO: A Journal of the Human Environment, 33, 559-564, 2004
- 591 Dittrich, M. and Sibler, S.: Calcium carbonate precipitation by cyanobacterial polysaccharides, Geological Society, London, Special Publications, 336, 51-63, 2010.
- Dittrich, M., Müller, B., Mavrocordatos, D., and Wehrli, B.: Induced calcite precipitation by cyanobacterium Synechococcus, Acta hydrochimica et hydrobiologica, 31, 162–169, 2003.
- Dokulil, M. T., & Teubner, K.: Cyanobacterial dominance in lakes. Hydrobiologia, 438, 1-12, 2000. 593
- Dubois, M., Gilles, K. A., Hamilton, J. K., Rebers, P. t, and Smith, F.: Colorimetric method for determination of sugars and related substances, Analytical chemistry, 28, 350-356,
- Dupraz, C. and Visscher, P. T.: Microbial lithification in marine stromatolites and hypersaline mats, Trends in microbiology, 13, 429-438, 2005. 596
- Dupraz, C., Visscher, P. T., Baumgartner, L. K., and Reid, R. P.: Microbe-mineral interactions: early carbonate precipitation in a hypersaline lake (Eleuthera Island, Bahamas):
- Microbe-mineral interactions, Eleuthera Island, Bahamas, Sedimentology, 51, 745-765, https://doi.org/10.1111/j.1365-3091.2004.00649.x, 2004
- Dupraz, C., Reid, R. P., Braissant, O., Decho, A. W., Norman, R. S., and Visscher, P. T.: Processes of carbonate precipitation in modern microbial mats, Earth-Science Reviews, 96, 141–162, https://doi.org/10.1016/j.carscirev.2008.10.005, 2009.
- Giordano, M., Beardall, J., and Raven, J. A.: CO<sub>2</sub> concentrating mechanism in algae: Mechanisms, Environmental Modulation, and Evolution, Annu. Rev. Plant Biol., 56, 99–131, https://doi.org/10.1146/annurev.arplant.56.032604.144052, 2005.
- Gons, H. J., Ebert, J., Hoogveld, H. L., van den Hove, L., Pel, R., Takkenberg, W., & Woldringh, C. J.: Observations on cyanobacterial population collapse in eutrophic lake water. Antonic van Leeuwenhoek, 81, 319-326, 2002.
- Hagström, Å., Azam, F., Andersson, A., Wikner, J., and Rassoulzadegan, F.: Microbial loop in an oligotrophic pelagic marine ecosystem: possible roles of cyanobacteria and nanoflagellates in the organic fluxes, Mar. Ecol. Prog. Ser., 49, 171–178, https://doi.org/10.3354/meps049171, 1988. 606
- 607 Havens, K. E.: Cyanobacteria blooms: effects on aquatic ecosystems. Cyanobacterial harmful algal blooms: state of the science and research needs, 733-747, 2008
- 608  $Hein, M.: Inorganic carbon \ limitation \ of photosynthesis in \ lake \ phytoplankton, Freshwater \ Biology, 37, 545-552, \ https://doi.org/10.1046/j.1365-2427.1997.00180.x, 1997.00180.x, 1997.001$
- Heisler, J., Glibert, P. M., Burkholder, J. M., Anderson, D. M., Cochlan, W., Dennison, W. C., Dortch, Q., Gobler, C. J., Heil, C. A., Humphries, E., Lewitus, A., Magnien, R., Marshall, H. G., Sellner, K., Stockwell, D. A., Stocker, D. K., and Suddleson, M.: Eutrophication and harmful algal blooms: A scientific consensus, Harmful Algae, 8, 3–13,
- 611 https://doi.org/10.1016/j.hal.2008.08.006, 2008.
- Hodell, D. A., Schelske, C. L., Fahnenstiel, G. L., and Robbins, L. L.: Biologically induced calcite and its isotopic composition in Lake Ontario, Limnology and Oceanography, 43,
- Huisman, J., Codd, G. A., Paerl, H. W., Ibelings, B. W., Verspagen, J. M. H., and Visser, P. M.: Cyanobacterial blooms, Nat Rev Microbiol, 16, 471-483, 615
- https://doi.org/10.1038/s41579-018-0040-1, 2018.
- 616 Ibelings, B. W. and Maberly, S. C.: Photoinhibition and the availability of inorganic carbon restrict photosynthesis by surface blooms of cyanobacteria, Limnology and Oceanography, 43, 408–419, 1998.
- Ionescu, D., Spitzer, S., Reimer, A., Schneider, D., Daniel, R., Reitner, J., de Beer, D., and Arp, G.: Calcium dynamics in microbialite-forming exopolymer-rich mats on the atoll of Kiritimati, Republic of Kiribati, Central Pacific, Geobiology, 13, 170–180, https://doi.org/10.1111/gbi.12120, 2015.
- Kamennaya, N., Ajo-Franklin, C., Mttps://doi.org/10.3390/min2040338, 2012. Northen, T., and Jansson, C.: Cyanobacteria as Biocatalysts for Carbonate Mineralization, Minerals, 2, 338-364, 621
- Kansiz, M., Heraud, P., Wood, B., Burden, F., Beardall, J., and McNaughton, D.: Fourier Transform Infrared microspectroscopy and chemometrics as a tool for the discrimination of cyanobacterial strains, Phytochemistry, 52, 407–417, https://doi.org/10.1016/S0031-9422(99)00212-5, 1999. 623
- Kavita, K., Mishra, A., and Jha, B.: Isolation and physico-chemical characterisation of extracellular polymeric substances produced by the marine bacterium Vibrio parahaemolyticus, Biofouling, 27, 309–317, https://doi.org/10.1080/08927014.2011.562605, 2011.
- 625
- Kawaguchi, T. and Decho, A. W.: Isolation and biochemical characterization of extracellular polymeric secretions (EPS) from modern soft marine stromatolites (Bahamas) and its inhibitory effect on CaCO<sub>3</sub> precipitation, Preparative Biochemistry and Biotechnology, 32, 51–63, 2002.
- Kieft, B., Li, Z., Bryson, S., Hettich, R. L., Pan, C., Mayali, X., and Mueller, R. S.: Phytoplankton exudates and lysates support distinct microbial consortia with specialized metabolic and ecophysiological traits, Proc. Natl. Acad. Sci. U.S.A., 118, e2101178118, https://doi.org/10.1073/pnas.2101178118, 2021.





- Kupriyanova, E. V. and Pronina, N. A.: Carbonic anhydrase: Enzyme that has transformed the biosphere, Russ J Plant Physiol, 58, 197–209, https://doi.org/10.1134/S1021443711020099, 2011. 631
- Kupriyanova, E. V., Sinetova, M. A., Bedbenov, V. S., Pronina, N. A., and Los, D. A.: Putative extracellular α-Class carbonic anhydrase, EcaA, of Synechococcus elongatus PCC 7942 is an active enzyme: A sequel to an old story, Microbiology, 164, 576–586, 2018. 633
- Lange, N. A.: Lange's handbook of chemistry, 15. ed., edited by: Dean, J. A., McGraw-Hill, New York, NY, 1999. 634
- Larson, E. B. and Mylroie, J. E.: A review of whiting formation in the Bahamas and new models, Carbonates Evaporites, 29, 337–347, https://doi.org/10.1007/s13146-014-0212-7, 2014b. 636
- Liu, L., Huang, Q., and Qin, B.: Characteristics and roles of *Microcystis* extracellular polymeric substances (EPS) in cyanobacterial blooms: a short review, Journal of Freshwater Ecology, 33, 183–193, https://doi.org/10.1080/02705060.2017.1391722, 2018.
- 638
- Lürling, M., Mello, M. M. e, van Oosterhout, F., de Senerpont Domis, L., and Marinho, M. M.: Response of Natural Cyanobacteria and Algae Assemblages to a Nutrient Pulse and
- 640 Elevated Temperature, Front. Microbiol., 9, 1851, https://doi.org/10.3389/fmicb.2018.01851, 2018.
- Maberly, S. C.: Diel, episodic and seasonal changes in pH and concentrations of inorganic carbon in a productive lake, Freshwater Biology, 35, 579-598, https://doi.org/10.1111/j.1365-
- 2427.1996.tb01770.x, 1996
- 643 Maeda, H., Kawai, A., and Tilzer, M. M.: The water bloom of Cyanobacterial picoplankton in Lake Biwa, Japan, Hydrobiologia, 248, 93-103, https://doi.org/10.1007/BF00006077,
- Marin, F., Corstjens, P., de Gaulejac, B., de Vrind-De Jong, E., and Westbroek, P.: Mucins and molluscan calcification: molecular characterization of mucoperlin, a novel mucin-like protein from the nacreous shell layer of the fan mussel *Pinna nobilis* (Bivalvia, Pteriomorphia), Journal of Biological Chemistry, 275, 20667–20675, 2000. 645
- Martinez, R. E., Gardés, E., Pokrovsky, O. S., Schott, J., and Oelkers, E. H.: Do photosynthetic bacteria have a protective mechanism against carbonate precipitation at their surfaces?, Geochimica et Cosmochimica Acta, 74, 1329–1337, https://doi.org/10.1016/j.gea.2009.11.025, 2010.
- Martinho de Brito, M., Bundeleva, I., Marin, F., Vennin, E., Wilmotte, A., Plasseraud, L., and Visscher, P. T.: Effect of Culture pH on Properties of Exopolymeric Substances from Synechococcus PCC7942: Implications for Carbonate Precipitation, Geosciences, 12, 210, https://doi.org/10.3390/geosciences12050210, 2022.
- 650
- Marvasi, M., Visscher, P. T., and Casillas Martinez, L.: Exopolymeric substances (EPS) from Bacillus subtilis: polymers and genes encoding their synthesis, FEMS microbiology
- 652 letters, 313, 1-9, 2010.
- Mayo, W. P., Elrifi, I. R., and Turpin, D. H.: The Relationship between Ribulose Bisphosphate Concentration, Dissolved Inorganic Carbon (DIC) Transport and DIC-Limited
- Photosynthesis in the Cyanobacterium Synechococcus leopoliensis Grown at Different Concentrations of Inorganic Carbon, Plant Physiol., 90, 720–727,
- https://doi.org/10.1104/pp.90.2.720, 1989.
- 656 Miller, A. G., Turpin, D. H., and Canvin, D. T.: Growth and Photosynthesis of the Cyanobacterium Synechococcus leopoliensis in HCO<sub>3</sub><sup>-</sup>-Limited Chemostats, Plant Physiol., 75, 1064–1070, https://doi.org/10.1104/pp.75.4.1064, 1984.
- 658 Mitterer, R. M. and Cunningham, R.: The interaction of natural organic matter with grain surfaces: implications for calcium carbonate precipitation, 1985.
- Morse, J. W., Gledhill, D. K., and Millero, F. J.: CaCO<sub>3</sub> precipitation kinetics in waters from the great Bahama bank: Geochimica et Cosmochimica Acta, 67, 2819–2826,
- https://doi.org/10.1016/S0016-7037(03)00103-0, 2003
- Murphy, L. S. and Haugen, E. M.: The distribution and abundance of phototrophic ultraplankton in the North Atlantic1, 2: Phototrophic ultraplankton, Limnol. Oceanogr., 30, 47–58, https://doi.org/10.4319/lo.1985.30.1.0047, 1985.
- Myklestad, S., & Haug, A.: Production of carbohydrates by the marine diatom Chaetoceros affinis var. willei (Gran) Hustedt. I. Effect of the concentration of nutrients in the culture medium. Journal of Experimental Marine Biology and Ecology, 9(2), 125-136, 1972.
- Myklestad, S., Holm-Hansen, O., Vårum, K. M., and Volcani, B. E.: Rate of release of extracellular amino acids and carbohydrates from the marine diatom *Chaetoceros affinis*, J Plankton Res, 11, 763–773, https://doi.org/10.1093/plankt/11.4.763, 1989. 666
- Obst, M., Dynes, J. J., Lawrence, J. R., Swerhone, G. D., Benzerara, K., Karunakaran, C., Kaznatcheev, K., Tyliszczak, T., and Hitchcock, A. P.: Precipitation of amorphous CaCO<sub>3</sub> 668 (aragonite-like) by cyanobacteria: a STXM study of the influence of EPS on the nucleation process, Geochimica et Cosmochimica Acta, 73, 4180-4198, 2009.
- O'Neil, J. M., Davis, T. W., Burford, M. A., and Gobler, C. J.: The rise of harmful cyanobacteria blooms: The potential roles of eutrophication and climate change, Harmful Algae,
- 14, 313-334, https://doi.org/10.1016/j.hal.2011.10.027, 2012. 670
- 671 Paerl, H.: Nutrient and other environmental controls of harmful evanobacterial blooms along the freshwater-marine continuum. Cvanobacterial harmful algal blooms: State of the 672 science and research needs, 217-237, 2008.
- Paerl, H. W.: Nuisance phytoplankton blooms in coastal, estuarine, and inland waters1: Nuisance blooms, Limnol. Oceanogr., 33, 823–843, https://doi.org/10.4319/lo.1988.33.4part2.0823, 1988. 673
- 675 Paerl, H. W. and Huisman, J.: Blooms Like It Hot, Science, 320, 57-58, https://doi.org/10.1126/science.1155398, 2008.
- Paerl, H. W., Fulton, R. S., Moisander, P. H., and Dyble, J.: Harmful Freshwater Algal Blooms, With an Emphasis on Cyanobacteria, The Scientific World Journal, 1, 76-113,
- https://doi.org/10.1100/tsw.2001.16, 2001.
- 678 Palenik, B.: Chromatic Adaptation in Marine Synechococcus Strains, Appl Environ Microbiol, 67, 991–994, https://doi.org/10.1128/AEM.67.2.991-994.2001, 2001.
- Pannard, A., Pédrono, J., Bormans, M., Briand, E., Claquin, P., and Lagadeuc, Y.: Production of exopolymers (EPS) by cyanobacteria: impact on the carbon-to-nutrient ratio of the particulate organic matter, Aquat Ecol, 50, 29-44, https://doi.org/10.1007/s10452-015-9550-3, 2016. 680
- Pereira, S., Zille, A., Micheletti, E., Moradas-Ferreira, P., De Philippis, R., and Tamagnini, P.: Complexity of cyanobacterial exopolysaccharides: composition, structures, inducing factors and putative genes involved in their biosynthesis and assembly, FEMS microbiology reviews, 33, 917–941, 2009.
- Phlips, E. J., Badylak, S., and Lynch, T. C.: Blooms of the picoplanktonic cyanobacterium Synechococcus in Florida Bay, a subtropical inner-shelf lagoon, Limnol. Oceanogr., 44, 1166–1175, https://doi.org/10.4319/lo.1999.44.4.1166, 1999. 683
- Ploug, H.: Cyanobacterial surface blooms formed by Aphanizomenon sp. and Nodularia spumigena in the Baltic Sea: Small-scale fluxes, pH, and oxygen microenvironments, Limnol. Oceanogr., 53, 914–921, https://doi.org/10.4319/10.2008.53.3.0914, 2008.
- 687 Pomar, L. and Hallock, P.: Carbonate factories: a conundrum in sedimentary geology, Earth-Science Reviews, 87, 134-169, 2008
- 688 Price, G. D.: Inorganic carbon transporters of the cyanobacterial CO<sub>2</sub> concentrating mechanism, Photosynth Res, 109, 47–57, https://doi.org/10.1007/s11120-010-9608-y, 2011.
- Price, G. D., Sültemeyer, D., Klughammer, B., Ludwig, M., and Badger, M. R.: The functioning of the CO<sub>2</sub> concentrating mechanism in several cyanobacterial strains: a review of general physiological characteristics, genes, proteins, and recent advances, Canadian Journal of Botany, 76, 973–1002, 1998. 689
- Price, G. D., Maeda, S., Omata, T., and Badger, M. R.: Modes of active inorganic carbon uptake in the cyanobacterium, Synechococcus sp. PCC7942, Functional Plant Biol., 29, 131,
- https://doi.org/10.1071/PP01229, 2002.





- Price, G. D., Badger, M. R., Woodger, F. J., and Long, B. M.: Advances in understanding the cyanobacterial CO<sub>2</sub>-concentrating-mechanism (CCM): functional components, Ci transporters, diversity, genetic regulation and prospects for engineering into plants, Journal of Experimental Botany, 59, 1441–1461, https://doi.org/10.1093/jxb/erm112, 2008.
- Rae, B. D., Long, B. M., Whitehead, L. F., Förster, B., Badger, M. R., and Price, G. D.: Cyanobacterial Carboxysomes: Microcompartments that Facilitate CO<sub>2</sub> Fixation, Microb Physiol, 23, 300–307, https://doi.org/10.1159/000351342, 2013. 696
- 697 Raven, J. A., Beardall, J., and Sánchez-Baracaldo, P.: The possible evolution and future of CO<sub>2</sub>-concentrating mechanisms, Journal of Experimental Botany, 68, 3701–3716, 2017.
- Reynolds, C. S.: Cyanobacterial Water-Blooms, in: Advances in Botanical Research, vol. 13, Elsevier, 67-143, https://doi.org/10.1016/S0065-2296(08)60341-9, 1987.
- 699 Reynolds, C. S. and Walsby, A. E.: Water-Blooms, Biological Reviews, 50, 437-481, https://doi.org/10.1111/j.1469-185X.1975.tb01060.x, 1975.
- Rippka, R., Deruelles, J., Waterbury, J. B., Herdman, M., and Stanier, R. Y.: Generic assignments, strain histories and properties of pure cultures of cyanobacteria, Microbiology, 111,
- Robbins, L. and Blackwelder, P.: Biochemical and ultrastructural evidence for the origin of whitings: A biologically induced calcium carbonate precipitation mechanism, Geology, 20, 464–468, 1992.
- $Robbins, L.\,L., Tao, Y., and \, Evans, C.\,A.: \, Temporal \, and \, spatial \, distribution \, of \, whitings \, on \, Great \, Bahama \, Bank \, and \, a \, new \, lime \, mud \, budget, \, Geol, \, 25, \, 947, \, https://doi.org/10.1130/0091-7613(1997)025 < 0947: TASDOW > 2.3.CO; 2, \, 1997.$ 705
- 706 Rossi, F. and De Philippis, R.: Role of cyanobacterial exopolysaccharides in phototrophic biofilms and in complex microbial mats, Life, 5, 1218–1238, 2015.
- Sandrini, G., Tann, R. P., Schuurmans, J. M., van Beusekom, S. A. M., Matthijs, H. C. P., and Huisman, J.: Diel Variation in Gene Expression of the CO<sub>2</sub>-Concentrating Mechanism during a Harmful Cyanobacterial Bloom, Front. Microbiol., 7, https://doi.org/10.3389/fmicb.2016.00551, 2016.
- Schultze-Lam, S., Harauz, G., and Beveridge, T. J.: Participation of a cyanobacterial S layer in fine-grain mineral formation, J Bacteriol, 174, 7971–7981, https://doi.org/10.1128/jb.174.24.7971-7981.1992, 1992.
- 710
- Schultze-Lam, S., Schultze-Lam, S., Beveridge, T. J., and Des Marais, D. J.: Whiting events: biogenic origin due to the photosynthetic activity of cyanobacterial picoplankton, Limnology and oceanography, 42, 133–141, 1997.
- 712
- Shen, G., Canniffe, D. P., Ho, M.-Y., Kurashov, V., van der Est, A., Golbeck, J. H., and Bryant, D. A.: Characterization of chlorophyll f synthase heterologously produced in Synechococcus sp. PCC 7002, Photosynthesis research, 140, 77–92, 2019.
- 715 Shinn, E. A., Steinen, R. P., Lidz, B. H., and Swart, P. K.: Whitings, a sedimentologic dilemma, Journal of Sedimentary Research, 59, 147-161, 1989
- Skoog, E. J., Moore, K. R., Gong, J., Ciccarese, D., Momper, L., Cutts, E. M., and Bosak, T.: Metagenomic, (bio)chemical, and microscopic analyses reveal the potential for the cycling of sulfated EPS in Shark Bay pustular mats, ISME COMMUN., 2, 43, https://doi.org/10.1038/s43705-022-00128-1, 2022.
- 717
- Stal, L., Van Gemerden, H., and Krumbein, W.: The simultaneous assay of chlorophyll and bacteriochlorophyll in natural microbial communities, Journal of microbiological methods, 2, 295–306, 1984.
- 719
- 720 Stanton, C., Barnes, B. D., Kump, L. R., and Cosmidis, J.: A re-examination of the mechanism of whiting events: A new role for diatoms in Favetteville Green Lake (New York, USA), Geobiology, 2021
- Strong, A. E. and Eadie, B. J.: Satellite observations of calcium carbonate precipitations in the Great Lakes 1: Satellite imagery, Limnol. Oceanogr., 23, 877–887, https://doi.org/10.4319/lo.1978.23.5.0877, 1978.
- 724 Tai, V. and Palenik, B.: Temporal variation of Synechococcus clades at a coastal Pacific Ocean monitoring site, ISME J, 3, 903-915, https://doi.org/10.1038/ismej.2009.35, 2009.
- 725 Takahashi, Y., Yamaguchi, O., and Omata, T.: Roles of CmpR, a LysR family transcriptional regulator, in acclimation of the cyanobacterium Synechococcus sp. strain PCC 7942 to low-CO2 and high-light conditions: High-light and low-CO2 acclimation in cyanobacteria, Molecular Microbiology, 52, 837-845, https://doi.org/10.1111/j.1365-2958.2004.04021.x,
- Talling, J. F.: The Depletion of Carbon Dioxide from Lake Water by Phytoplankton, The Journal of Ecology, 64, 79, https://doi.org/10.2307/2258685, 1976. 728
- 729 Thompson, J. and Ferris, F.: Cyanobacterial precipitation of gypsum, calcite, and magnesite from natural alkaline lake water, Geology, 18, 995-998, 1990.
- Thompson, J. B.: Microbial whitings, Microbial sediments, 250-260, 2000. 730
- Thompson, J. B., Ferris, F. G., and Smith, D. A.: Geomicrobiology and Sedimentology of the Mixolimnion and Chemocline in Fayetteville Green Lake, New York, PALAIOS, 5, 52,
- 732

- 733 Tortell, P. D.: Evolutionary and ecological perspectives on carbon acquisition in phytoplankton, Limnol. Oceanogr., 45, 744-750, https://doi.org/10.4319/lo.2000.45.3.0744, 2000.
- Tortell, P. D., Rau, G. H., and Morel, F. M. M.: Inorganic carbon acquisition in coastal Pacific phytoplankton communities, Limnol. Oceanogr, 45, 1485-1500,
- 735 https://doi.org/10.4319/lo.2000.45.7.1485, 2000.
- Townsend, D. W., Cammen, L. M., Holligan, P. M., Campbell, D. E., and Pettigrew, N. R.: Causes and consequences of variability in the timing of spring phytoplankton blooms, Deep Sea Research Part I: Oceanographic Research Papers, 41, 747–765, https://doi.org/10.1016/0967-0637(94)90075-2, 1994.
- 738 Trichet, J. and Defarge, C.: Non-biologically supported organomineralization, Bulletin-Institut Oceanographique Monaco-Numero Special-, 203-236, 1995.
- Verspagen, J. M. H., Van de Waal, D. B., Finke, J. F., Visser, P. M., Van Donk, E., and Huisman, J.: Rising CO2 Levels Will Intensify Phytoplankton Blooms in Eutrophic and
- 740 Hypertrophic Lakes, PLoS ONE, 9, e104325, https://doi.org/10.1371/journal.pone.0104325, 2014.
- 741 Visscher, P. T., Reid, R. P., Bebout, B. M., Hoeft, S. E., Macintyre, I. G., & Thompson, J. A.: Formation of lithified micritic laminae in modern marine stromatolites (Bahamas); the
- role of sulfur cycling. American Mineralogist, 83(11-12\_Part\_2), 1482-1493, 1998. 742
- Walker, J. M., Marzec, B., Lee, R. B., Vodrazkova, K., Day, S. J., Tang, C. C., Rickaby, R. E., and Nudelman, F.: Polymorph selectivity of coccolith-associated polysaccharides from gephyrocapsa oceanica on calcium carbonate formation in vitro, Advanced Functional Materials, 29, 1807168, 2019. 744 745
- Wall, R. S. and Gyi, T. J.: Alcian blue staining of proteoglycans in polyacrylamide gels using the "critical electrolyte concentration" approach, Analytical biochemistry, 175, 298–299, 747
- Wang, L.-L., Wang, L.-F., Ren, X.-M., Ye, X.-D., Li, W.-W., Yuan, S.-J., Sun, M., Sheng, G.-P., Yu, H.-Q., and Wang, X.-K.: pH dependence of structure and surface properties of
- microbial EPS, Environmental science & technology, 46, 737-744, 2012a. 749
- Wang, L.-P., Shen, Q.-R., Yu, G.-H., Ran, W., and Xu, Y.-C.: Fate of biopolymers during rapeseed meal and wheat bran composting as studied by two-dimensional correlation spectroscopy in combination with multiple fluorescence labelling techniques, Bioresource Technology, 105, 88–94, https://doi.org/10.1016/j.biortech.2011.11.064, 2012b. 751
- Weisse, T.: Dynamics of Autotrophic Picoplankton in Marine and Freshwater Ecosystems, in: Advances in Microbial Ecology, vol. 13, edited by: Jones, J. G., Springer US, Boston, MA, 327–370, https://doi.org/10.1007/978-1-4615-2858-6\_8, 1993.





- Wells, A. J. and Iling, L. V.: Present-day precipitation of calcium carbonate in the Persian Gulf, 1964.
- 755 Wheeler, A., George, J. W., and Evans, C.: Control of calcium carbonate nucleation and crystal growth by soluble matrx of oyster shell, Science, 212, 1397–1398, 1981.
- Whitton, B. A. and Potts, M.: Introduction to the Cyanobacteria, in: Ecology of Cyanobacteria II, edited by: Whitton, B. A., Springer Netherlands, Dordrecht, 1-13, 757 https://doi.org/10.1007/978-94-007-3855-3\_1, 2012.
- 758 Xu, H., Paerl, H. W., Qin, B., Zhu, G., Hall, N. S., and Wu, Y.: Determining Critical Nutrient Thresholds Needed to Control Harmful Cyanobacterial Blooms in Eutrophic Lake Taihu, China, Environ. Sci. Technol., 49, 1051–1059, https://doi.org/10.1021/es503744q, 2015.
- 760 Yang, G., Li, F., Deng, Z., Wang, Y., Su, Z., Huang, L., Yin, L., and Ji, C.: Abnormal Crystallization Sequence of Calcium Carbonate in the Presence of Synechococcus sp. PCC 7942, Geomicrobiology Journal, 40, 34–45, https://doi.org/10.1080/01490451.2022.2100948, 2023. 761
- 762 Yates, K. K. and Robbins, L. L.: Production of carbonate sediments by a unicellular green alga, American Mineralogist, 83, 1503-1509, 1998.
- Zepernick, B. N., Gann, E. R., Martin, R. M., Pound, H. L., Krausfeldt, L. E., Chaffin, J. D., and Wilhelm, S. W.: Elevated pH Conditions Associated With Microcystis spp. Blooms Decrease Viability of the Cultured Diatom Fragilaria crotonensis and Natural Diatoms in Lake Eric, Frontiers in microbiology, 12, 188, 2021.
- Zhao, H., Han, G., Zhang, S., and Wang, D.: Two phytoplankton blooms near Luzon Strait generated by lingering Typhoon Parma: Lingering typhoon-induced algae blooms, J. Geophys. Res. Biogeosci., 118, 412–421, https://doi.org/10.1002/jgrg.20041, 2013.
- 766