



Supplement of

Chlorophyll *a*-specific Δ^{14} C, δ^{13} C and δ^{15} N values in stream periphyton: implications for aquatic food web studies

N. F. Ishikawa et al.

Correspondence to: N. F. Ishikawa (naoto.f.ishikawa@gmail.com)

The copyright of individual parts of the supplement might differ from the CC-BY 3.0 licence.

1 Supplemental tables

- 2 Table S1. The $\delta^{13}C_{\text{bulk}}$, $\delta^{15}N_{\text{bulk}}$ and $\Delta^{14}C_{\text{bulk}}$ values (‰) and C/N ratios (g g⁻¹) of the samples.
- 3 PP: primary producer. Means and 1σ analytical errors of the repeated measurements are 4 shown.
- 5 Table S2. The $\delta^{13}C_{chl}$, $\delta^{15}N_{chl}$ and $\Delta^{14}C_{chl}$ values (‰), C/N ratios of purified chlorophyll *a* (g 6 g⁻¹) (theoretical value: 11.8), chlorophyll *a* abundances per unit dry weight of the samples (µg
- 7 g^{-1}) and carbon contents of the chlorophyll *a* samples introduced into the AMS (μ g C) for
- 8 periphyton, *Cladophora* sp. and *Q. glauca*. Means and 1σ analytical errors of the repeated
- 9 measurements are shown. Periphyton in April comprises chlorophyll *a* and phaeophytin *a*.
- 10 The October periphyton $\delta^{13}C_{chl}$ and $\delta^{15}N_{chl}$ values were determined based on single
- 11 measurement.
- 12

13 Supplemental figures

- 14 Figure S1. Illustration of algae and cyanobacteria in the periphyton community observed in
- 15 November 2008. White scale bars at bottom right indicate $50 \mu m$.
- 16 Figure S2. Microscopic images of a) periphyton and b) the gut contents of *E. latifolium*
- 17 collected in April 2013. White scale bars at bottom right indicate $100 \ \mu m$.
- 18 Figure S3. Three-dimensional chromatograms of laboratory standards for a) chlorophyll *a*,
- 19 and b) phaeophytin *a* and periphyton collected from the Seri River in c) April, and d) October

20 2013.

1 Table S1. The $\delta^{13}C_{\text{bulk}}$, $\delta^{15}N_{\text{bulk}}$ and $\varDelta^{14}C_{\text{bulk}}$ values (‰) and C/N ratios (g g⁻¹) of the samples.

2 PP: primary producer. Means and 1σ analytical errors of the repeated measurements are

3 shown.


	c13 c (0()	c15xx (0())		(140 (0))	
	$\delta^{13} \mathrm{C}_{\mathrm{bulk}}$ (‰)	$\delta^{15}\mathrm{N}_{\mathrm{bulk}}$ (‰)	$C/N (g g^{-1})$	$\varDelta^{14}C_{\text{bulk}}(\%)$	AMS lab code
April					
Periphyton	-20.7 ± 0.0	-5.7 ± 0.1	5.9 ± 0.2	-228 ± 2.3	IAAA-131744
E. latifolium	-26.6 ± 0.1	-3.9 ± 0.3	4.3 ± 0.0	-215 ± 2.3	IAAA-131743
October					
Periphyton	-26.2 ± 1.1	-1.7 ± 0.1	6.6 ± 0.5	-179 ± 2.2	IAAA-140037
E. latifolium	-26.5 ± 0.2	$+1.4 \pm 2.4$	5.0 ± 0.1	-199 ± 2.2	IAAA-140038
Reference					
Cladophora sp.	-23.0 ± 1.8	-4.3 ± 0.1	11.6 ± 1.0	-199 ± 2.7	IAAA-131745
Q. glauca	-30.9 ± 0.1	-0.8 ± 0.1	28.7 ± 0.8	$+27 \pm 2.3$	IAAA-131749

4

- 1 Table S2. The $\delta^{13}C_{chl}$, $\delta^{15}N_{chl}$ and $\Delta^{14}C_{chl}$ values (‰), C/N ratios of purified chlorophyll *a* (g 2 g⁻¹) (theoretical value: 11.8), chlorophyll *a* abundances per unit dry weight of the samples (µg 3 g⁻¹) and carbon contents of the chlorophyll *a* samples introduced into the AMS (µg C) for
- 4 periphyton, *Cladophora* sp. and *Q. glauca*. Means and 1σ analytical errors of the repeated
- 5 measurements are shown. Periphyton in April comprises chlorophyll *a* and phaeophytin *a*.
- 6 The October periphyton $\delta^{15}N_{chl}$ value was determined based on single measurement.

	$\delta^{13}C_{chl}$ (‰)	$\delta^{15} \mathrm{N}_{\mathrm{chl}}$ (‰)	$C/N (g g^{-1})$	$\varDelta^{14}C_{chl}(\%)$	$\mu g g^{-1}$	μg C	AMS lab code
April							
Periphyton	-20.0 ± 0.2	-1.5 ± 0.2	14.3 ± 1.8	-258 ± 4.8	249	90	YAUT-012012
October Periphyton	-25.2 ± 0.6	+0.5	12.2 ± 0.8	-190 ± 6.1	817	617	YAUT-005816
Reference							
Cladophora sp.	-24.7 ± 0.1	-6.0 ± 1.2	11.9 ± 0.2	-210 ± 6.8	429	100	YAUT-005815
Q. glauca	-32.0 ± 0.1	-0.2 ± 0.4	13.1 ± 2.0	-10 ± 7.3	465	119	YAUT-005824

7



- 3 Figure S1. Illustration of algae and cyanobacteria in the periphyton community observed in
- 4 November 2008. White scale bars at bottom right indicate 50 μm.




Figure S2. Microscopic images of a) periphyton and b) the gut contents of *E. latifolium*collected in April 2013. White scale bars at bottom right indicate 100 μm.




Figure S3. Three-dimensional chromatograms of laboratory standards for a) chlorophyll *a*,
and b) phaeophytin *a* and periphyton collected from the Seri River in c) April, and d) October