

Supplement of Biogeosciences, 13, 2889–2899, 2016
<http://www.biogeosciences.net/13/2889/2016/>
doi:10.5194/bg-13-2889-2016-supplement
© Author(s) 2016. CC Attribution 3.0 License.



Biogeosciences  Open Access

Supplement of

N₂ fixation in eddies of the eastern tropical South Pacific Ocean

Carolin R. Löscher et al.

Correspondence to: C. R. Löscher (cloescher@geomar.de)

The copyright of individual parts of the supplement might differ from the CC-BY 3.0 licence.

Table S1: N₂ and C fixation rates measured during M90 and M91 cruises

cruise	station ID	latitude [°N]	longitude [°W]	depth [m]	C fixation [μmol L ⁻¹ d ⁻¹]	N ₂ fixation [nmol L ⁻¹ d ⁻¹]
M90	M90_1639-1	-16.749	-83.999	502	0.022	0.00
M90	M90_1639-1	-16.749	-83.999	450	0.247	1.42
M90	M90_1639-1	-16.749	-83.999	348	0.228	1.89
M90	M90_1639-1	-16.749	-83.999	300	0.026	0.21
M90	M90_1639-2	-16.749	-83.999	201	0.016	0.30
M90	M90_1639-2	-16.749	-83.999	150	0.006	0.51
M90	M90_1639-2	-16.749	-83.999	125	0.009	0.25
M90	M90_1639-2	-16.749	-83.999	40	0.251	0.18
M90	M90_1639-2	-16.749	-83.999	5	0.017	0.31
M90	M90_1646-1	-17.165	-83.581	500.3	0.018	0.04
M90	M90_1646-1	-17.165	-83.581	399.9	0.006	0.17
M90	M90_1646-1	-17.165	-83.581	380.4	0.030	0.13
M90	M90_1646-1	-17.165	-83.581	299.9	0.004	0.18
M90	M90_1646-2	-17.166	-83.583	200	0.008	0.38
M90	M90_1646-2	-17.166	-83.583	150	0.048	0.22
M90	M90_1646-2	-17.166	-83.583	125	0.014	0.05
M90	M90_1646-2	-17.166	-83.583	45	0.015	0.17
M90	M90_1646-2	-17.166	-83.583	5	0.019	0.73
M90	M90_1656-1	-15.998	-79.5	500	0.005	0.10
M90	M90_1656-1	-15.998	-79.5	400	0.021	0.13
M90	M90_1656-1	-15.998	-79.5	350	0.013	0.09
M90	M90_1656-1	-15.998	-79.5	300	0.012	0.16
M90	M90_1656-1	-15.998	-79.5	300	0.006	0.21
M90	M90_1656-1	-15.998	-79.5	200	0.009	0.36
M90	M90_1656-2	-15.999	-79.5	150	0.010	0.18
M90	M90_1656-2	-15.999	-79.5	100	0.008	0.31
M90	M90_1656-2	-15.999	-79.5	40	0.017	0.23
M90	M90_1656-2	-15.999	-79.5	5	0.016	1.48
M90	M90_1659-1	-16.333	-80.5	500	0.005	0.46
M90	M90_1659-1	-16.333	-80.5	400	0.005	0.13
M90	M90_1659-2	-16.333	-80.5	300	0.015	0.19
M90	M90_1659-2	-16.333	-80.5	250	0.016	0.16
M90	M90_1659-2	-16.333	-80.5	200	0.023	0.29
M90	M90_1659-2	-16.333	-80.5	150	0.015	0.15
M90	M90_1659-2	-16.333	-80.5	100	0.010	0.24
M90	M90_1659-2	-16.333	-80.5	40	0.018	0.39
M90	M90_1659-2	-16.333	-80.5	5	0.013	0.50
M90	M90_1664-1	-16.749	-78.001	500	0.004	0.13
M90	M90_1664-1	-16.749	-78.001	400	0.003	0.26
M90	M90_1664-2	-16.749	-78	350	0.014	0.26
M90	M90_1664-2	-16.749	-78	300	0.008	0.38

M90	M90_1664-2	-16.749	-78	200		0.48
M90	M90_1664-2	-16.749	-78	150	0.036	0.76
M90	M90_1664-2	-16.749	-78	100	0.020	0.73
M90	M90_1664-2	-16.749	-78	40	0.015	0.52
M90	M90_1664-2	-16.749	-78	5	0.026	3.76
M90	M90_1668-2	-16.75	-76	5	0.027	2.23
M90	M90_1668-2	-16.75	-76	40	0.007	0.15
M90	M90_1668-2	-16.75	-76	100	0.008	0.65
M90	M90_1668-2	-16.75	-76	150	0.009	0.78
M90	M90_1668-1	-16.749	-76	200	0.017	0.59
M90	M90_1668-1	-16.749	-76	300	0.015	0.28
M90	M90_1668-1	-16.749	-76	350	0.007	0.23
M90	M90_1668-1	-16.749	-76	400	0.008	0.28
M90	M90_1668-1	-16.749	-76	500	0.027	
M90	M90_1672-2	-16.232	-75.666	5	0.034	1.34
M90	M90_1672-2	-16.232	-75.666	100	0.066	0.86
M90	M90_1672-2	-16.232	-75.666	150	0.011	0.90
M90	M90_1672-1	-16.232	-75.666	200	0.041	0.75
M90	M90_1672-1	-16.232	-75.666	250	0.507	4.39
M90	M90_1672-1	-16.232	-75.666	300	0.174	N/A
M90	M90_1672-1	-16.232	-75.666	350	0.025	N/A
M90	M90_1672-1	-16.232	-75.666	400	0.282	0.25
M90	M90_1672-1	-16.232	-75.666	500	0.018	0.30
M91	M91_1773-2	-16.155	-76.807	299.2	0	0.30
M91	M91_1773-2	-16.155	-76.807	198.6	0.002	1.04
M91	M91_1773-3	-16.155	-76.823	101.9	0	2.45
M91	M91_1773-3	-16.155	-76.823	51.3	0.003	2.13
M91	M91_1773-3	-16.155	-76.823	7.4	0.01	3.45
M91	M91_1777-1	-15.519	-75.6	300.7	0.038	0.56
M91	M91_1777-4	-15.54	-75.614	200.9	0.025	0.46
M91	M91_1777-4	-15.54	-75.614	101.3	0.012	1.13
M91	M91_1777-4	-15.54	-75.614	51.4	0.017	2.32
M91	M91_1777-4	-15.54	-75.614	6.6	0.022	2.52

Table S2: qPCR-based quantification of *nifH* clusters P1-P8 as defined by Löscher et al. (2014) , a Crocosphaera-like diazotroph (UCYN-B) and total *nifH* [transcripts L⁻¹] as sum of the quantified clusters.




Figure S1: Phosphate, nitrate, nitrite in eddies **A**, **B** and **C** along three sections during the M90 cruise.

References

Löscher, C. R., Großkopf, T., Desai, F., Gill, D., Schunck, H., Croot, P., Schlosser, C., Neulinger, S. C., Lavik, G., Kuypers, M. M. M., LaRoche, J., and Schmitz, R. A.: Facets of diazotrophy in the oxygen minimum zone off Peru, *ISME J*, 8, 2180-2192, doi: 10.1038/ismej.2014.71, 2014.