



Corrigendum to “A global hotspot for dissolved organic carbon in hypermaritime watersheds of coastal British Columbia” published in *Biogeosciences*, 14, 3743–3762, 2017

Allison A. Oliver^{1,2}, Suzanne E. Tank^{1,2}, Ian Giesbrecht^{2,7}, Maartje C. Korver², William C. Floyd^{3,4,2},
Paul Sanborn^{5,2}, Chuck Bulmer⁶, and Ken P. Lertzman^{7,2}

¹University of Alberta, Department of Biological Sciences, CW 405, Biological Sciences Bldg., University of Alberta,
Edmonton, AB, T6G 2E9, Canada

²Hakai Institute, Tula Foundation, P.O. Box 309, Heriot Bay, BC, V0P 1H0, Canada

³Ministry of Forests, Lands and Natural Resource Operations, 2100 Labieux Rd, Nanaimo, BC, V9T 6E9, Canada

⁴Vancouver Island University, 900 Fifth Street, Nanaimo, BC, V9R 5S5, Canada

⁵Ecosystem Science and Management Program, University of Northern British Columbia,
3333 University Way, Prince George, BC, V2N 4Z9, Canada

⁶BC Ministry of Forests Lands and Natural Resource Operations, 3401 Reservoir Rd, Vernon, BC, V1B 2C7, Canada

⁷School of Resource and Environmental Management, Simon Fraser University, TASC 1–Room 8405,
8888 University Drive, Burnaby, BC, V5A 1S6, Canada

Correspondence: Allison A. Oliver (aaoliver@ualberta.ca)

Published: 1 March 2018

In Table 1 of the original article, the values presented for total Q yield (mm) are for the entire duration of study (1 October 2014–30 April 2016), not the period of WY2015 (1 October 2014–30 September 2015) as indicated by the footnote. We have amended the table so that these values now correctly reflect the period of WY2015. We apologize for this mistake and any confusion it may have caused.

Table 1. Watershed characteristics, discharge, DOC concentrations, and DOC yields for the seven study watersheds on Calvert and Hecate Islands. Additional details on the methods used to determine watershed characteristics can be found in Supplement.

Watershed	Area (km ²)	Avg. Slope (%)	Lakes (% Area)	Wetlands (% Area)	Avg. Depth Organic Soils (cm)	Avg. Depth Mineral Soils (cm)	Total Q Yield ¹ (mm)	DOC ^{1,a} (mg L ⁻¹)	Q-weighted Avg. DOC ¹ (mg L ⁻¹)	DOC Annual Yield ^b WY2015 ¹ (Mg C km ⁻²)	DOC Monthly Yield ^b Wet Season ² (Mg C km ⁻²)	DOC Monthly Yield ^b Dry Season ³ (Mg C km ⁻²)
626	3.2	21.7	4.7	48.0	39.4 ± 24.3	30.8 ± 8.3	2174	11.0 ± 3.5	15.3	37.7 (31.9–44.2)	3.59 (3.05–4.18)	0.62 (0.49–0.77)
1015	3.3	34.2	9.1	23.8	39.5 ± 17.2	33.7 ± 8.6	1791	11.2 ± 1.6	12.9	24.7 (23.6–25.8)	2.56 (2.45–2.78)	0.27 (0.25–0.28)
819	4.8	30.1	0.3	50.2	37.9 ± 19.1	29.8 ± 5.7	1689	14.0 ± 3.5	19.3	35.7 (31.7–40.2)	3.80 (3.37–5.10)	0.57 (0.48–0.67)
844	5.7	32.5	0.3	35.2	35.4 ± 18.0	29.1 ± 6.4	2471	13.1 ± 3.6	15.9	43.6 (34.2–54.9)	4.24 (3.36–5.30)	0.54 (0.36–0.77)
708	7.8	28.5	7.5	46.3	36.2 ± 19.7	29.9 ± 6.0	2158	9.5 ± 2.4	10.9	24.1 (22.2–26.0)	2.67 (2.46–4.07)	0.38 (0.34–0.43)
693	9.3	30.2	4.4	42.8	35.4 ± 16.1	30.2 ± 6.4	3422	7.7 ± 2.5	8.4	29.7 (25.9–34.0)	3.19 (2.79–4.94)	0.41 (0.32–0.52)
703	12.8	40.3	1.9	24.3	37.3 ± 16.5	35.8 ± 13.4	3628	6.3 ± 2.6	9.0	37.0 (32.5–42.0)	3.48 (3.07–4.02)	0.64 (0.52–0.77)
All	46.9	32.7	3.7	37.1	37.4 ± 17.7	32.2 ± 9.2	2776	10.4 ± 3.8	11.1	33.3 (28.9–38.1)	3.35 (2.94–4.40)	0.50 (0.41–0.62)

¹ Calculated for water year 2015 (WY2015; 1 October 2014–30 September 2015). ² Wet period average monthly yield calculated from October–April and September; WY2015 and October–April, WY2016. ³ Dry period average monthly yield calculated from May–August, WY2015. ^a Mean ± standard deviation. ^b Total ± 95% confidence interval