

Sal	n/spots	Na / Ca _{cc} mmol mol ⁻¹	D_{Na}	Mg / Ca _{cc} mmol mol ⁻¹	D_{Mg}	Sr / Ca _{cc} mmol mol ⁻¹	D_{Sr}
<i>A.l.</i>							
S25	65/2.6	9.29 ± 0.27	1.90 × 10 ⁻⁴	33.35 ± 1.20	5.94 × 10 ⁻³	1.80 ± 0.026	0.199
S30	74/1.9	9.47 ± 0.21	1.90 × 10 ⁻⁴	32.10 ± 1.20	5.64 × 10 ⁻³	1.74 ± 0.020	0.189
S35	103/1.9	9.63 ± 0.18	1.98 × 10 ⁻⁴	32.71 ± 1.07	5.94 × 10 ⁻³	1.76 ± 0.018	0.191
S40	50/2	10.25 ± 0.31	2.11 × 10 ⁻⁴	35.22 ± 2.60	6.27 × 10 ⁻³	1.74 ± 0.034	0.184
S45	44/1.4	10.78 ± 0.30	2.20 × 10 ⁻⁴	33.80 ± 1.68	5.90 × 10 ⁻³	1.82 ± 0.036	0.189
<i>A.t.</i>							
S25	109/2.5	4.75 ± 0.11	0.97 × 10 ⁻⁴	1.90 ± 0.06	3.40 × 10 ⁻⁴	1.34 ± 0.016	0.156
S30	58/1.8	5.63 ± 0.22	1.13 × 10 ⁻⁴	2.41 ± 0.09	4.24 × 10 ⁻⁴	1.44 ± 0.013	0.156
S35	59/1.8	5.58 ± 0.19	1.15 × 10 ⁻⁴	2.85 ± 0.24	5.17 × 10 ⁻⁴	1.50 ± 0.012	0.163
S40	93/1.8	5.70 ± 0.16	1.17 × 10 ⁻⁴	2.73 ± 0.15	4.86 × 10 ⁻⁴	1.55 ± 0.017	0.164
S45	201.3	6.39 ± 0.37	1.31 × 10 ⁻⁴	3.27 ± 0.27	5.70 × 10 ⁻⁴	1.61 ± 0.038	0.168