

analyte	MDL (ng mL ⁻¹)	MQL (ng mL ⁻¹)	Mean stalagmite (ng mL ⁻¹) (<i>n</i> = 3)	Mean stalagmite (ng g ⁻¹) (<i>n</i> = 3)	Mean blank (ng mL ⁻¹) (<i>n</i> = 6)	Recov. SPE (%) (<i>n</i> = 3)
pHac	13.8	41.9	50 ± 30	2.9 ± 1.8	155 ± 130	76 ± 1
pHal	25.9	78.4	25 ± 85	1.5 ± 5.0	680 ± 330	101 ± 2
pHon	2.3	7.0	55 ± 5	3.2 ± 0.3	80 ± 20	97 ± 0
Vac	13.7	41.5	330 ± 80	19.4 ± 4.7	60 ± 30	79 ± 3
Val	8.2	24.8	0 ± 20	0.0 ± 1.2	65 ± 30	69 ± 4
Von	3.7	11.3	1405 ± 140	82.6 ± 8.2	20 ± 10	79 ± 3
Sac	0.3	0.8	140 ± 10	8.2 ± 0.6	6 ± 3	73 ± 2
Sal	2.3	7.1	13 ± 6.5	0.8 ± 0.4	5 ± 4	77 ± 2
Son	2.5	7.7	110 ± 30	6.5 ± 1.8	4 ± 4	89 ± 2
tFac	2.0	6.2	100 ± 0.5	5.9 ± 0.0	5 ± 2	83 ± 2
pCac	0.2	0.7	195 ± 60	11.5 ± 3.5	445 ± 505	81 ± 4
Eval (IS)	0.6	1.8	147 ± 4	8.6 ± 0.2	1 ± 1	69 ± 4
Ciac	3.8	11.6	105 ± 35	6.2 ± 2.1	100 ± 20	84 ± 3