

Sample	V group (mg g <sup>-1</sup> )	S group (mg g <sup>-1</sup> )	C group (mg g <sup>-1</sup> )	Σ8 (mg g <sup>-1</sup> )	C / V	S / V
Lignin from Conifer wood	75.12 ± 0.77	0.293 ± 0.015	0.345 ± 0.012	75.76 ± 0.77	0.00 ± 0.00	0.00 ± 0.00
Lignin from wheat straw and mixed wood	7.42 ± 0.10	6.483 ± 0.078	0.255 ± 0.009	14.16 ± 0.13	0.03 ± 0.00	0.87 ± 0.02
Yew wood and bark	2.25 ± 0.04	0.024 ± 0.001	0.083 ± 0.001	2.35 ± 0.04	0.04 ± 0.00	0.01 ± 0.00
Maple wood and bark	2.87 ± 0.04	3.626 ± 0.089	0.303 ± 0.002	6.80 ± 0.10	0.11 ± 0.00	1.27 ± 0.04
Yew needles	0.74 ± 0.02	0.059 ± 0.001	0.494 ± 0.010	1.30 ± 0.02	0.66 ± 0.02	0.08 ± 0.00
Maple leaves	0.75 ± 0.02	0.314 ± 0.005	0.184 ± 0.003	1.24 ± 0.02	0.25 ± 0.01	0.42 ± 0.01