(a)

Without recruitment filtering
With recruitment filtering

0 600 1200 1800 2400 3000 3600 4200 4800

GPP (g C m^{-2} y^{-1})

(b)

Without recruitment filtering
With recruitment filtering

0 1.5 3 4.5 6 7.5 9 10.5 12 13.5 15

Leaf area index (m^2 m^{-2})

(c)

Without recruitment filtering
With recruitment filtering

0 6 12 18 24 30 36 42 48 54 60

Aboveground biomass (kg C m^{-2})

(d)

Observations
Without recruitment filtering
With recruitment filtering

Number density (n cm^{-1} ha^{-1})

10^{4} 10^{3} 10^{2} 10^{1} 10^{0} 10^{-1} 10^{-2} 10^{-3}

10^{-1} 10^{0} 10^{1} 10^{2} 10^{3}

Stem diameter (cm)

(e)

PFT population >1 cm DBH (n ha^{-1})

10^{4} 10^{3} 10^{2} 10^{1} 10^{0} 10^{-1} 10^{-2} 10^{-3} 10^{-4}

Without recruitment filtering
With recruitment filtering

2 4 6 8 10

PFT rank order

(f)

PFT population >10 cm DBH (n ha^{-1})

10^{4} 10^{3} 10^{2} 10^{1} 10^{0} 10^{-1} 10^{-2} 10^{-3} 10^{-4}

Without recruitment filtering
With recruitment filtering

2 4 6 8 10

PFT rank order