



Corrigendum to “Soil organic carbon stabilization mechanisms and temperature sensitivity in old terraced soils” published in Biogeosciences, 18, 6301–6312, 2021

Pengzhi Zhao¹, Daniel Joseph Fallu², Sara Cucchiaro^{3,4}, Paolo Tarolli⁴, Clive Waddington⁵, David Cockcroft⁵,
Lisa Snape⁶, Andreas Lang⁶, Sebastian Doetterl⁷, Antony G. Brown^{2,8}, and Kristof Van Oost¹

¹Georges Lemaître Centre for Earth and Climate Research, Earth and Life Institute, UCLouvain,
1348 Louvain-la-Neuve, Belgium

²Tromsø University Museum, UiT The Arctic University of Norway, Kvaløyen 30, 9013 Tromsø, Norway

³Department of Agricultural, Food, Environmental and Animal Sciences, University of Udine,
Via delle Scienze 206, 33100 Udine, Italy

⁴Department of Land, Environment, Agriculture and Forestry, University of Padova,
Viale dell'Università 16, 35020 Legnaro, Italy

⁵Archaeological Research Services Ltd, Angel House, Portland Square, Bakewell DE45 1HB, UK

⁶Department of Geography and Geology, University of Salzburg, 5020 Salzburg, Austria

⁷Department of Environmental Systems Science, ETH Zurich, Universitätstrasse 16, 8092 Zürich, Switzerland

⁸Geography and Environmental Science, University of Southampton, Highfield, Southampton SO17 1BJ, UK

Correspondence: Pengzhi Zhao (pengzhi.zhao@uclouvain.be)

Published: 19 May 2022

During submission the wrong Fig. 4 was provided. The legend name of two categories was switched. The correct Fig. 4 is as follows:




Figure 4. Boxplot of soil potential respiration (SPR) rates and SOC temperature sensitivity (Q_{10}). The * signifies differences in SPR or Q_{10} between the buried and non-buried soil layers ($P < 0.05$). Identification of buried soil layers is based on the depth profile of SOC concentration and soil chemical weathering degree with support from the stretch map in Fig. 1 (see details in S1 in the Supplement).