

1 **A Meta-Analysis on the Impacts of Partial Cutting on** 2 **Forest Structure and Carbon Storage**

3 D. Zhou¹, S. Zhao^{1,*}, S. Liu², and J. Oeding³

4 ¹ College of Urban and Environmental Sciences, and Key Laboratory for Earth
5 Surface Processes of the Ministry of Education, Peking University, Beijing 100871,
6 China

7 ²U.S. Geological Survey (USGS) Earth Resources Observation and Science (EROS)
8 Center, Sioux Falls, South Dakota, 57198.

9 ³Stinger Ghaffarian Technologies, Contractor to the USGS EROS Center, Sioux Falls,
10 South Dakota, 57198. Work performed under USGS contract G10PC00044.

11 *Correspondence: S.Q. Zhao (sqzhao@urban.pku.edu.cn)

12

13 **Supporting materials**

14 **Table S1** Studies included in this meta-analysis


Reference	LOC	CLM	Species	RY	OBS	DT
Abohassan et al., 2010	SA	STR	Broad	2	2	4
Alongi and de Carvalho, 2008	TL	TR	Conif	1	3	4
Anderson et al., 2002	US	TC	Conif	1,5,6,10,15,32	27	2
Aref et al., 2004	PK	TC	Broad	1,2	2	4
Bailey and Tappeiner, 1998	US	TM	Conif	18	2	2, 3
Bebber et al., 2004	CA	BO	Conif	1-8	8	1
Bréda et al., 1995	FR	ME	Broad	1, 2	2	1
Burgess et al., 2005	CA	TC	Conif	10, 20, 30	18	1, 3
Campbell et al., 2009	US	TC	Conif	3, 16	4	2, 4

Cañellas et al., 2004	ES	TM	Broad	1, 4, 8	21	1, 2, 4
Casselmann et al., 2007	US	TC	Conif	2-9	10	1,2,3
Chan et al., 2006	US	TC	Conif	1,4,8	18	1,2
Chiang et al., 2008	US	TC	Broad	1	3	4
Cimon-Morin et al., 2010	CA	BO	Conif	3	4	2
Cochran and Barrett, 1995	US	TC	Conif	5,10	30	1,2,3
Covington, 1981	US	TC	Broad	30	1	6
Davis et al., 2007	US	TC	Conif	5	2	1
DeLuca and Zouhar, 2000	US	TC	Conif	1	3	7
Dore et al., 2008	US	STR	Conif	1	3	4, 6, 7
Elliott et al., 2002	US	TM	Broad	2, 7, 16, 20	12	4
Fiddler et al., 1989	US	ME	Conif	10	3	3
Forshed et al., 2008	MY	TR	Broad	2,4,6,8	4	2
Gundale et al., 2005	US	TC	Conif	1	4	6, 7
Gyawali, 2008	US	TC	Conif	16	15	1, 2, 4
Harrington and Devine, 2011	US	TM	Conif	2,5,10,16,20,25	7	2,3
Hendrickson, 1988	CA	BO	Conif	4	2	4
Hocker Jr., 1982	US	BO	Broad	1, 2, 3, 4	4	4
Horner et al., 2010	AU	TC	Broad	1,2,7,11,13,17,22,26, 31, 42	51	1, 4
Ishii et al., 2008	JP	TM	Conif	4	2	2
Jones Jr., 1977	US	STR	Conif	5,10,13,14,20	10	1
Kantavichai et al., 2010	US	TM	Conif	20	1	1
Kaye and Hart, 1998	US	TC	Conif	2	2	6, 7
Kaye et al., 2005	US	TC	Conif	2	6	5, 6, 7
Keyser, 2010	US	STR	Broad	1	1	4
Kunhamu et al., 2009	IN	TR	Broad	2	6	4, 7
Lamson and Smith, 1988	US	TC	Broad	5	9	1,2,3
Lee et al., 2002	CA	BO	Conif	5	1	4
Lei et al., 2007	CN	TC	Conif	1,3,5,7, 10,12	36	2, 3
Lindquist, 2007	US	ME	Broad	1,5,10,15,21,29	51	1,2,3
López et al., 2009	ES	ME	Broad	3	8	1, 4
Maassen et al., 2006	DE	TC	Conif	1	2	6, 7
Makineci, 2005	TR	ME	Broad	8	2	6
Makinen and Isomaki, 2004	FI	TM	Conif	27	9	1
Man et al., 2008	CA	BO	Conif	1,3,5,11	8	2
Mayor and Rodà, 1993	ES	ME	Broad	6, 9, 12	8	1,2,4
Meadows and Goelz, 1999a	US	STR	Broad	2-7	14	1,2
Meadows and Goelz, 1999b	US	STR	Broad	3	4	1,2
Messier and Mitchell, 1994	CA	TM	Conif	6	3	2, 5
Mitchell et al., 1996	CA	TM	Conif	1, 9, 18	3	4
Moghaddas and Stephens,	US	TC	Conif	2	2	6, 7
Muñoz et al., 2008	CL	TM	Broad	9	2	4


Navarro et al., 2010	ES	ME	Conif	1,2,3,4	54	1, 2, 4, 5
Oliver, 1979	US	ME	Conif	5,10,15	12	2
Parrotta et al., 2002	BR	TR	Broad	11	3	2
Peitz et al., 2001	US	STR	Mixed	2,4	18	2
Peña-Claros et al., 2008	BO	TR	Conif	1,2,4	9	1
Pérez-de-Lis et al., 2011	ES	ME	Conif	18	12	1
Phipps, 1973	US	TC	Conif	8,9	7	2
Picchio et al., 2011	IT	ME	Conif	10	3	1,2,3
Powers et al., 2010	US	TC	Conif	7, 14,21,28,34	5	2
Powers et al., 2011	US	TC	Conif, Broad	3, 8	24	6, 7
Pukkala et al., 2002	FI	TM	Conif	10	16	1,2
Roberge, 1975	CA	BO	Broad	5,10	4	2
Roig et al., 2005	ES	ME	Conif	4, 8	18	1, 2, 3
Rytter, 1995	SE	BO	Broad	2,3,4	3	4
Sabatia et al., 2009	US	TC	Conif	16	6	1, 2, 4
Sanscrainte et al., 2003	CA	BO	Conif	40	2	7
Sawadogo et al., 2005	BF	TR	Broad	8	1	5
Scowcroft et al., 2007	US	STR	Broad	2	1	1
Simard et al., 2004	CA	TC	Broad	5	9	1, 2, 3
Slodičák and Novák, 2008	CZ	TC	Conif	6	1	4
Smith, 2003	US	BO	Conif	4, 5, 8	9	3
Startsev et al., 2007	CA	BO	Conif	1,2,3,4	4	1
Sullivan et al., 2001	CA	TM	Conif	10	9	1
Sword Sayer et al., 2004	US	STR	Conif	7, 10	2	4
Tan et al., 2008	CA	BO	Conif	23	2	1, 2
Tangki and Chappell, 2008	MY	TR	Broad	4,5,8,9,14,15,16	24	2, 3, 4
Tian et al., 2010	CN	STR	Conif	2	2	7
Vargas et al., 2009	MX	TR	Broad	3,4,5	9	2, 4
Velazquez-Martinez et al., 1992	US	TC	Conif	2,4,6	6	4
Yang et al., 2011	KR	TM	Conif	1	8	6, 7
Zhang et al., 2005	US	TM	Conif	10, 15, 20, 25	10	2

- 15 LOC, location; CLM, climate; RY, recovery years since cutting activities, which indicates the
16 number of years after cutting when the data was collected; OBS is the number of observations
17 extracted per reference; DT, data type.
- 18 Country abbrev: SA, Saudi Arabia; TL, Timor Leste; US, United States; PK, Pakistan; ES, Spain;
19 FR, France; CA, Canada; MY, Malaysia; AU, Australia; JP, Japan; IN, India; CN, China; DE,
20 Germany; FI, Finland; CL, Chile; BR, Brazil; BO, Bolivia; SE, Sweden; CZ, Czech Republic; MX,
21 Mexico; KR, Korea; BF, Burkina Faso; MY, Malaysia; GA, Gabon; IT, Italy; TR, Turkey.


- 22 Climate abbrev: BO, boreal; STR, subtropical; TC, temperate continental; TM, temperate
23 maritime; TR, tropical; ME, Mediterranean.
- 24 Tree species abbrev: Conif, coniferous; Broad, broadleaf.
- 25 Data type: 1, DBH growth; 2, basal area; 3, volume; 4, biomass; 5, understory; 6, forest floor; 7,
26 mineral soil (with a depth of 0-15 cm)
- 27



28 **Figure S1** Locations of various individual studies included in this synthesis. Some
29 individual studies contain several locations and some studies may each include
30 several observations with different cutting intensities and recovery years after cutting
31 activities.



32 **Figure S2** 3-D maps show the influence of both cutting intensity (CI) and recovery
 33 years (RY) after cutting on the relative changes (%) of the four variables with
 34 sufficient observations, including growth of diameter at breast height (DBH growth),
 35 stand basal area (stand BA), volume and aboveground biomass carbon (AGBC). Five
 36 observations with relative change larger than 400% were not shown in the figure
 37 panel of DBH growth.



38 **Figure S3** Frequency distributions of the forestland area (derived from FAO report
 39 [FAO, 2010]) and field studies by regions. NA, North America; CA, Central America
 40 and Caribbean; SA, South America.

41 **References of supporting materials**

- 42 Abohassan, A.A., Tewfik, S.F.A., and El-Wakeel, A.O.: Effect of Thinning on the above Ground
43 Biomass of (*Conocarpus erectus* L.) Trees in the Western Region of Saudi Arabia, *Meteorol.*
44 *Environ. Arid Land Agr. Sci. J.*, 21, 3–17, 2010.
- 45 Alongi, D.M., and de Carvalho, N.A.: The effect of small-scale logging on stand characteristics
46 and soil biogeochemistry in mangrove forests of Timor Leste, *Forest Ecol. Manag.*,
47 255, 1359–1366, 2008.
- 48 Anderson, P.D., Zasada, J.C., Erickson, G.W., and Zasada, Z.A.: Thinning in mature eastern white
49 pine: 43-year case study, *Forest. Chron.*, 78, 539–549, 2002.
- 50 Aref, I.M., El-Juhany, L.I., and Hegazy, S.S.: Effects of Initial Thinning on the Growth and
51 Biomass Characteristics of *Zizyphus spina-christi* Trees, *Pak. J. Biol.Sci.*, 7, 1–5, 2004.
- 52 Bailey, J.D., and Tappeiner, J.C.: Effects of thinning on structural development in 40- to
53 100-year-old Douglas-fir stands in western Oregon, *Forest Ecol. Manag.*, 108, 99–113, 1998.
- 54 Bebber, D.P., Thomas, S.C., Cole, W.G., and Balsillie, D.: Diameter increment in mature eastern
55 white pine *Pinus strobus* L. following partial harvest of old-growth stands in Ontario, Canada,
56 *Trees*, 18, 29–34, 2004.
- 57 Bréda, N., Granier, A., and Aussenac, G.: Effects of thinning on soil and tree water relations,
58 transpiration and growth in an oak forest (*Quercus petraea* (Matt.) Liebl.), *Tree Physiol.*, 15,
59 295–306, 1995.
- 60 Burgess, D., Robinson, C., and Wetzel, S.: Eastern white pine response to release 30 years after
61 partial harvesting in pine mixedwood forests, *Forest Ecol. Manag.*, 209, 117–129, 2005.
- 62 Campbell, J., Alberti, G., Martin, J., and Law, B.E.: Carbon dynamics of a ponderosa pine
63 plantation following a thinning treatment in the northern Sierra Nevada, *Forest Ecol. Manag.*,
64 257, 453–463, 2009.
- 65 Cañellas, I., Del Río, M., Roig, S., and Montero, G.: Growth response to thinning in *Quercus*
66 *pyrenaica* Willd. coppice stands in Spanish central mountain, *Ann. Forest Sci.*, 61, 243–250,
67 2004.
- 68 Casselman, C.N., Fox, T.R., and Burger, J.A.: Thinning response of a White pine stand on a
69 reclaimed surface mine in Southwestern Virginia, *North. J. Appl. For.*, 24, 9–13, 2007.
- 70 Chan, S.S., Larson, D.J., Maas-Hebner, K.G., Emmingham, W.H., Johnston, S.R., Mikowski, and
71 D.A.: Overstory and understory development in thinned and under planted Oregon Coast
72 Range Douglas-fir stands, *Can. J. For. Res.*, 36, 2696–2711, 2006.
- 73 Chiang, J.M., McEwan, R.W., Yaussy, D.A., and Brown, K.J.: The effects of prescribed fire and
74 silvicultural thinning on the aboveground carbon stocks and net primary production of
75 overstory trees in an oak-hickory ecosystem in southern Ohio, *Forest Ecol. Manag.*, 255,
76 1584–1594, 2008.
- 77 Cimon-Morin, J., Ruel, J.C., and Darveau, M.: Short term effects of alternative silvicultural
78 treatments on stand attributes in irregular balsam fir-black spruce stands, *Forest Ecol. Manag.*,
79 260, 907–914, 2010.
- 80 Cochran, P.H., and Barrett, J.W.: Growth and mortality of ponderosa pine poles thinned to various
81 densities in the blue mountains of Oregon, *Res. Pap. PNW-RP-483*. Portland, OR: U.S.
82 Department of Agriculture, Forest Service, Pacific Northwest Research Station, 27, 1995.
- 83 Covington, W.W.: Changes in the forest floor organic matter and nutrient content following clear
84 cutting in northern hardwoods, *Ecology*, 62, 41–48, 1981.

85 Davis, L.R., Puettmann, K.J., and Tucker, G.F.: Overstory response to alternative thinning
86 treatments in young douglas-fir forests of Western Oregon, *Northwest Sci.*, 81, 1–14, 2007.

87 DeLuca, T.H., and Zouhar, K.L.: Effects of selection harvest and prescribed fire on the soil
88 nitrogen status of ponderosa pine forests, *Forest Ecol. Manag.*, 138, 263–271, 2000.

89 Dore, S., Kolb, T.E., Montes-Helu, M., Sullivan, B.W., Winslow, W.D., Hart, S.C., Kaye, J.P.,
90 Koch, G.W., and Hungate, B.A.: Long-term impact of a stand-replacing fire on ecosystem
91 CO₂ exchange of a ponderosa pine forest, *Global Change Biol.*, 14, 1801–1820, 2008.

92 Elliott, K.J., Boring, L.R., and Swank, W.T.: Aboveground biomass and nutrient accumulation 20
93 years after clear-cutting a southern Appalachian watershed, *Can. J. For. Res.*, 32, 667–683,
94 2002.

95 FAO.: *Global Forest Resources Assessment 2010 Main Report*, Rome, FAO, 2010.

96 Fiddler, G.O., Fiddler, T.A., Hart, D.R., and McDonald, P.M.: Thinning decreases mortality and
97 increases growth of Ponderosa pine in northeastern California, *Res. Pap. PSW-RP-194*.
98 Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research
99 Station, 12, 1989.

100 Forshed, O., Karlsson, A., Falck, J., and Cedergren, J.: Stand development after two modes of
101 selective logging and pre-felling climber cutting in a dipterocarp rainforest in Sabah,
102 Malaysia, *Forest Ecol. Manag.*, 255, 993–1001, 2008.

103 Gundale, M.J., DeLuca, T.H., Fiedler, C.E., Ramsey, P.W., Harrington, M.G., Gannon, J.E.:
104 Restoration treatments in a Montana ponderosa pine forest: Effects on soil physical, chemical
105 and biological properties, *Forest Ecol. Manag.*, 213, 25–38, 2005.

106 Gyawali, N.: Aboveground biomass partitioning due to thinning in naturally regenerated
107 even-aged shortleaf pine (*Pinus echinata* Mill.) stands in southeast Oklahoma, Thesis:
108 Oklahoma State University, 2008.

109 Harrington, C.A., and Devine, W.D.: Stand development following precommercial thinning and
110 fertilization treatments in a western redcedar (*Thuja plicata*) dominated forest, *Can. J. For.*
111 *Res.*, 41, 151–164, 2011.

112 Hendrickson, O.Q.: Biomass and nutrients in regenerating woody vegetation following whole-tree
113 and conventional harvest in a northern mixed forest, *Can. J. For. Res.*, 18, 1427–1436, 1988.

114 Hocker Jr., H.W.: Effects of thinning on biomass growth in young *Populustremuloides* plots, *Can.*
115 *J. For. Res.*, 12, 731–737, 1982.

116 Horner, G.J., Baker, P.J., Nally, R.M., Cunningham, S.C., Thomson, J.R., and Hamilton, F.: Forest
117 structure, habitat and carbon benefits from thinning floodplain forests: Managing early stand
118 density makes a difference, *Forest Ecol. Manag.*, 259, 286–293, 2010.

119 Ishii, H.T., Maleque, M.A., and Taniguchi, S.: Line thinning promotes stand growth and
120 understory diversity in Japanese cedar (*Cryptomeria japonica* D. Don) plantations, *J. Forest*
121 *Res.*, 13, 73–78, 2008.

122 Jones Jr., E.P.: Precommercial thinning of naturally seeded slash pine increases volume and
123 monetary returns, *Res. Pap. SE-164*. Asheville, NC: U.S. Department of Agriculture, Forest
124 Service, Southeastern Forest Experiment Station, 14, 1977.

125 Kantavichai, R., Briggs, D.G., and Turnblom, E.C.: Effect of thinning, fertilization with biosolids,
126 and weather on interannual ring specific gravity and carbon accumulation of a 55-year-old
127 Douglas-fir stand in western Washington, *Can. J. For. Res.*, 40, 72–85, 2010.

- 128 Kaye, J.P., and Hart, S.C.: Restoration and canopy-type effects on soil respiration in a ponderosa
129 pine-bunchgrass ecosystem, *Soil Sci. Soc. Am. J.*, 62, 1062–1072, 1998.
- 130 Kaye, J.P., Hart, S.C., Fule, P.Z., Covington, W.W., Moore, M.M., and Kaye, M.W.: Initial
131 carbon, nitrogen, and phosphorus fluxes following ponderosa pine restoration treatments,
132 *Ecol. Appl.*, 15, 1581–1593, 2005.
- 133 Keyser, T.L.: Thinning and site quality influence aboveground tree carbon stocks in yellow-poplar
134 forests of the southern Appalachians, *Can. J. For. Res.*, 40, 659–667, 2010.
- 135 Kunhamu, T.K., Kumar, B.M., and Viswanath, S.: Does thinning affect litterfall, litter
136 decomposition, and associated nutrient release in *Acacia mangium* stands of Kerala in
137 peninsular India? *Can. J. For. Res.*, 39, 792–800, 2009.
- 138 Lamson, N.I., and Smith, H.C.: Thinning cherry-maple stands in West Virginia: 5-year results,
139 Res. Pap. NE-615. Broomall, PA: U.S. Department of Agriculture, Forest Service,
140 Northeastern Forest Experiment Station, 7, 1988.
- 141 Lee, J., Morrison, I.K., Leblanc, J.D., Dumas, M.T., and Cameron, D.A.: Carbon sequestration in
142 trees and regrowth vegetation as affected by clearcut and partial cut harvesting in a
143 second-growth boreal mixedwood, *Forest Ecol. Manag.*, 169, 83–101, 2002..
- 144 Lei, X., Lu, Y., Peng, C., Zhang, X., Chang, J., and Hong, L.: Growth and structure development
145 of semi-natural larch-spruce-fir (*Larix olgensis*–*Picea jezoensis*–*Abies nephrolepis*) forests in
146 northeast China: 12-year results after thinning, *Forest Ecol. Manag.*, 240, 165–177, 2007.
- 147 Lindquist, J.: The Whiskey Springs Redwood Commercial Thinning Study: A 29-Year Status
148 Report (1970 to 1999), In: Proceedings of the redwood region forest science symposium:
149 What does the future hold? edited by: Standiford, R.B., Giusti, G.A., Valachovic, Y., Zielinski,
150 W.J., and Furniss, M.J., Gen. Tech. Rep. PSW-GTR-194. Albany, CA: Pacific Southwest
151 Research Station, Forest Service, U.S. Department of Agriculture, 305–316pp., 2007.
- 152 López, B., Gracia, C., Sabate, S., and Keenan, T.: Assessing the resilience of Mediterranean holm
153 oaks to disturbances using selective thinning, *Acta Oecol.*, 35, 849–854, 2009.
- 154 Maassen, S., Fritze, H., and Wirth, S.: Response of soil microbial biomass, activities, and
155 community structure at a pine stand in northeastern Germany 5 years after thinning, *Can. J.*
156 *For. Res.*, 36, 1427–1434, 2006.
- 157 Makineci, E.: Long-term effects of thinning on soil and forest floor in a sessile oak forest in
158 Turkey. *J. environ. boil. Acad. Environ. Biol. India*, 26, 57–63, 2005.
- 159 Makinen, H., Isomaki, A.: Thinning intensity and growth of Scots pine stands in Finland, *Forestry*,
160 201, 311–325, 2004.
- 161 Man, R.Z., Kayahara, G.J., Rice, J.A., and MacDonald, G.B.: Eleven-year responses of a boreal
162 mixedwood stand to partial harvesting: Light, vegetation, and regeneration dynamics, *Forest*
163 *Ecol. Manag.*, 255, 697–706, 2008.
- 164 Mayor, X., and Roda, F.: Growth-response of holm oak (*quercus-ilex* l) to commercial thinning in
165 the montseny mountains (ne spain), *Ann. Forest Sci.*, 50, 247–256, 1993.
- 166 Meadows, J., and Goelz, J.: Thinning in a 28-year-old water oak plantations in north Louisiana:
167 seven-year results, In: Proceedings of the Tenth Biennial Southern Silvicultural Research
168 Conference: 1999 February 16-18; Shreveport, LA. Asheville, NC: U.S. Department of
169 Agriculture, Forest Service, Southern Research Station, 98–102pp., 1999a.
- 170 Meadows, J., and Goelz, J.: Third-year growth and bole quality responses to thinning in a red
171 oak-sweetgum stand on a minor streambottom site west-central Alabama, In: Proceedings of

172 the Tenth Biennial Southern Silvicultural Research Conference: 1999 February 16-18;
173 Shreveport, LA. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern
174 Research Station, 87–93pp., 1999b.

175 Messier, C., and Mitchell, A.K.: Effects of thinning in a 43-year-old Douglas-fir stand on above-
176 and below-ground biomass allocation and leaf structure of understory *Gaultheria shallon*,
177 *Forest Ecol. Manag.*, 68, 263–271, 1994.

178 Mitchell, A.K., Barclay, H.J., Brix, H., Pollard, D.F.W., Benton, R., and deJong, R.: Biomass and
179 nutrient element dynamics in Douglas-fir: effects of thinning and nitrogen fertilization over
180 18 years, *Can. J. For. Res.*, 26, 376–388, 1996.

181 Moghaddas, E.E.Y., and Stephens, S.L.: Thinning, burning, and thin-burn fuel treatment effects
182 on soil properties in a Sierra Nevada mixed-conifer forest, *Forest Ecol. Manag.*, 250, 156–
183 166, 2007.

184 Muñoz, F., Rubilar, R., Espinosa, M., Cancino, J., Toro, J., and Herrera, M.: The effect of pruning
185 and thinning on above ground aerial biomass of *Eucalyptus nitens* (Deane & Maiden) Maiden,
186 *Forest Ecol. Manag.*, 255, 365–373, 2008.

187 Navarro, F.B., Jiménez, M.N., Cañadas, E.M., Gallego, E., Terrón, L., Ripoll, M.A.: Effects of
188 different intensities of overstory thinning on tree growth and understory plant-species
189 productivity in a semi-arid *Pinus halepensis* Mill. Afforestation, *Forest Syst.*, 19, 410–417,
190 2010.

191 Oliver, W.W.: Fifteen-year growth patterns after thinning a ponderosa-Jeffrey pine plantation in
192 northeastern California, *Res. USDA For. Serv. Res. Pap. PSW-141*, 1979.

193 Parrotta, J.A., Francis, J.K., and Knowles, O.H.: Harvesting intensity affects forest structure and
194 composition in an upland Amazonian forest, *Forest Ecol. Manag.*, 169, 243–255, 2002.

195 Peitz, D.G., Shelton, M.G., and Tappe, P.A.: Forage production after thinning a natural loblolly
196 pine-hardwood stand to different basal areas, *Wildlife Soc. B.*, 29, 697–705, 2001.

197 Peña-Claros, M., Fredericksen, T.S., Alarcón, A., Blate, G.M., Choque, U., Leñaño, C., Licona, J.C.,
198 Mostacedo, B., Pariona, W., Villegas, Z., and Putz, F.E.: Beyond reduced-impact logging:
199 Silvicultural treatments to increase growth rates of tropical trees, *Forest Ecol. Manag.*, 256,
200 1458–1467, 2008.

201 Pérez-de-Lis, G., García-González, I., Rozas, V., and Arévalo, J.R. : Effects of thinning intensity
202 on radial growth patterns and temperature sensitivity in *Pinus canariensis* afforestations on
203 Tenerife Island, Spain, *Ann. Forest Sci.*, 68, 1093–1104, 2011.

204 Phipps, H.M.: Effects of thinning on young shortleaf pine plantations in Indiana, Research Paper
205 NC-93. St. Paul, MN: U.S. Dept. of Agriculture, Forest Service, North Central Forest
206 Experiment Station, 1973.

207 Picchio, R., Neri, F., Maesano, M., Savelli, S., Sirna, A., Blasi, S., Baldini, S., and Marchi, E.:
208 Growth effects of thinning damage in a Corsican pine (*Pinus laricio* Poiret) stand in central
209 Italy, *Forest Ecol. Manag.*, 262, 237–243, 2011.

210 Powers, M.D., Palik, B.J., Bradford, J.B., Fraver, S., and Webster, C.R.: Thinning method and
211 intensity influence long-term mortality trends in a red pine forest, *Forest Ecol. Manag.*, 260,
212 1138–1148, 2010.

213 Powers, M., Kolka, R., Palik, B., McDonald, R., and Jurgensen, M.: Long-term management
214 impacts on carbon storage in Lake States forests, *Forest Ecol. Manag.*, 262, 424–431, 2011.

- 215 Pukkala, T., Miina, J., and Palahí, M.: Thinning response and thinning bias in a young Scots pine
216 stand, *Silva Fenn.*, 36, 827–840, 2002.
- 217 Roberge, M.R.: Effect of Thinning on the Production of High-quality Wood in a Quebec Northern
218 Hardwood Stand, *Can. J. For. Res.*, 5, 139–145, 1975.
- 219 Roig, S., Del Río, M., Cañellas, I., Montero, G.: Litter fall in Mediterranean *Pinus pinaster* Ait.
220 stands under different thinning regimes, *Forest Ecol. Manag.*, 206, 179–190, 2005.
- 221 Rytter, L.: Effects of thinning on the obtainable biomass, stand density, and tree diameters of
222 intensively grown grey alder plantations, *Forest Ecol. Manag.*, 73, 135–143, 1995.
- 223 Sabatia, C.O., Will, R.E., and Lynch, T.B.: Effect of thinning on aboveground biomass
224 accumulation and distribution in naturally regenerated shortleaf pine, *South. J. Appl. For.*, 33,
225 188–192, 2009.
- 226 Sanscrainte, C.L., Peterson, D.L., and McKay, S.: Carbon storage and soil properties in
227 late-successional and second-growth subalpine forests in the North Cascade Range,
228 Washington, *Northwest Sci.*, 77, 297–307, 2003.
- 229 Sawadogo, L., Tiveau, D., and Nygård, R.: Influence of selective tree cutting, livestock and
230 prescribed fire on herbaceous biomass in the savannah woodlands of Burkina Faso, West
231 Africa, *Agr. Ecosyst. Environ.*, 105, 335–345, 2005.
- 232 Scowcroft, P.G., Frida, J.B., Idol, T., Dudley, N., Haraguchi, J., and Meason, D.: Growth response
233 of *Acacia koa* trees to thinning, grass control, and phosphorus fertilization in a secondary
234 forest in Hawai'i, *Forest Ecol. Manag.*, 239, 69–80, 2007.
- 235 Simard, S.W., Blenner-Hassett, T., and Cameron, I.R.: Pre-commercial thinning effects on growth,
236 yield and mortality in even-aged paper birch stands in British Columbia, *Forest Ecol. Manag.*,
237 190, 163–178, 2004.
- 238 Slodičák, M., and Novák, J.: Nutrients in the aboveground biomass of substitute tree species stand
239 with respect to thinning–blue spruce (*Picea pungens* Engelm.), *J. For. Sci.*, 54, 85–91, 2008.
- 240 Smith, D.M.: Effect of method of thinning on wood production in a red pine plantation, *North. J.*
241 *Appl. For.*, 20, 39–42, 2003.
- 242 Startsev, N.A., Lieffers, V.J., and McNabb, D.H.: Effects of feathermoss removal, thinning and
243 fertilization on lodgepole pine growth, soil microclimate and stand nitrogen dynamics, *Forest*
244 *Ecol. Manag.*, 240, 79–86, 2007.
- 245 Sullivan, T.P., Sullivan, D.S., and Lindgren, P.M.F.: Stand structure and small mammals in young
246 lodgepole pine forest: 10-year results after thinning, *Ecol. Appl.*, 11, 1151–1173, 2001.
- 247 Sword Sayer, M.A., Goelz, J.C.G., Chambers, J.L., Tang, Z., Dean, T.J., Haywood, J.D., and Ledu,
248 D.J.: Long-term trends in loblolly pine productivity and stand characteristics in response to
249 thinning and fertilization in the West Gulf region, *Forest Ecol. Manag.*, 192, 71–96, 2004.
- 250 Tan, X., Chang, S.X., Comeau, P.G., and Wang, Y.H.: Thinning Effects on Microbial Biomass, N
251 Mineralization, and Tree Growth in a Mid-Rotation Fire-Origin Lodgepole Pine Stand in the
252 Lower Foothills of Alberta, Canada, *For. Sci.*, 54, 465–474, 2008.
- 253 Tangki, H., and Chappell, N.A.: Biomass variation across selectively logged forest within a
254 225-km² region of Borneo and its prediction by Landsat TM, *Forest Ecol. Manag.*, 256,
255 1960–1970, 2008.
- 256 Tian, D., Peng, Y., Yan, W., Fang, X., Kang, W., Wang, G., and Chen, X.: Effects of thinning and
257 litter fall removal on fine root production and soil organic carbon content in Masson pine
258 plantations, *Pedosphere*, 20, 486–493, 2010.

- 259 Vargas, R., Allen, E.B., and Allen, M.F.: Effects of Vegetation Thinning on Above- and
260 Belowground Carbon in a Seasonally Dry Tropical Forest in Mexico, *Biotropica*, 41, 302–
261 311, 2009.
- 262 Velazquez-Martinez, A., Perry, D.A., and Bell, T.E.: Response of aboveground biomass increment,
263 growth efficiency, and foliar nutrients to thinning, fertilization, and pruning in young
264 Douglas-fir plantations in the central Oregon Cascades, *Can. J. For. Res.*, 22, 1278–1289,
265 1992.
- 266 Yang, A.R., Son, Y., Noh, N.J., Lee, S.K., Jo, W., Son, J.A., Kim, C., Bae, S.W., Lee, S.T., Kim,
267 H.S., and Hwang, J.: Effect of thinning on carbon storage in soil, forest floor and coarse
268 woody debris of *Pinus densiflora* stands with different stand ages in Gangwon-do, central
269 Korea, *For. Sci. Technol.*, 7, 30–37, 2011.
- 270 Zhang, J.W., Oliver, W.W., and Powers, R.F.: Long-term effects of thinning and fertilization on
271 growth of red fir in northeastern California, *Can. J. For. Res.*, 35, 1285–1293, 2005.