

Interactive
Comment

Interactive comment on “Quantifying the effects of clear-cutting and strip-cutting on nitrate dynamics in a forested watershed using triple oxygen isotopes as tracers” by U. Tsunogai et al.

Anonymous Referee #1

Received and published: 17 June 2014

This manuscript presented triple oxygen isotope ratios of nitrate eluted from a small catchment after clear-cutting and subsequent strip-cutting. The topic is relevant to the journal and I consider it worth publishing in BG.

Technical comments p.7423 l. 17; Exchange of oxygen in nitrite (NO₂) and nitrate (NO₃). The authors mentioned that nitrite concentrations were below the detection limit, which corresponded to nitrite/nitrate ratios less than 10 %. However, oxygen atom in nitrite easily exchanges with that in H₂O, the uncertainty in ¹⁷O value may cause an error in calculating contributions using eqs (2)-(4).

p. 7425 l. 18 - l.23; variation of ¹⁸O and ¹⁷O: It is not clear that the authors avoided

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

the sampling after rain or snow. It is known that both isotope ratios are high after snow melt, it is not surprising that the values were high in March-April irrespective of the event, such as clear-cutting or strip-cutting.

p.7429 l. 10; ^{18}O -atm value should be +87.1.

p.7430 l.8-10; Why do high ^{17}O values cause the large errors in ^{18}O -re?

Interactive comment on Biogeosciences Discuss., 11, 7413, 2014.

BGD

11, C2588–C2589, 2014

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

C2589

