

Interactive
Comment

Interactive comment on “Comparing the influence of net and gross anthropogenic land use and land cover changes on the carbon cycle in the MPI-ESM” by S. Wilkenskjeld et al.

S. Wilkenskjeld et al.

stiig.wilkenskjeld@mpimet.mpg.de

Received and published: 27 June 2014

Figures for answer to anonymous review #3

For some technical reason, the figures were not attached to the original answer, but here they are, though still in a not too viewer-friendly format. Be patient and scroll to the bottom. The real captions are in the first version, where no pictures are shown, the second version with pictures but with cut captions. Sorry for that – I hope that the editorial staff will bring it nicely together in near future.


Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



A large, empty rectangular box occupies the left half of the page, likely a placeholder for a figure or diagram.

Fig_3_1.pdf

Interactive
Comment


Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

Fig. 1. Additional LCE caused by fixing wood harvest to the level of 1850 (from the difference between `hist_none` (`rcp_none`) and `hist_harv` (`RCP_harv`)). The accumulated LCE difference between the experiments has been added to the legend.



Fig_3_2.pdf

Interactive
Comment


[Full Screen / Esc](#)

[Printer-friendly Version](#)

[Interactive Discussion](#)

[Discussion Paper](#)



A large, empty rectangular box with a thin black border, occupying most of the left side of the page.

Fig_3_3.pdf

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Fig. 3. Yearly average land-use changes [$10^3 \text{ km}^2/\text{latitude band/yr}$] (in the T63 Gaussian grid, the shown latitude bands are about 1.87 degrees) between pairs of vegetation classes for the scenarios. E.g. in the upper panels, the blue curve is the gross conversion from forest to crop, the black gross crop to forest, the red net forest to crop and the magenta net crop to forest. Note that the scale of conversions between pasture and crop (lower panels) is 1/30 of that of the others.

Interactive
Comment

C2942

[Full Screen / Esc](#)

[Printer-friendly Version](#)

[Interactive Discussion](#)

[Discussion Paper](#)




[Interactive Comment](#)[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

Fig. 4. Figure 3-1: LCE contribution from wood harvest.


[Interactive Comment](#)

Fig. 5. Figure 3-2: Time series of annual vegetation areas converted by LULCC for the used scenarios.

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

Interactive Comment

Full Screen / Esc

[Printer-friendly Version](#)

Interactive Discussion

Discussion Paper




Fig. 6. Figure 3-3: Yearly average land-use changes [$10^3 \text{ km}^2/\text{latitude band/yr}$]. [Full caption in text].