

Interactive comment on “Analysis of water use strategies of the desert riparian forest plant community in inland rivers of two arid regions in northwestern China” by Y. N. Chen et al.

Y. N. Chen et al.

zhouhh@ms.xjb.ac.cn

Received and published: 19 January 2015

The comment was uploaded in the form of a supplement:
<http://www.biogeosciences-discuss.net/11/C8124/2015/bgd-11-C8124-2015-supplement.pdf>

Interactive comment on Biogeosciences Discuss., 11, 14819, 2014.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper




Fig. 1. Figure 1. Changes of soil, plant, and underground $\delta^{18}\text{O}$ at the downstream of the Heihe River (a) and the Tarim River (b)

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)




Fig. 2. Figure 4. Comparisons of mean volumetric soil water content (VWC), hydraulic redistributed water (HRW) and soil water depletion by transpiration (WD) between different soil layers (a. the downstream o

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper






Fig. 3. Figure 10. Stem water potential proportion of *Populus euphratica* and *Tamarix ramosissima* at predawn and 12:00 in the downstream of the Tarim River (a and c) and Heihe River (b and d)

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)