



Supplement of

Calculating the global contribution of coralline algae to carbon burial

L. H. van der Heijden and N. A. Kamenos

Correspondence to: L. H. van der Heijden (luukvdheijden88@gmail.com)

The copyright of individual parts of the supplement might differ from the CC-BY 3.0 licence.

1 **Supplementary material**

2

3 Table S1. The surface covered (in %) of coralline algae at multiple sites. The fringing reefs, columnar reefs and coastal reefs in the study of Figueiredo
 4 et al., (2008) consist of *Porolithon pachydermum* and *Lithophyllum congestum*.

Sort of surface	Coverage	Area/location	Reference
Crustose coralline algae	52.5 %		
Reef platform (deeper zones)	50 – 70 %	Fernando de Noronha, Brazil	(Eston et al., 1986)
Reef flats	50 – 60 %	Discovery coast, Brazil	(Costa et al., 2000)
Reef walls	30 %	Discovery coast, Brazil	(Costa et al., 2000)
Fringing reefs	80 %	Abrolhos Archipelago, Brazil	(Figueiredo, 2006)
Columnar reefs	50 %	Abrolhos Archipelago, Brazil	(Figueiredo, 2006)
Coastal reefs	< 30 %	Abrolhos Archipelago, Brazil	(Figueiredo, 2006)
Fringing reef	41 %	Hawaii, USA	(Littler and Doty, 1975)
Fringing reef	41 %	Barbados	(Stearns et al., 1977)
Reef area	90 %		(Sheveiko, 1981)
Barrier reef	90 %	Lizard Island, Australia	(Chisholm, 1988)
Reef flat	60 %	French Frigate Shoals, Hawaii	(Atkinson and Grigg, 1984)
Lagoon site	5 %	French Frigate Shoals, Hawaii	(Atkinson and Grigg, 1984)
Free-living algae	45.0 %		
Reef flats	45 %	Atol das Rocas, Brazil	(Gherardi and Bosence, 2001)
Reef walls	70 %	Atol das Rocas, Brazil	(Gherardi and Bosence, 2001)
Coralline-algal bank	20 – 40 %	Arvoredo Island, south Brazil	(Gherardi, 2004)
Continental shelf	45 %	Abrolhos Bank, eastern Brazil	(Amado-Filho et al., 2012)

1

2

3

Table S2. The global distribution of different coralline algae species worldwide. Coralline algae species are divided in the three Families known for *Corallinales* (Order): *Corallinaceae*, *Hapalidiaceae* and *Sporolithaceae*.

No.	Country/region	Global region	<i>Corallinaceae</i> species	<i>Hapalidiaceae</i> species	<i>Sporolithaceae</i> species	References
#						
1	Spitsbergen	Arctic	<i>Lithophyllum fasciculatum</i> , <i>Pneophyllum fragile</i> , <i>Titanoderma pustulatum</i>	<i>Clathromorphum compactum</i> , <i>Lithothamnion flavesrens</i> , <i>Lithothamnion glaciale</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon lenormandii</i> , <i>Phymatolithon tenue</i> , <i>Phymatolithon tenuissimum</i>		Vinogradova, 1995; Teichert et al., 2012
2	Iceland	Arctic	<i>Corallina officinalis</i> , <i>Lithophyllum orbiculatum</i> , <i>Titanoderma pustulatum</i>	<i>Clathromorphum circumscriptum</i> , <i>Kvaleya epilaeve</i> , <i>Lithothamnion glaciale</i> , <i>Lithothamnion tophiforme</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon laevigatum</i> , <i>Phymatolithon lamii</i> , <i>Phymatolithon lenormandii</i>		Caram and Jonsson, 1972
3	Greenland,	Arctic		<i>Clathromorphum compactum</i> ,		Lund, 1959; Pedersen,

	east		<i>Lithothamnion glaciale f.</i> <i>boreale, Lithothamnion</i> <i>glaciale, Lithothamnion</i> <i>tophiforme, Phymatolithon</i> <i>investiens, Phymatolithon</i> <i>lenormandii</i>	1976
4	Greenland	Arctic	<i>Corallina officinalis</i> <i>Clathromorphum</i> <i>circumscripum,</i> <i>Clathromorphum compactum,</i> <i>Lithothamnion circumscripum</i> <i>f. areolatum, Lithothamnion</i> <i>glaciale, Lithothamnion</i> <i>tophiforme, Phymatolithon</i> <i>tenue</i>	Athanasiadis, 1996; Pedersen, 2011; Brodie et al., 2013
5	Canada, Arctic	Arctic	 <i>Clathromorphum compactum,</i> <i>Lithothamnion glaciale,</i> <i>Phymatolithon calcareum,</i> <i>Phymatolithon laevigatum</i>	Lee, 1980
6	Canada, Labrador	North America	 <i>Lithothamnion tophiforme</i>	Adey et al., 2005
7	Canada, Newfoundland	North America	 <i>Lithothamnion glaciale,</i> <i>Lithothamnion tophiforme</i>	Adey et al., 2005; Gagnon et al., 2012
8	Canada, New Brunswick	North	<i>Corallina officinalis</i>	Bates et al., 2005
9	Canada, Nova	North	<i>Corallina officinalis</i>	Brodie et al., 2013

	Scotia	America			
10	USA, Aleutian Islands, Alaska	North America	<i>Corallina vancouveriensis</i> , <i>Pachyarthron cretaceum</i>	<i>Mesophyllum aemulans</i>	Mondragon and Mondragon, 2003; Athanasiadis, Lebednik and Adey, 2004; Woelkerling et al., 2008
11	USA, Alaska	North America	<i>Bossiella chiloensis</i> , <i>Bossiella orbigniana</i> , <i>Bossiella plumosa</i> , <i>Calliarthron tuberculosum</i> , <i>Chiharaea silvae</i> , <i>Corallina officinalis</i> var. <i>chilensis</i> , <i>Corallina pilulifera</i> , <i>Corallina vancouveriensis</i> , <i>Johansenia macmillanii</i> , <i>Lithophyllum dispar</i> , <i>Lithophyllum impressum</i> , <i>Lithotrix aspergillum</i> , <i>Pachyarthron cretaceum</i> , <i>Pneophyllum zostericola</i> , <i>Pseudolithophyllum muricatum</i> , <i>Pseudolithophyllum neofarlowii</i> , <i>Pseudolithophyllum whidbeyense</i> , <i>Spongites yendoi</i>	<i>Clathromorphum circumscriptum</i> , <i>Clathromorphum compactum</i> , <i>Clathromorphum loculosum</i> , <i>Clathromorphum nereostratum</i> , <i>Clathromorphum reclinatum</i> , <i>Lithothamnion californicum</i> , <i>Lithothamnion glaciale</i> , <i>Lithothamnion phymatodeum</i> , <i>Mesophyllum aemulans</i> , <i>Mesophyllum conchatum</i> , <i>Mesophyllum lamellatum</i> , <i>Mesophyllum tenue</i> , <i>Mesophyllum vancouverense</i> , <i>Phymatolithon calcareum</i>	Lindstrom, 1977; Scagel et al., 1989; Konar et al., 2006; Woelkerling et al., 2008; Martone et al., 2012
12	Revillagigedo Islands, USA	North America	<i>Amphiroa annulata</i> , <i>Jania capillacea</i> , <i>Lithophyllum brachiatum</i> , <i>Lithophyllum divaricatum</i> , <i>Mastophora pacifica</i> ,	<i>Lithothamnion crispatum</i> , <i>Lithothamnion validum</i> , <i>Melobesia accola</i>	Setchell and Gardner, 1930; Taylor, 1945

			<i>Neogoniolithon trichotomum</i>		
13	Canada, British Columbia	North America	<i>Bossiella chiloensis, Bossiella orbigniana, Bossiella plumosa,</i> <i>Calliarthron tuberculatum,</i> <i>Chiharaea americana, Chiharaea bodegensis, Chiharaea silvae,</i> <i>Corallina officinalis var. chilensis,</i> <i>Corallina pilulifera, Corallina vancouverensis, Johansenia macmillanii, Lithophyllum dispar,</i> <i>Lithophyllum impressum, Lithotrix aspergillum, Pachyarthron cretaceum, Pneophyllum zostericola,</i> <i>Pseudolithophyllum muricatum,</i> <i>Pseudolithophyllum neofarlowii,</i> <i>Pseudolithophyllum whidbeyense</i>	<i>Clathromorphum circumspectum,</i> <i>Clathromorphum parcum,</i> <i>Clathromorphum reclinatum,</i> <i>Lithothamnion phymatodeum,</i> <i>Melobesia marginata,</i> <i>Melobesia mediocris,</i> <i>Mesophyllum conchatum,</i> <i>Mesophyllum lamellatum,</i> <i>Mesophyllum vancouverense</i>	Lindstrom, 1977; Scagel et al., 1989; Woelkerling et al., 2008
14	Canada, Queen Charlotte Islands	North America		<i>Melobesia mediocris</i>	Mondragon and Mondragon, 2003
15	USA, Washington	North America	<i>Bossiella chiloensis, Bossiella orbigniana, Bossiella plumosa,</i> <i>Calliarthron tuberculatum,</i> <i>Chiharaea americana, Chiharaea bodegensis, Chiharaea silvae,</i> <i>Corallina officinalis var. chilensis,</i>	<i>Clathromorphum parcum,</i> <i>Clathromorphum reclinatum,</i> <i>Melobesia marginata,</i> <i>Melobesia mediocris,</i> <i>Mesophyllum conchatum,</i> <i>Mesophyllum lamellatum,</i>	Scagel et al., 1989; Woelkerling et al., 2008

			<i>Corallina vancouveriensis</i> , <i>Johansenia macmillanii</i> , <i>Lithophyllum dispar</i> , <i>Lithophyllum impressum</i> , <i>Lithotrix aspergillum</i> , <i>Pachyarthron cretaceum</i> , <i>Pseudolithophyllum muricatum</i> , <i>Pseudolithophyllum neofarlowii</i> , <i>Pseudolithophyllum whidbeyense</i> , <i>Titanoderma pustulatum</i>	<i>Mesophyllum vancouverense</i>	
16	USA, Oregon	North America	<i>Bossiella chiloensis</i> , <i>Bossiella orbigniana</i> , <i>Bossiella plumosa</i> , <i>Calliarthron tuberculosum</i> , <i>Chiharaea silvae</i> , <i>Corallina officinalis</i> var. <i>chilensis</i> , <i>Corallina vancouveriensis</i> , <i>Lithophyllum dispar</i> , <i>Lithophyllum grumosum</i> , <i>Lithotrix aspergillum</i> , <i>Pseudolithophyllum neofarlowii</i> , <i>Titanoderma pustulatum</i>	<i>Clathromorphum parcum</i> , <i>Lithothamnion phymatodeum</i> , <i>Melobesia marginata</i> , <i>Melobesia mediocris</i> , <i>Mesophyllum conchatum</i> , <i>Mesophyllum lamellatum</i>	Hansen, 1997
17	USA, California	North America	<i>Amphiroa beauvoisii</i> , <i>Bossiella chiloensis</i> , <i>Bossiella orbigniana</i> , <i>Bossiella plumosa</i> , <i>Calliarthron cheilosporoides</i> , <i>Calliarthron tuberculosum</i> , <i>Chiharaea americana</i> , <i>Chiharaea bodegensis</i> , <i>Chiharaea</i>	<i>Choreonema thuretii</i> , <i>Clathromorphum parcum</i> , <i>Clathromorphum reclinatum</i> , <i>Lithothamnion australe</i> , <i>Lithothamnion californicum</i> , <i>Lithothamnion crassiusculum</i> ,	Scagel et al., 1989; Stewart, 1991; Athansiadis, 2007; Miller, 2012; Brodie et al., 2013

			<i>silvae</i> , <i>Corallina caespitosa</i> , <i>Corallina officinalis</i> var. <i>chilensis</i> , <i>Corallina polysticha</i> , <i>Corallina vancouverensis</i> , <i>Dermatolithon ascripticum</i> , <i>Fosliella paschalis</i> , <i>Jania adhaerens</i> , <i>Jania rosea</i> , <i>Jania tenella</i> , <i>Jania verrucosa</i> , <i>Johansenia macmillanii</i> , <i>Lithophyllum dispar</i> , <i>Lithophyllum grumosum</i> , <i>Lithophyllum imitans</i> , <i>Lithophyllum lichenare</i> , <i>Lithophyllum proboscideum</i> , <i>Lithotrix aspergillum</i> , <i>Neogoniolithon setchelii</i> , <i>Pneophyllum nicholsii</i> , <i>Pseudolithophyllum decipens</i> , <i>Pseudolithophyllum muricatum</i> , <i>Pseudolithophyllum neofarlowii</i> , <i>Spongites decipiens</i> , <i>Titanoderma pustulatum</i>	<i>Lithothamnion giganteum</i> , <i>Lithothamnion montereyicum</i> , <i>Lithothamnion phymatodeum</i> , <i>Lithothamnion volcanum</i> , <i>Melobesia marginata</i> , <i>Melobesia mediocris</i> , <i>Mesophyllum conchatum</i> , <i>Mesophyllum crassiusculum</i> , <i>Mesophyllum lamellatum</i> , <i>Mesophyllum megagastri</i>	
18	USA, Channel Islands, California	North America	<i>Johansenia macmillanii</i>		Mondragon and Mondragon, 2003
19	Mexico, Baja California	North America	<i>Amphiroa beauvoisii</i> , <i>Bossiella californica</i> , <i>Bossiella gardneri</i> , <i>Bossiella pachyclada</i> , <i>Corallina</i>	<i>Melobesia marginata</i> , <i>Melobesia mediocris</i> , <i>Mesophyllum crassiusculum</i> ,	Taylor, 1945; Athanasiadis, 2007; Miller, 2012

			<i>officinalis</i> var. <i>chilensis</i> , <i>Corallina</i> <i>vancouverensis</i> , <i>Jania rosea</i> , <i>Lithotrix aspergillum</i>	<i>Mesophyllum stenopon</i>	
20	Mexico, Isla Guadalupe	North America	<i>Fosliella paschalis</i> , <i>Jania adhaerens</i> , <i>Jania cubensis</i> , <i>Jania rubens</i>	<i>Choreonema thuretii</i> , <i>Lithothamnion validum</i> , <i>Melobesia accola</i> , <i>Mesophyllum stenopon</i>	Setchell and Gardner, 1930; Athanasiadis, 2007
21	USA, Gulf of California	North America	<i>Amphiroa beauvoisii</i> , <i>Amphiroa</i> <i>pusilla</i> , <i>Amphiroa rigida</i> , <i>Corallina</i> <i>pilulifera</i> , <i>Dermatolithon veleroae</i> , <i>Heteroderma gibbsii</i> , <i>Lithophyllum</i> <i>hancockii</i> , <i>Lithophyllum</i> <i>lithophylloides</i> , <i>Lithophyllum</i> <i>veleroae</i> , <i>Porolithon sonorense</i>	<i>Lithothamnion diguetii</i>	Dawson, 1944
22	USA, Maine	North America	<i>Corallina officinalis</i> , <i>Lithophyllum</i> <i>corallinae</i> , <i>Pneophyllum fragile</i> , <i>Titanoderma pustulatum</i>	<i>Clathromorphum</i> <i>circumscriptum</i> , <i>Lithothamnion</i> <i>glaciale</i> , <i>Phymatolithon</i> <i>laevigatum</i> , <i>Phymatolithon</i> <i>lamii</i>	Mathieson et al., 2001
23	USA, New Hampshire	North America	<i>Corallina officinalis</i> , <i>Lithophyllum</i> <i>corallinae</i> , <i>Pneophyllum fragile</i> , <i>Titanoderma pustulatum</i>	<i>Clathromorphum</i> <i>circumscriptum</i> , <i>Lithothamnion</i> <i>glaciale</i> , <i>Phymatolithon</i> <i>laevigatum</i> , <i>Phymatolithon</i> <i>lamii</i> , <i>Phymatolithon</i> <i>lenormandii</i>	Mathieson and Hebre, 1986

24	USA, Connecticut	North America	<i>Corallina officinalis</i>		Brodie et al., 2013
25	USA, Virginia	North America	<i>Corallina officinalis, Hydrolithon farinosum, Jania capillacea, Pneophyllum fragile</i>	<i>Melobesia membranacea</i>	Humm, 1979
26	USA, North Carolina	North America	<i>Amphiroa beauvoisii, Amphiroa brasiliiana, Amphiroa fragilissima, Corallina officinalis, Hydrolithon farinosum, Jania adhaerens, Jania capillacea, Jania cubensis, Jania rubens, Lithophyllum corallinae, Lithophyllum intermedium, Neogoniolithon caribaeum, Pneophyllum fragile, Titanoderma pustulatum</i>	<i>Lithothamnion occidentale, Mesophyllum floridanum, Phymatolithon tenuissimum</i>	Taylor, 1960; Schneider and Searles, 1991
27	USA, South Carolina	North America	<i>Amphiroa beauvoisii, Corallina officinalis, Pneophyllum fragile</i>	<i>Lithothamnion occidentale, Lithothamnion phymatodeum</i>	Schneider and Searles, 1991
28	USA, Florida	North America	<i>Amphiroa beauvoisii, Amphiroa brasiliiana, Amphiroa fragilissima, Amphiroa tribulus, Hydrolithon boergesenii, Hydrolithon farinosum, Jania adhaerens, Jania capillacea, Jania cubensis, Jania pumila, Jania rubens, Lithophyllum intermedium, Lithophyllum prototypum,</i>	<i>Melobesia membranacea, Mesophyllum floridanum</i>	Taylor, 1960; Schneider and Searles, 1991; Littler, Littler and Hanisak, 2008

			<i>Neogoniolithon accretum,</i> <i>Neogoniolithon fosliei,</i> <i>Neogoniolithon mamillare,</i> <i>Neogoniolithon spectabile,</i> <i>Neogoniolithon strictum,</i> <i>Pneophyllum fragile, Titanoderma</i> <i>pustulatum</i>		
29	USA, Texas	North America	<i>Amphiroa fragilissima, Amphiroa</i> <i>rigida, Amphiroa tribulus, Corallina</i> <i>officinalis, Hydrolithon farinosum,</i> <i>Jania adhaerens, Jania capillacea,</i> <i>Jania cubensis, Jania rubens, Jania</i> <i>subulata, Pneophyllum fragile,</i> <i>Titanoderma pustulatum</i>	Wynne, 2009	
30	Mexico	North America	<i>Amphiroa annulata, Amphiroa</i> <i>beauvoisii, Amphiroa compressa var.</i> <i>tenuis, Amphiroa dimorpha,</i> <i>Amphiroa foliacea, Amphiroa</i> <i>franciscana, Amphiroa</i> <i>magdalensis, Amphiroa</i> <i>misakiensis, Amphiroa subcylindrica,</i> <i>Amphiroa taylorii, Amphiroa</i> <i>tribulus, Amphiroa valonioides,</i> <i>Bossiella chiloensis, Bossiella</i> <i>cooperi, Bossiella gardneri,</i>	<i>Choreonema thuretii,</i> <i>Lithothamnion australe,</i> <i>Lithothamnion californicum,</i> <i>Lithothamnion diguetii,</i> <i>Lithothamnion giganteum,</i> <i>Lithothamnion guadalupense,</i> <i>Lithothamnion phymatodeum,</i> <i>Lithothamnion validum,</i> <i>Lithothamnion volcanum,</i> <i>Melobesia accola, Melobesia</i> <i>marginata, Melobesia</i>	Taylor, 1945; Dawson, 1953; Dawson, 1960; Taylor, 1960; Johansen, 1971; Castaneda- Fernandez de Lara et al., 2010; Gabrielson et al., 2011; Martone et al., 2012

Bossiella ligulata, *Bossiella orbigniana*, *Bossiella pachyclada*,
Bossiella sagittata, *Calliarthron cheilosporioides*, *Calliarthron tuberculosum*, *Chiharaea americana*,
Chiharaea silvae, *Corallina officinalis* var. *chilensis*, *Corallina polysticha*, *Corallina vancouverensis*, *Dermatolithon veleroae*, *Fosliella paschalis*,
Heteroderma gibbsii, *Heteroderma parvicarpa*, *Heteroderma sultilissimum*, *Hydrolithon arenicola*, *Hydrolithon farinosum*,
Hydrolithon reinboldii, *Hydrolithon samoense*, *Jania adhaerens*, *Jania capillacea*, *Jania cubensis*, *Jania longiarthra*, *Jania pacifica*, *Jania rosea*, *Jania subpinnata*, *Jania tenella*, *Jania tenella* var. *zacae*,
Jania verrucosa, *Lithophyllum brachiatum*, *Lithophyllum corallinae*,
Lithophyllum dispar, *Lithophyllum divaricatum*, *Lithophyllum grumosum*, *Lithophyllum hancockii*,

			<i>Lithophyllum imitans</i> , <i>Lithophyllum lichenare</i> , <i>Lithophyllum lithophylloides</i> , <i>Lithophyllum margaritae</i> , <i>Lithophyllum pallescens</i> , <i>Lithophyllum proboscideum</i> , <i>Lithophyllum proboscideum</i> var. <i>delicatulum</i> , <i>Lithophyllum reesei</i> , <i>Lithophyllum veleroae</i> , <i>Lithotrix aspergillum</i> , <i>Neogoniolithon setchelii</i> , <i>Neogoniolithon trichotomum</i> , <i>Pneophyllum confervicola</i> , <i>Pneophyllum conicum</i> , <i>Pneophyllum fragile</i> , <i>Pneophyllum nicholsii</i> , <i>Porolithon sonorense</i> , <i>Pseudolithophyllum neofarlowii</i> , <i>Spongites decipiens</i> , <i>Spongites fruticulosa</i> , <i>Titanoderma pustulatum</i>	
31	Belize	Central America	<i>Amphiroa beauvoisii</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa tribulus</i> , <i>Hydrolithon boergesenii</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon pachydermum</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Lithoporella atlantica</i> , <i>Neogoniolithon spectabile</i> ,	Norris and Bucher, 1982; Littler and Littler, 1997

			<i>Neogoniolithon strictum,</i> <i>Pneophyllum fragile, Titanoderma</i> <i>pustulatum</i>		
32	Honduras	Central America	<i>Amphiroa hancockii</i>		Bailey, Gabel and Freshwater, 2004
33	El Salvador	Central America	<i>Amphiroa beauvoisii, Amphiroa foliacea, Amphiroa misakiensis, Amphiroa valonioides, Heteroderma sultilissimum, Hydrolithon gardineri, Jania capillacea, Jania tenella, Lithophyllum canescens, Lithophyllum imitans, Lithophyllum kotschyuanum, Pneophyllum confervicola</i>	<i>Melobesia marginata,</i> <i>Melobesia polystromatica,</i> <i>Phymatolithon lenormandii</i>	Fernandez-Garcia et al., 2011
34	Nicaragua	Central America	<i>Amphiroa rigida</i>	<i>Lithothamnion californicum</i>	Fernandez-Garcia et al., 2011
35	Costa Rica	Central America	<i>Amphiroa annulata, Amphiroa beauvoisii, Amphiroa foliacea, Amphiroa fragilissima, Amphiroa minutissima, Amphiroa misakiensis, Amphiroa polymorpha, Amphiroa rigida, Amphiroa valonioides, Dermatolithon saxicola, Hydrolithon boergesenii, Hydrolithon farinosum, Jania capillacea, Jania longiarthra,</i>	<i>Choreonema thuretii,</i> <i>Lithothamnion crispatum,</i> <i>Lithothamnion heteromorphum,</i> <i>Lithothamnion validum,</i> <i>Melobesia marginata,</i> <i>Mesophyllum crassiusculum</i>	Taylor, 1945; Taylor, 1960; Fernandez-Garcia et al., 2011

36 Panama

			<i>Jania tenella</i> , <i>Jania tenella</i> var. <i>zacae</i> , <i>Jania unguis</i> , <i>Lithophyllum</i> <i>canescens</i> , <i>Lithophyllum fetum</i> , <i>Lithophyllum lividum</i> , <i>Neogoniolithon fosliei</i> , <i>Neogoniolithon trichotomum</i> , <i>Porolithon cocosicum</i> , <i>Spongites</i> <i>decipiens</i> , <i>Spongites fruticulosa</i> , <i>Titanoderma pustulatum</i>	<i>Lithothamnion australe</i> , <i>Lithothamnion crispatum</i> , <i>Melobesia membranacea</i>	<i>Sporolithon</i> <i>episporum</i> , <i>Sporolithon howei</i>	Taylor, 1960; Fernandez-Garcia et al., 2011
36	Panama	Central America	<i>Amphiroa beauvoisii</i> , <i>Amphiroa foliacea</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa hancockii</i> , <i>Amphiroa misakiensis</i> , <i>Amphiroa subcylindrica</i> , <i>Amphiroa tribulus</i> , <i>Amphiroa valonioides</i> , <i>Fosliella fertilis</i> , <i>Fosliella minuta</i> , <i>Hydrolithon farinosum</i> , <i>Jania capillacea</i> , <i>Lithophyllum alternans</i> , <i>Lithophyllum brachiatum</i> , <i>Lithophyllum coibense</i> , <i>Lithophyllum divaricatum</i> , <i>Lithophyllum fetum</i> , <i>Lithophyllum lividum</i> , <i>Lithophyllum pallescens</i> , <i>Lithophyllum prototypum</i> , <i>Neogoniolithon trichotomum</i> , <i>Porolithon cocosicum</i> ,			

			<i>Titanoderma pustulatum</i>			
37	Cuba	Caribbea n Islands	<i>Amphiroa beauvoisii, Amphiroa brasiliiana, Amphiroa fragilissima, Amphiroa rigida, Amphiroa tribulus, Amphiroa valonioides, Corallina officinalis, Hydrolithon farinosum, Hydrolithon onkodes, Hydrolithon pachydermum, Jania adhaerens, Jania capillacea, Jania cubensis, Jania pumila, Jania rubens, Jania subulata, Lithophyllum congestum, Neogoniolithon accretum, Neogoniolithon fosliei, Neogoniolithon strictum, Pneophyllum confervicola, Pneophyllum fragile, Titanoderma pustulatum</i>	<i>Lithothamnion occidentale, Melobesia membranacea, Mesophyllum floridanum, Mesophyllum incertum</i>	Womersley, 1996; Suarez, 2005	
38	Bahamas	Caribbea n Islands	<i>Amphiroa fragilissima, Amphiroa tribulus, Fosliella chamaedoris, Hydrolithon boergesenii, Hydrolithon farinosum, Hydrolithon improcerum, Hydrolithon pachydermum, Jania adhaerens, Jania capillacea, Jania cubensis, Jania rubens, Lithophyllum</i>	<i>Mesophyllum ornatum</i>	<i>Sporolithon ptychoides</i>	Taylor, 1960; Athanasiadis, 1999

			<i>prototypum</i> , <i>Neogoniolithon</i>			
			<i>accretum</i> , <i>Neogoniolithon</i>			
			<i>acropetum</i> , <i>Neogoniolithon</i>			
			<i>caribaeum</i> , <i>Neogoniolithon</i>			
			<i>dispalatum</i> , <i>Neogoniolithon fosliei</i> ,			
			<i>Neogoniolithon spectabile</i> ,			
			<i>Neogoniolithon strictum</i> ,			
			<i>Pneophyllum fragile</i> , <i>Titanoderma</i>			
			<i>pustulatum</i>			
39	Caicos Islands	Caribbea n Islands	<i>Jania cubensis</i> , <i>Jania rubens</i> , <i>Neogoniolithon spectabile</i>		Taylor, 1960	
40	Jamaica	Caribbea n Islands	<i>Amphiroa fragilissima</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon improcera</i> , <i>Hydrolithon pachydermum</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania cubensis</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Lithophyllum intermedium</i> , <i>Lithophyllum prototypum</i> , <i>Neogoniolithon caribaeum</i> , <i>Neogoniolithon fosliei</i> , <i>Neogoniolithon strictum</i> , <i>Pneophyllum fragile</i> , <i>Titanoderma</i> <i>pustulatum</i>	<i>Melobesia membranacea</i>	<i>Sporolithon ptychoides</i>	Taylor, 1960
41	Hispaniola, Dominican	Caribbea n Islands	<i>Amphiroa brasiliiana</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa hancockii</i> ,	<i>Lithothamnion occidentale</i> , <i>Melobesia membranacea</i> ,	<i>Sporolithon ptychoides</i>	Taylor, 1960; Betancourt and Herrera-Moreno,

	Republic		<i>Amphiroa rigida</i> , <i>Amphiroa tribulus</i> , <i>Fosliella atlantica</i> , <i>Hydrolithon boergesenii</i> , <i>Hydrolithon farinosum</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania cubensis</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Jania subulata</i> , <i>Lithophyllum congestum</i> , <i>Lithophyllum prototypum</i> , <i>Lithophyllum stictaeforme</i> , <i>Lithoporella atlantica</i> , <i>Lithoporella bermudensis</i> , <i>Neogoniolithon caribaeum</i> , <i>Neogoniolithon fosliei</i> , <i>Neogoniolithon spectabile</i> , <i>Neogoniolithon strictum</i> , <i>Pneophyllum fragile</i> , <i>Titanoderma pustulatum</i>	<i>Mesophyllum floridanum</i> , <i>Mesophyllum mesomorphum</i>	2001
42	Puerto Rico	Caribbean Islands	<i>Amphiroa fragilissima</i> , <i>Amphiroa tribulus</i> , <i>Hydrolithon abyssophila</i> , <i>Hydrolithon chamaedoris</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon pachydermum</i> , <i>Jania adhaerens</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Lithophyllum congestum</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum intermedium</i> ,	<i>Lithothamnion carpoklonion</i> , <i>Lithothamnion occidentale</i> , <i>Lithothamnion ruptile</i> , <i>Melobesia membranacea</i> , <i>Mesophyllum ornatum</i>	Taylor, 1960; Ballantine, Ruiz and Aponte, 2004; Athanasiadis and Ballantine, 2011; Ballantine et al., 2011; Athanasiadis, Ballantine and Ruiz, 2013

		<i>Lithophyllum prototypum,</i> <i>Neogoniolithon accretum,</i> <i>Neogoniolithon acropetum,</i> <i>Neogoniolithon affine,</i> <i>Neogoniolithon caribaeum,</i> <i>Neogoniolithon fosliei,</i> <i>Neogoniolithon spectabile,</i> <i>Neogoniolithon strictum, Porolithon</i> <i>antillarum</i>		
43	Virgin Islands, USA	Caribbean Islands	<i>Amphiroa fragilissima, Fosliella affinis, Fosliella atlantica, Fosliella chamaedoris, Hydrolithon boergesenii, Hydrolithon farinosum, Hydrolithon pachydermum, Jania adhaerens, Jania capillacea, Jania cubensis, Jania pumila, Litholepsis affinis, Lithophyllum congestum, Lithophyllum intermedium, Lithophyllum prototypum, Neogoniolithon accretum, Neogoniolithon caribaeum, Neogoniolithon erosum, Neogoniolithon fosliei, Neogoniolithon mamillare, Neogoniolithon strictum,</i>	Taylor, 1960; Woelkerling, 1998

			<i>Titanoderma pustulatum</i>	
44	Saints Kitts n Islands	Caribbea n Islands	<i>Amphiroa tribulus</i>	Harvey et al., 2013
45	Martinique	Caribbea n Islands	<i>Amphiroa fragilissima, Amphiroa tribulus, Hydrolithon farinosum, Jania adhaerens, Jania capillacea, Jania subulata</i>	Rodriguez-Prieto, Michanek and Ivon, 1999
46	Barbados	Caribbea n Islands	<i>Amphiroa fragilissima, Amphiroa tribulus, Fosliella chamaedoris, Hydrolithon boergesenii, Hydrolithon farinosum, Hydrolithon improcerum, Hydrolithon pachydermum, Jania adhaerens, Jania capillacea, Jania cubensis, Jania rubens, Lithophyllum prototypum, Neogoniolithon accretum, Neogoniolithon acropetum, Neogoniolithon caribaeum, Neogoniolithon dispalatum, Neogoniolithon fosliei, Neogoniolithon spectabile, Neogoniolithon strictum, Pneophyllum fragile, Titanoderma pustulatum</i>	Taylor, 1960; Wynne, Bradshaw and Carrington, 2014
47	Saint Thomas,	Caribbea	<i>Hydrolithon abyssophila</i>	Athanasiadis, Ballantine

	Barbados	n Islands			and Ruiz, 2013
48	Lesser Antilles	Caribbea n Islands	<i>Amphiroa brasiliiana, Amphiroa fragilissima, Amphiroa hancockii, Amphiroa rigida, Amphiroa tribulus, Corallina officinalis, Hydrolithon boreale, Hydrolithon farinosum, Jania adhaerens, Jania capillacea, Jania cubensis, Jania pumila, Jania rubens, Lithophyllum congestum, Pneophyllum fragile, Titanoderma pustulatum</i>	<i>Melobesia membranacea</i>	Taylor, 1960; Taylor, 1969
49	Trinidad	Caribbea n Islands	<i>Amphiroa tribulus, Corallina officinalis, Lithophyllum congestum</i>		Richardson, 1975; Duncan and Lee Lum, 2003
50	Tobago	Caribbea n Islands	<i>Hydrolithon farinosum, Jania rubens, Pneophyllum fragile</i>	<i>Melobesia membranacea</i>	Taylor, 1960
51	Trinidad and Tobago	Caribbea n Islands	<i>Amphiroa brasiliiana, Amphiroa fragilissima, Amphiroa rigida, Amphiroa tribulus, Lithophyllum congestum</i>		Duncan and Lee Lum, 2003
52	Curacao	Caribbea n Islands	<i>Hydrolithon farinosum, Jania capillacea</i>		Fricke et al., 2011
53	Netherlands Antilles	Caribbea n Islands	<i>Amphiroa fragilissima, Hydrolithon farinosum, Neogoniolithon spectabile</i>		Taylor, 1960
54	Tropical and	Caribbea	<i>Amphiroa anceps, Amphiroa</i>	<i>Lithothamnion brasiliense, Sporolithon</i>	Wynne, 2011

Subtropical	n Islands	<i>beauvoisii</i> , <i>Amphiroa</i>	<i>Lithothamnion crispatum</i> ,	<i>africanum</i> ,
Western		<i>breviarticulata</i> , <i>Amphiroa currae</i> ,	<i>Lithothamnion occidentale</i> var.	<i>Sporolithon</i>
Atlantic		<i>Amphiroa ephedraea</i> , <i>Amphiroa</i>	<i>effusum</i> , <i>Lithothamnion</i>	<i>austrasicum</i> ,
		<i>fragilissima</i> , <i>Amphiroa fragilissima</i>	<i>glaciale</i> , <i>Lithothamnion</i>	<i>Sporolithon durum</i> ,
		<i>f. cuspidata</i> , <i>Amphiroa hancockii</i> ,	<i>muelleri</i> , <i>Lithothamnion</i>	<i>Sporolithon</i>
		<i>Amphiroa misakiensis</i> , <i>Amphiroa</i>	<i>occidentale</i> , <i>Lithothamnion</i>	<i>episporum</i> ,
		<i>nodulosa</i> , <i>Amphiroa rigida</i> ,	<i>ruptile</i> , <i>Lithothamnion</i>	<i>Sporolithon</i>
		<i>Amphiroa tribulus</i> , <i>Amphiroa</i>	<i>scabiosum</i> , <i>Lithothamnion</i>	<i>erythraeum</i> ,
		<i>vanbosseae</i> , <i>Corallina officinalis</i> ,	<i>sejunctum</i> , <i>Melobesia</i>	<i>Sporolithon howei</i> ,
		<i>Corallina panizzoi</i> , <i>Hydrolithon</i>	<i>membranacea</i> , <i>Mesophyllum</i>	<i>Sporolithon</i>
		<i>boergesenii</i> , <i>Hydrolithon boreale</i> ,	<i>aemulans</i> , <i>Mesophyllum</i>	<i>pacificum</i> ,
		<i>Hydrolithon chamaedoris</i> ,	<i>engelhartii</i> , <i>Mesophyllum</i>	<i>Sporolithon</i>
		<i>Hydrolithon farinosum</i> , <i>Hydrolithon</i>	<i>erubescens</i> , <i>Mesophyllum</i>	<i>ptychooides</i>
		<i>farinosum</i> var. <i>chalicodictya</i> ,	<i>floridanum</i> , <i>Mesophyllum</i>	
		<i>Hydrolithon improcerum</i> ,	<i>incertum</i> , <i>Mesophyllum</i>	
		<i>Hydrolithon munitum</i> , <i>Hydrolithon</i>	<i>mesomorphum</i> , <i>Mesophyllum</i>	
		<i>onkodes</i> , <i>Hydrolithon pachydermum</i>	<i>ornatum</i> , <i>Mesophyllum</i>	
		<i>f. nexile</i> , <i>Hydrolithon reinboldii</i> ,	<i>syntrophicum</i> , <i>Phymatolithon</i>	
		<i>Hydrolithon samoense</i> , <i>Jania</i>	<i>calcareum</i> , <i>Phymatolithon</i>	
		<i>adhaerens</i> , <i>Jania capillacea</i> , <i>Jania</i>	<i>purpureum</i> , <i>Phymatolithon</i>	
		<i>cultrata</i> , <i>Jania prolifera</i> , <i>Jania</i>	<i>tenuissimum</i>	
		<i>pumila</i> , <i>Jania rosea</i> , <i>Jania rubens</i> ,		
		<i>Jania sagittata</i> , <i>Jania sanctae-</i>		
		<i>marthae</i> , <i>Jania subulata</i> , <i>Jania</i>		
		<i>tenella</i> , <i>Jania unguis</i> , <i>Jania</i>		

ungulata f. brevior, Jania verrucosa,
Lithophyllum brachiatum,
Lithophyllum congestum,
Lithophyllum corallinae,
Lithophyllum depressum,
Lithophyllum intermedium,
Lithophyllum johansenii,
Lithophyllum prototypum,
Lithophyllum stictaeforme,
Lithophyllum subtenellum,
Lithoporella atlantica, Lithoporella
bermudensis, Neogoniolithon
accretum, Neogoniolithon
acropetum, Neogoniolithon affine,
Neogoniolithon brassica-florida,
Neogoniolithon caribaeum,
Neogoniolithon dispalatum,
Neogoniolithon erosum,
Neogoniolithon mamillare,
Neogoniolithon propinquum,
Neogoniolithon rhizophorae,
Neogoniolithon spectabile,
Neogoniolithon strictum,
Neogoniolithon trichotomum,
Pneophyllum confervicola,

				<i>Pneophyllum fragile</i> , <i>Porolithon antillarum</i> , <i>Spongites absimile</i> , <i>Spongites fruticulosa</i> , <i>Spongites yendoi</i> , <i>Titanoderma polyclonum</i> , <i>Titanoderma pustulatum</i>			
55	Guyana	South America		<i>Pneophyllum fragile</i>		Taylor, 1960	
56	Aves, island of Venezuela	South America		<i>Jania adhaerens</i> , <i>Pneophyllum fragile</i>		Taylor, 1960	
57	Venezuela	South America		<i>Amphiroa beauvoisii</i> , <i>Amphiroa brasiliiana</i> , <i>Amphiroa currae</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa nodulosa</i> , <i>Amphiroa rigida</i> , <i>Corallina officinalis</i> , <i>Corallina panizzoi</i> , <i>Hydrolithon farinosum</i> , <i>Jania adhaerens</i> , <i>Jania cubensis</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Jania subulata</i> , <i>Lithophyllum corallinae</i> , <i>Neogoniolithon strictum</i> , <i>Pneophyllum fragile</i> , <i>Titanoderma pustulatum</i>	<i>Lithothamnion occidentale</i> , <i>Melobesia membranacea</i>	<i>Sporolithon episporum</i>	Taylor, 1960; Ganesan, 1990
58	Colombia	South America		<i>Amphiroa beauvoisii</i> , <i>Amphiroa brasiliiana</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa hancockii</i> , <i>Amphiroa misakiensis</i> , <i>Amphiroa nodulosa</i> ,	<i>Lithothamnion occidentale</i> , <i>Mesophyllum mesomorphum</i> , <i>Mesophyllum ornatum</i> , <i>Phymatolithon calcareum</i>	Diaz-Pulido and Diaz-Ruiz, 2003; Albis-Salas and Gavio, 2011	

			<i>Amphiroa rigida</i> , <i>Amphiroa tribulus</i> , <i>Corallina officinalis</i> , <i>Corallina panizzoi</i> , <i>Hydrolithon boergesenii</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon farinosum</i> var. <i>chalicodictya</i> , <i>Hydrolithon pachydermum</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania cubensis</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Jania sanctae-marthae</i> , <i>Jania subulata</i> , <i>Lithophyllum brachiatum</i> , <i>Lithophyllum congestum</i> , <i>Lithophyllum prototypum</i> , <i>Lithophyllum stictaeforme</i> , <i>Neogoniolithon fosliei</i> , <i>Neogoniolithon mamillare</i> , <i>Neogoniolithon rhizophorae</i> , <i>Neogoniolithon spectabile</i> , <i>Neogoniolithon strictum</i> , <i>Pneophyllum fragile</i> , <i>Titanoderma pustulatum</i>	
59	Ecuador	South America	<i>Amphiroa beauvoisii</i> , <i>Amphiroa compressa</i> var. <i>tenuis</i> , <i>Amphiroa franciscana</i> , <i>Corallina officinalis</i> var. <i>chilensis</i> , <i>Fosliella minuta</i> , <i>Jania adhaerens</i> , <i>Jania arborescens</i> , <i>Melobesia marginata</i>	Taylor, 1945; Miller, 2012

			<i>Jania capillacea</i> , <i>Jania unguis</i>			
60	Galapagos Islands	South America	<i>Amphiroa anceps</i> , <i>Amphiroa annulata</i> , <i>Amphiroa beauvoisii</i> , <i>Amphiroa compressa</i> , <i>Amphiroa crustiformis</i> , <i>Amphiroa dimorpha</i> , <i>Amphiroa galapagensis</i> , <i>Amphiroa peruana</i> , <i>Amphiroa polymorpha</i> , <i>Amphiroa valonioides</i> , <i>Amphiroa vanbosseae</i> , <i>Corallina berteroii</i> , <i>Corallina officinalis</i> , <i>Corallina officinalis</i> var. <i>chilensis</i> , <i>Corallina vancouveriensis</i> , <i>Jania capillacea</i> , <i>Jania unguis</i> , <i>Lithophyllum alternans</i> , <i>Lithophyllum amplostratum</i> , <i>Lithophyllum canescens</i> , <i>Lithophyllum complexum</i> , <i>Lithophyllum decussatum</i> , <i>Lithophyllum divaricatum</i> , <i>Lithophyllum duckerae</i> , <i>Lithophyllum frutescens</i> , <i>Lithophyllum intermedium</i> , <i>Lithophyllum moluccense</i> var. <i>geminostratum</i> , <i>Lithophyllum prototypum</i> , <i>Lithophyllum rileyi</i> , <i>Lithophyllum sancti-georgei</i> , <i>Neogoniolithon</i>	<i>Choreonema thuretii</i> , <i>Lithothamnion cottonii</i> , <i>Lithothamnion fragiissimum</i> , <i>Lithothamnion phymatodeum</i> , <i>Melobesia accola</i> , <i>Melobesia galapagensis</i> , <i>Melobesia marginata</i> , <i>Melobesia membranacea</i> , <i>Mesophyllum laxum</i>	<i>Sporolithon pacificum</i>	Taylor, 1945; Ruiz and Ziemmeck, 2011

			<i>brassica-florida</i> , <i>Neogoniolithon trichotomum</i> , <i>Pseudolithophyllum decipens</i> , <i>Spongites decipiens</i> , <i>Tenarea erecta</i> , <i>Titanoderma mutabile</i> , <i>Titanoderma pustulatum</i>	
61	Peru	South America	<i>Amphiroa dimorpha</i> , <i>Amphiroa pacifica</i> , <i>Amphiroa peruana</i> , <i>Amphiroa setacea</i> , <i>Corallina ferreyrai</i> , <i>Corallina officinalis</i> var. <i>chilensis</i> , <i>Jania verrucosa</i> , <i>Lithophyllum imitans</i>	<i>Lithothamnion fuegianum</i> , <i>Melobesia marginata</i>
62	Chile	South America	<i>Amphiroa beauvoisii</i> , <i>Amphiroa crassa</i> , <i>Amphiroa fragilissima</i> , <i>Bossiella chiloensis</i> , <i>Corallina armata</i> , <i>Corallina berteroii</i> , <i>Corallina officinalis</i> var. <i>chilensis</i> , <i>Corallina pilulifera</i> , <i>Fosliella paschalis</i> , <i>Hydrolithon craspedium</i> , <i>Hydrolithon falklandicum</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon gardineri</i> , <i>Hydrolithon onkodes</i> , <i>Hydrolithon samoense</i> , <i>Jania rosea</i> , <i>Jania rubens</i> , <i>Jania subulata</i> , <i>Jania tenella</i> , <i>Lithophyllum accedens</i> , <i>Lithophyllum aequum</i> , <i>Lithophyllum</i>	<i>Choreonema thuretii</i> , <i>Lithothamnion caroli</i> , <i>Lithothamnion fuegianum</i> , <i>Lithothamnion granuliferum</i> , <i>Lithothamnion heterocladum</i> , <i>Lithothamnion muelleri</i> , <i>Lithothamnion pauciporosum</i> , <i>Lithothamnion peruviense</i> , <i>Lithothamnion sonderi</i> , <i>Lithothamnion validum</i> , <i>Melobesia accola</i> , <i>Mesophyllum exasperatum</i> , <i>Mesophyllum siamense</i> , <i>Phymatolithon calcareum</i>

			<i>almanense</i> , <i>Lithophyllum atalayense</i> , <i>Lithophyllum decussatum</i> , <i>Lithophyllum fernandezianum</i> , <i>Lithophyllum fetum</i> , <i>Lithophyllum racemus</i> , <i>Lithophyllum skottsbergii</i> , <i>Lithophyllum stictaeforme</i> , <i>Lithophyllum subantarcticum</i> , <i>Neogoniolithon mamillare</i> , <i>Neogoniolithon oblimans</i> , <i>Pachyarthron cretaceum</i> , <i>Pneophyllum amplexifrons</i> , <i>Pneophyllum nicholsii</i> , <i>Pseudolithophyllum discoideum</i> , <i>Titanoderma conspectum</i> , <i>Titanoderma pustulatum</i> , <i>Titanoderma rasile</i>	<i>Phymatolithon lenormandii</i> , <i>Synarthrophyton neglectum</i> , <i>Synarthrophyton patena</i>	
63	Brazil	South America	<i>Amphiroa anastomosans</i> , <i>Amphiroa beauvoisii</i> , <i>Amphiroa brasiliiana</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa rigida</i> , <i>Amphiroa vanbosseae</i> , <i>Arthrocardia anceps</i> , <i>Arthrocardia flabellata</i> , <i>Corallina officinalis</i> , <i>Hydrolithon boergesenii</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon pachydermum</i> , <i>Hydrolithon</i>	<i>Lithothamnion brasiliense</i> , <i>Lithothamnion crispatum</i> , <i>Lithothamnion heteromorphum</i> , <i>Lithothamnion occidentale</i> , <i>Lithothamnion scabiosum</i> , <i>Lithothamnion sejunctum</i> , <i>Lithothamnion steneckii</i> , <i>Melobesia membranacea</i> , <i>Mesophyllum engelhartii</i> ,	<i>Sporolithon africanum</i> , <i>Sporolithon australasicum</i> , <i>Sporolithon episporum</i> , <i>Sporolithon erythraeum</i> , <i>Sporolithon howei</i> , Taylor, 1930; Oliveira Filho, 1977; Creed et al., 2010; Villaca et al., 2010; Mariath, Riosmena-Rodriguez and Figueiredo, 2012; Bahia et al., 2014

			<i>samoense</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania cubensis</i> , <i>Jania cultrata</i> , <i>Jania fastigiata</i> , <i>Jania prolifera</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Jania sagittata</i> , <i>Jania subulata</i> , <i>Jania unguis</i> , <i>Jania verrucosa</i> , <i>Lithophyllum congestum</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum depressum</i> , <i>Lithophyllum fasciculatum</i> , <i>Lithophyllum johansenii</i> , <i>Lithophyllum margaritae</i> , <i>Lithophyllum stictaeforme</i> , <i>Neogoniolithon accretum</i> , <i>Neogoniolithon fosliei</i> , <i>Neogoniolithon mamillare</i> , <i>Neogoniolithon mamillosum</i> , <i>Pneophyllum conicum</i> , <i>Pneophyllum fragile</i> , <i>Titanoderma pustulatum</i>	<i>Mesophyllum erubescens</i> , <i>Mesophyllum lichenoides</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon lenormandii</i> , <i>Phymatolithon masonianum</i>	<i>Sporolithon molle</i> , <i>Sporolithon pacificum</i> , <i>Sporolithon ptychoides</i>
64	Uruguay	South America	<i>Amphiroa beauvoisii</i> , <i>Amphiroa brasiliiana</i> , <i>Corallina officinalis</i> , <i>Jania rubens</i>		Taylor, 1960; Coll and Oliveira, 1999
65	Argentina	South America	<i>Bossiella orbigniana</i> , <i>Corallina officinalis</i> , <i>Hydrolithon falklandicum</i> , <i>Hydrolithon</i>	<i>Clathromorphum obtectulum</i> , <i>Lithothamnion granuliferum</i> , <i>Lithothamnion heterocladum</i> ,	Boraso de Zaixso, 2013

			<i>farinosum</i> , <i>Jania rubens</i> ,	<i>Lithothamnion muelleri</i> ,		
			<i>Lithophyllum rugosum</i> ,	<i>Lithothamnion philippii</i> ,		
			<i>Pseudolithophyllum consociatum</i> ,	<i>Mesophyllum lichenoides</i> ,		
			<i>Titanoderma pustulatum</i>	<i>Synarthrophyton neglectum</i> ,		
				<i>Synarthrophyton patena</i>		
66	Falkland Islands	South America	<i>Lithophyllum falkanicum</i> , <i>Metagoniolithon radiatum</i>	<i>Clathromorphum obteculum</i> , <i>Epilithon vallentinae</i> , <i>Synarthrophyton patena</i>	Papenfuss, 1964; Wiencke and Clayton, 2002	
67	Gough Island	Atlantic Islands	<i>Corallina goughensis</i> , <i>Corallina officinalis</i> , <i>Dermatolithon nodulosum</i>	<i>Synarthrophyton neglectum</i>	Chamberlain, 1965	
68	Saint Helena	Atlantic Islands	<i>Amphiroa beauvoisii</i> , <i>Amphiroa fragilissima</i> , <i>Arthrocardia carinata</i> , <i>Hydrolithon farinosum</i> , <i>Jania adhaerens</i> , <i>Jania pumila</i> , <i>Neogoniolithon brassica-florida</i> , <i>Neogoniolithon mamillare</i> , <i>Neogoniolithon mamillosum</i>	<i>Mesophyllum brachycladum</i>	Price, John and Lawson, 1986; John et al., 2004	
69	Ascension Islands	Atlantic Islands	<i>Amphiroa fragilissima</i> , <i>Amphiroa rigida</i> , <i>Jania capillacea</i> , <i>Jania pumila</i> , <i>Jania rubens</i>	<i>Phymatolithon calcareum</i>	Price, John and Lawson, 1986; John et al., 2004	
70	Cape Verde Islands	Atlantic Islands	<i>Amphiroa fragilissima</i> , <i>Amphiroa rigida</i> , <i>Corallina officinalis</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon onkodes</i> , <i>Hydrolithon samoense</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> ,	<i>Lithothamnion coralliooides</i> , <i>Lithothamnion esperi</i> , <i>Melobesia membranacea</i> , <i>Mesophyllum capense</i> , <i>Mesophyllum ectocarpon</i> ,	<i>Sporolithon africanum</i>	John et al., 2004; Prud'homme van Reine, Haroun and Kostermans, 2005

			<i>Jania cubensis</i> , <i>Jania cultrata</i> , <i>Jania rubens</i> , <i>Jania tenella</i> , <i>Jania verrucosa</i> , <i>Jania virgata</i> ,	<i>Mesophyllum erubescens</i> , <i>Mesophyllum lichenoides</i> ,	
			<i>Lithophyllum aninae</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum esperi</i> ,	<i>Phymatolithon lenormandii</i> ,	
			<i>Lithophyllum gracile</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum polycephalum</i>	<i>Phymatolithon purpureum</i>	
			<i>Lithophyllum retusum</i> , <i>Lithophyllum simile</i> ,		
			<i>Lithoporella melobesioides</i> ,		
			<i>Lithoporella sauvageaui</i> ,		
			<i>Neogoniolithon caribaeum</i> ,		
			<i>Neogoniolithon mamillare</i> ,		
			<i>Neogoniolithon mamillosum</i> ,		
			<i>Pneophyllum amplexifrons</i> ,		
			<i>Pseudolithophyllum mildbraedii</i> ,		
			<i>Spongites absimile</i> , <i>Spongites africana</i> , <i>Spongites fruticulosa</i> ,		
			<i>Titanoderma mediterraneum</i>		
71	Canary Islands	Atlantic Islands	<i>Amphiroa beauvoisii</i> , <i>Amphiroa cryptarthrodia</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa rigida</i> ,	<i>Choreonema thuretii</i> , <i>Lithothamnion coralliooides</i> ,	<i>Sporolithon africanum</i>
			<i>Corallina caespitosa</i> , <i>Corallina millegrana</i> , <i>Corallina officinalis</i> ,	<i>Lithothamnion esperi</i> ,	Gil-Rodriguez and Afonso-Carrillo, 1980;
			<i>Dermatolithon polycephalum</i> ,	<i>Lithothamnion philippii</i> ,	Price, John and Lawson, 1986; Woelkerling et al., 1998; John et al., 2004;
				<i>Lithothamnion sonderi</i> ,	Athanasiidis and Neto,
				<i>Melobesia membranacea</i> ,	

<i>Fosliella paschalis</i> , <i>Hydrolithon boreale</i> , <i>Hydrolithon cruciatum</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon onkodes</i> , <i>Hydrolithon samoense</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania cubensis</i> , <i>Jania longifurca</i> , <i>Jania micrathrodia</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Jania rubens</i> var. <i>corniculata</i> , <i>Jania squamata</i> , <i>Jania virgata</i> , <i>Lithophyllum congestum</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum cystoseirae</i> , <i>Lithophyllum decussatum</i> , <i>Lithophyllum esperi</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum papillosum</i> , <i>Lithophyllum polycephalum</i> , <i>Lithophyllum racemus</i> , <i>Lithophyllum stictaeforme</i> , <i>Lithophyllum tortuosum</i> , <i>Lithoporella sauvageaui</i> , <i>Neogoniolithon accretum</i> , <i>Neogoniolithon caribaeum</i> , <i>Neogoniolithon hirtum</i> , <i>Pneophyllum confervicola</i> , <i>Pneophyllum fragile</i> , <i>Spongites absimile</i> , <i>Spongites africana</i> , <i>Spongites fruticulosa</i> ,	<i>Mesophyllum brachycladum</i> , <i>Mesophyllum canariense</i> , <i>Mesophyllum capense</i> , <i>Mesophyllum ectocarpon</i> , <i>Mesophyllum erubescens</i> , <i>Mesophyllum expansum</i> , <i>Mesophyllum lichenoides</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon lenormandii</i> , <i>Phymatolithon tenuissimum</i>	2010; Anon, 2011; Brodie et al., 2013
--	---	---------------------------------------

			<i>Titanoderma pustulatum</i>	
72	Portugal, Salvage Islands	Atlantic Islands	<i>Amphiroa cryptarthrodia, Amphiroa fragilissima, Corallina officinalis, Hydrolithon farinosum, Jania adhaerens, Jania capillacea, Jania pumila, Jania rubens, Jania virgata, Lithophyllum byssoides, Lithophyllum corallinae, Lithophyllum orbiculatum, Lithophyllum stictaeforme, Pneophyllum confervicola, Titanoderma pustulatum</i>	Price, John and Lawson, 1986; John et al., 2004
73	Madeira	Atlantic Islands	<i>Amphiroa beauvoisii, Amphiroa cryptarthrodia, Amphiroa fragilissima, Amphiroa rigida, Corallina officinalis, Hydrolithon farinosum, Jania adhaerens, Jania capillacea, Jania intermedia, Jania longifurca, Jania pumila, Jania rubens, Jania rubens var. corniculata, Jania squamata, Jania virgata, Lithophyllum corallinae, Lithophyllum incrustans, Lithophyllum orbiculatum, Lithophyllum stictaeforme,</i>	Levring, 1974; Neto, Cravo and Haroun, 2001; John et al., 2004

			<i>Pneophyllum confervicola,</i> <i>Pneophyllum fragile, Spongites</i> <i>fruticulosa, Titanoderma pustulatum</i>	
74	Azores	Atlantic Islands	<i>Amphiroa beauvoisii, Amphiroa cryptarthodia, Amphiroa fragilissima, Amphiroa rigida, Corallina caespitosa, Corallina officinalis, Hydrolithon onkodes, Jania adhaerens, Jania longifurca, Jania rubens, Jania rubens var. corniculata, Jania squamata, Jania verrucosa, Jania virgata, Lithophyllum azorum, Lithophyllum bipartitum, Lithophyllum decussatum, Lithophyllum tortuosum, Neogoniolithon brassica-florida, Pneophyllum confervicola, Titanoderma pustulatum</i>	Neto, 1994; Tittey and Neto, 1994; Athanasidis and Neto, 2010; Couto et al., 2011; Brodie et al., 2013
75	Bermuda	Atlantic Islands	<i>Amphiroa fragilissima, Corallina officinalis, Hydrolithon farinosum, Hydrolithon farinosum var. chalicodictya, Jania adhaerens, Jania capillacea, Jania cubensis, Jania pumila, Jania rubens, Lithophyllum intermedium,</i>	Taylor, 1960; Schneider and Searles, 1991; Ballantine et al., 2011

			<i>Lithophyllum stictaeforme,</i> <i>Lithoporella bermudensis,</i> <i>Neogoniolithon spectabile,</i> <i>Titanoderma pustulatum</i>		
76	Norway	Europe	<i>Corallina officinalis, Hydrolithon cruciatum, Jania rubens,</i> <i>Lithophyllum corallinae,</i> <i>Lithophyllum incrustans,</i> <i>Lithophyllum orbiculatum,</i> <i>Pneophyllum confervicola,</i> <i>Pneophyllum coronatum,</i> <i>Pneophyllum fragile, Pneophyllum limitatum, Pneophyllum myriocarpum,</i> <i>Titanoderma laminariae,</i> <i>Titanoderma pustulatum</i>	<i>Clathromorphum circumscriptum, Kvaleya epilaeve, Lithothamnion corallioides, Lithothamnion glaciale, Lithothamnion sonderi, Lithothamnion tophiforme, Melobesia membranacea, Phymatolithon laevigatum, Phymatolithon lenormandii, Phymatolithon purpureum</i>	Adey and Adey, 1973; Rueness, 1997
77	Sweden	Europe	<i>Corallina officinalis, Hydrolithon farinosum, Jania rubens,</i> <i>Lithophyllum corallinae,</i> <i>Lithophyllum orbiculatum,</i> <i>Pneophyllum confervicola,</i> <i>Pneophyllum fragile, Pneophyllum limitatum, Titanoderma pustulatum</i>	<i>Choreonema thuretii,</i> <i>Lithothamnion glaciale,</i> <i>Lithothamnion sonderi,</i> <i>Melobesia membranacea,</i> <i>Phymatolithon calcareum,</i> <i>Phymatolithon laevigatum,</i> <i>Phymatolithon lenormandii</i>	Kylin, 1944
78	Scandinavia	Europe	<i>Corallina officinalis, Corallina officinalis f. flexilis, Hydrolithon boreale, Jania rubens, Lithophyllum</i>	<i>Choreonema thuretii,</i> <i>Clathromorphum circumscriptum,</i>	Athanasiadis, 1987; Athanasiadis, 1996

corallinae, *Lithophyllum duckerae*,
Lithophyllum fasciculatum,
Lithophyllum incrustans,
Lithophyllum orbiculatum,
Pneophyllum confervicola,
Pneophyllum coronatum,
Pneophyllum fragile, *Pneophyllum limitatum*, *Pneophyllum subplanum*,
Titanoderma pustulatum

Clathromorphum compactum,
Kvaleya epilaeve,
Lithothamnion fornicatum f. apiculatum, *Lithothamnion glaciale f. boreale*,
Lithothamnion breviaxe,
Lithothamnion apiculatum f. connatum, *Lithothamnion coralliooides*, *Lithothamnion fruticulosum f. corymbiformis*,
Lithothamnion flavesrens,
Lithothamnion fornicatum,
Lithothamnion glaciale,
Lithothamnion grande,
Lithothamnion intermedium,
Lithothamnion murmanicum,
Lithothamnion nodulosum,
Lithothamnion norvegicum,
Lithothamnion calcareum f. palmatifidum, *Lithothamnion sonderi*, *Lithothamnion tophiforme*, *Lithothamnion tusterense*, *Lithothamnion ungeri*, *Melobesia membranacea*, *Phymatolithon*

				<i>calcareum</i> , <i>Phymatolithon investiens</i> , <i>Phymatolithon laevigatum</i> , <i>Phymatolithon lamii</i> , <i>Phymatolithon lenormandii</i> , <i>Phymatolithon purpureum</i> , <i>Phymatolithon tenue</i>	
79	Baltic Sea	Europe	<i>Corallina officinalis</i> , <i>Hydrolithon farinosum</i> , <i>Jania rubens</i> , <i>Pneophyllum confervicola</i> , <i>Pneophyllum coronatum</i> , <i>Pneophyllum fragile</i> , <i>Pneophyllum limitatum</i> , <i>Pneophyllum subplanum</i>	<i>Choreonema thuretii</i> , <i>Lithothamnion glaciale</i> , <i>Lithothamnion sonderi</i> , <i>Melobesia membranacea</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon laevigatum</i> , <i>Phymatolithon lenormandii</i> , <i>Phymatolithon purpureum</i>	Nielsen et al., 1995
80	Faroe Islands	Europe	<i>Corallina officinalis</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum orbiculatum</i> , <i>Titanoderma laminariae</i> , <i>Titanoderma pustulatum</i>	<i>Clathromorphum circumscriptum</i> , <i>Lithothamnion glaciale</i> , <i>Melobesia membranacea</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon laevigatum</i> , <i>Phymatolithon lenormandii</i> , <i>Phymatolithon purpureum</i> , <i>Phymatolithon tenue</i>	Nielsen and Gunnarsson, 2001
81	Great-Britain	Europe	<i>Corallina caespitosa</i> , <i>Corallina</i>	<i>Boreolithon van-heurckii</i> ,	Newton, 1930; Irvine and

		<i>officinalis</i> , <i>Hydrolithon boreale</i> , <i>Hydrolithon cruciatum</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon samoense</i> , <i>Hydrolithon sargassi</i> , <i>Jania rubens</i> , <i>Jania rubens</i> var. <i>corniculata</i> , <i>Jania squamata</i> , <i>Lithophyllum bathyporum</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum duckerae</i> , <i>Lithophyllum fasciculatum</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum nitorum</i> , <i>Lithophyllum orbiculatum</i> , <i>Pneophyllum confervicola</i> , <i>Pneophyllum coronatum</i> , <i>Pneophyllum fragile</i> , <i>Pneophyllum limitatum</i> , <i>Pneophyllum lobescens</i> , <i>Pneophyllum myriocarpum</i> , <i>Pneophyllum zonale</i> , <i>Titanoderma laminariae</i> , <i>Titanoderma pustulatum</i>	<i>Choreonema thuretii</i> , <i>Clathromorphum compactum</i> , <i>Exilicrusta parva</i> , <i>Lithothamnion coralliooides</i> , <i>Lithothamnion glaciale</i> , <i>Lithothamnion lemoineae</i> , <i>Lithothamnion sonderi</i> , <i>Melobesia membranacea</i> , <i>Mesophyllum lichenoides</i> , <i>Phymatolithon brunneum</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon laevigatum</i> , <i>Phymatolithon lamii</i> , <i>Phymatolithon lenormandii</i> , <i>Phymatolithon purpureum</i>	Chamberlain, 1994; Harvey and Woelkerling, 1995; Hardy and Guiry, 2003; Ballantine et al., 2011; Guiry, 2012; Brodie et al., 2013	
82	Ireland	Europe	<i>Corallina caespitosa</i> , <i>Corallina officinalis</i> , <i>Hydrolithon boreale</i> , <i>Hydrolithon cruciatum</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon samoense</i> , <i>Jania rubens</i> , <i>Jania rubens</i> var. <i>corniculata</i> , <i>Jania squamata</i> , <i>Jania virgata</i> , <i>Lithophyllum bathyporum</i> ,	<i>Choreonema thuretii</i> , <i>Clathromorphum compactum</i> , <i>Lithothamnion glaciale f.</i> <i>boreale</i> , <i>Lithothamnion coralliooides</i> , <i>Lithothamnion glaciale</i> , <i>Lithothamnion norvegicum</i> , <i>Lithothamnion</i>	Foslie, 1899; Hanna, 1902; Newton, 1931; Guiry, 1978; Irvine and Chamberlain, 1994; Ballantine et al., 2011; Guiry, 2012

			<i>Lithophyllum byssoides,</i>	<i>sonderi, Lithothamnion</i>	
			<i>Lithophyllum calcareum f. eunanum,</i>	<i>tophiforme, Melobesia</i>	
			<i>Lithophyllum corallinae,</i>	<i>membranacea, Mesophyllum</i>	
			<i>Lithophyllum dentatum,</i>	<i>lichenoides, Phymatolithon</i>	
			<i>Lithophyllum fasciculatum,</i>	<i>brunneum, Phymatolithon</i>	
			<i>Lithophyllum fasciculatum f.</i>	<i>calcareum, Phymatolithon</i>	
			<i>compressum, Lithophyllum</i>	<i>laevigatum, Phymatolithon</i>	
			<i>hibernicum, Lithophyllum incrustans,</i>	<i>lamii, Phymatolithon</i>	
			<i>Lithophyllum nitorum, Lithophyllum</i>	<i>lenormandii, Phymatolithon</i>	
			<i>orbiculatum, Pneophyllum</i>	<i>purpureum</i>	
			<i>confervicola, Pneophyllum</i>		
			<i>coronatum, Pneophyllum fragile,</i>		
			<i>Pneophyllum limitatum,</i>		
			<i>Pneophyllum myriocarpum,</i>		
			<i>Pneophyllum zonale, Titanoderma</i>		
			<i>laminariae, Titanoderma pustulatum</i>		
83	Netherlands	Europe	<i>Corallina officinalis, Hydrolithon</i>	<i>Lithothamnion sonderi,</i>	Stegenga and Mol, 1983;
			<i>farinosum, Jania rubens,</i>	<i>Melobesia membranacea,</i>	Bartsch and Kuhlenkamp,
			<i>Lithophyllum orbiculatum,</i>	<i>Mesophyllum lichenoides,</i>	2000
			<i>Pneophyllum confervicola,</i>	<i>Phymatolithon calcareum,</i>	
			<i>Pneophyllum fragile, Pneophyllum</i>	<i>Phymatolithon laevigatum,</i>	
			<i>myriocarpum, Titanoderma</i>	<i>Phymatolithon lenormandii,</i>	
			<i>pustulatum</i>	<i>Phymatolithon purpureum</i>	
84	France	Europe	<i>Amphiroa cryptarthrodia, Amphiroa</i>	<i>Boreolithon van-heurckii,</i>	Feldmann, 1954; Babbini
			<i>fragilissima, Amphiroa rigida,</i>	<i>Choreonema thuretii,</i>	and Bressan, 1997;
				<i>Sporolithon</i>	
				<i>ptychoides</i>	

<i>Corallina caespitosa</i> , <i>Corallina officinalis</i> , <i>Hydrolithon boreale</i> , <i>Hydrolithon cruciatum</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon farinosum</i> var. <i>chalicodictya</i> , <i>Hydrolithon samoense</i> , <i>Hydrolithon sargassi</i> , <i>Jania longifurca</i> , <i>Jania nummulitica</i> , <i>Jania rubens</i> , <i>Jania rubens</i> var. <i>corniculata</i> , <i>Jania squamata</i> , <i>Jania virgata</i> , <i>Lithophyllum bathyporum</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum cabiochiae</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum cystoseirae</i> , <i>Lithophyllum decussatum</i> , <i>Lithophyllum dentatum</i> , <i>Lithophyllum fasciculatum</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum nitorum</i> , <i>Lithophyllum orbiculatum</i> , <i>Lithophyllum papillosum</i> , <i>Lithophyllum racemus</i> , <i>Lithophyllum stictaeforme</i> , <i>Lithophyllum tortuosum</i> , <i>Lithophyllum yessoense</i> , <i>Neogoniolithon brassica-florida</i> ,	<i>Lithothamnion coralliooides</i> , <i>Lithothamnion crispatum</i> , <i>Lithothamnion glaciale</i> , <i>Lithothamnion hamelii</i> , <i>Lithothamnion minervae</i> , <i>Lithothamnion moretii</i> , <i>Lithothamnion philippii</i> , <i>Lithothamnion sonderi</i> , <i>Lithothamnion valens</i> , <i>Melobesia membranacea</i> , <i>Mesophyllum alternans</i> , <i>Mesophyllum expansum</i> , <i>Mesophyllum lichenoides</i> , <i>Mesophyllum macroblastum</i> , <i>Phymatolithon brunneum</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon laevigatum</i> , <i>Phymatolithon lamii</i> , <i>Phymatolithon lenormandii</i> , <i>Phymatolithon purpureum</i> , <i>Phymatolithon tenuissimum</i>	Cabioch and Mendoza, 1998; Bressan and Babbini, 2003; Dizerbo and Herbe, 2007; Ballantine et al., 2011; Aguirre et al., 2012; Anon, 2012; Brodie et al., 2013
--	---	---

			<i>Neogoniolithon mamillosum,</i> <i>Pneophyllum confervicola,</i> <i>Pneophyllum coronatum,</i> <i>Pneophyllum fragile, Pneophyllum</i> <i>limitatum, Pneophyllum lobescens,</i> <i>Pneophyllum myriocarpum,</i> <i>Pneophyllum zonale, Spongites</i> <i>fruticulosa, Titanoderma laminariae,</i> <i>Titanoderma mediterraneum,</i> <i>Titanoderma pustulatum</i>		
85	Spain	Europe	<i>Amphiroa beauvoisii, Amphiroa</i> <i>cryptarthrodia, Amphiroa rigida,</i> <i>Amphiroa vanbosseae, Corallina</i> <i>officinalis, Hydrolithon boreale,</i> <i>Hydrolithon farinosum, Hydrolithon</i> <i>farinosum var. chalcodictya,</i> <i>Hydrolithon samoense, Jania</i> <i>adhaerens, Jania longiarthra, Jania</i> <i>longifurca, Jania rubens var.</i> <i>corniculata, Jania squamata, Jania</i> <i>virgata, Lithophyllum bathyporum,</i> <i>Lithophyllum byssoides,</i> <i>Lithophyllum cabiochiae,</i> <i>Lithophyllum corallinae,</i> <i>Lithophyllum cystoseirae,</i>	<i>Boreolithon van-heurckii,</i> <i>Choreonema thuretii,</i> <i>Lithothamnion coralliooides,</i> <i>Lithothamnion crispatum,</i> <i>Lithothamnion glaciale,</i> <i>Lithothamnion philippii,</i> <i>Lithothamnion sonderi,</i> <i>Lithothamnion valens,</i> <i>Melobesia membranacea,</i> <i>Mesophyllum alternans,</i> <i>Mesophyllum expansum,</i> <i>Mesophyllum lichenoides,</i> <i>Phymatolithon calcareum,</i> <i>Phymatolithon calcareum f.</i> <i>crassa, Phymatolithon</i>	Sauvageau, 1897; Ballesteros and Romero, 1982; Gomez-Menor Robles and Fuertes Lasala, 1982; Gallardo et al., 1985; Soto and Conde, 1989; Perez- Ruzafa et al., 1991; Conde et al., 1996; Babbini and Bressan, 1997; Barbara et al., 2005; Cires Rodriguez and Cuesta Moliner, 2010; Pinedo et al., 2013

		<i>Lithophyllum decussatum,</i> <i>Lithophyllum dentatum,</i> <i>Lithophyllum duckerae, Lithophyllum incrustans</i> <i>f. flabellata, Lithophyllum orbiculatum, Lithophyllum papillosum, Lithophyllum punctatum,</i> <i>Lithophyllum racemos, Lithophyllum stictaeforme, Lithophyllum tortuosum, Lithophyllum tortuosum f.</i> <i>crassa, Lithophyllum tortuosum f.</i> <i>decumbens, Neogoniolithon brassica-florida, Neogoniolithon</i> <i>mamillosum, Pneophyllum confervicola, Pneophyllum coronatum, Pneophyllum fragile,</i> <i>Pneophyllum zonale, Spongites absimile, Spongites fruticulosa,</i> <i>Titanoderma laminariae,</i> <i>Titanoderma mediterraneum,</i> <i>Titanoderma pustulatum</i>	<i>lenormandii, Phymatolithon calcareum f. subvalida,</i> <i>Phymatolithon tenuissimum</i>	
86	Portugal	Europe	<i>Amphiroa rigida, Amphiroa vanbosseae, Corallina caespitosa, Corallina officinalis, Hydrolithon farinosum, Jania longifurca, Jania</i>	Ardre, 1970; Araujo et al., 2003; Araujo et al., 2009 ; Barbara et al., 2012; Araujo et al., in

			<i>rubens</i> , <i>Jania squamata</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum orbiculatum</i> , <i>Lithophyllum tortuosum</i> , <i>Neogoniolithon brassica-florida</i> , <i>Pneophyllum fragile</i> , <i>Titanoderma laminariae</i> , <i>Titanoderma pustulatum</i>	<i>Phymatolithon lenormandii</i>	press; Brodie et al., 2013
87	Gibraltar	Europe	<i>Jania rubens</i>		Conde Poyales, 1992
88	Spain, Isla de Alboran	Europe	<i>Amphiroa beauvoisii</i> , <i>Hydrolithon cruciatum</i> , <i>Lithophyllum incrustans</i>	<i>Lithothamnion coralliooides</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon lenormandii</i>	Conde and Flores Moya, 2000; Bressan and Babbini, 2003
89	Baleaeric Islands, Spain	Europe	<i>Amphiroa beauvoisii</i> , <i>Amphiroa cryptarthrodia</i> , <i>Amphiroa exilis</i> , <i>Amphiroa kuetzingiana</i> , <i>Amphiroa rigida</i> , <i>Corallina officinalis</i> , <i>Hydrolithon boreale</i> , <i>Hydrolithon farinosum</i> var. <i>chalicodictya</i> , <i>Jania adhaerens</i> , <i>Jania longifurca</i> , <i>Jania rubens</i> , <i>Jania rubens</i> var. <i>corniculata</i> , <i>Jania virgata</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum cystoseirae</i> , <i>Lithophyllum incrustans</i> ,	<i>Choreonema thuretii</i> , <i>Lithothamnion coralliooides</i> , <i>Lithothamnion philippii</i> , <i>Lithothamnion sonderi</i> , <i>Lithothamnion valens</i> , <i>Melobesia membranacea</i> , <i>Mesophyllum expansum</i> , <i>Mesophyllum lichenoides</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon lenormandii</i>	Piccone, 1889; Ribera Siguan and Gomez Garreta, 1984; Cremades, 1989; Babbini and Bressan, 1997

			<i>Lithophyllum papillosum,</i> <i>Lithophyllum tortuosum,</i> <i>Neogoniolithon brassica-florida,</i> <i>Neogoniolithon mamillosum,</i> <i>Pneophyllum confervicola,</i> <i>Pneophyllum coronatum,</i> <i>Pneophyllum fragile, Pneophyllum</i> <i>zonale, Spongites fruticulosa,</i> <i>Titanoderma pustulatum</i>	
90	Monaco	Europe	<i>Jania adhaerens</i>	Klein and Verlaque, 2011
91	Corsica	Europe	<i>Amphiroa beauvoisii, Amphiroa</i> <i>cryptarthrodia, Amphiroa rigida,</i> <i>Corallina officinalis, Hydrolithon</i> <i>boreale, Hydrolithon farinosum,</i> <i>Hydrolithon farinosum var.</i> <i>chalicodictya, Jania adhaerens,</i> <i>Jania longifurca, Jania rubens, Jania</i> <i>rubens var. corniculata, Jania</i> <i>virgata, Lithophyllum byssoides,</i> <i>Lithophyllum cabiochiae,</i> <i>Lithophyllum cystoseirae,</i> <i>Lithophyllum decussatum,</i> <i>Lithophyllum fasciculatum,</i> <i>Lithophyllum incrustans,</i> <i>Lithophyllum racemus, Lithophyllum</i>	Babbini and Bressan, 1997; Bressan and Babbini, 2003

		<i>stictaeforme</i> , <i>Lithophyllum</i> <i>tortuosum</i> , <i>Neogoniolithon brassica-florida</i> , <i>Neogoniolithon mamillosum</i> , <i>Pneophyllum confervicola</i> , <i>Pneophyllum fragile</i> , <i>Spongites fruticulosa</i> , <i>Titanoderma pustulatum</i>		
92	Sardinia	Europe	<i>Amphiroa beauvoisii</i> , <i>Amphiroa cryptarthrodia</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa rigida</i> , <i>Corallina officinalis</i> , <i>Hydrolithon boreale</i> , <i>Hydrolithon farinosum</i> , <i>Jania adhaerens</i> , <i>Jania rubens</i> , <i>Jania squamata</i> , <i>Jania virgata</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum cystoseirae</i> , <i>Lithophyllum dentatum</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum papillosum</i> , <i>Lithophyllum racemus</i> , <i>Lithophyllum stictaeforme</i> , <i>Neogoniolithon brassica-florida</i> , <i>Neogoniolithon mamillosum</i> , <i>Pneophyllum confervicola</i> , <i>Pneophyllum fragile</i> , <i>Spongites fruticulosa</i> , <i>Titanoderma mediterraneum</i> , <i>Titanoderma</i>	Babbini and Bressan, 1997; Furnari et al., 2003

			<i>pustulatum</i> , <i>Titanoderma trochanter</i>			
93	Italy	Europe	<i>Amphiroa beauvoisii</i> , <i>Amphiroa cryptarthrodia</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa kuetzingiana</i> , <i>Amphiroa rigida</i> , <i>Corallina caespitosa</i> , <i>Corallina officinalis</i> , <i>Hydrolithon boreale</i> , <i>Hydrolithon cruciatum</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon farinosum</i> var. <i>chalicodictya</i> , <i>Jania adhaerens</i> , <i>Jania longifurca</i> , <i>Jania rubens</i> , <i>Jania rubens</i> var. <i>corniculata</i> , <i>Jania squamata</i> , <i>Jania subulata</i> , <i>Jania virgata</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum cystoseirae</i> , <i>Lithophyllum decussatum</i> , <i>Lithophyllum dentatum</i> , <i>Lithophyllum fasciculatum</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum orbiculatum</i> , <i>Lithophyllum papillosum</i> , <i>Lithophyllum polycarpum</i> , <i>Lithophyllum racemus</i> , <i>Lithophyllum stictaeforme</i> , <i>Lithophyllum</i>	<i>Boreolithon van-heurckii</i> , <i>Choreonema thuretii</i> , <i>Lithothamnion coralliooides</i> , <i>Lithothamnion fruticulosum</i> f. <i>crassiusculum</i> , <i>Lithothamnion crispatum</i> , <i>Lithothamnion minervae</i> , <i>Lithothamnion philippii</i> , <i>Lithothamnion sonderi</i> , <i>Lithothamnion valens</i> , <i>Lithothamnion validum</i> , <i>Melobesia confervoides</i> , <i>Melobesia membranacea</i> , <i>Melobesia polycarpa</i> , <i>Mesophyllum alternans</i> , <i>Mesophyllum expansum</i> , <i>Mesophyllum lichenoides</i> , <i>Mesophyllum macroblastum</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon lenormandii</i>	<i>Sporolithon ptychooides</i>	Giaccone, 1969; Cinelli, 1971; Cinelli et al., 1976; Cecere et al., 1996; Babbini and Bressan, 1997; Cabioch and Mendoza, 1998; Furnari, Cormaci and Serio, 1999; Furnari et al., 2003; Brodie et al., 2013

			<i>tarentinum</i> , <i>Lithophyllum tortuosum</i> , <i>Neogoniolithon brassica-florida</i> , <i>Neogoniolithon mamillosum</i> , <i>Pneophyllum confervicola</i> , <i>Pneophyllum coronatum</i> , <i>Pneophyllum fragile</i> , <i>Pneophyllum zonale</i> , <i>Spongites fruticulosus</i> , <i>Titanoderma mediterraneum</i> , <i>Titanoderma pustulatum</i> , <i>Titanoderma trochanter</i>			
94	Sicily	Europe	<i>Hydrolithon boreale</i> , <i>Hydrolithon farinosum</i> , <i>Jania adhaerens</i> , <i>Jania rubens</i> , <i>Neogoniolithon brassica-florida</i> , <i>Pneophyllum fragile</i>	<i>Phymatolithon lenormandii</i>		
95	Malta	Europe	<i>Amphiroa beauvoisii</i> , <i>Amphiroa cryptarthrodia</i> , <i>Amphiroa rigida</i> , <i>Corallina officinalis</i> , <i>Hydrolithon boreale</i> , <i>Hydrolithon cruciatum</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon farinosum</i> var. <i>chalicodictya</i> , <i>Jania adhaerens</i> , <i>Jania rubens</i> , <i>Jania virgata</i> , <i>Lithophyllum bahrijense</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum cystoseirae</i> , <i>Lithophyllum incrustans</i> ,	<i>Choreonema thuretii</i> , <i>Lithothamnion magnum</i> , <i>Lithothamnion praefruticulosum</i> , <i>Mesophyllum commune</i>	<i>Sporolithon ptychoides</i>	Alongi et al., 2012 Bosence, 1983; Cormaci et al., 1997; Babbini and Bressan, 1997; Bressan and Babbini, 2003

			<i>Lithophyllum mgarrense,</i> <i>Lithophyllum stictaeforme,</i> <i>Lithoporella melobesioides,</i> <i>Neogoniolithon brassica-florida,</i> <i>Neogoniolithon mamillosum,</i> <i>Pneophyllum fragile, Pneophyllum</i> <i>zonale, Spongites albanensis,</i> <i>Titanoderma pustulatum</i>	
96	Italy, Pelagean Islands	Europe	<i>Hydrolithon boreale, Hydrolithon farinosum, Jania adhaerens,</i> <i>Lithophyllum stictaeforme,</i> <i>Pneophyllum fragile</i>	<i>Lithothamnion sonderi</i>
97	Italy, Adriatic Sea	Europe	<i>Lithoporella melobesioides</i>	Furnari, Cormaci and Serio, 1999
98	Slovenia	Europe	<i>Hydrolithon farinosum,</i> <i>Neogoniolithon brassica-florida,</i> <i>Pneophyllum fragile, Titanoderma</i> <i>pustulatum</i>	Rindi and Battelli, 2005
99	Croatia	Europe	<i>Amphiroa beauvoisii, Amphiroa</i> <i>cryptarthrodia, Amphiroa rigida,</i> <i>Hydrolithon boreale, Jania virgata,</i> <i>Neogoniolithon racemosum</i>	<i>Choreonema thuretii,</i> <i>Lithothamnion crispatum</i>
100	Albania	Europe	<i>Spongites albanensis</i>	<i>Choreonema thuretii,</i> <i>Lithothamnion corallinaeforme</i>
101	Greece	Europe	<i>Amphiroa beauvoisii, Amphiroa</i>	Athanasiadis, 1987;

<i>cryptarthrodia</i> , <i>Amphiroa rigida</i> ,	<i>Lithothamnion coralliooides</i> ,	Babbini and Bressan,
<i>Corallina caespitosa</i> , <i>Corallina officinalis</i> , <i>Hydrolithon boreale</i> ,	<i>Lithothamnion crispatum</i> ,	1997; Brodie et al., 2013
<i>Hydrolithon cruciatum</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon farinosum</i> var. <i>chalicodictya</i> , <i>Jania adhaerens</i> ,	<i>Lithothamnion philippii</i> ,	
<i>Jania longifurca</i> , <i>Jania rubens</i> , <i>Jania rubens</i> var. <i>corniculata</i> , <i>Jania squamata</i> , <i>Jania virgata</i> ,	<i>Melobesia membranacea</i> ,	
<i>Lithophyllum byssoides</i> ,	<i>Mesophyllum expansum</i> ,	
<i>Lithophyllum corallinae</i> ,	<i>Mesophyllum lichenoides</i> ,	
<i>Lithophyllum cystoseirae</i> ,	<i>Mesophyllum macedonis</i> ,	
<i>Lithophyllum dentatum</i> ,	<i>Phymatolithon calcareum</i> ,	
<i>Lithophyllum duckerae</i> , <i>Lithophyllum fasciculatum</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum orbiculatum</i> , <i>Lithophyllum papillosum</i> , <i>Lithophyllum racemosus</i> ,	<i>Phymatolithon lenormandii</i>	
<i>Lithophyllum stictaeforme</i> ,		
<i>Lithophyllum subtenellum</i> ,		
<i>Lithophyllum tortuosum</i> ,		
<i>Neogoniolithon brassica-florida</i> ,		
<i>Neogoniolithon mamillosum</i> ,		
<i>Pneophyllum confervicola</i> ,		
<i>Pneophyllum coronatum</i> ,		

			<i>Pneophyllum fragile</i> , <i>Pneophyllum zonale</i> , <i>Spongites fruticulosa</i> , <i>Titanoderma pustulatum</i> , <i>Titanoderma trochanter</i>	
102	Bulgaria	Europe	<i>Corallina officinalis</i> , <i>Jania virgata</i> , <i>Lithophyllum cystoseirae</i> , <i>Pneophyllum confervicola</i> , <i>Titanoderma pustulatum</i>	<i>Melobesia membranacea</i> Dimitrova-Konaklieva, 1981
103	Romania	Europe	<i>Amphiroa malectractata</i> var. <i>constricta</i> , <i>Amphiroa malectractata</i> , <i>Corallina officinalis</i> , <i>Hydrolithon farinosum</i> , <i>Jania rubens</i> , <i>Jania rubrens</i> , <i>Lithophyllum cystoseirae</i> , <i>Lithophyllum papillosum</i> , <i>Titanoderma pustulatum</i>	<i>Melobesia phragmiticola</i> Caraus, 2002; Caraus, 2012
104	Black Sea	Europe	<i>Amphiroa malectractata</i> var. <i>constricta</i>	BSPC Editorial Board, 2014
105	Turkey	Europe	<i>Amphiroa beauvoisii</i> , <i>Amphiroa cryptarthrodia</i> , <i>Amphiroa rigida</i> , <i>Corallina officinalis</i> , <i>Hydrolithon farinosum</i> , <i>Jania longifurca</i> , <i>Jania rosea</i> , <i>Jania rubens</i> , <i>Jania rubens</i> var. <i>corniculata</i> , <i>Jania squamata</i> , <i>Jania virgata</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum corallinae</i> ,	<i>Choreonema thuretii</i> , <i>Lithothamnion propontidis</i> , <i>Melobesia membranacea</i> , <i>Mesophyllum expansum</i> , <i>Mesophyllum lichenoides</i> , <i>Phymatolithon lenormandii</i> Babbini and Bressan, 1997; Bressan and Babbini, 2003; Taskin et al., 2008

			<i>Lithophyllum cystoseirae,</i> <i>Lithophyllum incrustans,</i> <i>Lithophyllum lithophylloides,</i> <i>Lithophyllum orbiculatum,</i> <i>Lithophyllum papillosum,</i> <i>Lithophyllum stictaeforme,</i> <i>Lithophyllum tortuosum,</i> <i>Neogoniolithon setchelii,</i> <i>Pneophyllum confervicola,</i> <i>Pneophyllum fragile, Spongites</i> <i>fruticulosa, Titanoderma pustulatum</i>	
106	Cyprus	Europe	<i>Amphiroa beauvoisii, Amphiroa</i> <i>cryptarthrodia, Amphiroa rigida,</i> <i>Corallina officinalis, Hydrolithon</i> <i>cruciatum, Hydrolithon farinosum,</i> <i>Jania longifurca, Jania rubens, Jania</i> <i>virgata, Lithophyllum corallinae,</i> <i>Lithophyllum cystoseirae,</i> <i>Lithophyllum stictaeforme,</i> <i>Neogoniolithon brassica-florida,</i> <i>Neogoniolithon mamillosum,</i> <i>Pneophyllum fragile, Titanoderma</i> <i>trochanter</i>	Taskin et al., 2013
107	Syria	South-west Asia	<i>Amphiroa beauvoisii, Amphiroa</i> <i>cryptarthrodia, Jania virgata</i>	Bressan and Babbini, 2003

108	Israel	South-west Asia	<i>Amphiroa beauvoisii</i> , <i>Amphiroa cryptarthrodia</i> , <i>Amphiroa rigida</i> , <i>Corallina officinalis</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon onkodes</i> , <i>Jania adhaerens</i> , <i>Jania rubens</i> , <i>Jania virgata</i> , <i>Lithophyllum cystoseirae</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum okamurae</i> , <i>Lithophyllum stictaeforme</i> , <i>Lithoporella indica</i> , <i>Metamastophora flabellata</i> , <i>Neogoniolithon brassiciflora</i> , <i>Neogoniolithon fosliei</i> , <i>Neogoniolithon myriocarpum f. confragosum</i> , <i>Neogoniolithon propinquum</i> , <i>Titanoderma mediterraneum</i>	<i>Mesophyllum siamense</i> , <i>Mesophyllum simulans</i>	Papenfuss, 1968; Bressan and Babbini, 2003; Einav, 2007	
109	Saudi Arabia	South-west Asia	<i>Amphiroa fragilissima</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon onkodes</i> , <i>Jania rubens</i> , <i>Lithophyllum acrocampatum</i> , <i>Lithophyllum cystoseirae</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum kotschyanum f. affine</i> , <i>Lithophyllum okamurae</i> , <i>Neogoniolithon fosliei</i> , <i>Neogoniolithon myriocarpum f.</i>	<i>Lithothamnion indicum f. subtile</i> , <i>Mesophyllum funafutiense</i> , <i>Mesophyllum siamense</i> , <i>Mesophyllum simulans</i>	<i>Sporolithon molle</i>	Papenfuss, 1964; Papenfuss, 1968; De Clerck and Coppejans, 1996

			<i>confragosum, Spongites yendoi</i>	
110	Red Sea	South-west Asia	<i>Lithophyllum duckerae, Lithophyllum kotschyanum, Neogoniolithon brassica-florida</i>	Silva, Basson and Moe, 1996
111	Yemen	South-west Asia	<i>Amphiroa anceps, Jania capillacea, Melobesia membranacea</i>	Papenfuss, 1968; Silva, Basson and Moe, 1996
112	Oman	South-west Asia	<i>Amphiroa anceps, Amphiroa beauvoisii, Jania adhaerens</i>	Silva, Basson and Moe, 1996
113	Dubai	South-west Asia	<i>Hydrolithon farinosum</i>	Silva, Basson and Moe, 1996
114	Abu Dhabi	South-west Asia	<i>Hydrolithon farinosum, Hydrolithon improcerum, Neogoniolithon misakiense</i>	John, 2005; John and Al-Thani, 2014
115	Qatar	South-west Asia	<i>Amphiroa fragilissima</i>	Silva, Basson and Moe, 1996
116	Bahrain	South-west Asia	<i>Hydrolithon farinosum, Jania pumila, Jania rubens</i>	Silva, Basson and Moe, 1996
117	Kuwait	South-west Asia	<i>Hydrolithon farinosum, Jania pumila, Pneophyllum fragile</i>	Silva, Basson and Moe, 1996
118	Iran	South-west Asia	<i>Amphiroa fragilissima, Hydrolithon farinosum, Jania adhaerens, Jania pumila, Jania rubens, Pneophyllum fragile</i>	Silva, Basson and Moe, 1996
119	Persian Gulf	South-west Asia	<i>Amphiroa fragilissima, Hydrolithon boreale, Hydrolithon cruciatum, Lithothamnion muelleri</i>	Silva, Basson and Moe, 1996; John and Al-Thani,

		<i>Hydrolithon farinosum</i> , <i>Hydrolithon improcerum</i> , <i>Jania adhaerens</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Jania unguilata</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum prototypum</i> , <i>Neogoniolithon brassica-florida</i> , <i>Neogoniolithon misakiense</i> , <i>Pneophyllum fragile</i> , <i>Spongites tunicata</i> , <i>Titanoderma pustulatum</i>	<i>ptychooides</i>	2014		
120	Djibouti	Africa	<i>Hydrolithon onkodes</i> , <i>Jania rubens</i> , <i>Neogoniolithon oblimans</i> , <i>Titanoderma pustulatum</i>	<i>Lithothamnion crispatum</i> , <i>Mesophyllum siamense</i>	<i>Sporolithon erythraeum</i> , <i>Sporolithon ptychooides</i>	Silva, Basson and Moe, 1996
121	Eritrea	Africa	<i>Amphiroa kuetzingiana</i> , <i>Hydrolithon farinosum</i> , <i>Jania adhaerens</i>			Penrose and Chamberlain, 1993; Lipkin and Silva, 2002
122	Sudan	Africa	<i>Jania rubens</i> , <i>Jania tenella</i> , <i>Lithophyllum fasciculatum</i> , <i>Lithophyllum kotschyanum</i> f. <i>affine</i> , <i>Neogoniolithon oblimans</i>	<i>Choreonema thuretii</i> , <i>Lithothamnion crispatum</i> , <i>Mesophyllum expansum</i>		Papenfuss, 1968
123	Egypt, Red Sea	Africa	<i>Amphiroa fragilissima</i> , <i>Dermatolithon steinitzii</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon onkodes</i> , <i>Jania adhaerens</i> , <i>Jania</i>	<i>Choreonema thuretii</i> , <i>Melobesia membranacea</i>	<i>Sporolithon crassum</i> , <i>Sporolithon erythraeum</i>	Papenfuss, 1968

		<i>micrathrodia</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithoporella melobesioides</i> , <i>Neogoniolithon assitum</i> , <i>Neogoniolithon brassica-florida</i> , <i>Neogoniolithon fosliei</i> , <i>Neogoniolithon oblimans</i> , <i>Titanoderma pustulatum</i>				
124	Egypt	Africa	<i>Amphiroa beauvoisii</i> , <i>Amphiroa rigida</i> , <i>Corallina officinalis</i> , <i>Hydrolithon farinosum</i> , <i>Jania adhaerens</i> , <i>Jania longifurca</i> , <i>Jania rubens</i> , <i>Jania virgata</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum cystoseirae</i> , <i>Lithophyllum incrustans</i> , <i>Pneophyllum fragile</i> , <i>Titanoderma pustulatum</i>	<i>Mesophyllum expansum</i> , <i>Phymatolithon lenormandii</i>	<i>Sporolithon molle</i>	Aleem, 1993; Babbini and Bressan, 1997; Bahia et al., 2014
125	Libya	Africa	<i>Amphiroa rigida</i> , <i>Corallina officinalis</i> , <i>Hydrolithon farinosum</i> , <i>Jania rubens</i> , <i>Jania rubens</i> var. <i>corniculata</i> , <i>Jania virgata</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum corallinae</i> ,	<i>Lithothamnion coralliooides</i> , <i>Lithothamnion crispatum</i> , <i>Lithothamnion philippii</i> , <i>Mesophyllum lichenoides</i> , <i>Phymatolithon lenormandii</i>		Babbini and Bressan, 1997

126 Tunisia

Africa

Lithophyllum cystoseirae,
Lithophyllum decussatum,
Lithophyllum incrustans,
Lithophyllum racemus,
Neogoniolithon mamillosum,
Pneophyllum coronatum, Spongites
fruticulosa, Titanoderma pustulatum

Amphiroa beauvoisii, Amphiroa
cryptarthrodia, Amphiroa rigida,
Corallina officinalis, Hydrolithon
boreale, Hydrolithon farinosum,
Jania adhaerens, Jania longifurca,
Jania rubens, Jania rubens var.
corniculata, Jania squamata, Jania
virgata, Lithophyllum byssoides,
Lithophyllum cabiochiae,
Lithophyllum corallinae,
Lithophyllum cystoseirae,
Lithophyllum dentatum,
Lithophyllum incrustans,
Lithophyllum orbiculatum,
Lithophyllum racemus,
Neogoniolithon brassica-florida,
Neogoniolithon mamillosum,
Pneophyllum confervicola,

Lithothamnion coralliodes,
Lithothamnion proponidis,
Lithothamnion sonderi,
Lithothamnion valens,
Melobesia membranacea,
Mesophyllum expansum,
Mesophyllum lichenoides,
Phymatolithon calcareum,
Phymatolithon lenormandii

Ben Maiz, Boudouresque
and Quahchi, 1987;
Babbini and Bressan,
1997

127 Algeria

Africa

Pneophyllum coronatum,
Pneophyllum fragile, Pneophyllum
zonale, Spongites fruticulosa,
Titanoderma pustulatum

Amphiroa beauvoisii, Amphiroa
cryptarthrodia, Amphiroa
fragilissima, Amphiroa rigida,
Corallina officinalis, Hydrolithon
farinosum, Jania adhaerens, Jania
longifurca, Jania rubens, Jania
rubens var. corniculata, Jania
virgata, Lithophyllum byssoides,
Lithophyllum cystoseirae,
Lithophyllum dentatum,
Lithophyllum incrustans,
Lithophyllum orbiculatum,
Lithophyllum papillosum,
Lithophyllum racemus,
Neogoniolithon brassica-florida,
Neogoniolithon mamillosum,
Pneophyllum coronatum,
Pneophyllum fragile, Spongites
fruticulosa, Titanoderma
mediterraneum, Titanoderma
pustulatum

Choreonema thuretii,
Lithothamnion crispatum,
Lithothamnion philippii,
Melobesia membranacea,
Mesophyllum alternans,
Mesophyllum lichenoides,
Phymatolithon calcareum,
Phymatolithon lenormandii

Babbini and Bressan,
1997; Cabioch and
Mendoza, 1998

128	Morocco	Africa	<i>Amphiroa beauvoisii</i> , <i>Amphiroa cryptarthrodia</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa rigida</i> , <i>Corallina officinalis</i> , <i>Hydrolithon farinosum</i> , <i>Jania adhaerens</i> , <i>Jania longifurca</i> , <i>Jania rubens</i> , <i>Jania rubens</i> var. <i>corniculata</i> , <i>Jania squamata</i> , <i>Jania virgata</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum cystoseirae</i> , <i>Lithophyllum decussatum</i> , <i>Lithophyllum dentatum</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum papillosum</i> , <i>Lithophyllum tortuosum</i> , <i>Neogoniolithon brassica-florida</i> , <i>Neogoniolithon mamillosum</i> , <i>Pneophyllum fragile</i> , <i>Spongites fruticulosa</i> , <i>Titanoderma mediterraneum</i> , <i>Titanoderma pustulatum</i>	<i>Choreonema thuretii</i> , <i>Lithothamnion philippii</i> , <i>Melobesia membranacea</i> , <i>Mesophyllum alternans</i> , <i>Mesophyllum expansum</i> , <i>Mesophyllum lichenoides</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon lenormandii</i> , <i>Phymatolithon tenuissimum</i>	<i>Sporolithon africanum</i>	Dangeard, 1949; Babbini and Bressan, 1997
129	Western Sahara	Africa	<i>Corallina berteroii</i> , <i>Corallina officinalis</i> , <i>Jania squamata</i> , <i>Lithophyllum incrustans</i>	<i>Mesophyllum lichenoides</i>		John et al., 2004
130	Mauritania	Africa	<i>Amphiroa annulata</i> , <i>Amphiroa</i>	<i>Choreonema thuretii</i> ,	<i>Sporolithon</i>	Price, John and Lawson,

		<i>beauvoisii</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa subcylindrica</i> , <i>Amphiroa vanbosseae</i> , <i>Corallina berteroii</i> , <i>Corallina officinalis</i> , <i>Hydrolithon farinosum</i> , <i>Jania acutiloba</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania longifurca</i> , <i>Jania rubens</i> , <i>Jania subulata</i> , <i>Jania verrucosa</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum cystoseirae</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum papillosum</i> , <i>Lithophyllum subtenellum</i> , <i>Lithophyllum tortuosum</i> , <i>Neogoniolithon mamillosum</i> , <i>Pneophyllum confervicola</i> , <i>Pneophyllum fragile</i> , <i>Pneophyllum mauritianum</i> , <i>Spongites africana</i> , <i>Spongites fruticulosa</i> , <i>Titanoderma polyclonum</i> , <i>Titanoderma pustulatum</i>	<i>Lithothamnion coralliooides</i> , <i>Lithothamnion crispatum</i> , <i>Lithothamnion philippii</i> , <i>Melobesia membranacea</i> , <i>Mesophyllum ectocarpon</i> , <i>Mesophyllum lichenoides</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon tenuissimum</i>	<i>africanum</i>	1986; John et al., 2004
131	Senegal	Africa	<i>Amphiroa anceps</i> , <i>Amphiroa beauvoisii</i> , <i>Amphiroa cryptarthrodia</i> , <i>Amphiroa fragilissima</i> , <i>Corallina officinalis</i> , <i>Hydrolithon farinosum</i> ,	<i>Lithothamnion philippii</i> , <i>Melobesia membranacea</i> , <i>Mesophyllum ectocarpon</i> , <i>Mesophyllum erubescens</i>	Price, John and Lawson, 1986; John et al., 2004

			<i>Jania adhaerens</i> , <i>Jania longifurca</i> , <i>Jania rubens</i> , <i>Jania squamata</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum stictaeforme</i> , <i>Neogoniolithon mamillare</i> , <i>Neogoniolithon mamillosum</i> , <i>Spongites africana</i> , <i>Spongites fruticulosa</i>	
132	Gambia	Africa	<i>Amphiroa beauvoisii</i> , <i>Amphiroa ephedraea</i> , <i>Amphiroa fragilissima</i> , <i>Corallina muscoides</i> , <i>Corallina officinalis</i> , <i>Corallina pilulifera</i> , <i>Hydrolithon farinosum</i> , <i>Jania adhaerens</i> , <i>Jania rubens</i>	Price, John and Lawson, 1986; John et al., 2004
133	Sierra Leone	Africa	<i>Jania adhaerens</i> , <i>Jania verrucosa</i>	John et al., 2004
134	Liberia	Africa	<i>Amphiroa beauvoisii</i> , <i>Amphiroa peruana</i> , <i>Corallina pilulifera</i> , <i>Jania adhaerens</i> , <i>Jania subulata</i> , <i>Jania verrucosa</i>	John et al., 2004
135	Cote d'Ivoire	Africa	<i>Amphiroa beauvoisii</i> , <i>Amphiroa peruana</i> , <i>Corallina pilulifera</i> , <i>Jania verrucosa</i>	John et al., 2004
136	Ghana	Africa	<i>Amphiroa beauvoisii</i> , <i>Amphiroa misakiensis</i> , <i>Amphiroa peruana</i> ,	Price, John and Lawson, 1986; John et al., 2004;

			<i>Amphiroa rigida</i> , <i>Corallina caespitosa</i> , <i>Corallina officinalis</i> , <i>Corallina pilulifera</i> , <i>Hydrolithon boreale</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon onkodes</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania rubens</i> , <i>Jania subulata</i> , <i>Jania verrucosa</i> , <i>Lithophyllum pallescens</i> , <i>Pneophyllum fragile</i> , <i>Pseudolithophyllum mildbraedii</i>	Brodie et al., 2013
137	Nigeria	Africa	<i>Jania rubens</i> , <i>Jania verrucosa</i>	John et al., 2004
138	Cameroon	Africa	<i>Amphiroa rigida</i> , <i>Jania adhaerens</i> , <i>Jania rubens</i> , <i>Neogoniolithon mamillare</i> , <i>Pseudolithophyllum mildbraedii</i> , <i>Spongites africana</i>	<i>Sporolithon africanum</i> John, Lawson and Ameka, 2003; John et al., 2004
139	Equatorial Guinea	Africa	<i>Lithophyllum cystoseirae</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum leptothalloideum</i> , <i>Lithophyllum papillosum</i> , <i>Neogoniolithon mamillare</i> , <i>Pseudolithophyllum mildbraedii</i> , <i>Spongites africana</i>	<i>Sporolithon africanum</i> John, Lawson and Ameka, 2003; John et al., 2004
140	Sao Tomé and Principe	Africa	<i>Amphiroa capensis</i> , <i>Hydrolithon boergesenii</i> , <i>Hydrolithon onkodes</i> , <i>Jania adhaerens</i> , <i>Jania rubens</i> , <i>Mesophyllum brachycladum</i> , <i>Mesophyllum canariense</i> , <i>Mesophyllum floridanum</i>	<i>Sporolithon africanum</i> John, Lawson and Ameka, 2003; John et al., 2004

		<i>Lithophyllum incrustans,</i> <i>Lithophyllum simile, Lithophyllum</i> <i>subtenellum, Porolithon</i> <i>aequinoctiale, Pseudolithophyllum</i> <i>mildbraedii, Spongites africana</i>	<i>Phymatolithon tenuissimum</i>	
141	Gabon	Africa	<i>Amphiroa beauvoisii, Amphiroa</i> <i>rigida, Hydrolithon farinosum, Jania</i> <i>capillacea, Jania verrucosa</i>	John et al., 2004
142	Congo	Africa	<i>Amphiroa beauvoisii, Jania</i> <i>longifurca</i>	John et al., 2004
143	Angola	Africa	<i>Amphiroa beauvoisii, Corallina</i> <i>officinalis, Jania verrucosa,</i> <i>Pseudolithophyllum mildbraedii</i>	<i>Melobesia membranacea</i> John et al., 2004
144	Namibia	Africa	<i>Arthrocardia carinata, Arthrocardia</i> <i>filicula, Arthrocardia palmata,</i> <i>Arthrocardia setchellii, Lithophyllum</i> <i>neoatalayense, Spongites discoidea</i>	<i>Melobesia membranacea,</i> <i>Mesophyllum engelhartii,</i> <i>Synarthrophyton munimentum</i> <i>Heydrichia groeneri</i> Price, John and Lawson, 1986; John et al., 2004
145	South Africa	Africa	<i>Amphiroa anceps, Amphiroa</i> <i>beauvoisii, Amphiroa bowerbankii,</i> <i>Amphiroa capensis, Amphiroa</i> <i>ephedraea, Anthrocardia anceps,</i> <i>Arthrocardia carinata, Arthrocardia</i> <i>corymbosa, Arthrocardia duthieae,</i> <i>Arthrocardia filicula, Arthrocardia</i> <i>flabellata, Arthrocardia palmata,</i>	<i>Choreonema thuretii,</i> <i>Clathromorphum tubiforme,</i> <i>Lithothamnion crispatum,</i> <i>Melobesia membranacea,</i> <i>Mesophyllum capense,</i> <i>Mesophyllum engelhartii,</i> <i>Mesophyllum erubescens,</i> <i>Mesophyllum funafutiense,</i> <i>Heydrichia</i> <i>cerasina,</i> <i>Heydrichia</i> <i>groeneri,</i> <i>Heydrichia</i> <i>woelkerlingii,</i> <i>Sporolithon</i> <i>episporum,</i> Chamberlain, 1994; Keats and Chamberlain, 1995; Silva, Basson and Moe, 1996; De Clerck, Trochin and Schils, 2005; Maneveldt, Chamberlain and Keats, 2008; Keats et al., 2009; Maneveldt and

Corallina berteroii, *Corallina officinalis*, *Corallina officinalis* var. *chilensis*, *Corallina pilulifera*,
Hydrolithon farinosum, *Hydrolithon onkodes*, *Hydrolithon pellire*,
Hydrolithon samoense, *Hydrolithon superficiale*, *Jania adhaerens*, *Jania capillacea*, *Jania cultrata*, *Jania fastigiata*, *Jania intermedia*, *Jania pygmaea*, *Jania rosea*, *Jania rubens*,
Jania rubens var. *africana*, *Jania sagittata*, *Jania squamata*, *Jania subulata*, *Jania verrucosa*,
Lithophyllum acrocamptum,
Lithophyllum byssoides,
Lithophyllum corallinae,
Lithophyllum incrustans,
Lithophyllum neoatalayense,
Lithophyllum polycephalum,
Lithophyllum stephensonii,
Mastophora pacifica,
Metamastophora flabellata,
Neogoniolithon brassica-florida,
Neogoniolithon mamillare,
Pneophyllum amplexifrons,

Phymatolithon purpureum,
Synarthrophyton patena

Sporolithon ptychoides

van der Merwe, 2012

			<i>Pneophyllum coronatum,</i> <i>Pneophyllum fragile, Pneophyllum</i> <i>keatsii, Spongites discoidea,</i> <i>Spongites impar, Spongites yendoi,</i> <i>Titanoderma pustulatum</i>	
146	Mozambique	Africa	<i>Arthrocardia carinata, Arthrocardia</i> <i>flabellata, Jania cubensis, Jania</i> <i>cultrata, Jania intermedia, Jania</i> <i>rosea, Lithophyllum corallinae,</i> <i>Lithophyllum kotschyanum f.</i> <i>subPLICATUM, Metamastophora</i> <i>flabellata, Neogoniolithon oblimans,</i> <i>Pneophyllum amplexifrons</i>	Chamberlain and Norris, 1994; Silva, Basson and Moe, 1996;
147	Madagascar	Africa	<i>Amphiroa anceps, Amphiroa</i> <i>bowerbankii, Amphiroa ephedraea,</i> <i>Amphiroa fragilissima, Amphiroa</i> <i>gracilis, Amphiroa tribulus,</i> <i>Amphiroa unguilata, Arthrocardia</i> <i>palmata, Arthrocardia wardii,</i> <i>Hydrolithon craspedium,</i> <i>Hydrolithon cymodoceae,</i> <i>Hydrolithon farinosum, Hydrolithon</i> <i>onkodes, Jania adhaerens, Jania</i> <i>cultrata, Jania longifurca, Jania</i> <i>pacifica, Jania pumila, Jania rosea,</i>	<i>Lithothamnion proliferum,</i> <i>Melobesia membranacea,</i> <i>Mesophyllum erubescens</i> <i>Sporolithon</i> <i>crassiramosum,</i> <i>Sporolithon sibogae</i> Silva, Basson and Moe, 1996;

		<i>Jania rubens</i> , <i>Lithophyllum acrocamptum</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum kotschyanum f. subplicatum</i> , <i>Lithophyllum pygmaeum</i> , <i>Lithoporella melobesioides</i> , <i>Mastophora variegata</i> , <i>Neogoniolithon brassica-florida</i> , <i>Neogoniolithon oblimans</i> , <i>Pneophyllum amplexifrons</i> , <i>Pneophyllum fragile</i> , <i>Titanoderma rasile</i>			
148	Tanzania Africa	<i>Amphiroa anceps</i> , <i>Amphiroa beauvoisii</i> , <i>Amphiroa ephedraea</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa rigida</i> , <i>Amphiroa tribulus</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon onkodes</i> , <i>Hydrolithon reinboldii</i> , <i>Jania acutiloba</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania micrathrodia</i> , <i>Jania pumila</i> , <i>Jania pygmaea</i> , <i>Jania rosea</i> , <i>Jania rubens</i> , <i>Jania subulatam</i> , <i>Jania tenella</i> , <i>Jania ungulata</i> , <i>Jania ungulata f. brevior</i> , <i>Lithophyllum kotschyanum</i> ,	<i>Lithothamnion crispatum</i> , <i>Mesophyllum erubescens</i>	<i>Sporolithon episporum</i> , <i>Sporolithon erythraeum</i> , <i>Sporolithon ptychoides</i>	Silva, Basson and Moe, 1996; Oliveira, Osterlund and Mtolera, 2005

		<i>Lithophyllum stictaeforme,</i> <i>Neogoniolithon brassica-florida</i>				
149	Kenya	Africa	<i>Amphiroa anceps, Amphiroa fragilissima, Amphiroa rigida, Amphiroa tribulus, Hydrolithon farinosum, Hydrolithon onkodes, Hydrolithon reinboldii, Jania acutiloba, Jania adhaerens, Jania capillacea, Jania pumila, Jania rosea, Jania rubens, Jania sagittata, Jania subulata, Jania ungulata f. brevior, Lithophyllum acrocamptum, Lithophyllum kotschyanum, Lithophyllum pygmaeum, Neogoniolithon accretum, Neogoniolithon trichotomum</i>	<i>Choreonema thuretii,</i> <i>Mesophyllum crispescens,</i> <i>Mesophyllum erubescens</i>	<i>Sporolithon erythraeum</i>	Silva, Basson and Moe, 1996
150	Somalia	Africa	<i>Amphiroa anceps, Amphiroa fragilissima, Hydrolithon craspedium, Hydrolithon farinosum, Hydrolithon onkodes, Hydrolithon somaliae, Jania rubens, Jania sagittata, Jania subulata, Titanoderma pustulatum</i>		<i>Sporolithon stefaninii</i>	Silva, Basson and Moe, 1996
151	Ethiopia	Africa	<i>Hydrolithon farinosum, Jania adhaerens, Jania pumila, Jania</i>	<i>Lithothamnion indicum f. subtile, Melobesia</i>	<i>Sporolithon erythraeum</i>	Papenfuss, 1968

		<i>rubens</i> , <i>Jania tenella</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum kotschyanum f. affine</i> , <i>Lithophyllum racemus</i> , <i>Lithoporella indica</i> , <i>Neogoniolithon fosliei</i> , <i>Neogoniolithon oblimans</i> , <i>Pneophyllum fragile</i>	<i>membranacea</i> , <i>Phymatolithon lenormandii</i>		
152	Pakistan	South-west Asia	<i>Amphiroa anceps</i> , <i>Amphiroa fragilissima</i> , <i>Corallina officinalis</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania cubensis</i> , <i>Jania rubens</i> , <i>Spongites fruticulosa</i> , <i>Titanoderma pustulatum</i>	Silva, Basson and Moe, 1996	
153	India	South-west Asia	<i>Amphiroa anastomosans</i> , <i>Amphiroa anceps</i> , <i>Amphiroa brasiliiana</i> , <i>Amphiroa foliacea</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa rigida</i> , <i>Corallina berteroii</i> , <i>Corallina officinalis</i> , <i>Hydrolithon craspedium</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon iyengarii</i> , <i>Hydrolithon krusadiense</i> , <i>Hydrolithon onkodes</i> , <i>Hydrolithon reinboldii</i> , <i>Hydrolithon samoense</i> , <i>Hydrolithon verrucosum</i> , <i>Jania</i>	<i>Lithothamnion esperi</i> , <i>Lithothamnion proliferum</i> , <i>Mesophyllum erubescens</i> , <i>Phymatolithon notatum</i> <i>Sporolithon erythraeum</i> , <i>Sporolithon indicum</i>	Silva, Basson and Moe, 1996; Sahoo et al., 2001

acutiloba, *Jania adhaerens*, *Jania capillacea*, *Jania fastigiata*, *Jania iyengarii*, *Jania rubens*, *Jania spectabilis*, *Jania unguilata f. brevior*,
Lithophyllum kotschyanum,
Lithophyllum kotschyanum f.
subplicatum, *Lithophyllum okamurae*, *Lithophyllum orbiculatum*, *Neogoniolithon affine*,
Neogoniolithon brassica-florida,
Neogoniolithon caribaeum,
Neogoniolithon crassifructum,
Neogoniolithon desikacharyi,
Neogoniolithon ganesanii,
Neogoniolithon krusadii,
Neogoniolithon misakiense,
Neogoniolithon palkense,
Neogoniolithon pudumamdamense,
*Neogoniolithon tiruchendurens*e,
Pneophyllum amplexifrons,
Pneophyllum confervicola,
Pneophyllum extensum, *Pneophyllum fragile*, *Pseudolithophyllum fosliei*,
Pseudolithophyllum lemoinei,
*Pseudolithophyllum mannarens*e,

			<i>Pseudolithophyllum pambamense,</i> <i>Pseudolithophyllum setchelii,</i> <i>Pseudolithophyllum tuticorinense,</i> <i>Spongites decipiens, Spongites</i> <i>fruticulosa, Titanoderma pustulatum</i>			
154	Sri Lanka	South-west Asia	<i>Amphiroa anastomosans, Amphiroa anceps, Amphiroa bowerbankii, Amphiroa foliacea, Amphiroa folicaea f. procumbens, Amphiroa fragilissima, Corallina berteroii, Hydrolithon onkodes, Hydrolithon reinboldii, Hydrolithon samoense, Jania acutiloba, Jania adhaerens, Jania affinis, Jania cultrata, Jania intermedia, Jania micrathrodia, Jania spectabilis, Jania unguis, Jania verrucosa, Lithophyllum acrocampatum, Lithophyllum bamleri, Lithophyllum kotschyanum, Lithophyllum okamurae, Lithophyllum punctatum, Lithoporella melobesioides, Neogoniolithon caribaeum, Neogoniolithon ceylonense, Pneophyllum coronatum, Spongites</i>	<i>Melobesia membranacea, Mesophyllum erubescens</i>	<i>Sporolithon erythraeum</i>	Silva, Basson and Moe, 1996; Coppejans et al., 2009

			<i>fruticulosa</i> , <i>Titanoderma pustulatum</i>			
155	Bangladesh	South-west Asia	<i>Amphiroa fragilissima</i> , <i>Jania adhaerens</i> , <i>Jania unguis</i> , <i>Pneophyllum confervicola</i>		Silva, Basson and Moe, 1996	
156	Comores and Mayotte	Indian Ocean Islands	<i>Amphiroa anceps</i> , <i>Amphiroa foliacea</i> , <i>Amphiroa foliacea f. erecta</i> , <i>Amphiroa fragilissima</i> , <i>Fosliella fertilis</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon improcerum</i> var. <i>tenue</i> , <i>Hydrolithon onkodes</i> , <i>Hydrolithon reinboldii</i> , <i>Jania rubens</i> , <i>Lithophyllum bamleri</i> , <i>Lithophyllum kotschyani</i> , <i>Lithophyllum kotschyani</i> f. <i>subplicatum</i> , <i>Lithophyllum prototypum</i> , <i>Lithophyllum pygmaeum</i> , <i>Lithoporella melobesioides</i> , <i>Neogoniolithon brassica-florida</i> , <i>Neogoniolithon caribaeum</i> , <i>Neogoniolithon megalocystum</i> , <i>Neogoniolithon propinquum</i> , <i>Pneophyllum mauritianum</i> , <i>Spongites yendoi</i>	<i>Lithothamnion australe</i> , <i>Mesophyllum funafutiense</i> , <i>Mesophyllum mesomorphum</i>	<i>Sporolithon erythraeum</i> , <i>Sporolithon lemoinei</i> , <i>Sporolithon ptychoides</i>	Silva, Basson and Moe, 1996;
157	Aldabra Islands	Indian Ocean	<i>Hydrolithon gardineri</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania</i>		Silva, Basson and Moe, 1996	

		Islands	<i>ungulata f. brevior</i>		
158	Réunion	Indian	<i>Amphiroa beauvoisii</i> var.	<i>Melobesia membranacea</i>	Silva, Basson and Moe,
		Ocean	<i>crassiuscula, Amphiroa fragilissima,</i>		1996;
		Islands	<i>Amphiroa rigida, Amphiroa</i> <i>ungulata, Hydrolithon farinosum,</i> <i>Hydrolithon onkodes, Hydrolithon</i> <i>reinboldii, Hydrolithon samoense,</i> <i>Jania acutiloba, Jania adhaerens,</i> <i>Jania capillacea, Jania rubens, Jania</i> <i>rubens</i> var. <i>concatenata, Jania</i> <i>tenella, Lithophyllum incrustans,</i> <i>Lithophyllum kotschyanum,</i> <i>Lithophyllum kotschyanum</i> f. <i>subplicatum, Lithoporella indica,</i> <i>Lithoporella melobesioides,</i> <i>Neogoniolithon brassica-florida,</i> <i>Neogoniolithon caribaeum,</i> <i>Neogoniolithon scabridum, Spongesites</i> <i>yendoi</i>		
159	Mauritius	Indian	<i>Amphiroa anastomosans, Amphiroa</i>	<i>Choreonema thuretii,</i>	Sporolithon
		Ocean	<i>anceps, Amphiroa beauvoisii,</i>	<i>Lithothamnion crispatum,</i>	Borgensen, 1943; Silva, Basson and Moe, 1996;
		Islands	<i>Amphiroa crassa</i> f. <i>minuta,</i>	<i>Lithothamnion indicum</i> f.	John et al., 2004
			<i>Amphiroa cryptarthrodia, Amphiroa</i> <i>fragilissima, Amphiroa rigida,</i> <i>Amphiroa tribulus, Arthrocardia</i>	<i>subtile, Melobesia farinosa</i> f. <i>mauritiana, Mesophyllum</i> <i>crispescens, Mesophyllum</i>	<i>ptychoides,</i> <i>Sporolithon</i> <i>schmidti</i>

			<i>flabellata</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon improcerum</i> var. <i>tenue</i> , <i>Hydrolithon onkodes</i> , <i>Hydrolithon reinboldii</i> , <i>Jania acutiloba</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania cultrata</i> , <i>Jania micrathrodia</i> , <i>Jania paniculata</i> , <i>Jania pumila</i> , <i>Jania rosea</i> , <i>Jania rubens</i> , <i>Jania sagittata</i> , <i>Jania subulata</i> , <i>Jania tenella</i> , <i>Jania unguilata</i> f. <i>brevior</i> , <i>Jania verrucosa</i> , <i>Lithophyllum acrocamptum</i> , <i>Lithophyllum incrustans</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum kotschyanum</i> f. <i>subplicatum</i> , <i>Lithophyllum pallescens</i> , <i>Lithophyllum prototypum</i> , <i>Lithophyllum pygmaeum</i> , <i>Neogoniolithon brassicoides</i> , <i>Neogoniolithon caribaeum</i> , <i>Neogoniolithon spectabile</i> , <i>Spongites yendoi</i> , <i>Titanoderma pustulatum</i>	<i>erubescens</i> , <i>Mesophyllum funafutiense</i> , <i>Phymatolithon lenormandii</i> , <i>Phymatolithon repandum</i>	
160	Seychelles	Indian Ocean Islands	<i>Amphiroa anastomosans</i> , <i>Amphiroa foliacea</i> , <i>Amphiroa fragilissima</i> , <i>Hydrolithon breviclavium</i> , <i>Hydrolithon craspedium</i> ,	<i>Lithothamnion indicum</i> f. <i>subtile</i> , <i>Mesophyllum funafutiense</i> , <i>Mesophyllum mesomorphum</i> , <i>Phymatolithon timorense</i>	Silva, Basson and Moe, 1996

			<i>Hydrolithon farinosum</i> , <i>Hydrolithon repandum</i> <i>gardineri</i> , <i>Hydrolithon onkodes</i> , <i>Hydrolithon reinboldii</i> , <i>Jania acutiloba</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania longiarthra</i> , <i>Jania pumila</i> , <i>Jania spectabilis</i> , <i>Jania subulata</i> , <i>Jania tenella</i> , <i>Jania ungulata</i> f. <i>brevior</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum kotschyanum</i> f. <i>subplicatum</i> , <i>Lithophyllum prototypum</i> , <i>Lithophyllum pygmaeum</i> , <i>Metagoniolithon stelliferum</i> , <i>Neogoniolithon brassicoides</i> , <i>Pneophyllum confervicola</i> , <i>Spongites sporolithon</i> , <i>Spongites yendoi</i>		
161	Amirante Islands	Indian Ocean Islands		<i>Lithothamnion indicum</i> f. <i>subtile</i> , <i>Mesophyllum funafutiense</i>	Silva, Basson and Moe, 1996
162	Saya de Malha Bank	Indian Ocean Islands	<i>Pseudolithophyllum ptychoides</i>	<i>Lithothamnion australe</i> , <i>Lithothamnion gibbosum</i> f. <i>crassum</i> , <i>Lithothamnion gibbosum</i>	Silva, Basson and Moe, 1996
163	Cargados	Indian		<i>Lithothamnion australe</i> ,	Silva, Basson and Moe,

	Carajos	Ocean	<i>Lithothamnion indicum</i> f. <i>subtile</i>	1996	
		Islands			
164	Rodrigues	Indian	<i>Amphiroa fragilissima, Lithophyllum</i>	Silva, Basson and Moe,	
	Island	Ocean	<i>kotschyanum, Neogoniolithon</i>	1996	
		Islands	<i>mamillare</i>		
165	India, Laccadive Islands	Indian Ocean Islands	<i>Amphiroa anastomosans, Amphiroa</i> <i>foliacea, Amphiroa fragilissima,</i> <i>Amphiroa rigida, Hydrolithon</i> <i>onkodes, Hydrolithon reinboldii,</i> <i>Jania adhaerens, Jania capillacea,</i> <i>Jania spectabilis, Lithophyllum</i> <i>kotschyanum, Lithophyllum</i> <i>kotschyanum f. subplicatum,</i> <i>Neogoniolithon brassica-florida,</i> <i>Pneophyllum fragile, Spongites</i> <i>fruticulosa, Titanoderma rasile</i>	Silva, Basson and Moe, 1996	
166	Maldives	Indian Ocean Islands	<i>Amphiroa anastomosans, Amphiroa</i> <i>fragilissima, Hydrolithon</i> <i>craspedium, Hydrolithon farinosum,</i> <i>Hydrolithon gardineri, Hydrolithon</i> <i>onkodes, Jania capillacea, Jania</i> <i>longiarthra, Jania ungulata,</i> <i>Lithophyllum kotschyanum,</i> <i>Lithophyllum kotschyanum f.</i> <i>subplicatum, Lithoporella</i>	<i>Lithothamnion maldivicum,</i> <i>Lithothamnion indicum</i> f. <i>subtile</i> <i>Sporolithon</i> <i>erythraeum,</i> <i>Sporolithon</i> <i>schmidti</i>	Silva, Basson and Moe, 1996;

			<i>melobesioides</i> , <i>Neogoniolithon brassica-florida</i> , <i>Neogoniolithon oblimans</i> , <i>Pneophyllum fragile</i> , <i>Spongites fruticulosa</i>		
167	Chagos Archipelago	Indian Ocean Islands	<i>Amphiroa fragilissima</i> , <i>Hydrolithon craspedium</i> , <i>Hydrolithon gardineri</i> , <i>Hydrolithon onkodes</i> , <i>Jania tenella</i> , <i>Neogoniolithon brassica-florida</i> , <i>Pneophyllum confervicola</i>		Silva, Basson and Moe, 1996
168	Diego Garcia Atoll	Indian Ocean Islands	<i>Amphiroa anastomosans</i> , <i>Amphiroa fragilissima</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon onkodes</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania tenella</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum kotschyanum f.</i> , <i>subplicatum</i> , <i>Neogoniolithon oblimans</i>	<i>Mesophyllum simulans</i>	Silva, Basson and Moe, 1996
169	Amsterdam Island	Indian Ocean Islands	<i>Corallina muscoides</i> , <i>Jania rubens</i>	<i>Lithothamnion islei</i>	Silva, Basson and Moe, 1996
170	Cocos (Keeling) Islands	Indian Ocean Islands	<i>Hydrolithon gardineri</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum kotschyanum f. subplicatum</i> , <i>Lithophyllum okamurae</i> , <i>Neogoniolithon brassica-florida</i>	<i>Mesophyllum erubescens</i>	Silva, Basson and Moe, 1996

171	Andaman Islands, India	Indian Ocean Islands	<i>Amphiroa anceps, Amphiroa fragilissima, Amphiroa rigida, Jania adhaerens, Jania fastigiata, Jania rubens</i>	Silva, Basson and Moe, 1996	
172	Nicobar Islands	Indian Ocean Islands	<i>Amphiroa anceps, Amphiroa fragilissima, Amphiroa rigida, Jania acutiloba</i>	Silva, Basson and Moe, 1996	
173	Indian Ocean	Indian Ocean Islands	<i>Lithothamnion album</i>	Silva, Basson and Moe, 1996	
174	Myanmar	South-east Asia	<i>Amphiroa tribulus, Jania tenella</i>	<i>Phymatolithon purpureum</i>	Silva, Basson and Moe, 1996
175	Thailand	South-east Asia	<i>Amphiroa fragilissima, Amphiroa rigida, Hydrolithon farinosum, Jania adhaerens, Jania ungulata</i>	<i>Mesophyllum simulans</i> <i>Sporolithon ptychoides</i> , <i>Sporolithon schmidtii</i>	Verheij, 1993; Coppejans et al., 2011; Kaewsuralikhit et al., 2012; Tsutsui et al., 2012
176	Malaysia	South-east Asia	<i>Amphiroa foliacea, Jania rubens</i>	<i>Mesophyllum erubescens</i> , <i>Mesophyllum simulans</i>	Silva, Basson and Moe, 1996
177	Vietnam	South-east Asia	<i>Amphiroa anceps, Amphiroa beauvoisii, Amphiroa echigoensis, Amphiroa foliacea, Amphiroa fragilissima, Amphiroa valonioides, Corallina officinalis, Corallina pilulifera, Hydrolithon farinosum, Hydrolithon reinboldii, Hydrolithon</i>	<i>Mesophyllum erubescens</i> , <i>Mesophyllum simulans</i>	Pham-Hoang, 1969; Tsutsui et al., 2005; Nyugen et al., 2013

			<i>samoense</i> , <i>Jania acutiloba</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania longiarthra</i> , <i>Jania micrathrodia</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Jania spectabilis</i> , <i>Jania unguilata f. brevior</i> , <i>Lithophyllum okamurae</i> , <i>Mastophora pacifica</i> , <i>Mastophora rosea</i> , <i>Metagoniolithon stelliferum</i> , <i>Neogoniolithon oblimans</i> , <i>Neogoniolithon trichotomum</i> , <i>Pneophyllum confervicola</i> , <i>Titanoderma pustulatum</i>		
178	Singapore	South-east Asia	<i>Amphiroa anceps</i> , <i>Amphiroa foliacea</i> , <i>Amphiroa foliacea f. erecta</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa rigida</i> , <i>Amphiroa tribulus</i> , <i>Hydrolithon farinosum</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania verrucosa</i>	<i>Melobesia membranacea</i> , <i>Mesophyllum erubescens</i>	Silva, Basson and Moe, 1996; Pham et al., 2011
179	Philippines	South-east Asia	<i>Amphiroa anastomosans</i> , <i>Amphiroa anceps</i> , <i>Amphiroa annulata</i> , <i>Amphiroa beauvoisii</i> , <i>Amphiroa cumingii</i> , <i>Amphiroa ephedraea</i> , <i>Amphiroa foliacea</i> , <i>Amphiroa foliacea f. erecta</i> , <i>Amphiroa</i>	<i>Lithothamnion australe f. brachiatum</i> , <i>Lithothamnion australe f. minutulum</i> , <i>Lithothamnion australe f. subtile</i> , <i>Lithothamnion australe f. ubianum</i> , <i>Mesophyllum</i>	Silva, Menez and Moe, 1987; Silva, Basson and Moe, 1996

		<i>fragilissima</i> , <i>Amphiroa hancockii</i> , <i>Amphiroa pacifica</i> , <i>Amphiroa rigida</i> , <i>Amphiroa subcylindrica</i> , <i>Amphiroa tribulus</i> , <i>Amphiroa valoniooides</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon onkodes</i> , <i>Hydrolithon reinboldii</i> , <i>Jania acutiloba</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania cubensis</i> , <i>Jania cultrata</i> , <i>Jania longiarthra</i> , <i>Jania micrathrodia</i> , <i>Jania pacifica</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Jania sagittata</i> , <i>Jania spectabilis</i> , <i>Jania tenella</i> , <i>Jania tenella</i> var. <i>zacae</i> , <i>Jania ungulata</i> , <i>Jania ungulata</i> f. <i>brevior</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum pallescens</i> , <i>Lithophyllum pygmaeum</i> , <i>Lithoporella indica</i> , <i>Lithoporella melobesioides</i> , <i>Mastophora rosea</i> , <i>Neogoniolithon brassica-florida</i> , <i>Neogoniolithon megalocystum</i>	<i>erubescens</i> , <i>Mesophyllum imbricatum</i> , <i>Mesophyllum pulchrum</i> , <i>Mesophyllum siamense</i> , <i>Mesophyllum simulans</i> , <i>Phymatolithon calcareum</i>	<i>Sporolithon timorense</i>		
180	Indonesia	South-east Asia	<i>Amphiroa anastomosans</i> , <i>Amphiroa anceps</i> , <i>Amphiroa beauvoisii</i> , <i>Amphiroa bowerbankii</i> , <i>Amphiroa canaliculata</i> , <i>Amphiroa crassa</i> ,	<i>Choreonema thuretii</i> , <i>Lithothamnion australe</i> , <i>Lithothamnion bandanum</i> , <i>Lithothamnion australe</i> f.	<i>Sporolithon episoredion</i> , <i>Sporolithon episporum</i> ,	Silva, Basson and Moe, 1996; Atmadja and Prud'Homme van Reine, 2012

<i>Amphiroa crassa</i> f. <i>minuta</i> ,	<i>brachiatum</i> , <i>Lithothamnion</i>	<i>Sporolithon</i>
<i>Amphiroa ephedraea</i> , <i>Amphiroa</i>	<i>crispatum</i> , <i>Lithothamnion</i>	<i>erythraeum</i> ,
<i>foliacea</i> , <i>Amphiroa foliacea</i> f. <i>erecta</i> ,	<i>esperi</i> , <i>Lithothamnion</i>	<i>Sporolithon</i>
<i>Amphiroa folicaea</i> f. <i>procumbens</i> ,	<i>fragiissimum</i> , <i>Lithothamnion</i>	<i>lemoinei</i> ,
<i>Amphiroa fragilissima</i> , <i>Amphiroa</i>	<i>occidentale</i> , <i>Lithothamnion</i>	<i>Sporolithon molle</i> ,
<i>fragilissima</i> f. <i>cuspidata</i> , <i>Amphiroa</i>	<i>proliferum</i> , <i>Mesophyllum</i>	<i>Sporolithon</i>
<i>fragilissima</i> f. <i>cyathifera</i> , <i>Amphiroa</i>	<i>crispescens</i> , <i>Mesophyllum</i>	<i>ptychooides</i> ,
<i>rigida</i> , <i>Amphiroa tribulus</i> ,	<i>erubescens</i> , <i>Mesophyllum</i>	<i>Sporolithon</i>
<i>Heteroderma subtilissimum</i> ,	<i>floridanum</i> , <i>Mesophyllum</i>	<i>schmidii</i> ,
<i>Hydrolithon boreale</i> , <i>Hydrolithon</i>	<i>funafutiense</i> , <i>Mesophyllum</i>	<i>Sporolithon</i>
<i>farinosum</i> , <i>Hydrolithon gardineri</i> ,	<i>imbricatum</i> , <i>Mesophyllum</i>	<i>sibogae</i> ,
<i>Hydrolithon onkodes</i> , <i>Hydrolithon</i>	<i>pulchrum</i> , <i>Mesophyllum</i>	<i>Sporolithon</i>
<i>reinboldii</i> , <i>Jania acutiloba</i> , <i>Jania</i>	<i>siamense</i> , <i>Mesophyllum</i>	<i>timorense</i>
<i>adhaerens</i> , <i>Jania cultrata</i> , <i>Jania</i>	<i>simulans</i> , <i>Mesophyllum</i>	
<i>pumila</i> , <i>Jania rubens</i> , <i>Jania</i>	<i>syrphetodes</i> , <i>Phymatolithon</i>	
<i>sagittata</i> , <i>Jania spectabilis</i> , <i>Jania</i>	<i>repandum</i>	
<i>tenella</i> , <i>Jania verrucosa</i> ,		
<i>Lithophyllum bamleri</i> , <i>Lithophyllum</i>		
<i>kotschyeanum</i> , <i>Lithophyllum</i>		
<i>okamurae</i> , <i>Lithophyllum papillosum</i> ,		
<i>Lithophyllum pygmaeum</i> ,		
<i>Lithoporella melobesioides</i> ,		
<i>Mastophora pacifica</i> , <i>Mastophora</i>		
<i>rosea</i> , <i>Neogoniolithon brassica-</i>		
<i>florida</i> , <i>Neogoniolithon fosliei</i> ,		

			<i>Neogoniolithon megalocystum,</i> <i>Neogoniolithon oblimans,</i> <i>Neogoniolithon strictum,</i> <i>Pneophyllum coronatum, Spongites</i> <i>fruticulosa, Spongites sulawesiensis,</i> <i>Spongites yendoi, Titanoderma</i> <i>pustulatum, Titanoderma rasile</i>	
181	Indonesia, New Guinea	South- east Asia	<i>Hydrolithon onkodes</i>	Penrose and Woelkerling, 1992
182	Taiwan	Asia	<i>Amphiroa anceps, Amphiroa</i> <i>beauvoisii, Amphiroa bowerbankii,</i> <i>Amphiroa ephedraea, Amphiroa</i> <i>foliacea, Amphiroa fragilissima,</i> <i>Amphiroa misakiensis, Amphiroa</i> <i>pusilla, Amphiroa subcylindrica,</i> <i>Amphiroa valonioides, Anthrocardia</i> <i>anceps, Corallina confusa, Corallina</i> <i>maxima, Corallina pilulifera,</i> <i>Hydrolithon farinosum, Jania</i> <i>acutiloba, Jania adhaerens, Jania</i> <i>arborescens, Jania cultrata, Jania</i> <i>longiarthra, Jania pacifica, Jania</i> <i>radiata, Jania rubens, Jania</i> <i>squamata, Jania tenella, Jania</i> <i>ungulata, Lithophyllum perulatum,</i>	Lewis and Norris, 1987; Keats et al., 2009; Anon, 2012

			<i>Lithophyllum tumidulum,</i> <i>Marginisporum aberrans,</i> <i>Mastophora pacifica, Mastophora</i> <i>pygmaea, Mastophora rosea,</i> <i>Titanoderma pustulatum</i>			
183	China	Asia	<i>Amphiroa anastomosans, Amphiroa</i> <i>anceps, Amphiroa beauvoisii,</i> <i>Amphiroa ephedraea, Amphiroa</i> <i>foliacea, Amphiroa fragilissima,</i> <i>Amphiroa fragilissima f. cyathifera,</i> <i>Amphiroa pusilla, Amphiroa rigida,</i> <i>Amphiroa valonioides, Corallina</i> <i>crassisima, Corallina maxima,</i> <i>Corallina officinalis, Corallina</i> <i>pilulifera, Hydrolithon boergesenii,</i> <i>Hydrolithon farinosum, Hydrolithon</i> <i>onkodes, Hydrolithon reinboldii,</i> <i>Hydrolithon samoense, Jania</i> <i>acutiloba, Jania adhaerens, Jania</i> <i>capillacea, Jania rubens, Jania</i> <i>ungulata, Jania unguis f. brevior,</i> <i>Jania verrucosa, Lithophyllum</i> <i>corallinae, Lithophyllum</i> <i>kotschyanum, Lithophyllum</i> <i>okamurae, Lithophyllum pygmaeum,</i>	<i>Lithothamnion intermedium,</i> <i>Lithothamnion japonicum,</i> <i>Lithothamnion phymatodeum,</i> <i>Mesophyllum crassiusculum,</i> <i>Mesophyllum crispescens,</i> <i>Mesophyllum erubescens,</i> <i>Mesophyllum mesomorphum,</i> <i>Mesophyllum simulans,</i> <i>Phymatolithon lenormandii,</i> <i>Phymatolithon repandum</i>	<i>Sporolithon</i> <i>erythraeum</i>	Tseng, 1984; Xia, 2013

			<i>Lithophyllum yessoense</i> , <i>Lithoporella melobesioides</i> , <i>Marginisporum aberrans</i> , <i>Mastophora pacifica</i> , <i>Mastophora rosea</i> , <i>Neogoniolithon accretum</i> , <i>Neogoniolithon brassicafiorida</i> , <i>Neogoniolithon fosliei</i> , <i>Neogoniolithon megalocystum</i> , <i>Neogoniolithon setchelii</i> , <i>Neogoniolithon trichotomum</i> , <i>Neogoniolithon variabile</i> , <i>Pachyarthron cretaceum</i> , <i>Pneophyllum conicum</i> , <i>Pneophyllum fragile</i> , <i>Pneophyllum zostericola</i> , <i>Pseudolithophyllum neofarlowii</i> , <i>Spongites yendoi</i>	
184	Hong Kong	Asia	<i>Corallina pilulifera</i>	Wang et al., 2008
185	Japan	Asia	<i>Alatocadia molesta</i> , <i>Alatocadia yessoense</i> , <i>Amphiroa anastomosans</i> , <i>Amphiroa anceps</i> , <i>Amphiroa beauvoisii</i> , <i>Amphiroa echigoensis</i> , <i>Amphiroa ephedraea</i> , <i>Amphiroa foliacea</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa itonoi</i> , <i>Amphiroa pusilla</i> , <i>Amphiroa rigida</i> , <i>Amphiroa valonioides</i> , <i>Amphiroa yendoi</i> , <i>Choreonema thuretii</i> , <i>Clathromorphum circumscriptum</i> , <i>Clathromorphum compactum</i> , <i>Clathromorphum obteculum</i> , <i>Clathromorphum reclinatum</i> , <i>Lithothamnion glaciale</i> , <i>Lithothamnion intermedium</i> , <i>Lithothamnion japonicum</i> ,	Okamura, 1936; Adey, Masaki and Akioka, 1974; Yoshida, Nakajima and Nakata, 1990; Yoshida, 1998; Kim et al., 2004; Gabrielson et al., 2011; Brodie et al., 2013

Anthrocardia anceps, *Bossiella californica*, *Corallina aberrans*,
Corallina caespitosa, *Corallina confusa*, *Corallina crassisima*,
Corallina declinata, *Corallina maxima*, *Corallina melobesiodes*,
Corallina officinalis, *Corallina pilulifera*, *Ezo epiyessoense*,
Fosliella paschalis, *Hydrolithon boergesenii*, *Hydrolithon farinosum*,
Hydrolithon murakoshii, *Hydrolithon onkodes*, *Hydrolithon reinboldii*,
Hydrolithon samoense, *Hydrolithon sargassi*, *Jania acutiloba*, *Jania adhaerens*, *Jania arborescens*, *Jania capillacea*, *Jania nipponica*, *Jania pumila*, *Jania radiata*, *Jania rubens*,
Jania spectabilis, *Jania squamata*, *Jania tenella*, *Jania ungulata*, *Jania ungulata f. brevior*, *Jania yenoshimensis*, *Lithophyllum acanthinum*, *Lithophyllum bamleri*,
Lithophyllum canescens, *Lithophyllum caribaeum f. boreale*,
Lithophyllum corallinae, *Lithothamnion nitidum*,
Lithothamnion phymatodeum, *Lithothamnion sonderi*,
Lithothamnion spissum, *Lithothamnion vescum*,
Melobesia membranacea, *Melobesia tomataroi*,
Mesophyllum canariense, *Mesophyllum crassiusculum*,
Mesophyllum cystocarpideum, *Mesophyllum erubescens*,
Mesophyllum inconspicuum, *Mesophyllum nitidum*,
Mesophyllum siamense, *Mesophyllum simulans*,
Phymatolithon calcareum, *Phymatolithon lenormandii*,
Phymatolithon notatum, *Synarthrophyton chejeunse*

Lithophyllum dispar, *Lithophyllum
fasciculatum*, *Lithophyllum
grumosum*, *Lithophyllum incrustans*,
Lithophyllum insipidum,
Lithophyllum kotschyanum,
Lithophyllum neoatalayense,
Lithophyllum okamurae,
Lithophyllum prototypum,
Lithophyllum pygmaeum,
Lithophyllum racemosus, *Lithophyllum
shioense*, *Lithophyllum tortuosum*,
Lithophyllum tumidulum,
Lithophyllum yessoense, *mAmphiroa
misakiensis*, *Marginisporum
aberrans*, *Marginisporum declinata*,
Mastophora pacifica, *Mastophora
pygmaea*, *Mastophora rosea*,
Neogoniolithon accretum,
Neogoniolithon brassica-florida,
Neogoniolithon fosliei,
Neogoniolithon mamillare,
Neogoniolithon megalocystum,
Neogoniolithon misakiense,
Neogoniolithon propinquum,
Neogoniolithon tenuicrustaceum,

		<i>Pachyarthron cretaceum,</i> <i>Pneophyllum amplexifrons,</i> <i>Pneophyllum confervicola,</i> <i>Pneophyllum conicum, Pneophyllum</i> <i>fragile, Pneophyllum zostericola,</i> <i>Porolithon colliculosum, Porolithon</i> <i>orbiculatum, Pseudolithophyllum</i> <i>decipens, Pseudolithophyllum</i> <i>neofarlowii, Spongites absimile,</i> <i>Spongites fruticulosa, Spongites</i> <i>yendoi, Titanoderma pustulatum</i>			
186	Korea	Asia	<i>Alatocadia molesta, Amphiroa</i> <i>anastomosans, Amphiroa anceps,</i> <i>Amphiroa beauvoisii, Amphiroa</i> <i>echigoensis, Amphiroa ephedraea,</i> <i>Amphiroa foliacea, Amphiroa</i> <i>galapagensis, Amphiroa itonoi,</i> <i>Amphiroa misakiensis, Amphiroa</i> <i>pusilla, Amphiroa valonioides,</i> <i>Amphiroa zonalis, Corallina</i> <i>caespitosa, Corallina confusa,</i> <i>Corallina maxima, Corallina</i> <i>melobesioides, Corallina officinalis,</i> <i>Corallina pilulifera, Hydrolithon</i> <i>craspedium, Hydrolithon farinosum,</i>	<i>Choreonema thuretii,</i> <i>Lithothamnion coralliooides,</i> <i>Lithothamnion crispatum,</i> <i>Lithothamnion giganteum,</i> <i>Lithothamnion lemoineae,</i> <i>Lithothamnion muelleri,</i> <i>Lithothamnion phymatodeum,</i> <i>Melobesia tomataroi,</i> <i>Mesophyllum crassiusculum,</i> <i>Mesophyllum cystocarpideum,</i> <i>Mesophyllum erubescens,</i> <i>Mesophyllum mesomorphum,</i> <i>Mesophyllum simulans,</i> <i>Phymatolithon repandum,</i>	Lee and Kang, 2001; Lee, 2008; Hind and Saunders, 2013

			<i>Hydrolithon gardineri</i> , <i>Hydrolithon reinboldii</i> , <i>Hydrolithon samoense</i> , <i>Hydrolithon sargassi</i> , <i>Jania adhaerens</i> , <i>Jania arborescens</i> , <i>Jania nipponica</i> , <i>Jania radiata</i> , <i>Jania rubens</i> , <i>Jania squamata</i> , <i>Jania unguilata</i> , <i>Jania yenoshimensis</i> , <i>Lithophyllum canescens</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum dispar</i> , <i>Lithophyllum okamurae</i> , <i>Lithophyllum okamurae f.</i> <i>japonicum</i> , <i>Lithophyllum shioense</i> , <i>Lithophyllum tumidulum</i> , <i>Lithophyllum yessoense</i> , <i>Marginisporum aberrans</i> , <i>Mastophora pacifica</i> , <i>Pachyarthron cretaceum</i> , <i>Pneophyllum fragile</i> , <i>Pneophyllum zostericola</i> , <i>Porolithon colliculosum</i> , <i>Pseudolithophyllum whidbeyense</i> , <i>Spongites fruticulosa</i> , <i>Spongites yendoi</i>	<i>Synarthrophyton chejeunse</i>	
187	Russia, east	Asia	<i>Alatocadia molesta</i> , <i>Bossiella compressa</i> , <i>Bossiella plumosa</i> , <i>Corallina officinalis</i> , <i>Corallina officinalis f. flexilis</i> , <i>Corallina</i>	<i>Clathromorphum circumscriptum</i> , <i>Clathromorphum compactum</i> , <i>Clathromorphum loculosum</i> ,	Perestenko, 1980; Perestenko, 1994; Kozhenkova, 2009

			<i>pilulifera</i> , <i>Ezo epiyessoense</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon sargassi</i> , <i>Lithophyllum tumidulum</i> , <i>Lithophyllum yessoense</i> , <i>Masakiella bossiellae</i> , <i>Pneophyllum elegans</i> , <i>Pneophyllum fragile</i> , <i>Pneophyllum japonicum</i> , <i>Pneophyllum zostericola</i> , <i>Spongites decipiens</i>	<i>Clathromorphum nereostratum</i> , <i>Clathromorphum reclinatum</i> , <i>Lithothamnion phymatodeum</i> , <i>Lithothamnion sonderi</i> , <i>Melobesia tomataroi</i> , <i>Mesophyllum erubescens</i> , <i>Phymatolithon calcareum</i> , <i>Phymatolithon lamii</i> , <i>Phymatolithon lenormandii</i> , <i>Phymatolithon purpureum</i>	
188	Russia, Kamtchatka	Asia	<i>Corallina pilulifera</i> , <i>Pachyarthron cretaceum</i>	<i>Clathromorphum circumscriptum</i> , <i>Clathromorphum compactum</i> , <i>Clathromorphum loculosum</i> , <i>Clathromorphum reclinatum</i> , <i>Lithothamnion phymatodeum</i>	Selivanova and Zhigadlova, 2009
189	Russia, Commander Islands	Asia	<i>Corallina pilulifera</i> , <i>Pachyarthron cretaceum</i>	<i>Clathromorphum circumscriptum</i> , <i>Clathromorphum compactum</i> , <i>Clathromorphum loculosum</i> , <i>Clathromorphum nereostratum</i> , <i>Clathromorphum reclinatum</i> , <i>Lithothamnion phymatodeum</i> , <i>Phymatolithon lenormandii</i>	Selivanova and Zhigadlova, 1997
190	Saint Paul	Pacific	<i>Corallina muscoides</i> , <i>Lithophyllum</i>		Silva, Basson and Moe,

	Island	Islands	<i>pinguiense, Lithophyllum prototypum</i>		1996
191	Easter Island	Pacific Islands	<i>Amphiroa fragilissima, Amphiroa yendoi, Fosliella paschalis, Hydrolithon gardineri, Hydrolithon onkodes, Hydrolithon samoense, Jania tenella, Neogoniolithon oblimans, Porolithon praetextatum, Titanoderma rasile</i>	<i>Choreonema thuretii, Melobesia accola, Mesophyllum siamense</i>	Borgesen, 1924; Santelices and Abbott, 1987
192	Northwestern Hawaiian Islands, USA	Pacific Islands	<i>Amphiroa beauvoisii, Amphiroa fragilissima, Amphiroa rigida, Amphiroa valonioides, Hydrolithon farinosum, Hydrolithon reinboldii, Jania adhaerens, Jania micrathrodia, Jania pumila, Jania subulata, Jania verrucosa, Mastophora rosea, Neogoniolithon brassica-florida</i>	<i>Choreonema thuretii</i>	Tsuda, 2014
193	Hawaiian Islands, USA	Pacific Islands	<i>Amphiroa beauvoisii, Amphiroa foliacea, Amphiroa fragilissima, Amphiroa rigida, Amphiroa valonioides, Hydrolithon breviclavium, Hydrolithon farinosum, Hydrolithon gardineri, Hydrolithon onkodes, Hydrolithon reinboldii, Jania adhaerens, Jania</i>	<i>Choreonema thuretii, Mesophyllum erubescens, Mesophyllum mesomorphum, Mesophyllum syrphetodes</i>	Sporolithon episoredion, Sporolithon erythraeum
					Magruder and Hunt, 1979; Adey, Townsend and Boyksin, 1982; Abbott, 1999; Huisman, Abbott and Smith, 2007; Vroom and Timmers, 2009

			<i>micrathrodia</i> , <i>Jania pumila</i> , <i>Jania subulata</i> , <i>Jania verrucosa</i> , <i>Lithophyllum insipidum</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum prototypum</i> , <i>Mastophora pacifica</i> , <i>Neogoniolithon brassica-florida</i> , <i>Pneophyllum conicum</i>			
194	Wake Atoll	Pacific Islands	<i>Hydrolithon farinosum</i> , <i>Jania adhaerens</i> , <i>Jania pumila</i>		Ysuda et al., 2010	
195	Ryukyu Islands	Pacific Islands	<i>Jania spectabilis</i>		Srimanobhas et al., 1990	
196	Mariana Islands	Pacific Islands	<i>Amphiroa foliacea</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa tribulus</i> , <i>Corallina maxima</i> , <i>Hydrolithon craspedium</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon gardineri</i> , <i>Hydrolithon reinboldii</i> , <i>Jania adhaerens</i> , <i>Jania capillacea</i> , <i>Jania cultrata</i> , <i>Jania radiata</i> , <i>Jania tenella</i> , <i>Lithophyllum insipidum</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum pygmaeum</i> , <i>Lithoporella melobesioides</i> , <i>Mastophora pacifica</i> , <i>Mastophora rosea</i> , <i>Metagoniolithon</i>	<i>Lithothamnion philippii</i> , <i>Mesophyllum erubescens</i> , <i>Mesophyllum funafutiense</i> , <i>Mesophyllum mesomorphum</i> , <i>Mesophyllum simulans</i> , <i>Phymatolithon repandum</i>	Sporolithon schmidtii	Tsuda, 2003

			<i>chara, Metagoniolithon radiatum,</i> <i>Metamastophora flabellata,</i> <i>Neogoniolithon brassica-florida,</i> <i>Neogoniolithon megalocystum,</i> <i>Pneophyllum conicum</i>		
197	Guam	Pacific Islands	<i>Jania adhaerens, Lithophyllum kotschyanum, Mastophora rosea</i>	<i>Sporolithon schmidii</i>	Gordon, Masaki and Akioka, 1987; Skelton and South, 2007; Keats et al., 2009
198	Republic of Palau	Pacific Islands	<i>Amphiroa foliacea, Amphiroa fragilissima, Hydrolithon craspedium, Hydrolithon onkodes, Hydrolithon reinboldii, Lithophyllum okamurae, Lithophyllum pygmaeum, Mastophora rosea</i>		Ohba et al., 2007
199	Federated States of Micronesia	Pacific Islands	<i>Amphiroa anastomosans, Amphiroa beauvoisii, Amphiroa foliacea, Amphiroa fragilissima, Amphiroa misakiensis, Amphiroa taylorii, Amphiroa valonioides, Corallina maxima, Heteroderma sultilissimum, Hydrolithon craspedium, Hydrolithon farinosum, Hydrolithon gardineri, Hydrolithon megacyustum, Hydrolithon onkodes,</i>	<i>Choreonema thuretii, Lithothamnion philippii, Mesophyllum erubescens, Mesophyllum funafutiense, Mesophyllum mesomorphum, Mesophyllum simulans, Phymatolithon repandum</i>	Sporolithon erythraeum, Sporolithon schmidii

			<i>Hydrolithon reinboldii, Jania adhaerens, Jania capillacea, Jania cultrata, Jania micrathrodia, Jania pumila, Jania radiata, Jania rubens, Jania spectabilis, Jania tenella, Jania unguis, Lithophyllum insipidum, Lithophyllum kotschyanum, Lithoporella melobesioides, Mastophora pacifica, Mastophora rosea, Metamastophora flabellata, Neogoniolithon brassica-florida, Neogoniolithon fosliei, Neogoniolithon megalocystum, Pneophyllum conicum, Porolithon aequinoctiale</i>	
200	Marshall Islands	Pacific Islands	<i>Hydrolithon boreale, Hydrolithon craspedium, Hydrolithon gardineri, Hydrolithon onkodes, Jania capillacea, Jania micrathrodia, Jania rubens, Neogoniolithon brassica-florida, Porolithon aequinoctiale, Porolithon marshallense</i>	Taylor, 1950
201	Tuvalu	Pacific Islands	<i>Hydrolithon onkodes</i>	Womersley, 1996

202	Samoan Archipelago	Pacific Islands	<i>Amphiroa anceps, Amphiroa crassa, Amphiroa foliacea, Amphiroa fragilissima, Amphiroa tribulus, Hydrolithon craspedium, Hydrolithon farinosum, Hydrolithon onkodes, Hydrolithon reinboldii, Hydrolithon samoense, Jania acutiloba, Jania adhaerens, Jania pumila, Jania tenella, Lithophyllum byssoides, Lithophyllum kotschyanum, Lithophyllum pygmaeum, Lithoporella melobesioides, Neogoniolithon brassica-florida, Pneophyllum fragile</i>	<i>Choreonema thuretii, Lithothamnion proliferum, Mesophyllum simulans</i>	<i>Sporolithon erythraeum, Sporolithon sibogae</i>	Skelton and South, 1999; Skelton and South, 2007
203	American Samoa	Pacific Islands	<i>Jania rubens, Jania spectabilis, Neogoniolithon brassica-florida, Neogoniolithon clavacymosum</i>	<i>Mesophyllum funafutiense</i>		Littler and Littler, 2003; Tsuda et al., 2011
204	Central Polynesia	Pacific Islands	<i>Amphiroa anceps, Amphiroa crassa, Amphiroa foliacea, Amphiroa fragilissima, Amphiroa gracilis, Amphiroa rigida, Amphiroa tribulus, Amphiroa valonioides, Heteroderma sultilissimum, Hydrolithon craspedium, Hydrolithon farinosum,</i>	<i>Choreonema thuretii, Lithothamnion proliferum, Mesophyllum erubescens, Mesophyllum mesomorphum, Mesophyllum simulans</i>	<i>Sporolithon erythraeum, Sporolithon sibogae</i>	Tsuda and Walsch, 2013

			<i>Hydrolithon gardineri</i> , <i>Hydrolithon murakoshii</i> , <i>Hydrolithon onkodes</i> , <i>Hydrolithon reinboldii</i> , <i>Hydrolithon rupestre</i> , <i>Hydrolithon samoense</i> , <i>Jania acutiloba</i> , <i>Jania adhaerens</i> , <i>Jania articulata</i> , <i>Jania capillacea</i> , <i>Jania micrathrodia</i> , <i>Jania pacifica</i> , <i>Jania pumila</i> , <i>Jania rosea</i> , <i>Jania rubens</i> , <i>Jania spectabilis</i> , <i>Jania subulata</i> , <i>Jania tenella</i> , <i>Jania verrucosa</i> , <i>Jania virgata</i> , <i>Lithophyllum byssoides</i> , <i>Lithophyllum flavescentes</i> , <i>Lithophyllum insipidum</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum pygmaeum</i> , <i>Lithoporella melobesioides</i> , <i>Mastophora pacifica</i> , <i>Neogoniolithon brassica-florida</i> , <i>Pneophyllum conicum</i> , <i>Pneophyllum fragile</i> , <i>Titanoderma pustulatum</i>			
205	French Polynesia	Pacific Islands	<i>Amphiroa anceps</i> , <i>Amphiroa foliacea</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa tribulus</i> , <i>Amphiroa valonioides</i> , <i>Hydrolithon boreale</i> ,	<i>Mesophyllum erubescens</i> , <i>Mesophyllum funafutiense</i>	<i>Sporolithon episoredion</i>	Payri, N'Yeurt and Orempuller, 2000; Keats et al., 2009; N'Yeurt and Payri, 2010

			<i>Hydrolithon farinosum</i> , <i>Hydrolithon gardineri</i> , <i>Hydrolithon murakoshii</i> , <i>Hydrolithon onkodes</i> , <i>Hydrolithon reinboldii</i> , <i>Hydrolithon rupestre</i> , <i>Hydrolithon samoense</i> , <i>Jania acutiloba</i> , <i>Jania adhaerens</i> , <i>Jania articulata</i> , <i>Jania pumila</i> , <i>Jania rubens</i> , <i>Jania spectabilis</i> , <i>Jania subulata</i> , <i>Lithophyllum flavescens</i> , <i>Lithophyllum insipidum</i> , <i>Lithophyllum kotschyanum</i> , <i>Mastophora pacifica</i> , <i>Neogoniolithon brassica-florida</i> , <i>Neogoniolithon fosliei</i> , <i>Neogoniolithon megalocystum</i> , <i>Pneophyllum conicum</i> , <i>Titanoderma pustulatum</i>	
206	Tahiti	Pacific Islands	<i>Hydrolithon braganum</i> , <i>Lithophyllum cuneatum</i> , <i>Mastophora pacifica</i>	Keats et al., 2009
207	Fiji	Pacific Islands	<i>Amphiroa anceps</i> , <i>Amphiroa annulata</i> , <i>Amphiroa beauvoisii</i> , <i>Amphiroa crassa</i> , <i>Amphiroa ephedraea</i> , <i>Amphiroa foliacea</i> , <i>Amphiroa fragilissima</i> , <i>Amphiroa rigida</i> , <i>Amphiroa tribulus</i> ,	N'Yeurt, South and Keats, 1996; Littler and Littler, 2003; South and Skelton, 2003; Keats et al., 2009

Hydrolithon boreale, *Hydrolithon breviclavium*, *Hydrolithon craspedium*, *Hydrolithon farinosum*,
Hydrolithon gardineri, *Hydrolithon murakoshii*, *Hydrolithon onkodes*,
Hydrolithon reinboldii, *Hydrolithon samoense*, *Jania acutiloba*, *Jania adhaerens*, *Jania capillacea*, *Jania pumila*, *Jania rubens*, *Jania spectabilis*, *Jania tenella*, *Jania ungulata*, *Lithophyllum bamleri*,
Lithophyllum cuneatum,
Lithophyllum flavescentia,
Lithophyllum insipidum,
Lithophyllum kotschyanum,
Lithophyllum okamurae,
Lithophyllum prototypum,
Lithophyllum pygmaeum,
Mastophora multistrata, *Mastophora pacifica*, *Neogoniolithon brassicoides*,
Neogoniolithon fosliei,
Neogoniolithon rugulosum,
Pneophyllum conicum, *Titanoderma pustulatum*

	Islands	Islands	<i>anceps, Amphiroa foliacea,</i> <i>Amphiroa fragilissima, Hydrolithon</i> <i>farinosum, Hydrolithon onkodes,</i> <i>Jania acutiloba, Jania capillacea,</i> <i>Jania rubens, Jania spectabilis,</i> <i>Lithophyllum okamurae,</i> <i>Lithophyllum pygmaeum,</i> <i>Lithoporella melobesioides,</i> <i>Neogoniolithon fosliei,</i> <i>Neogoniolithon oblimans</i>	<i>erythraeum</i>	1970
209	Papua New Guinea	Australia and NZ	<i>Amphiroa anceps, Amphiroa</i> <i>foliacea, Amphiroa fragilissima,</i> <i>Corallina berteroii, Hydrolithon</i> <i>onkodes, Hydrolithon reinboldii,</i> <i>Jania acutiloba, Jania adhaerens,</i> <i>Jania micrathrodia, Jania</i> <i>spectabilis, Jania unguifera f. brevior,</i> <i>Lithophyllum pygmaeum,</i> <i>Mastophora pacifica, Mastophora</i> <i>rosea</i>	<i>Sporolithon</i> <i>episporum</i>	Woelkerling, 1998; Coppejans and Millar, 2000; Littler and Littler, 2003
210	Christmas Island, Australia	Australia and NZ	<i>Jania micrathrodia</i>		Silva, Basson and Moe, 1996
211	Australia, western	Australia and NZ	<i>Amphiroa anceps, Amphiroa crassa,</i> <i>Amphiroa exilis, Amphiroa foliacea,</i>	<i>Choreonema thuretii,</i> <i>Lithothamnion muelleri,</i>	<i>Sporolithon durum</i> Huisman and Walker, 1990; Penrose, 1996;

<i>Amphiroa fragilissima</i> , <i>Amphiroa gracilis</i> , <i>Amphiroa klochkovana</i> , <i>Amphiroa tribulus</i> , <i>Corallina officinalis</i> , <i>Hydrolithon cymodoceae</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon gardineri</i> , <i>Hydrolithon munitum</i> , <i>Hydrolithon onkodes</i> , <i>Hydrolithon reinboldii</i> , <i>Hydrolithon rupestre</i> , <i>Jania adhaerens</i> , <i>Jania affinis</i> , <i>Jania micrathrodia</i> , <i>Jania pusilla</i> , <i>Jania rosea</i> , <i>Jania sagittata</i> , <i>Jania verrucosa</i> , <i>Lesueuria minderiana</i> , <i>Lithophyllum chamberlainianum</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum insipidum</i> , <i>Lithophyllum irvineanum</i> , <i>Lithophyllum kotschyanum</i> , <i>Lithophyllum prototypum</i> , <i>Lithophyllum pygmaeum</i> , <i>Lithophyllum stictaeforme</i> , <i>Mastophora pacifica</i> , <i>Metagoniolithon chara</i> , <i>Metagoniolithon radiatum</i> , <i>Metagoniolithon stelliferum</i> , <i>Metamastophora flabellata</i> ,	<i>Lithothamnion proliferum</i> , <i>Melobesia membranacea</i> , <i>Mesophyllum engelhartii</i> , <i>Mesophyllum incisum</i> , <i>Phymatolithon repandum</i> , <i>Synarthrophyton patena</i>	Womersley, 1996; Womersley and Johansen, 1996; Huisman, 2000; Huisman et al., 2009; Harvey et al., 2013
---	---	--

			<i>Neogoniolithon brassica-florida,</i> <i>Pneophyllum fragile, Pneophyllum</i> <i>submersiporum, Rhizolamiella</i> <i>collum, Spongites fruticulosa,</i> <i>Titanoderma pustulatum</i>		
212	Australia, Houtman Abrolhos	Australia and NZ	<i>Amphiroa anceps, Amphiroa</i> <i>foliacea, Amphiroa gracilis,</i> <i>Hydrolithon farinosum, Hydrolithon</i> <i>onkodes, Jania rosea,</i> <i>Metagoniolithon radiatum,</i> <i>Metagoniolithon stelliferum,</i> <i>Metamastophora flabellata,</i> <i>Pneophyllum fragile</i>	<i>Mesophyllum engelhartii,</i> <i>Mesophyllum erubescens,</i> <i>Mesophyllum funafutiense</i>	Huisman, 1997
213	Australia, Northern Territory	Australia and NZ	<i>Amphiroa anceps, Amphiroa</i> <i>foliacea, Amphiroa fragilissima,</i> <i>Jania rubens, Pneophyllum</i> <i>coronatum</i>		Lewis, 1984; Harvey et al., 2013
214	Australia, Queensland	Australia and NZ	<i>Amphiroa anastomosans, Amphiroa</i> <i>anceps, Amphiroa beauvoisii,</i> <i>Amphiroa crassa, Amphiroa foliacea,</i> <i>Amphiroa fragilissima, Amphiroa</i> <i>gracilis, Amphiroa klochkovana,</i> <i>Amphiroa rigida, Amphiroa tribulus,</i> <i>Arthrocardia wardii, Corallina</i> <i>berteroii, Corallina officinalis,</i>	<i>Choreonema thuretii,</i> <i>Lithothamnion glaciale,</i> <i>Lithothamnion proliferum,</i> <i>Melobesia leptura, Melobesia</i> <i>membranacea, Mesophyllum</i> <i>erubescens, Mesophyllum</i> <i>mesomorphum, Mesophyllum</i> <i>simulans, Phymatolithon</i>	Lewis, 1984; Bostock and Holland, 2010; Harvey et al., 2013; Bahia et al., 2014

Hydrolithon farinosum, *Hydrolithon repandum*
farinosum var. *chalicodictya*,
Hydrolithon gardineri, *Hydrolithon munitum*, *Hydrolithon onkodes*,
Hydrolithon reinboldii, *Hydrolithon samoense*, *Jania acutiloba*, *Jania adhaerens*, *Jania fastigiata*, *Jania micrathrodia*, *Jania rosea*, *Jania rubens*, *Jania spectabilis*, *Jania ungulata*, *Jania verrucosa*,
Lithophyllum chamberlainianum,
Lithophyllum corallinae,
Lithophyllum kotschyanum,
Lithophyllum pallescens,
Lithophyllum pygmaeum,
Lithophyllum stictaeforme,
Lithoporella melobesioides,
Mastophora pacifica, *Mastophora rosea*, *Metagoniolithon chara*,
Neogoniolithon brassica-florida,
Neogoniolithon fosliei,
Neogoniolithon megalocystum,
Neogoniolithon oblimans,
Neogoniolithon orthoblastum,
Pneophyllum confervicola,

			<i>Pneophyllum coronatum,</i> <i>Pneophyllum fragile, Spongites</i> <i>fruticulosa, Titanoderma pustulatum</i>			
215	Australia, New South Wales	Australia and NZ	<i>Amphiroa anceps, Amphiroa beauvoisii, Amphiroa klochkovana, Arthrocardia wardii, Corallina berteroii, Corallina caespitosa, Corallina officinalis, Hydrolithon farinosum, Hydrolithon onkodes, Hydrolithon rupestre, Jania micrathrodia, Jania rosea, Jania sagittata, Jania verrucosa, Lithophyllum stictaeforme, Metagoniolithon chara, Pachyarthron cretaceum, Titanoderma pustulatum</i>	<i>Epulo multipedes, Lithothamnion crispatum, Synartrrophyton patena</i>	<i>Heydrichia homalopasta, Sporolithon durum</i>	Miller and Kraft, 1993; Penrose, 1996; Womersley and Johansen, 1996; Womersley, 1996; Townsend and Borowitzka, 2001; Townsend and Huisman, 2004; Woelkerling et al., 2008; Basso et al., 2011; Brodie et al., 2013; Harvey et al., 2013
216	Australia, Lord Howe Island	Australia and NZ	<i>Amphiroa fragilissima, Amphiroa howensis, Corallina officinalis, Corallina officinalis var. chilensis, Jania rosea, Jania rubens, Mastophora pacifica, Titanoderma pustulatum</i>			Lewis, 1984; Millar and Kraft, 1993; Harvey et al., 2013
217	Australia, Norfolk Island	Australia and NZ	<i>Amphiroa anceps, Corallina officinalis, Corallina officinalis var. chilensis, Jania affinis, Jania</i>	<i>Mesophyllum lichenoides, Synartrrophyton patena</i>		Lewis, 1984; Millar, 1999

			<i>micrathrodia</i> , <i>Jania rosea</i> , <i>Jania verrucosa</i> , <i>Neogoniolithon brassica-florida</i> , <i>Titanoderma pustulatum</i>			
218	Australia, Victoria	Australia and NZ	<i>Amphiroa anceps</i> , <i>Amphiroa beauvoisii</i> , <i>Arthrocardia wardii</i> , <i>Corallina officinalis</i> , <i>Hydrolithon cymodoceae</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon rupestre</i> , <i>Jania affinis</i> , <i>Jania micrathrodia</i> , <i>Jania pusilla</i> , <i>Jania rosea</i> , <i>Jania sagittata</i> , <i>Jania verrucosa</i> , <i>Lesueuria minderiana</i> , <i>Lithophyllum chamberlainianum</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum johansenii</i> , <i>Lithophyllum stictaeforme</i> , <i>Lithoporella melobesioides</i> , <i>Mastophora pacifica</i> , <i>Metagoniolithon chara</i> , <i>Metagoniolithon radiatum</i> , <i>Metagoniolithon stelliferum</i> , <i>Metamastophora flabellata</i> , <i>Neogoniolithon brassica-florida</i> , <i>Pneophyllum coronatum</i> , <i>Pneophyllum fragile</i> , <i>Pneophyllum submersiporum</i> , <i>Spongites</i>	<i>Austrolithon intumescens</i> , <i>Choreonema thuretii</i> , <i>Lithothamnion crispatum</i> , <i>Lithothamnion muelleri</i> , <i>Mastophoropsis canaliculata</i> , <i>Melobesia membranacea</i> , <i>Melobesia rosanoffii</i> , <i>Mesophyllum engelhartii</i> , <i>Mesophyllum incisum</i> , <i>Mesophyllum macroblastum</i> , <i>Mesophyllum printzianum</i> , <i>Phymatolithon masonianum</i> , <i>Phymatolithon repandum</i> , <i>Synarthrophyton patena</i>	<i>Sporolithon durum</i>	Penrose, 1996; Womersley, 1996; Womersley and Johansen, 1996; Huisman, 2000; Harvey et al., 2013

			<i>fruticulosa</i> , <i>Spongites hyperella</i> , <i>Spongites tunicata</i> , <i>Spongites yendoi</i>		
219	Australia, Bass Strait	Australia and NZ	<i>Metagoniolithon chara</i>		Womersley and Johansen, 1996
220	Australia, South	Australia and NZ	<i>Amphiroa anceps</i> , <i>Amphiroa gracilis</i> , <i>Arthrocardia wardii</i> , <i>Corallina officinalis</i> , <i>Hydrolithon cymodoceae</i> , <i>Hydrolithon farinosum</i> , <i>Hydrolithon improcerum</i> , <i>Hydrolithon munitum</i> , <i>Hydrolithon rupestre</i> , <i>Hydrolithon samoense</i> , <i>Jania affinis</i> , <i>Jania micrathrodia</i> , <i>Jania parva</i> , <i>Jania pusilla</i> , <i>Jania rosea</i> , <i>Jania sagittata</i> , <i>Jania verrucosa</i> , <i>Lesueuria minderiana</i> , <i>Lithophyllum chamberlainianum</i> , <i>Lithophyllum corallinae</i> , <i>Lithophyllum irvineanum</i> , <i>Lithophyllum johansenii</i> , <i>Lithophyllum prototypum</i> , <i>Lithophyllum stictaeforme</i> , <i>Lithoporella melobesioides</i> , <i>Metagoniolithon chara</i> , <i>Metagoniolithon radiatum</i> , <i>Metagoniolithon stelliferum</i> , <i>Metamastophora flabellata</i> ,	<i>Austrolithon intumescens</i> , <i>Choreonema thuretii</i> , <i>Lithothamnion muelleri</i> , <i>Mastophoropsis canaliculata</i> , <i>Melobesia membranacea</i> , <i>Melobesia rosanoffii</i> , <i>Mesophyllum engelhartii</i> , <i>Mesophyllum incisum</i> , <i>Mesophyllum macroblastum</i> , <i>Mesophyllum printzianum</i> , <i>Phymatolithon masonianum</i> , <i>Phymatolithon repandum</i> , <i>Synarthrophyton patena</i>	Harvey and Woelkerling, 1995; Penrose, 1996; Womersley, 1996; Womersley and Johansen, 1996; Huisman, 2000

			<i>Neogoniolithon brassica-florida,</i> <i>Pneophyllum coronatum,</i> <i>Pneophyllum fragile, Pneophyllum</i> <i>submersiporum, Spongites</i> <i>fruticulosa, Titanoderma pustulatum</i>		
221	Tasmania	Australia and NZ	<i>Arthrocardia wardii, Corallina</i> <i>officinalis, Hydrolithon improcerum,</i> <i>Jania micrathrodia, Jania pusilla,</i> <i>Jania sagittata, Jania verrucosa,</i> <i>Lithophyllum chamberlainianum,</i> <i>Lithophyllum corallinae,</i> <i>Lithophyllum johansenii,</i> <i>Lithophyllum stictaeforme,</i> <i>Lithoporella melobesioides,</i> <i>Metagoniolithon chara,</i> <i>Metagoniolithon radiatum,</i> <i>Metagoniolithon stelliferum,</i> <i>Metamastophora flabellata,</i> <i>Pachyarthron cretaceum,</i> <i>Pneophyllum coronatum,</i> <i>Pneophyllum fragile, Pneophyllum</i> <i>submersiporum, Spongites hyperella,</i> <i>Spongites tunicata</i>	<i>Austrolithon intumescens,</i> <i>Choreonema thuretii,</i> <i>Lithothamnion muelleri,</i> <i>Mastophoropsis canaliculata,</i> <i>Melobesia membranacea,</i> <i>Melobesia rosanoffii,</i> <i>Mesophyllum engelhartii,</i> <i>Mesophyllum incisum,</i> <i>Mesophyllum macroblastum,</i> <i>Mesophyllum printzianum,</i> <i>Phymatolithon masonianum,</i> <i>Phymatolithon repandum,</i> <i>Synarthrophyton patena</i>	Harvey and Woelkerling, 1995; Penrose, 1996; Womersley, 1996; Womersley and Johansen, 1996; Woelkerling et al., 2008
222	New Zealand	Australia and NZ	<i>Amphiroa anceps, Arthrocardia</i> <i>corymbosa, Arthrocardia wardii,</i>	<i>Choreonema thuretii,</i> <i>Lithothamnion chathamense,</i>	<i>Heydrichia</i> <i>homalopasta,</i>

<i>Corallina armata, Corallina berteroii, Corallina hombronii, Corallina officinalis, Corallina pilulifera, Heteroderma jugatum, Hydrolithon farinosum, Hydrolithon improcerum, Hydrolithon onkodes, Hydrolithon rupestre, Hydrolithon samoense, Jania affinis, Jania cultrata, Jania micrathrodia, Jania novae-zelandiae, Jania pistillaris, Jania rosea, Jania sagittata, Jania unguilata f. brevior, Jania verrucosa, Lithophyllum carpophylli, Lithophyllum corallinae, Lithophyllum detrusum, Lithophyllum johansenii, Lithophyllum riosmenae, Lithophyllum stictaeforme, Lithophyllum tuberculatum, Lithoporella melobesioides, Mastophora pacifica, Neogoniolithon brassica-florida, Pneophyllum coronatum, Pneophyllum fragile, Spongites tunicata, Spongites yendoi</i>	<i>Lithothamnion crispatum, Lithothamnion geppiorum, Lithothamnion haptericola, Lithothamnion muelleri, Lithothamnion novae-zelandiae, Lithothamnion proliferum, Melobesia leptura, Melobesia membranacea, Melobesia rosanoffii, Mesophyllum engelhartii, Mesophyllum erubescens, Mesophyllum incisum, Mesophyllum insigne, Mesophyllum macroblastum, Mesophyllum printzianum, Phymatolithon calcareum, Phymatolithon repandum, Synarthrophyton patena, Synarthrophyton schielianum</i>	<i>Heydrichia woelkerlingii, Sporolithon durum</i>	Penrose, 1996; Nelson, 2012
<i>Corallina officinalis, Jania</i>			Nelson, 2013

	Stewart Islands/Rakiur a	and NZ	<i>micrathrodia, Jania rosea</i>		
224	New Zealand, Snares Islands/Tini Heke	Australia and NZ	<i>Jania rosea</i>	<i>Mesophyllum incisum</i>	Womersley, 1996; Nelson, 2013
225	New Zealand, Auckland Islands	Australia and NZ	<i>Arthrocardia filicula, Corallina hombronii, Corallina officinalis</i>	<i>Mesophyllum engelhartii, Mesophyllum incisum, Synarthrophyton patena</i>	Papenfuss, 1964; Chapman and Parkinson, 1974; Nelson, 2013
226	New Zealand, Kermadec Islands	Australia and NZ	<i>Amphiroa anceps, Corallina officinalis, Jania rosea, Jania sagittata</i>		Nelson, 2013
227	New Zealand, Chatman Islands	Australia and NZ	<i>Corallina officinalis, Jania rosea, Lithophyllum carpophylli, Spongites yendoi</i>	<i>Mesophyllum cystocarpideum, Mesophyllum engelhartii, Mesophyllum incisum, Phymatolithon repandum, Synarthrophyton patena, Synarthrophyton schielianum</i>	Chapman and Parkinson, 1974; Nelson, 2013
228	New Zealand, Bounty Island	Australia and NZ	<i>Jania rosea</i>		Nelson, 2013
229	New Zealand, Antipodes Islands	Australia and NZ	<i>Corallina officinalis</i>		Nelson, 2013
230	Antarctica, Antarctic		<i>Corallina berteroii, Jania rosea</i>	<i>Melobesia leptura</i>	Levring, 1945; Papenfuss,

	Campbell Islands	a			1964
231	Antarctica, Macquarie Island	Antarctic a	<i>Pseudolithophyllum consociatum</i> , <i>Pseudolithophyllum discoideum</i>	<i>Clathromorphum obteculum</i> , <i>Melobesia membranacea</i> , <i>Phymatolithon lenormandii</i> , <i>Synarthrophyton patena</i> , <i>Synarthrophyton schmitzii</i> <i>Synarthrophyton patena</i>	Ricker, 1987; Wiencke and Clayton, 2002
232	Antarctica, Heard Island	Antarctic a			Wiencke and Clayton, 2002
233	Antarctica, Kerguelen	Antarctic a	<i>Pseudolithophyllum consociatum</i>	<i>Clathromorphum obteculum</i> , <i>Lithothamnion kerguelenum</i> , <i>Phymatolithon lenormandii</i>	Papenfuss, 1964; Wiencke and Clayton, 2002
234	Antarctica, Crozet Islands	Antarctic a		<i>Lithothamnion granuliferum</i>	Wiencke and Clayton, 2002
235	Antarctica, South Georgia	Antarctic a	<i>Plectoderma minus</i>	<i>Clathromorphum obteculum</i>	Papenfuss, 1964; Wiencke and Clayton, 2002
236	Antarctica, South Orkney Islands	Antarctic a	<i>Lithophyllum subantarcticum</i>	<i>Clathromorphum obteculum</i>	Wiencke and Clayton, 2002
237	Antarctica, South Shetland Islands	Antarctic a	<i>Lithophyllum subantarcticum</i>	<i>Clathromorphum obteculum</i> , <i>Lithothamnion granuliferum</i> , <i>Synarthrophyton patena</i>	Wiencke and Clayton, 2002
238	Antarctica, Fuegia	Antarctic a	<i>Amphiroa beauvoisii</i> , <i>Amphiroa crassa</i> , <i>Bossiella orbigniana</i> ,	<i>Lithothamnion muelleri</i> , <i>Phymatolithon calcareum</i>	Papenfuss, 1964

			<i>Corallina armata</i> , <i>Hydrolithon farinosum</i> , <i>Lithophyllum decussatum</i> , <i>Lithophyllum racemus</i> , <i>Neogoniolithon mamillare</i> , <i>Pachyarthron cretaceum</i> , <i>Pneophyllum amplexifrons</i> , <i>Titanoderma conspectum</i>		
239	Antarctica, Tierra del Fuego	Antarctic a	<i>Lithophyllum subantarcticum</i>	<i>Clathromorphum obteculum</i> , <i>Lithothamnion granuliferum</i>	Wiencke and Clayton, 2002
240	Antarctica, Peninsula	Antarctic a	<i>Lithophyllum atalayense</i> , <i>Lithophyllum subantarcticum</i>	<i>Clathromorphum obteculum</i> , <i>Lithothamnion granuliferum</i> , <i>Synarthrophyton patena</i>	Papenfuss, 1968; Hommersand et al., 2009
241	Antarctica, Subantarctic Islands	Antarctic a	<i>Corallina officinalis</i> , <i>Corallina officinalis</i> var. <i>chilensis</i> , <i>Jania rosea</i> , <i>Lithophyllum subantarcticum</i> , <i>Pseudolithophyllum discoideum</i>	<i>Clathromorphum obteculum</i> , <i>Lithothamnion fuegianum</i> , <i>Lithothamnion granuliferum</i> , <i>Lithothamnion heterocladum</i> , <i>Lithothamnion manginii</i> , <i>Phymatolithon lenormandii</i> , <i>Synarthrophyton neglectum</i>	Papenfuss, 1964; Wiencke and Clayton, 2002

1

2

3 Table S3. The global distribution and presence of rhodoliths and rhodolith beds. Data from Bosence (1983) and Foster (2001) and
4 supplemented with more studies.

No. #	Global region	Region	Sort of construction	Reference
1	Arctic	Devon Island, Canada	Rhodolith bed	Foster, 2001
2	Arctic	northwest of Norway	Rhodolith bed	Freiwald and Henrich, 1994
3	Arctic	west of Norway	Maerl rhodoliths	Foslie, 1894
4	North Atlantic	northern and western coast of Scotland	Rhodolith bed and maerl rhodoliths	Foster, 2001
5	North Atlantic	west coast of Ireland, Ireland	Rhodolith bed	Grave et al., 2000
6	North Atlantic	west of Ireland	Maerl rhodoliths	Bosence, 1979
7	North Atlantic	south-east of Engeland, UK	Rhodolith bed	Farnham and Bischop, 1985
8	North Atlantic	west of Bretagne, France	Maerl rhodoliths	Lemoine, 1910
9	North Atlantic	west of Spain	Maerl rhodoliths	Adey and McKibbin, 1970
10	Mediterranean	south of France	Rocky slope rhodoliths	Laborel, 1961
11	Mediterranean	Corsica, France	Deep water rhodoliths	Blanc, 1968
12	Mediterranean	Mallorca, Spain	Maerl rhodoliths	Jacquotte, 1962
13	Mediterranean	west coast of Italy	Rhodolith bed	Basso, 1998
14	Mediterranean	Malta	Rhodolith bed	Borg et al., 1998
15	Red Sea	Red Sea, east of Egypt	Rhodolith bed	Piller and Rasser, 1996
16	North Atlantic	west of Maroc	Maerl rhodoliths	Summerhayes et al., 1976
17	North Atlantic	Canaric Islands	Deep water rhodoliths	McMaster and Conover, 1966
18	North Atlantic	east of Nova Scotia, Canada	Maerl rhodoliths	Adey, 1966
19	North Atlantic	south of Nova Scotia, Canada	Rocky slope rhodoliths	Adey, 1966
20	North Atlantic	east of South Carolina, USA	Relic rhodoliths and back reef rhodoliths	Thompson, 1877; Macintyre and Milliman, 1970; Bosellini and Ginsburg, 1971
21	North Atlantic	east of Florida, USA	Rhodolith bed, relic rhodoliths	Bosence, 1983; Littler et al., 1991

			and fore reef rhodoliths	
22	North Atlantic	south-east of Florida, USA	Rhodolith bed	Prager and Ginsburg, 1989
23	Tropical Caribbean	south-west of Florida, USA	Back reef rhodoliths	Bosence, 1983
24	Tropical Caribbean	west of Florida, USA	Rhodolith bed	McClintock et al., 1993
25	Tropical Caribbean	east of Mexico	Relic rhodoliths	Parker and Curray, 1956
26	Tropical Caribbean	north of Honduras	Relic rhodoliths and back reef rhodoliths	Logan et al., 1969
27	Tropical Caribbean	north of Antigua and Barbuda	Fore reef rhodoliths	Bosence, 1983
28	Tropical Caribbean	east of Antigua and Barbuda	Rhodolith bed	Reid and Macintyre, 1988
29	Tropical Caribbean	west of Antigua and Barbuda	Back reef rhodoliths	Adey, 1966
30	Tropical Caribbean	north of Suriname	Back reef rhodoliths	Zanevald, 1958
31	South Atlantic	east coast of Brazil	Rhodolith bed	Kempf, 1970; Milliman, 1977
32	South Atlantic	Gulf of Guinea, Guinea	Rhodolith bed and relic rhodoliths	John and Lawson, 1991
33	South Atlantic	south of South Africa	Relic rhodoliths	Siesser, 1972
34	Indian Ocean	east of Zanzibar	Rhodolith bed	Foster, 2001
35	Indian Ocean	Seychelles	Back reef rhodoliths	Montaggioni, 1979
36	Indian Ocean	Mauritius	Fore reef rhodoliths + reef flat	Montaggioni, 1979

			channel rhodoliths	
37	Indian Ocean	south of east-Timor, Indonesia	Reef flat and channel rhodoliths	Weber von Bosse and Foslie, 1904
38	Indian Ocean	western Australia	Rhodolith bed	James et al., 1999
39	Southern Ocean	Great Australian Bight, Australia	Rhodolith bed	Foster, 2001
40	Southern Ocean	Kapiti Island, New Zealand	Rhodolith bed	Foster, 2001
41	South Pacific	east coast of Australia	Rhodolith bed	Harris et al., 1996
42	South Pacific	One Tree Reef, east of Australia	Rhodolith bed	Ringeltaube and Harvey, 2000
43	South Pacific	Fiji Islands	Rhodolith bed	Scoffin et al., 1985
44	North Pacific	Camiguin Island, Philippines	Rhodolith bed	Foster, 2001
45	North Pacific	Mariana Islands	Reef flat and channel rhodoliths	Johnson, 1961
46	North Pacific	east of Okinawa, Japan	Rhodolith bed	Tsuji, 1993
47	North Pacific	north of Okinawa, Japan	Reef flat and channel rhodoliths	Konishi, 1975
48	North Pacific	Hawaiian Islands, USA	Fore reef rhodoliths	Adey et al., 1982
49	North Pacific	Queen Charlotte Islands, Canada	Rhodolith bed	Foster, 2001
50	North Pacific	Isla Cedros, west of California, USA	Rhodolith bed	Foster, 2001
51	North Pacific	western Gulf of California, USA	Rhodolith bed	Foster, 2001
52	Tropical Pacific	west of Costa Rica	Rhodolith bed	Foster, 2001
53	Tropical Pacific	west of Panama	Rhodolith bed	Glynn, 1974
54	South Pacific	Galapagos Islands	Rhodolith bed	Foster 2001
55	North Pacific	Prince William Sound, Alaska, USA	Rhodolith bed	Konar et al., 2006
56	Southern Ocean	Western Port, Victoria, Australia	Rhodolith bed	Harvey and Bird, 2006
57	Arctic	Kaap Rubin, Spitsbergen	Rhodolith bed	Büdenbender et al., 2011



Figure S1. Global distribution and presence of living rhodoliths and rhodolith beds. The data is from (Bosence, 1983) and (Foster, 2001) and supplemented with more data available. 1. Devon Island, Canada, 2. northwest of Norway, 3. west of Norway, 4. northern and western coast of Scotland, 5. west coast of Ireland, Ireland, 6. west of Ireland, 7. south-east of England, UK, 8. west of Bretagne, France, 9. west of Spain, 10. south of

1 France, 11. Corsica, France, 12. Mallorca, Spain, 13. west coast of Italy, 14. Malta, 15. Red Sea, east of Egypt, 16. west of Morocco, 17. Canarie
2 Islands, 18. east of Nova Scotia, Canada, 19. south of Nova Scotia, Canada, 20. east of South Carolina, USA, 21. east of Florida, USA, 22. south-east of
3 Florida, USA, 23. south-west of Florida, USA, 24. west of Florida, USA, 25. east of Mexico, 26. north of Honduras, 27. north of Antigua and Barbuda,
4 28. east of Antigua and Barbuda, 29. west of Antigua and Barbuda, 30. north of Suriname, 31. east coast of Brazil, 32. Gulf of Guinea, Guinea, 33.
5 South Africa, 34. east of Zanzibar, 35. Seychelles, 36. Mauritius, 37. south of east-Timor, Indonesia, 38. western Australia, 39. Great Australian Bight,
6 Australia, 40. Kapiti Island, New Zealand, 41. east coast of Australia, 42. One Tree Reef, east of Australia, 43. Fiji Islands, 44. Camiguin Island,
7 Philippines, 45. Mariana Islands, 46. east of Okinawa, Japan, 47. north of Okinawa, Japan, 48. Hawaiian Islands, USA, 49. Queen Charlotte Islands,
8 Canada, 50. Isla Cedros, west of California, USA, 51. western Gulf of California, USA, 52. west of Costa Rica, 53. west of Panama, 54. Galapagos
9 Islands, 55. Prince William Sound, Alaska, USA, 56. Western Port, Victoria, Australia, and 57. Kaap Rubin, Spitsbergen. Data is described fully with
10 references in Supplementary material, Table S3.

11

12 References in supplementary material

- 13 Abbott, I.A.: Marine red algae of the Hawaiian Islands, Honolulu, Hawaii: Bishop Museum Press, 1–477, 1999.
- 14 Adams, N.M.: Seaweeds of New Zealand, An Illustrated Guide, Christchurch: Canterbury University Press, 8–360, 1994.
- 15 Adey, W.H. and Adey, P.J.: Studies of the biosystematics and ecology of the epilithic crustose Corallinaceae of the British Isles, British
16 Phycological Journal, 8, 343–407, 1973.
- 17 Adey, W.H. and McKibbin, D.L.: Studies on the maerl species *Phymatolithon calcareum* Pallas (nov. comb.) and *Lithothamnium coralliodes*
18 Crouan in the Ria de Vigo, Botanica Marina, 13, 100–106, 1970.
- 19 Adey, W.H.: Distribution of saxicolous crustose corallines in the northwestern North Atlantic, Journal of Phycology, 2, 49–54, 1966.

- 1 Adey, W.H., Chamberlain, Y.M. and Irvine, L.M.: An SEM-based analysis of the morphology, anatomy and reproduction of *Lithothamnion*
2 *tophiforme* (Esper) Unger (Corallinales, Rhodophyta), with a comparative study of associated North Atlantic Arctic/Subarctic
3 Melobesioideae, *Journal of Phycology*, 41, 1010–1024, 2005.
- 4 Adey, W.H., Masaki, T. and Akioka, H.: *Ezo epiyessoense*, a new parasitic genus and species of Corallinaceae (Rhodophyta,
5 Cryptonemiales), *Phycologia*, 13, 329–344, 1974.
- 6 Adey, W.H., Townsend, R.A. and Boykins, W.T.: The crustose coralline algae (Rhodophyta: Corallinaceae) of the Hawaiian Islands,
7 in: *Smithsonian Contributions to the Marine Sciences*, 15, 1– 74, 1982.
- 8 Aguirre, J., Braga, J.C., de Reviers, B. and Woelkerling, W.J.: Reassessment of Lemoine's newly discovered types of fossil corallines
9 (Corallinales, Rhodophyta) preserved at the Muséum national d'histoire naturelle, Paris, *Cryptogamie Algologie*, 33, 289–326, 2012.
- 10 Albis-Salas, M.R. and Gavio, B.: Notes on marine algae in the International Biosphere Reserve Seaflower, Caribbean Colombian I: new records of
11 macroalgal epiphytes on the seagrass *Thalassia testudinum*, *Botanica Marina*, 54, 537–543, 2011.
- 12 Aleem, A.A.: Marine algae of Alexandria, Egypt, Alexandria, Privately published, 1–135, 1993.
- 13 Alongi, G., Cormaci, M., Furnari, G. and Catra, M.: Floristic macroalgal diversity in selected submarine caves located within two marine protected
14 areas off Lampedusa Island and Sicily (Italy), *Botanica Marina*, 55, 387–397, 2012.
- 15 Anon: Listado preliminar de especies marinas de Canarias, Tenerife: Observatorio Ambiental Granadilla, 1–174, 2011.
- 16 Anon: Algae of Taiwan, Algae of Taiwan Checklist, Biota Taiwanica, 2012.
- 17 Anon: Inventaire national du Patrimoine naturel, Website Paris, Muséum National d'Histoire Naturelle, 2012.
- 18 Araújo R., Bárbara I. and Sousa-Pinto I.: Seaweeds of the Minho Region (North Portugal), *Indian Journal of Marine Sciences*, 2005.
- 19 Araújo, R., Bárbara, I., Santos, G., Rangel, M. and Sousa Pinto, I.: *Fragmenta Chorologica Occidentalia, Algae*, 8572–8640, 405–409, 2003.

- 1 Araujo, R., Bárbara, I., Tibaldo, M., Berecibar, E., Diaz-Tapia, P., Pereira, R., Santos, R. and Sousa-Pinto, I.: Checklist of benthic marine algae
2 and cyanobacteria of northern Portugal, *Botanica Marina*, 52, 24–46, 2009.
- 3 Ardré, F.: Contribution à l'étude des algues marines du Portugal, I. La flore, *Portugaliae Acta Biologica, Série B, Sistemática, Ecologia,*
4 *Biogeografia e Paleontologia*, 10, 137–555, 1970.
- 5 Athanasiadis, A. and Ballantine, D.L.: *Lithothamnion carpoklonion* sp. nov. (Melobesioideae, Corallinales, Rhodophyta) from Puerto Rico,
6 Caribbean Sea: an epiphytic encrusting coralline alga producing conceptacle protuberances, *Botanica Marina*, 54, 403–410, 2011.
- 7 Athanasiadis, A. and Neto, A.I.: On the occurrence of *Mesophyllum expansum* (Philippi) Cabioch and Mendoza (Melobesioideae, Corallinales
8 (Rhodophyta) in the Mediterranean Sea, the Canary Isles and the Azores, *Botanica Marina*, 53, 333–341, 2010.
- 9 Athanasiadis, A.: A survey of the seaweeds of the Aegean Sea with taxonomic studies on species of the tribe Antithamnieae (Rhodophyta),
10 Gothenburg: University of Gothenburg, 1–174, 1987.
- 11 Athanasiadis, A.: Taxonomisk litteratur och biogeografi av Skandinaviska rödalger och brunalger, Göteborg: *Algologia*, 1–280, 1996.
- 12 Athanasiadis, A.: *Mesophyllum macedonis*, nov. sp. (Rhodophyta, Corallinales), a putative Tethyan relic in the north Aegean Sea, *European*
13 *Journal of Phycology*, 34, 239–252, 1999.
- 14 Athanasiadis, A.: Revision of Dawson's collections referred to *Lithothamnion lamellatum* (Melobesioideae, Corallinales, Rhodophyta), *Nova*
15 *Hedwigia*, 85, 195–242, 2007.
- 16 Athanasiadis, A., Ballantine, D.L. and Ruiz, H.: *Hydrolithon abyssophila* sp. nov. (Hydrolithoideae, Corallinales), a bisporic coralline from the
17 insular shelf edge of Puerto Rico and the Virgin Islands (US), *Botanica Marina* 56, 495–505, 2013.
- 18 Athanasiadis, A., Lebednik, P. and Adey, W.H.: The genus *Mesophyllum* (Melobesioideae, Corallinales, Rhodophyta) on the northern Pacific
19 coast of North America, *Phycologia*, 43, 126–165, 2004.

1 Atkinson, M. J. and Grigg, R. W.: Model of a coral reef ecosystem. II. Gross and net benthic primary production at French Frigate Shoals, Hawaii,
2 Coral Reefs, 3, 13–22, 1984.

3 Atmadja, W.S. and Prud'homme van Reine, W.F.: Checklist of the seaweed species biodiversity of Indonesia with their distribution and
4 classification: Rhodophyceae. Ceklis keanekaragaman jenis rumput laut di Indonesia dengan sebaran dan klasifikasinya merah (Rhodophyceae),
5 Jakarta: Coral Reef Information and Training Centre, Coral Reef Rehabilitation and Management Programme, Indonesian Institute of Sciences
6 (LIPI), 1–72, 2012.

7 Babbini, L. and Bressan, G.: Recensement de Corallinacées de la Mer Méditerranée et considérations phytogéographiques, *Bibliotheca*
8 *Phycologica*, 103, 1–421, 1997.

9 Bahia, R.G., Filho, G.M.A. and Maneveldt, G.W.: Sporolithon molle (Heydrich) Heydrich (Sporolithales, Corallinophycidae, Rhodophyta): an
10 addition to the Atlantic flora found on a remote oceanic island, *Cryptogamie Algologie*, 35, 7–14, 2014.

11 Ballantine, D.L., Athanasiadis, A. and Ruiz, H.: Notes on the benthic marine algae of Puerto Rico, X. Additions to the flora, *Botanica Marina*, 54,
12 293–302, 2011.

13 Ballantine, D.L., Ruiz, H. and Aponte, N.E.: Notes on the benthic marine algae of Puerto Rico, VIII. Additions to the flora, *Botanica Marina*, 47,
14 335–340, 2004.

15 Ballesteros, E. and Romero, J.: Catálogo de las algas bentónicas (con exclusión de las diatomeas) de la Costa Catalana, *Col. Bot.*, 132, 723–765,
16 1982.

17 Bárbara, I., Cremades, J., Calvo, S., López-Rodríguez, M.C. and Dosil, J.: Checklist of the benthic marine and brackish Galician algae (NW
18 Spain), *Anales del Jardín Botánico de Madrid*, 62, 69–100, 2005.

19 Bárbara, I., P.Díaz Tapia, C.Peteiro, E.Berecibar, V.Peña, N.Sánchez, A.M.Tavares, R.Santos, A.Secilla, P.Riera Fernández, R.Bermejo and
20 V.García.: Nuevas citas y aportaciones corológicas para la flora bentónica marina del Atlántico de la Península Ibérica, *Acta Botánica*
21 Malacitana, 37, 5–32, 2012.

- 1 Bartsch, I. and Kuhlenkamp, R.: The marine macroalgae of Helgoland (North Sea): an annotated list of records between 1845 and 1999, *Helgoland*
2 *Marine Research*, 54, 160–189, 2000.
- 3 Basso, D. and Rodondi, G.: A Mediterranean population of *Spongites fruticulosus* (Rhodophyta, Corallinales), the type species of *Spongites*, and
4 the taxonomic status of *S. stalactitica* and *S. racemosa*, *Phycologia*, 45, 403–416, 2006.
- 5 Basso, D.: Deep rhodolith distribution in the Pontian Islands, Italy: a model for the paleoecology of a temperate sea, *Palaeogeography*,
6 *Palaeoclimatology, Palaeoecology*, 137, 173–187, 1998.
- 7 Basso, D., Rodondi, G. and Bressan, G.: A re-description of *Lithothamnion crispatum* and the status of *Lithothamnion superpositum* (Rhodophyta,
8 Corallinales), *Phycologia*, 502, 144–155, 2011.
- 9 Bates, C.R., Saunders, G.W. and Chopin, T.: An assessment of two taxonomic distinctness indices for detecting seaweed assemblage responses to
10 environmental stress, *Botanica Marina*, 48, 231–243, 2005.
- 11 Ben Maiz, N., Boudouresque, C.-F. and Quahchi, F. : Inventaire des algues et phanérogames marines benthiques de la Tunisie, *Giornale Botanico*
12 *Italiano*, 121, 259–304, 1987.
- 13 Betancourt, L. and Herrera-Moreno, A.: Algas marinas bentónicas (Rhodophyta, Phaeophyta y Chlorophyta) conocidas para la
14 Hispaniola, *Moscosoa*, 12, 105–134, 2001.
- 15 Blanc, J.J.: The sediments of the Mediterranean Sea, *Oceanographical Marine Biology Annual Review*, 6, 373–454, 1968.
- 16 Boraso de Zaixso, A.L.: Elementos para el estudio de las macroalgas de Argentina, Con colaboración de J.M. Zaixso. Comodoro Rivadavia:
17 Universitaria de la Patagonia, 1–204, 2013.
- 18 Borg, J.A. et al.: The macrobenthic species of the infralittoral to circalittoral transition zone off the northeastern coast of Malta (central
19 Mediterranean), *Xjenza*, 3, 16–24, 1998.

- 1 Børgesen, F.: Marine algae from Easter Island, in: The Natural History of Juan Fernandez and Easter Island, edited by Skottsberg, C., Uppsala:
2 Almquist and Wiksells, 2, 247–309, 1924.
- 3 Bosellini, A. and Ginsburg, R.N.: Form and internal structure of recent algal nodules (Rhodolites), Bermuda, Journal of Geology, 79, 669–682,
4 1971.
- 5 Bosence, D.W.J.: Live and dead faunas from coralline algal gravels, Co. Galway, Ireland, Palaeontology, 22, 440–456, 1979.
- 6 Bosence, D.W.J.: The occurrence and ecology of recent Rhodoliths - A review, in: Coated grains, edited by T. M. Peryt, Springer-Verlag, Berlin,
7 225–242, 1983.
- 8 Bostock, P.D. and Holland, A.E.: Census of the Queensland Flora. Brisbane: Queensland Herbarium Biodiversity and Ecosystem Sciences,
9 Department of Environment and Resource Management, 1–320, 2010.
- 10 Bressan, G. and Babbini, L.: Biodiversità marina delle coste Italiane: Corallinales del Mar Mediterraneo: guida all determinazione, Biologia Marina
11 Mediterranea, 10, 1–237, 2003.
- 12 Brodie, J., Walker, R.H., Williamson, C. and Irvine, L.M.: Epitypification and redescription of *Corallina officinalis* L., the type of the genus,
13 and *C. elongata* Ellis et Solander (Corallinales, Rhodophyta), Cryptogamie Algologie, 341, 49–56, 2013.
- 14 BSPC Editorial Board, Black Sea phytoplankton checklist: <http://phyto.bss.ibss.org.ua>, last access: 14 June 2014.
- 15 Büdenbender, J., Riebesell, U. and Form, A.: Calcification of the Arctic coralline red algae *Lithothamnion glaciale* in response to elevated CO₂,
16 Marine Ecology Progress Series, 441, 79–87, 2011.
- 17 Cabioch, J. and Mendoza, M.L.: *Mesophyllum alternans* (Foslie) comb. nov. (Corallinales, Rhodophyta), a mediterraneo-atlantic species, and new
18 considerations on the *Lithothamnion philippii* Foslie complex, Phycologia, 37, 208–221, 1998.
- 19 Caram, B. and Jónsson, S.: Nouvelle inventaire des algues marines de l'Islande, Acta Botanica Islandica, 1, 5–31, 1972.
- 20 Caraus, I. : The algae of Romania, Studii si Cercetari, Universitatea Bacau, Biologie, 7, 1–694, 2002.

- 1 Castaneda-Fernández de Lara, V., Reyes-Bonilla, H. and Serviere-Zaragoza, E.: A tropical assemblage of benthic macroalgae on rocky reefs in a
2 temperate zone on the western Baja California peninsula, Mexico, *Botanica Marina*, 53, 195–203, 2010.
- 3 Cecere, E., Cormaci, M., Furnari, G., Petrocelli, A., Saracino, O. and Serio, D.: Benthic algal flora of Cheradi Islands (Gulf of Taranto,
4 Mediterranean Sea), *Nova Hedwigia*, 62, 191–214, 1996.
- 5 Chamberlain, Y.M. and Norris, R.E.: *Pneophyllum amplexifrons* (Harvey) comb. nov., a mastophoroid crustose coralline red algal epiphyte from
6 Natal, South Africa, *Phycologia*, 33, 8–18, 1994.
- 7 Chamberlain, Y.M.: Marine algae of Gough Island, *Bulletin of the British Museum (Natural History) Botany*, 3, 176–232, 1965.
- 8 Chamberlain, Y.M.: *Pneophyllum coronatum* (Rosanoff) D. Penrose comb. nov., *P. keatsii* sp. nov., *Spongites discoideus* (Foslie) D. Penrose et
9 Woelkerling and S. impar (Foslie) Y. Chamberlain comb. nov. (*Rhodophyta*, *Corallinaceae*) from South Africa, *Phycologia*, 33, 141–157, 1994.
- 10 Chapman, V.J. and Parkinson, P.G.: Issue 3: Cryptonemiales, in: *The marine algae of New Zealand, Part III. Rhodophyceae*, edited by Chapman,
11 V.J., 155–278, 1974.
- 12 Chisholm, J. R. M.: Photosynthesis, calcification, and photoadaptation, in reef-building crustose coralline algae on the Great Barrier Reef, PhD
13 thesis, James Cook Univ., 1988.
- 14 Cinelli, F.: Alge bentoniche di profondità raccolte alla punta S. Pancrazio nell'Isola di Ischia (Golfo di Napoli), *Giornale Botanico Italiano*, 105,
15 207–236, 1971.
- 16 Cinelli, F., Drago, D., Furnari, G., Giaccone, G., Scammacca, B., Solazzi, A., Sortino, M. and Tolomio, C.: Flora marina dell'Isola di Linosa
17 (Arcipelago delle Pelagie), *The sea flora of Linosa Island (Pelagie Islands)*, *Mem. Biol. Mar. Ocean*, 6, 141–172, 1976.
- 18 Cires Rodriguez, E. and Cuesta Moliner, C.: Checklist of benthic algae from the Asturias coast (North of Spain), *Bol. Cien. Nat. RIDEA*, 51, 135–
19 212, 2010.
- 20 Coll, J. and Oliveira, E.C.: The benthic marine algae of Uruquay, *Botanica Marina*, 42, 129–135, 1999.

- 1 Conde Poyales, F. : Sobre la colección de algas del herbario de la Sociedad Malagueña De Ciencias (S. XIX), Acta Botanica Malacitana, 17, 29–
2 55, 1992.
- 3 Conde, F. and Flores Moya, A.: Nuevas adiciones al conocimiento de las macroalgas marinas de la isla de Alborán (Mediterráneo
4 Occidental), Acta Bot. Malacitana, 25, 180–184, 2000.
- 5 Coppejans, E. and Millar, A.J.K.: Marine red algae from the North coast of Papua New Guinea, Botanica Marina, 43, 315–346, 2000.
- 6 Coppejans, E., Leliaert, F., Dargent, O., Gunasekara, R., and De Clerck, O.: Sri Lankan Seaweeds. Methodologies and field guide to the dominant
7 species, ABC Taxa, 6, 1–265, 2009.
- 8 Coppejans, E., Prathee, A., Leliaert, F., Lewmanomont, K. and De Clerck, O.: Seaweeds of Mu Ko Tha Lae Tai (SE Thailand), Methodologies and
9 field guide to the dominant species, 4–274, 2011.
- 10 Cormaci, M., Lanfranco, E., Borg, J.A., Buttigieg, J.A., Furnari, G., Micallef, S.A., Mifsud, C., Pizzuto, F., Scammacca, B. and Serio, D.:
11 Contributions to the knowledge of benthic marine algae on rocky substrata of the Maltese Islands (Mediterranean Sea), Botanica Marina, 40, 203–
12 215, 1997.
- 13 Costa, O. S., Attrill, M. J., Pedrini, A. G. and De-Paula, J. C.: Benthic macroalgal distribution in coastal and offshore reefs at Porto Seguro Bay,
14 Brazilian Discovery Coast, Proc. 9th Int. Coral Reef Symp. Bali, Indones, 2000.
- 15 Couto, R.P., Rosas-Alquicira, E.F., Rodrigues, A.S. and Neto, A.I.: *Choreonema thuretii* and *Pneophyllum confervicola* (Corallinales,
16 Rhodophyta), new records of coralline algae for the Azores, Cryptogamie Algologie, 32, 293–299, 2011.
- 17 Cremades, J. : Apuntes sobre la vegetación bentónica marina de las Islas Baleares, I. Novedades florísticas para la isla de Mallorca, Anal. Jard.
18 Bot. Madrid, 461, 149–152, 1989.
- 19 Dangeard, P.: Les algues marines de la côte occidentale du Maroc, Le Botaniste, 34, 89–189, 1949.
- 20 Dawson, E.Y.: The marine algae of the Gulf of California, Allan Hancock Pacific Expeditions, 3, 189–432, 1944.

- 1 Dawson, E.Y.: Marine red algae of Pacific Mexico. Part 1. Bangiales to Corallinaceae subf. Corallinoidae, Allan Hancock Pacific Expeditions, 17,
2 1–239, 1953.
- 3 Dawson, E.Y.: Marine red algae of Pacific Mexico. Part 3. Cryptonemiales, Corallinaceae subf. Melobesioideae, Pacific Naturalist, 2, 3–125, 1960.
- 4 De Clerck, O. and Coppejans, E.: Marine algae of the Jubail Marine Wildlife Sanctuary, Saudi Arabia, in: A marine Wildlife Sanctuary for the
5 Arabian Gulf, Environmental Research and conservation following the 1991 Gulf war Oil Spill, edited by Krupp, F., Abuzinada, I.A. and Nader,
6 A.H., NCWCD, Riyadh and Senckenberg Research Institute, Frankfurt a.M, 199–289, 1996.
- 7 De Clerck, O., Tronchin, E.M. and Schils, T.: Red algae, Rhodophyceae. Guide to the seaweeds of KwaZulu-Natal, Scripta Botanica Belgica, 33,
8 131–267, 2005.
- 9 Díaz-Pulido, G. and Díaz-Ruiz, M.: Diversity of benthic marine algae of the Colombian Atlantic, Biota Colombiana, 4, 203–246, 2003.
- 10 Dimitrova-Konaklieva, S.D.: Geographical analysis on the marine algae of the Black-Sea in the Ahtopol area, Phytology, 18, 22–35, 1981.
- 11 Dizerbo, A.H. and Herpe, E.: Liste et répartition des algues marines des côtes françaises de la Manche et de l'Atlantique, Iles Normandes incluses,
12 Landernau, Éditions Anaximandre, 1–315, 2007.
- 13 Duncan, E.J. and Lee Lum, L.M.: A checklist of the marine macroalgae of the Republic of Trinidad and Tobago, Caribbean Marine Studies, 7, 1–
14 96, 2006.
- 15 Einav, R.: Seaweeds of the eastern Mediterranean coast, Ruggell, Liechtenstein: A.R.G. Gantner Verlag K.G., 6–266, 2007.
- 16 Eston, V. R., Migotto, A. E., Oliveira Filho, E. C., Rodrigues, S. A. and Freitas, J. C.: Vertical distribution of benthic marine organisms on rocky
17 coasts of the Fernando de Noronha Archipelago (Brazil), Bolm. Inst. Ocean., 34, 37–53, 1986.
- 18 Farnham, W.F. and Bisshop, G.M.: Survey of the Fal Estuary, Cornwall, Progress in Underwater Science, 10, 53–63, 1985.
- 19 Feldmann, J.: Inventaire de la flore marine de Roscoff. Algues, champignons, lichens et spermatophytes, Travaux Station Biologique de Roscoff,
20 Nouvelle Série, 6, 152, 1954.

- 1 Fernández-García, C., Riosmena-Rodríguez, R., Wysor, B., Tejada, O.L. and Cortéz, J.: Checklist of the Pacific marine macroalgae of Central
2 America, *Botanica Marina*, 54, 53–73, 2011.
- 3 Figueiredo, M. A. O.: Diversity of macrophytes in the Abrolhos Bank, Brazil, in: A rapid marine biodiversity assessment of the Abrolhos Bank,
4 Bahia, Brazil, edited by G. F. Dutra, G. R. Allen, T. Werner, and S. A. McKenna, 67–74, RAP Bulletin of Biological Assessment, 2006.
- 5 Foslie, M.: The Norwegian forms of *Lithothamnion*, D. Kgl. Norske Vidensk Selske Skr., 2, 203, 1894.
- 6 Foster, M.S.: Rhodoliths: Between rocks and soft places, *Journal of Phycology*, 37, 659–667, 2001.
- 7 Freiwald, A. and Henrich, R.: Reefal corallina algal build-ups within the Arctic Circle: morphology and sedimentary dynamics under extreme
8 environmental seasonality, *Sedimentology*, 41, 963–984, 1994.
- 9 Furnari, G., Cormaci, M. and Serio, D. Catalogue of the benthic marine macroalgae of the Italian coast of the Adriatic Sea, *Boccanea*, 12, 1–214,
10 1999.
- 11 Furnari, G., Giaccone, G., Cormaci, M., Alongi, G. and Serio, D.: Biodiversità marina delle coste italiane: catalogo del macrofitobenthos, *Biologia
12 Marina Mediterranea*, 101, 1–482, 2003.
- 13 Gabrielson, P.W., Miller, K.A. and Martone, P.T.: Morphometric and molecular analyses confirm two distinct species of *Calliarthron* (Corallinales,
14 Rhodophyta), a genus endemic to the northeast Pacific, *Phycologia*, 50, 298–316, 2011.
- 15 Gagnon, P., Matheson, K and Stapleton, M.: Variation in rhodolith morphology and biogenic potential of newly discovered rhodolith beds in
16 Newfoundland and Labrador (Canada), *Botanica Marina*, 551, 85–99, 2012.
- 17 Gallardo, T., Gómez Garreta, A., Ribera, M.A., Alvarez, M. and Conde, F.: A preliminary checklist of Iberian benthic marine algae, Madrid, Real
18 Jardín Botánico, 83, 1985.
- 19 Ganesan, E.K.: A catalog of benthic marine algae and seagrasses of Venezuela, Caracas: Fondo Editorial Conicit, 237, 1990.

- 1 Gherardi, D. F. M. and Bosence, D. W. J.: Composition and community structure of the coralline algal reefs from Atol das Rocas, South Atlantic,
2 Brazil, *Coral Reefs*, 19, 205–219, doi:10.1007/s003380000100, 2001.
- 3 Giaccone, G.: Raccolte di fitobenthos sulla banchina continentale Italiana, *Giornale Botanico Italiano*, 103, 485–514, 1969.
- 4 Gil-Rodríguez, M.C. and Afonso-Carrillo, J.: Adiciones al la flora y catálogo ficológico para la isla de Lanzarote, *Vieraea*, 10, 59–70, 1980.
- 5 Glynn, P.W.: Rolling stones among the Scleractinia: mobile coralliths in the Gulf of Panama, *Proc. Int. Coral Reef Sym.*, 2, 183–198, 1974.
- 6 Gómez-Menor Robles, J.M. and Fuertes Lasala, E.: Contribución al estudio de las algas rojas de la Isla de Tabarca (Alicante), *Collectanea
Botanica*, 13, 865–872, 1982.
- 7 Gordon, G.D., Masaki, T.: and Akioka, H. Floristic and distributional account of the common crustose coralline algae on Guam, *Micronesica*, 12,
247–277, 1976.
- 8 Grave, S. De et al.: A study of selected Maërl beds in Irish Waters and their potential for sustainable extraction, *Marine Resource Series*, 10, 1–44,
9 2000.
- 10 Guiry, M.D.: A consensus and bibliography of Irish Seaweeds, Vaduz: J. Cramer, 1–287, 1978.
- 11 Guiry, M.D.: A catalogue of Irish seaweeds, Ruggell: A.R.G. Gantner Verlag K.G., 1–250, 2012.
- 12 Hanna, H.: Algae - marine algae, in: A guide to Belfast and the counties of Down and Antrim, edited by Prigger, F.J., Praeger, R.L. and
13 Vinycombe, J., Belfast, 144–146, 1902.
- 14 Hansen, G.I.: A revised checklist and preliminary assessment of the macrobenthic marine algae and seagrasses of Oregon, in: Conservation and
15 Management of Native Flora and Fungi, edited by Kaye, T.N., Liston, A., Love, R.M., Luoma, D.L., Meinke, R.J. and Wilson, M.V., Corvallis:
16 Native Plant Society of Oregon, 175–200, 1997.
- 17 Hardy, F.G. and Guiry, M.D.: A check-list and atlas of the seaweeds of Britain and Ireland, London: British Phycological Society, 1–435, 2003.

- 1 Harris, P.T. et al.: Sand and rhodolith-gravel entrainment on the mid- to outer shelf under a western boundary current: Fraser Island continental
2 shelf, eastern Australia, *Marine Geology*, 2, 1996.
- 3 Harvey, A.S. and Bird, F.L.: Community structure of a rhodolith bed from cold-temperate waters (southern Australia), *Australian Journal of
4 Botany*, 56, 437–450, 2006.
- 5 Harvey, A.S. and Woelkerling, W.J.: An account of *Austrolithon intumescens* gen. et. sp. nov. and *Boreolithon van-heurckii* (Heydrich) gen. et.
6 comb. nov. (*Austrolithoideae* subfam. nov., *Corallinaceae*, *Rhodophyta*), *Phycologia*, 34, 362–382, 1995.
- 7 Harvey, A.S., Woelkerling, W.J., Huisman, J.M. and Gurgel, C.F.D.: A monographic account of Australian species of *Amphiroa* (*Corallinaceae*,
8 *Rhodophyta*), *Australian Systematic Botany*, 26, 81–144, 2013.
- 9 Hind, K.R. and Saunders, G.W.: A molecular phylogenetic study of the tribe *Corallineae* (*Corallinales*, *Rhodophyta*) with an assessment of genus-
10 level taxonomic features and descriptions of novel genera. *Journal of Phycology*, 49(1), 103–114, 2013.
- 11 Hommersand, M.H., Moe, R.L., Amsler, C.D. and Fredericq, S.: Notes on the systematics and biogeographical relationships of Antarctic and sub-
12 Antarctic *Rhodophyta* with descriptions of four new genera and five new species, *Botanica marina*, 52, 509–534, 2009.
- 13 Huisman, J.M.: Marine benthic algae of the Houtman Abrolhos Islands, Western Australia, in: *The Marine Flora and Fauna of the Houtman
14 Abrolhos Islands, Western Australia*, edited by Wells, F.E., Perth, Western Australian Museum, 177–237, 1997.
- 15 Huisman, J.M.L.: *Marine plants of Australia*, Nedlands, Western Australia, University of Western Australia Press, 1–300, 2000.
- 16 Huisman, J.M., Abbott, I.A., Smith, C.M.: Hawaiian reef plants, numerous colour photographs, Honolulu, A publication of the University of
17 Hawai'i Sea Grant College Program, 1–264, 2007.
- 18 Huisman, J.M., Leliaert, F., Verbruggen, H and Townsend, R.A.: Marine benthic plants of Western Australia's shelf-edge atolls, *Records of the
19 Western Australian Museum Supplement*, 77, 50–87, 2009.
- 20 Humm, H.J.: *The marine algae of Virginia*, Charlottesville, Virginia, University Press of Virginia, 1– 263, 1979.

- 1 Irvine, L.M. and Chamberlain, Y.M.: *Seaweeds of the British Isles, Corallinales, Hildenbrandiales*, London: HMSO, 1– 276, 1994.
- 2 Jacquotte, P.: Etude des fonds de maerl de la Mediterranee, *Recl. Trav. Stn. Mar. Endoume*, 26, 141–235, 1962.
- 3 James, N.P. et al.: Subtropical carbonates in a temperate realm: modern sediments on the southwest Australian shelf, *Journal of Sedimentary Research*, 69, 1297–1321, 1999.
- 4
- 5 Johansen, H.W.: Changes and additions to the articulated coralline flora of California, *Phycologia*, 102, 241–249, 1971.
- 6 John, D.M. and Al-Thani, R.F.: Benthic marine algae of the Arabian Gulf: a critical review and analysis of distribution and diversity patterns, *Nova Hedwigia*, 98, 341–392, 2014.
- 7
- 8 John, D.M. and Lawson, G.W.: Littoral ecosystems of tropical western Africa, in: *Ecosystems of the World 24: Intertidal and Littoral Ecosystems*, edited by A.C. Mathieson and P. H. Nienhuis, Elsevier, Amsterdam, 297–322, 1991.
- 9
- 10 John, D.M.: Marine plants, in: *The Emirates , A Natural History*, edited by Hellyer, P. and Aspinall, S., Trident Press, 161–167, 351–352, 2005.
- 11 John, D.M., Lawson, G.W. and Ameka, G.K.: The marine macroalgae of the Tropical West Africa Subregion, *Beihefte zur Nova Hedwigia*, 125, 1–217, 2003.
- 12
- 13 John, D.M., Prud'homme van Reine, W.F., Lawson, G.W., Kostermans, T.B. and Price, J.H.: A taxonomic and geographical catalogue of the seaweeds of the western coast of Africa and adjacent islands, *Beihefte zur Nova Hedwigia*, 127, 1–339, 2004.
- 14
- 15 Johnson, J.H.: Limestone building algae and algal limestones, *Colo. Sch. Mines*, 267, 1961.
- 16 Kaewsuralikhit, C., Maneekat, S., Noiraska, T., Patarajinda, S. and Baba, M.: First record of *Sporolithon ptychoides* Heydrich (Sporolithales, Corallinophycidae, Rhodophyta) from Thailand, *Cryptogamie Algologie*, 33, 265–276, 2012.
- 17
- 18 Keats, D.W. and Chamberlain, Y.M.: *Heydrichia groeneri* sp. nov.: a new species of crustose coralline alga (Rhodophyta, Sporolithaceae) from South Africa and Nambia, *Phycologia*, 341, 51–57, 1995.
- 19

- 1 Keats, D.W., Maneveldt, G.W., Baba, M., Chamberlain, Y.M. and Lewis, J.E.: Three species of Mastophora (Rhodophyta: Corallinales,
2 Corallinaceae) in the tropical Indo-Pacific Ocean: *M. rosea* (C.Agardh) Setchell, *M. pacifica* (Heydrich) Foslie, and *M. multistrata*, sp.
3 nov., *Phycologia*, 48, 404–422, 2009.
- 4 Kempf, M.: Notes on the benthic bionomy of the N–NE Brazilian shelf, *Marine Biology*, 5, 213–224, 1970.
- 5 Kim, J.H., Chung, H., Choi, D.S. and Lee, I.K.: A new melobesioid alga *Synarthrophyton chejuensis* sp. nov. (Corallinales, Rhodophyta),
6 including comparison with *Mesophyllum cystocarpideum*, *Phycologia*, 43, 501–520, 2004.
- 7 Klein, J.C. and Verlaque, M.: Macroalgae newly recorded, rare or introduced to the French Mediterranean coast, *Cryptogamie Algologie*, 312,
8 111–130, 2011.
- 9 Konar, B., Riosmena-Rodriguez, R. and Iken, K.: Rhodolith bed: a newly discovered habitat in the North Pacific Ocean, *Botanica Marina*, 49,
10 355–359, 2006.
- 11 Konishi, K.: Tidal channel rhodoliths in a fringing reef complex of Ishigakijima, southwest Ryukyus, *Abs. Int. Symp. Fossil Algae*, Erlangen,
12 1975.
- 13 Kozhenkova, S.I.: Retrospective analysis of the marine flora of Vostok Bay, Sea of Japan, *Russian Journal of Marine Biology*, 35, 263–278, 2009.
- 14 Kylin, H.: Die Rhodophyceen der Schwedischen westküste, *Acta Universitatis lundensis*, 402, 1–104, 1944.
- 15 Laborel, J.: La concretionnement algal “conralligene” et son importance geomorphologique en Mediterranee, *Recl. Trav. Stn. Mar. Endoume*
16 Bulletin, 37, 37–60, 1961.
- 17 Lee, R.K.S.: A catalogue of the marine algae of the Canadian Arctic. *National Museum of Canada Publications in Botany*, 9, 1–82, 1980.
- 18 Lee, Y. and Kang, S.: A catalogue of the seaweeds in Korea, Jeju: Cheju National University Press, 1–662, 2001.
- 19 Lee, Y.: Marine algae of Jeju, Seoul: Academy Publication, 1–477, 2008.

- 1 Lemoine, P.: Repartition et mode de vie du maerl (*Lithothamnium calcareum*) aux environs de Concarneau (Finistere). Ann. Inst. Oceanogr.
2 Monaco, 1, 1–28, 1910.
- 3 Levring, T.: Marine algae from some Antarctic and sub-Antarctic islands, Lunds Univ. Arsskr. N.F. Avd. 2, 1–36, 1945.
- 4 Levring, T.: The marine algae of the Archipelago of Madeira, Boletim Museo Municipale Funchal, 28, 5–111, 1974.
- 5 Lewis, J.A.: Checklist and bibliography of benthic marine macroalgae recorded from northern Australia I, *Rhodophyta*, 1–98, 1984.
- 6 Lewis, J.E. and Norris, J.N.: A history and annotated account of the benthic marine algae of Taiwan, Smithsonian Contributions to Marine
7 Sciences, 29, 1–38, 1987.
- 8 Lindstrom, S.C.: An annotated bibliography of the benthic marine algae of Alaska, Alaska Department of Fish and Game Technical Data
9 Report, 31, 1–172, 1977.
- 10 Lipkin, Y. and Silva, P.C.: Marine algae and seagrasses of the Dahlak Archipelago, southern Red Sea, *Nova Hedwigia*, 75, 1–90, 2002.
- 11 Littler, M. M. and Doty, M. S.: Ecological components structuring the seaward edges of tropical Pacific reefs: the distribution, communities and
12 productivity of Porolithon, *J. Ecol.*, 63, 117–129, 1975.
- 13 Littler, D.S, Littler, M.M. and Hanisak, M.D.: Submersed plants of the Indian River Lagoon, Washington, D.C.: Offshore Graphics, Inc., 1–286,
14 2008.
- 15 Littler, D.S. and Littler, M.M.: An illustrated flora of the Pelican Cays, Belize, *Bulletin of the Biological Society of Washington*, 9, 1–149, 1997.
- 16 Littler, D.S. and Littler, M.M.: South Pacific Reef Plants. A diver's guide to the plant life of the South Pacific Coral Reefs, Washington, DC:
17 OffShore Graphics, Inc., 1–331, 2003.
- 18 Littler, M.M., Littler, D.S. and Dennis Hanisak, M.: Deep-water rhodolith distribution, productivity, and growth history at sites of formation and
19 subsequent degradation, *Journal of Experimental Marine Biology and Ecology*, 150, 163–182, 1991.

- 1 Lobban, C.S. and Tsuda, R.T.: Revised checklist of benthic marine macroalgae and seagrasses of Guam and Micronesia, *Micronesica*, 35/36, 54–
2 99, 2003.
- 3 Logan, B.W. et al.: Late Quaternary carbonate sediments of the Yucatan shelf, Mexico. In: Logan, B et al.. *Carbonate sediments and reefs, Yucatan*
4 *shelf Mexico*, American Assoc. Petrol. Geol. Mem., 11, 5–128, 1969.
- 5 Lund, S.: The marine algae of East Greenland. I. Taxonomic Part. *Meddelser om Grønland*, 1561, 1–247, 1959.
- 6 Macintyre, I.G. and Milliman, J.D.: Physiographic features of the outer shelf and upper Atlantic continental margin, Southeastern United States,
7 Geological Society of America Bulletin, 81, 2577–2598, 1970.
- 8 Maneveldt, G.W. and van der Merwe, E.: *Heydrichia cerasina* sp. nov. (Sporolithales, Corallinophycidae, Rhodophyta) from the southernmost tip
9 of Africa, *Phycologia*, 511, 11–21, 2012.
- 10 Maneveldt, G.W., Chamberlain, Y.M. and Keats, D.W.: A catalogue with keys to the non-geniculate coralline algae (Corallinales, Rhodophyta) of
11 South Africa, *South African Journal of Botany*, 74, 555–566, 2008.
- 12 Mariath, R., Riosmena-Rodriguez, R. and Figueiredo, M.L.: *Lithothamnion steneckii* sp. nov. and *Pneophyllum conicum*: new coralline red algae
13 (Corallinales, Rhodophyta) for coral reefs of Brazil, *Algae: An International Journal of Algal Research*, 27, 249–258, 2012.
- 14 Martone, P.T., Lindstrom, S.C., Miller, K.A. and Gabrielson, P.W.: Chiharaea and Yamadaia (Corallinales, Rhodophyta) represent reduced and
15 recently derived articulated coralline morphologies, *Journal of Phycology*, 48, 859–868, 2012.
- 16 Mathieson, A.C. and Hehre, E.J.: A synopsis of New Hampshire seaweeds, *Rhodora*, 88, 853, 1–139, 1986.
- 17 Mathieson, A.C., Dawes, C.J., Anderson, M.L. and Hehre, E.J.: Seaweeds of the Brave Boat Harbor salt marsh and adjacent open coast of southern
18 Maine, *Rhodora*, 103, 1–46, 2001.
- 19 McClintock, J.B. et al.: Population structure, growth and reproductive biology of the gorgonocephalid brittlestar *Asteroroporpora annulata*, *Bulletin*
20 *of Marine Science*, 52, 925–936, 1993.

- 1 McMaster, R.W. and Conover, J.P.: Recent algal stromatolites from the Canary Islands, *Journal of Geology*, 74, 647–652, 1966.
- 2 Millar, A.J.K. and Kraft, G.T.: Catalogue of marine and freshwater red algae (Rhodophyta) of New South Wales, including Lord Howe Island,
3 South-western Pacific, *Australian Systematic Botany*, 6, 1–90, 1993.
- 4 Millar, A.J.K.: Marine benthic algae of Norfolk Island, South Pacific, *Australian Systematic Botany*, 12, 479–547, 1999.
- 5 Miller, K.A.: Seaweeds of California, Updates of California Seaweed Species List, Berkeley: University of California Jepson Herbarium, 1–59,
6 2012.
- 7 Milliman, J.D.: Role of calcareous algae in Atlantic continental margin sedimentation: In: *Fossil Algae*, edited by E. Flugel, Springer-Verlag,
8 Berlin, 232–247, 1977.
- 9 Mondragon, J. and Mondragon, J.: Seaweeds of the Pacific Coast, Common marine algae from Alaska to Baja California, Monterey, California:
10 Sea Challengers, 5–97, 2003.
- 11 Montaggioni, L.F.: Environmental significance of rhodoliths from the Mascarene reef province western Indian Ocean, *Bull. Cent. Rech. Explor.
12 Prod. Elf. Aquataine*, 3, 713–723, 1979.
- 13 Nelson, W.A.: Phylum Rhodophyta: red algae, in: New Zealand inventory of biodiversity, Volume Three. Kingdoms Bacteria, Protozoa,
14 Chromista, Plantae, Fungi, edited by Gordon, D.P., Christchurch: Canterbury University Pres, 327–346, 2012.
- 15 Nelson, W.A.: New Zealand seaweeds, in: An illustrated guide, Wellington, Te Papa Press, 1–328, 2013.
- 16 Neto, A.I.: Checklist of the benthic marine macroalgae of the Azores, Arquipélago, Ciências Biológicas e Marinhas, 12A, 15–34, 1994.
- 17 Neto, A.I., Cravo, D.C. and Haroun, R.T.: Checklist of the benthic marine plants of the Madeira Archipelago, *Botanica Marina*, 44, 391–414, 2001.
- 18 Newton, L.: A handbook of the British seaweeds, London: British Museum (Natural History), 1–478, 1931.

1 Nguyen, T.V., Le, N.H., Lin, S.-M., Steen, F. and De Clerck, O.: Checklist of the marine macroalgae of Vietnam, *Botanica Marina*, 56, 207–227,
2 2013.

3 Nielsen, R. and Gunnarsson, K.: Seaweeds of the Faroe Islands, An annotated checklist. *Fróðskaparrit*, 49, 45–108, 2001.

4 Nielsen, R., Kristiansen, A., Mathiesen, L. and Mathiesen, H.: Distributional index of the benthic marine macroalgae of the Baltic Sea area, *Acta*
5 *Botanica Fennica*, 155, 1–70, 1995.

6 Norris, J.N. and Bucher, K.E.: Marine algae and seagrasses from Carrie Bow Cay, Belize, in: The Atlantic Barrier Reef Ecosystem at Carrie Bow
7 Cay, Belize. I. Structure and Communities, edited by: Rützler, K. and Macintyre, I.G, Smithsonian Contributions to the Marine Sciences, 12, 167–
8 223, 1982.

9 N'Yeurt, A.D.R. and Payri, C.E.: Marine algal flora of French Polynesia III. Rhodophyta, with additions to the Phaeophyceae and
10 Chlorophyta, *Cryptogamie Algologie*, 31, 3–205, 2010.

11 N'Yeurt, A.D.R., South, G.R. and Keats, D.W.: A revised checklist of the benthic marine algae of the Fiji Islands, South Pacific (including the
12 island of Rotuma), *Micronesica*, 29, 49–98, 1996.

13 Ohba, H., Victor, S., Golbuu, Y and Yukihara, H.: Tropical marine plants of Palau, Koror: Palau International Coral Reef Center; Japan
14 International Cooperation Agency, 1–153, 2007.

15 Okamura, K.: *Nippon kaisō shi* [Descriptions of Japanese algae], Tokyo: Uchida Rokakuho, 4, 1–964, 1–11, 1936.

16 Oliveira Filho, E.C. de.: Algas marinhas bentônicas do Brasil, Tese de Livre Docencia, São Paulo: Instituto de Biociências, Universidade de São
17 Paulo, 1–406, 1977.

18 Oliveira, E., Österlund, K. and Mtolera, M.S.P.: Marine Plants of Tanzania, A field guide to the seaweeds and seagrasses, Stockholm: Botany
19 Department, Stockholm University, 267, 2005.

- 1 Papenfuss, G.F.: Catalogue and bibliography of Antarctic and Sub-Antarctic benthic marine algae, in: Bibliography of the Antarctic Seas, edited by
2 Lee, M.O., Washington D.C.: American Geophysical Union, 1, 1–76, 1964.
- 3 Papenfuss, G.F.: A history, catalogue, and bibliography of the Red Sea benthic algae, Israel Journal of Botany, 17, 1–118, 1968.
- 4 Parker, R.H. and Curray, J.R.: Fauna and bathymetry of banks on the continental shelf northwest Gulf of Mexico, American Assoc. Petrol. Geol.
5 Bull., 40, 2428–2439, 1956.
- 6 Payri, C., N'Yeurt, A.D.R. and Orempuller, J.: Algae of French Polynesia, Algues de Polynésie française, Tahiti: Au Vent des Iles Editions, 320,
7 2000.
- 8 Pedersen, P.M.: Marine benthic algae from southernmost Greenland, Meddelelser om Grønland, 199, 1–80, 1976.
- 9 Pedersen, P.M.: Grønlands havalger, Copenhagen: Forlaget Epsilon.DK, 7–208, 2011.
- 10 Penrose, D. and Chamberlain, Y.M.: *Hydrolithon farinosum* (Lamouroux) comb. nov.: implications for generic concepts in the Mastophoroideae
11 (Corallinaceae, Rhodophyta), Phycologia, 32, 295–303, 1993.
- 12 Penrose, D. and Woelkerling, W.J.: A reappraisal of *Hydrolithon* and its relationship to Spongites (Corallinaceae, Rhodophyta), Phycologia, 31,
13 81–88, 1992.
- 14 Penrose, D.: Genus *Pneophyllum* Kützing, in: The Marine Benthic Flora of South Australia. Rhodophyta. Part IIIB, Gracilariales, Rhodymeniales,
15 Corallinales and Bonnemaisoniales, edited by Womersley, H.B.S., Canberra: Australian Biological Resources Study, 266–272, 1996.
- 16 Perestenko, L.P.: Vodorosli Zaliva Petra Velikogo [The seaweeds of Peter the Great Bay], Leningrad: Akademia NAUKA SSSR Dal, 1–232, 1980.
- 17 Perestenko, L.P.: Krasnye vodorosli dal'nevostochnykh morev Rossii [Red algae of the far-eastern seas of Russia], St. Petersburg: Rossiiskaia
18 Akademija Nauk, Botanichesk Institut im. V.L. Komarova [Komarov Botanical Institute, Russian Academy of Sciences] and OLGA, a private
19 publishing company, 1–331, 1996.

- 1 Pérez-Ruzafa, A. et al. : Contribución al estudio de las comunidades bentónicas del Cabo de Palos (Murcia, SE de España) y su cartografía
2 bionómica, *Actas V Simp. Ibér. Estud. Bentos*, Mar., 385–420, 1991.
- 3 Pham, M.N., Tan, H.T.W., Mitrovic, S. and Yeo, H.H.T.: A checklist of the algae of Singapore, Singapore: Raffles Museum of Biodiversity
4 Research, National University of Singapore, 1–100, 2011.
- 5 Pham-Hoàng, H.: Rong biển Viêtnam, Marine algae of South Vietnam, Saigon, 1–558, 1969.
- 6 Piccone, A.: Elenco delle alghe della Crociera del Corsaro alle Baleari, Genova [Genoa]: Tipografia del r. Istituto Sordo-Muti, 1–22, 1889.
- 7 Piller, W.E. and Rasser, M.: Rhodolith formation induced by reef erosion in the Red Sea, Egypt, *Coral Reefs*, 15, 191–198, 1996.
- 8 Pinedo, S., Zabala, M. and Ballasteros, E.: Long-term changes in sublittoral macroalgal assemblages related to water quality
9 improvement, *Botanica Marina*, 56, 461–469, 2013.
- 10 Prager, E.J. and Ginsburg, R.N.: Carbonate nodule growth on Florida's outer shelf and its implications for fossil interpretations, *PALAIOS*, 4,
11 310–317, 1989.
- 12 Price, J.H., John, D.M. and Lawson, G.W.: Seaweeds of the western coast of tropical Africa and adjacent islands: a critical assessment, IV,
13 Rhodophyta (Florideae), Genera A-F, *Bulletin of the British Museum (Natural History) Botany*, 15, 1–122, 1986.
- 14 Prud'homme van Reine, W.F., Haroun, R.J. and Kostermans, L.B.T.. Checklists on seaweeds in the Atlantic Ocean and in the Cape Verde
15 Archipelago, in: IV Simpósio Fauna e Flora das Ilhas Atlânticas, Praia 9–13 Setembro 2002. Eds., Praia, Ilha de Santiago, República de Cabo
16 Verde: Ministério do Ambiente, Agricultura e Pescas, 13–26, 2005.
- 17 Ramírez, M.E. and Santelices, B.: Catálogo de las algas marinas bentónicas de la costa temperada del Pacífico de Sudamérica, *Monografías
18 Biológicas*, 5, 1–437, 1991.
- 19 Reid, R.P. and Macintyre, I.G.: Foraminiferal-algal nodules from the eastern Caribbean: growth history and implication on the value of nodules as
20 paleoenvironmental indicators, *PALAIOS*, 3, 424–435, 1988.

- 1 Ribera Siguán, M.A. and Gómez Garreta, A.: Catálogo de la flora bentónica marina de las Islas Baleares, I (Rhodophyceae), Collect. Bot., 15,
2 377–406, 1984.
- 3 Richardson, W.D.: The marine algae of Trinidad, West Indies, Bulletin of the British Museum (Natural History) Botany, 5, 1–143, 1975.
- 4 Ricker, R.W.: Taxonomy and biogeography of Macquarie Island seaweeds, London: British Museum (Natural History), 1–344, 1987.
- 5 Rindi, F. and Battelli, C.: Spatio-temporal variability of intertidal algal assemblages of the Slovenian coast (Gulf of Trieste, northern Adriatic
6 Sea), *Botanica Marina*, 48, 96–105, 2005.
- 7 Ringeltaube, P. and Harvey, A.: Non-geniculate coralline algae (Corallinales, Rhodophyta) on the Heron Reef, Great Barrier Reef (Australia),
8 *Botanica Marina*, 43, 431–454, 2000.
- 9 Rueness, J.: Algae, in: Distribution of marine, benthic macro-organisms in Norway. A tabulated catalogue. Research Report No. 1997-1, edited by
10 Brattegård, T. and Holthe, T., Trondheim: Direktoratet for Naturforvaltning, 1997.
- 11 Ruiz, D. and Ziemmeck, F.: CDF Checklist of Galapagos Red Algae - FCD Lista de especies de Algas rojas de Galápagos, in: Charles Darwin
12 Foundation Galapagos Species Checklist - Lista de Especies de Galápagos de la Fundación Charles Darwin. Charles Darwin Foundation, Puerto
13 Ayora, Galapagos: <http://www.darwinfoundation.org/datazone/checklists/algae/rhodophyta/> Last updated 13 Apr 2011, edited by Bungartz, F.,
14 Herrera, H., Jaramillo, P., Tirado, N., Jiménez-Uzcátegui, G., Ruiz, D., Guézou, A. and Ziemmeck, F., 2011.
- 15 Sahoo, D., Nivedita and Debasish: Seaweeds of Indian coast, New Delhi: A.P.H. Publishing, 1–283, 2001.
- 16 Santelices, B. and Abbott, I.A.: Geographic and marine isolation: an assessment of the marine algae of Easter Island, *Pacific Science* 41: 1–20,
17 1987.
- 18 Sauvageau, C.: Note préliminaire sur les algues marines du golfe de Gascogne, *Journal de Botanique*, Morot, 11, 166–311, 1897.

1 Scagel, R.F., Gabrielson, P.W., Garbary, D.J., Golden, L., Hawkes, M.W., Lindstrom, S.C., Oliveira, J.C. and Widdowson, T.B.: A synopsis of the
2 benthic marine algae of British Columbia, southeast Alaska, Washington and Oregon, Phycological Contributions, University of British
3 Columbia, 3, 1–532, 1989.

4 Schneider, C.W. and Searles, R.B.: Seaweeds of the southeastern United States, Cape Hatteras to Cape Canaveral, Durham and London: Duke
5 University Press, 1–553, 1991.

6 Scoffin, T.P. et al.: Rhodoliths and coralloliths of Muri Lagoon, Rarotonga, Cook Islands, Coral Reefs, 4, 71–80, 1985.

7 Selivanova, O.N. and Zhigadlova, G.G.: Marine algae of the Commander Islands. Preliminary remarks on the revision of the flora. III.
8 Rhodophyta, Botanica Marina, 40, 15–24, 1997.

9 Selivanova, O.N. and Zhigadlova, G.G.: Marine benthic algae of the South Kamchatka state wildlife sanctuary (Kamchatka, Russia), Botanica
10 Marina, 52, 317–329, 2009.

11 Setchell, W.A. and Gardner, N.L.: Marine algae of the Revillagigedo Islands Expedition in 1925, Proceedings of the California Academy of
12 Science, Series 4, 109–215, 1930.

13 Siesser, W.G.: Relict algal nodules (rhodolites) from the South African continental shelf, Journal of Geology, 80, 611–616, 1972.

14 Silva, P.C., Basson, P.W. and Moe, R.L.: Catalogue of the benthic marine algae of the Indian Ocean, University of California Publications in
15 Botany, 79, 1–1259, 1996.

16 Silva, P.C., Meñez, E.G. and Moe, R.L.: Catalog of the benthic marine algae of the Philippines, Smithsonian Contributions to Marine Sciences, 27,
17 1–179, 1987.

18 Sheveiko, S. V: Life forms of coralline algae as an environmental indicator on reefs, in: Proc. 4th Int. Cor. Reef. Symp., Manila, vol. 2, edited by
19 E. D. Gomez, C. E. Birkeland, R. W. Buddemeier, R. E. Johannes, J. A. Marsh, and R. Y. Tsuda, p. 461, Marine Science Centre, Univ. Phillipines,
20 Quezon City, 1981.

- 1 Skelton, P.A. and South, G.R.: A preliminary checklist of the benthic marine algae of the Samoan Archipelago, University of the South Pacific
2 Marine Studies Program Technical Report, 99, 1–30, 1999.
- 3 Skelton, P.A. and South, G.R.: The benthic marine algae of the Samoan Archipelago, South Pacific, with emphasis on the Apia District, Nova
4 Hedwigia Beihefte, 132, 1–350, 2007.
- 5 Soto, J. and Conde, F.: Catálogo florístico de las algas bentónicas marinas del litoral de Almería (Sureste de España). Bot. Complutense, 15, 61–
6 83, 1989.
- 7 South, G.R. and Skelton, P.A.: Catalogue of the marine benthic macroalgae of the Fiji Islands, South Pacific, Australian Systematic Botany, 16,
8 699–758, 2003.
- 9 Srimanobhas, V., Baba, M., Akioka, H., Masaki, T. and Johansen, H.W.: Cheilosporum (Corallinales, Rhodophyta) in Japan: a morphotaxonomic
10 study, Phycologia, 291, 103–113, 1990.
- 11 Stearn, C. W., Scoffin, T. P. and Martindale, W.: Calcium carbonate budget of a fringing reef on the west coast of Barbados. I: Zonation and
12 productivity, Bull. Mar. Sci., 27, 479–510, 1977.
- 13 Stegenga, H. and Mol, I.: Flora van de Nederlandse Zeewieren, Koninklijke Nederlandse Natuurhistorische Vereniging, 33, 1983.
- 14 Stewart, J.G.: Marine algae and seagrasses of San Diego County, La Jolla, California: California Sea Grant College, 1–197, 1991.
- 15 Suárez, A.M.: Lista de las macroalgas marinas Cubanas, Rev. Invest. Mar., 26, 93–148, 2005.
- 16 Summerhayes, C.P. et al.: The shelf of Morocco and Spanish Sahara, Sedimentation off an arid coast. Journal of Geology, 84, 277–300, 1976.
- 17 Taskin, E., Öztürk, M., Kurt, O. and Öztürk, M.: The check-list of the marine algae of Turkey, Manisa, Turkey: Ecem Kirtasiye, 1–87, 2008.
- 18 Taskin, E., Öztürk, M., Kurt, O. and Uclay, S.: Benthic marine algae in Northern Cyprus (Eastern Mediterranean Sea), Journal of Black
19 Sea/Mediterranean Environment, 192, 143–161, 2013.

- 1 Taylor, W.R.: A synopsis of the marine algae of Brazil, *Revue Algologique*, 5, 1–35, 1930.
- 2 Taylor, W.R.: Pacific marine algae of the Allan Hancock Expeditions to the Galapagos Islands, *Allan Hancock Pacific Expeditions*, 12, 1–528,
3 1945.
- 4 Taylor, W.R.: Plants of Bikini and other northern Marshall Islands, Ann Arbor: University of Michigan Press, 1–227, 1950.
- 5 Taylor, W.R.: Marine algae of the eastern tropical and subtropical coasts of the Americas, Ann Arbor: The University of Michigan Press, 1–870,
6 1960.
- 7 Taylor, W.R.: Notes on the distribution of West Indian marine algae particularly in the Lesser Antilles, *Contr. Univ. Mich. Herb.*, 9, 125–203,
8 1969.
- 9 Teichert, S., Woelkerling, W., Rüggeberg, A., Wisshak, M., Piepenburg, D., Meyerhofer, M., Form, A., Büdenbender, J. and Freiwald, A.:
10 Rhodolith beds (Corallinales, Rhodophyta) and their physical and biological environment at 80°31'N in Nordkappbukta (Nordaustlandet, Svalbard
11 Archipelago, Norway), *Phycologia*, 51, 371–390, 2012.
- 12 Thompson, C.W.: The voyage of the “Challenger”. The Atlantic. A preliminary account of the general results of the exploratory voyage of HMS
13 Challenger during 1873 and early part of the year 1876, London, 423, 1877.
- 14 Tittley, I. and Neto, A.I.: Expedition Azores 1989: Benthic marine algae (seaweeds) recorded from Faial and Pico, 12A, 1–13, 1994.
- 15 Townsend, R.A. and Borowitzka, M.A.: Heydrichia homalopasta sp. nov. (Sporolithaceae, Rhodophyta) from Australia, *Botanica Marina*, 44, 237–
16 244, 2001.
- 17 Townsend, R.A. and Huisman, J.M.: Epulo multipedes gen. et sp. nov. (Corallinaceae, Rhodophyta), a coralline parasite from
18 Australia, *Phycologia*, 43, 288–295, 2004.
- 19 Tseng, C.K.: Common Seaweeds of China, Beijing: Science Press, 1–318, 1984.

1 Tsuda, R.T. and Walsh, S.K.: Bibliographic checklist of the marine benthic algae of Central Polynesia in the Pacific Ocean (excluding Hawai'i and
2 French Polynesia), *Micronesica*, 2013–02, 1–91, 2013.

3 Tsuda, R.T.: Checklist and bibliography of the marine benthic algae from the Mariana Islands (Guam and CNMI), Technical Report. University of
4 Guam Marine Laboratory, 107, 1–49, 2003.

5 Tsuda, R.T.: Bibliographic catalogue of the marine benthic algae in the Papahnaumokukea Marine National Monument (Northwestern Hawaiian
6 Islands), *Phytotaxa*, 1671, 35–60, 2014.

7 Tsuda, R.T., Fischer, J.R. and Vroom, P.S.: First records of marine benthic algae from Swains Island, American Samoa, *Cryptogamie*
8 *Algologie*, 32, 271–291, 2011.

9 Tsuda, R.T., Fisher, J.R., Vroom, P.S. and Abbott, I.A.: New records of subtidal benthic marine algae from Wake Atoll, Central Pacific, *Botanica*
10 marina, 53, 19–30, 2010.

11 Tsuji, Y.: Tide influenced high energy environments and rhodolith-associated carbonate deposition on the outer shelf and slope off the Miyako
12 Islands, southern Ryukyu Island Arc, Japan, *Marine Geology*, 113, 255–271, 1993.

13 Tsutsui, I., Hamano, K., Aue-umneoy, D., Songphatkaew, J., Srisapoome, P., Ruangsomboon, S., Klomkling, S., Ganmanee, M., Taveekijararn, P.
14 and Maeno, Y.: Common underwater plants in coastal areas of Thailand, International Agriculture Series No. 21, Tsukuba, Ibaraki: Japan
15 International Research Center for Agricultural Studies, 1–171, 2012.

16 Tsutsui, I., Huybh, Q.N., Nguyễn, H.D., Arai, S. and Yoshida, T.: The common marine plants of southern Vietnam, USA: Japan Seaweed
17 Association, 1–250, 2005.

18 Verheij, E.: The genus *Sporolithon* (*Sporolithaceae* fam. nov., Corallinales, Rhodophyta) from the Spermonde Archipelago,
19 Indonesia, *Phycologia*, 32, 184–196, 1993.

20 Villaca, R., Fonseca, A.C., Jensen, V.K. and Knoppers, B.: Species composition and distribution of macroalgae on Atol das Rocas, Brazil, SW
21 Atlantic, *Botanica Marina*, 532, 113–122, 2010.

- 1 Vinogradova, K.L.: The checklist of the marine algae from Spitsbergen, Botanicheskii Zhurnal SSR, 80, 50–61, 1995.
- 2 Wang, H., Chiu, L.C.M., Ooi, V.E.C. and Ang., P.O., Jr.: Seaweed polysaccharides with anticancer potential, Botanic Marina, 51, 313–319, 2008.
- 3 Weber von Bosse, A. and Foslie, M.: The coralline algae of the Siboga expedition, Leiden Bull. Rep., 61, 110, 1904.
- 4 Wiencke, C. and Clayton, M.N.: Antarctic Seaweeds, Ruggell: A.R.G. Gantner Verlag KG, 9, 239, 2002.
- 5 Woelkerling, W.J.: Type collections of non-geniculate corallines housed at the Laboratoire de Cryptogamie (PC), in: Non-geniculate coralline red
6 algae and the Paris Muséum: systematics and scientific history, edited by Woelkerling, W.J., Paris: Muséum National d'Histoire naturelle, 279–
7 404, 1998
- 8 Woelkerling, W.J., Millar, A.J.K., Harvey, A. and Baba, M.: Recognition of *Pachyarthron* and *Bossiella* as distinct genera in the Corallinaceae,
9 subfamily Corallinoideae (Corallinales, Rhodophyta), Phycologia, 47, 265–293, 2008.
- 10 Womersley, H.B.S. and Bailey, A.: Marine algae of the Solomon Islands, Philosophical Transactions of the Royal Society of London, Biological
11 Sciences, 259, 257–352, 1970.
- 12 Womersley, H.B.S. and Johansen, H.W.: Subfamily Corallinoideae (Areschoug) Foslie 1908: 19, in: The marine benthic flora of southern Australia
13 - Part IIIB - Gracilariales, Rhodymeniales, Corallinales and Bonnemaisoniales edited by Womersley, H.B.S., Adelaide and Canberra: Australian
14 Biological Resources Study and the State Herbarium of South Australia, 288–317, 1996.
- 15 Womersley, H.B.S.: The marine benthic flora of southern Australia - Part IIIB - Gracilariales, Rhodymeniales, Corallinales and Bonnemaisoniales,
16 Canberra and Adelaide: Australian Biological Resources Study and the State Herbarium of South Australia, 5, 1–392, 1996.
- 17 Wynne, M.J.: A checklist of the benthic marine algae of the coast of Texas, Gulf of Mexico Science, 2008–1, 64–87, 2009.
- 18 Wynne, M.J.: A checklist of benthic marine algae of the tropical and subtropical western Atlantic: third revision, Nova Hedwigia Beihefte, 140, 7–
19 166, 2011.

- 1 Wynne, M.J., Bradshaw, T. and Carrington, C.M.S.: A checklist of the benthic marine algae of Barbados, West Indies, *Botanica Marina*, 57, 167–
2 184, 2014.
- 3 Xia, B.: *Flora algarum marinorum sinicarum Tomus II Rhodophyta No. IV Corallinales*, Beijing: Science Press, 1–147, 2013.
- 4 Yoshida, T.: *Marine algae of Japan*, Tokyo: Uchida Rokakuho Publishing Co., Ltd., 1–1222, 1998.
- 5 Yoshida, T., Nakajima, Y. and Nakata, Y.: Check-list of marine algae of Japan (revised in 1990), *Japanese Journal of Phycology*, 38, 269–320,
6 1990.
- 7 Zanevald, J.S.: A *Lithothamnion* bank at Bonaire (Netherlands W. Indies), *Blumen Suppl.*, 4, 206–219, 1958.