

Interactive
Comment

***Interactive comment on “Carbon input control
over soil organic matter dynamics in a temperate
grassland exposed to elevated CO₂ and warming”
by Y. Carrillo et al.***

Y. Carrillo et al.

dcarril1@uwyo.edu

Received and published: 28 May 2010

Response to Anonymous Referee no. 3

We interpret the evaluation of Anonymous Referee no. 3 as a likely misunderstanding of the aims and scope of our study. We appreciate the opportunity to clarify as we recognize that our expectations and hypotheses could have been misinterpreted. Our revised manuscript has been re-framed and simplified and now it focuses on two central questions:

1. How do elevated CO₂, warming and their combination affect SOM pools and their susceptibility to decomposition?

C1196

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



2. Are the responses of SOM pools and their susceptibility to decomposition associated with plant biomass and dissolved organic C (DOC)?

Our first goal (Question 1) addresses one of the largest sources of uncertainty in future predictions of climate change, that of the potentially counteracting effects of elevated CO₂ and warming on soil C storage (Heimann and Reichstein, 2008; Pendall et al., 2004; Norby and Luo, 2004). We applied a long-term incubation approach to evaluate the responses of soil organic matter in an ecosystem exposed to a state-of-the-art climate change experiment.

Our second goal (Question 2) is to evaluate mechanisms underlying the experimental treatment effects on SOM pools. Our overarching hypothesis is that the responses of SOM pools and their susceptibility to decomposition will be mediated by the impacts of elevated CO₂ and warming on plant C inputs to soil. Increased plant inputs increase SOM pool sizes, but can also decrease them via the priming effect, or the stimulation of older SOM decomposition due associated with greater availability of labile C (Fontaine et al., 2007; Kuzyakov, 2002; Blagodatskaya and Kuzyakov, 2008). To address Question 2 we assessed whether there were relationships between several indicators of plant input (aboveground biomass, fine root biomass, dissolved organic C) and the responses of the labile and resistant pools. The cases in which such relationships existed were interpreted as evidence supporting that impacts of the experimental treatments may be mediated by plant inputs.

References

Blagodatskaya, E., and Kuzyakov, Y.: Mechanisms of real and apparent priming effects and their dependence on soil microbial biomass and community structure: critical review, *Biol. Fertil. Soils*, 45, 115-131, 2008.

Fontaine, S., Barot, S., Barre, P., Bdioui, N., Mary, B., and Rumpel, C.: Stability of organic carbon in deep soil layers controlled by fresh carbon supply, *Nature*, 450, 277-U210, 2007.

BGD

7, C1196–C1198, 2010

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Heimann, M., and Reichstein, M.: Terrestrial ecosystem carbon dynamics and climate feedbacks, *Nature*, 451, 289-292, 2008.

Kuzyakov, Y.: Review: Factors affecting rhizosphere priming effects, *Journal of Plant Nutrition and Soil Science-Zeitschrift Fur Pflanzenernahrung Und Bodenkunde*, 165, 382-396, 2002.

Norby, R. J., and Luo, Y. Q.: Evaluating ecosystem responses to rising atmospheric CO₂ and global warming in a multi-factor world, *New Phytol.*, 162, 281-293, 2004.

Pendall, E., Bridgham, S., Hanson, P. J., Hungate, B., Kicklighter, D. W., Johnson, D. W., Law, B. E., Luo, Y. Q., Megonigal, J. P., Olsrud, M., Ryan, M. G., and Wan, S. Q.: Below-ground process responses to elevated CO₂ and temperature: a discussion of observations, measurement methods, and models, *New Phytol.*, 162, 311-322, 2004.

Interactive comment on *Biogeosciences Discuss.*, 7, 1575, 2010.

BGD

7, C1196–C1198, 2010

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

