



Interactive
Comment

Interactive comment on “Nitrous oxide emission from highland winter wheat field after long-term fertilization” by X. R. Wei et al.

X. R. Wei et al.

xrwei78@163.com

Received and published: 8 September 2010

Response to Referee 2:

Dear Referee 2:

Thank you very much for your valuable comments and suggestion. Our responses are as follows:

1. Manure fertilizers have a long history of use in the area, chemical fertilizers began to be used in the 1960s, and chemical fertilizer and manure were often used together. We will add the following text to the revised MS in order to address this issue:

Manure fertilizer has been extensively applied to farmland in China for more than 2000

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Interactive
Comment

years. In the past 50 years, with the use of chemical fertilizers, manure and chemical fertilizers were often used together to increase crop yields (Shen, 1998). For example, in the central the Loess Plateau, the average manure application rate before 1960 was 22.9 ton/ha. Chemical fertilizers were not used before 1960. Yet after 1960 the manure application rate was 24.9ton/ha and the chemical fertilizer rate was 178 kg/ha (Hao et al., 1991). Therefore, even after chemical fertilizer applications became popular, manure still accounted for an important part of the total N applied to farmland soils in the area. Thus, the effects of manure on N₂O emissions should be investigated.

2. We measured Nmin (nitrate and ammonium) and Ncrop when the wheat was harvested, but we did not measure them when N₂O fluxes were measured. We did not find close relationships between Nmin, Ncrop, and N₂O emissions. This might be due to the seasonal variability in N₂O emissions, Nmin, and Ncrop. We decided not to include additional Nmin and Ncrop information in the revised MS. However, here in our response we include the Nmin, Ncrop, and N₂O emission data in Fig 2-1, Fig 2-2, and Fig 2-3, respectively.

3. Regarding the discussion on soil organic C effects on N₂O emissions, we agree that it is the quantity of readily available soil organic C that plays an important role in denitrification, and thus, N₂O emissions (Burford & Bremner, 1975; Christensen & Christensen, 1991). In an earlier study, we showed that soil organic C was significantly correlated with high, medium and low labile soil organic C in crop land and grass land with and without fertilization (Please see Fig 2-4, the results have been published in Environmental Science (Wei et al., 2008)). Such relationships were also reported by other authors (Burford & Bremner, 1975; Christensen & Christensen, 1991). Therefore, from this aspect, we think that our interpretation of soil organic C (and thus C/N) and N₂O emissions is reasonable. However, as you have indicated, there are other factors that should be considered.. In the revised manuscript we will add the following text that indicates additional factors that may affect the relationship between organic C and N₂O emissions.

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)

The application of manure fertilizer often improves soil structure (Bronick and Lal, 2005), increases soil porosity, and decreases WFPS, which reduces the denitrification rate and thus decreases N₂O emissions. Liu et al. (2000) and Huo et al. (2008) reported that manure fertilizer has a large potential to increase soil porosity and aggregation in the Loess Plateau, which improves soil aeration. In our study, the WFPS in CK, N and NP were 3 to 20% higher than in M and NPM, which partly explains the manure effects on N₂O emissions.

In the revised manuscript we will also add information to the Introduction section from the Ditttert groups' publications in *Soil Biology and Biochemistry* in 2005 and 2006.

Thanks again for your comments, we welcome your further comments and suggestions.

Best wishes,

Xiaorong Wei

References:

Bronick, C.J., Lal, T.: Soil structure and management: a review. *Geoderma*, 2005, 124: 3-22

Burford, J.R., Bremner, J.M.: Relationships between the denitrification capacities of soils and total, water-soluble and readily decomposable soil organic matter. *Soil Biol. Biochem.*, 1975, 7, 389-394

Christensen, S., Christensen, B.T.: Organic matter available for denitrification in different soil fractions: effect of freeze/thaw cycles and straw disposal. *Eur. J. Soil Sci.*, 1991, 42, 637-647

Hao, M.D., Zhang, J.X., Hu, K.C.: The fertilization in agricultural production of the middle Loess Plateau. In *Comprehensive research of effective ecoeconomic systems in Wangdonggou, Changwu*. Science and Technology Press, Beijing, 1991. 182-187

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Huo, L., Wu, T.Y., Lin, H.M., Cao, S.Y., Tang, W.X.: Effects of long-term fertilization on water stable aggregates in calcic kastanozem of the Loess Plateau. *Chin. J. Appl. Ecol.*, 2008, 19(3), 545-550

Liu, J., Chang, Q.R., Li, G., Wei, Y.S.: Effect of different fertilization on soil characteristics of aggregate. *Bull Soil Water Conserv.*, 2000, 20(4), 24-26

Shen, S.M.: Soil fertility in China. Chinese Agricultural Press, Beijing, 1998

Wei, X.R., Shao, M.A., Gao, J.L.: Relationships between soil organic carbon and environmental factors in gully watershed of the Loess Plateau. *Environ. Sci.*, 2008, 29(10), 2079-2084

Interactive comment on *Biogeosciences Discuss.*, 7, 4539, 2010.

BGD

7, C2799–C2806, 2010

Interactive
Comment

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Interactive
Comment




Fig 2-1 The effects of different fertilization on soil mineral N.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Interactive
Comment




Fig 2-2 The effects of different fertilization on crop N.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper




Interactive
Comment

Fig 2-3 The effects of different fertilization on annual N_2O emission.

[Full Screen / Esc](#)[Printer-friendly Version](#)[Interactive Discussion](#)[Discussion Paper](#)


Interactive
Comment

Fig 2-2 The relationships between soil organic carbon and labile organic carbon in the study area.

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

