

## ***Interactive comment on “Fate of mercury in tree litter during decomposition” by A. K. Pokharel and D. Obrist***

**A. K. Pokharel and D. Obrist**

dobrist@dri.edu

Received and published: 7 June 2011

Please find attached Revised Table 2 that did not upload properly in our previous response. Thanks D. Obrist and A. Pokharel

Interactive comment on Biogeosciences Discuss., 8, 2593, 2011.

C1471

Table 2. Results of statistical Analysis Of Variance (ANOVA) and Bonferroni post-hoc tests to test for effects of incubation time (continuous variable), species (categorical variable), and interactions for the dependent variables: dry mass, Hg mass, Hg concentration, Hg/C ratio, C mass, C concentration, C/N ratio, N mass, N concentration, and soluble Hg.

		Dependent Variables									
		Dry mass (g)	Hg mass (ng)	Hg concentration ( $\mu\text{g kg}^{-1}$ )	Hg/C ratio	C mass (g)	C concentration (%)	C/N ratio	N mass (g)	N concentration (%)	Soluble Hg ( $\text{ng g}^{-1}$ dry mass)
ANOVA test	Variable	DF = 1, $P < 0.01$	DF = 1, $P < 0.01$	DF = 1, $P < 0.01$	DF = 1, $P < 0.01$	DF = 1, $P < 0.01$	DF = 1, $P = 0.64$	DF = 1, $P < 0.01$	DF = 1, $P < 0.01$	DF = 1, $P < 0.01$	DF = 1, $P < 0.01$
	Time	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$
	Species	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$	DF = 3, $P = 0.64$	DF = 3, $P < 0.01$	DF = 3, $P = 0.03$	DF = 3, $P < 0.01$	DF = 3, $P < 0.01$
Bonferroni comparison	Significant effect of Time is:	Mixed Deciduous Aspen Pine Oak	Mixed Deciduous Aspen Oak*	Aspen	Aspen	Mixed Deciduous Aspen Pine Oak	N/A	Mixed Deciduous Aspen Pine Oak	Mixed Deciduous Aspen Pine	Mixed Deciduous Aspen Pine Oak	Mixed Deciduous Aspen Oak

\* Significant post-hoc test at significance level = 0.10, but not at 0.05

Fig. 1. Revised Table 2

C1472