

References

- Amthor, J.: Respiration in a future, higher-CO₂ world, *Plant, Cell & Environment*, 14, 13-20, 1991.
- Badger, M. R., Andrews, J., T., Whitney, S. M., Ludwig, M., Yellowlees, D. C., Leggat, W. and Price, D. G.: The diversity and coevolution of Rubisco, plastids, pyrenoids, and chloroplast-based CO₂-concentrating mechanisms in algae, *Can. J. Bot.*, 76(6), 1052–1071, 1998.
- Barcelos e Ramos, J., Biswas, H., Schulz, K. G., LaRoche, J. and Riebesell, U.: Effect of rising atmospheric carbon dioxide on the marine nitrogen fixer *Trichodesmium*, *Global Biogeochem. Cycles*, 21(2), doi:10.1029/2006GB002898, 2007.
- Baudoux, A. C. and Brussaard, C. P. D.: Characterization of different viruses infecting the marine harmful algal bloom species *Phaeocystis globosa*, *Virology*, 341(1), 80–90, doi:10.1016/j.virol.2005.07.002, 2005.
- Baudoux, A. C., Noordeloos, A. A. M., Veldhuis, M. J. W. and Brussaard, C. P. D.: Virally induced mortality of *Phaeocystis globosa* during two spring blooms in temperate coastal waters, *Aquat. Microb. Ecol.*, 44(3), 207–217, doi:10.3354/ame044207, 2006.
- Borchard, C. and Engel, A.: Organic matter exudation by *Emiliania huxleyi* under simulated future ocean conditions, *Biogeosciences*, 9(8), 3405–3423, doi:10.5194/bg-9-3405-2012, 2012.
- Borchard, C., Borges, A. V., Händel, N. and Engel, A.: Biogeochemical response of *Emiliania huxleyi* (PML B92/11) to elevated CO₂ and temperature under phosphorous limitation: A chemostat study, *J. Exp. Mar. Bio. Ecol.*, doi:10.1016/j.jembe.2011.10.004, 2011.
- Bratbak G., Jacobsen A., Heldall M., Nagasaki K., Thingstad, F: Virus production in *Phaeocystis pouchetii* and its relation to host cell growth and nutrition, *Aquat. Microb. Ecol.*, 16, 1-9, 1998.
- Brussaard, C. P. D.: Optimization of Procedures for Counting Viruses by Flow Cytometry, *Appl. Environ. Microbiol.*, 70(3), 1506–1513, doi:10.1128/AEM.70.3.1506-1513.2004, 2004.
- Brussaard, C. P. D., Noordeloos, A. A. M., Sandaa, R. A., Heldal, M. and Bratbak, G.: Discovery of a dsRNA virus infecting the marine photosynthetic protist *Micromonas pusilla*, *Virology*, 319(2), 280–291, doi:10.1016/j.virol.2003.10.033, 2004.
- Brussaard, C. P. D., Kuipers, B. and Veldhuis, M. J. W.: A mesocosm study of *Phaeocystis globosa* population dynamics: I. Regulatory role of viruses in bloom control, *Harmful Algae*, 4(5), 859–874, doi:10.1016/j.hal.2004.12.015, 2005.
- Brussaard, C. P. D., Wilhelm, S. W., Thingstad, F., Weinbauer, M. G., Bratbak, G., Heldal, M., Kimmance, S. A., Middelboe, M., Nagasaki, K., Paul, J. H., Schroeder, D. C., Suttle, C. A., Vaqué, D. and Wommack, K. E.: Global-scale processes with a nanoscale drive: the role of marine viruses., *ISME J.*, 2(6), 575–578, doi:10.1038/ismej.2008.31, 2008.
- Brussaard, C. P. D., Noordeloos, A. A. M., Witte, H., Collenteur, M. C. J., Schulz, K., Ludwig, A. and Riebesell, U.: Arctic microbial community dynamics influenced by elevated CO₂ levels, *Biogeosciences*, doi:10.5194/bg-10-719-2013, 2013.

Cermeño, P., Dutkiewicz, S., Harris, R. P., Follows, M., Schofield, O. and Falkowski, P. G.: The role of nutricline depth in regulating the ocean carbon cycle., *Proc. Natl. Acad. Sci. U. S. A.*, 105(51), 20344–20349, doi:10.1073/pnas.0811302106, 2008.

Craig, S. E., Thomas, H., Jones, C. T., Li, W. K. W., Greenan, B. J. W., Shadwick, E. H. and Burt, W. J.: Temperature and phytoplankton cell size regulate carbon uptake and carbon overconsumption in the ocean, *Biogeosciences Discuss.*, 10(7), 11255–11282, doi:10.5194/bgd-10-11255-2013, 2013.

Danovaro, R., Corinaldesi, C., Dell'Anno, A., Fuhrman, J. A., Middelburg, J. J., Noble, R. T. and Suttle, C. A.: Marine viruses and global climate change. *FEMS Microbiology Reviews*, 35, 993–1034, 2011.

Dickinson, G. H., Matoo, O. B., Tourek, R. T., Sokolova, I. M. and Beniash, E.: Environmental salinity modulates the effects of elevated CO₂ levels on juvenile hard-shell clams, *Mercenaria mercenaria.*, *J. Exp. Biol.*, 216(Pt 14), 2607–18, doi:10.1242/jeb.082909, 2013.

Endres, S., Galgani, L., Riebesell, U., Schulz, K. G. and Engel, A.: Stimulated bacterial growth under elevated pCO₂: Results from an off-shore mesocosm study, *PLoS One*, 9(6), doi:10.1371/journal.pone.0099228, 2014.

Engel, A.: Direct relationship between CO₂ uptake and transparent exopolymer particles production in natural phytoplankton, *J. Plankton Res.*, 24(1), 49–53, doi:10.1093/plankt/24.1.49, 2002.

Engel, A., Delille, B., Jacquet, S., Riebesell, U., Rochelle-Newall, E., Terbrüggen, A. and Zondervan, I.: Transparent exopolymer particles and dissolved organic carbon production by *Emiliania huxleyi* exposed to different CO₂ concentrations: a mesocosm experiment, *Aquat. Microb. Ecol.*, 34, 93–104, 2004.

Engel, A., Schulz, K., Riebesell, U., Bellerby, R., Delille, B. and Schartau, M.: Effects of CO₂ on particle size distribution and phytoplankton abundance during a mesocosm bloom experiment (PeECE II), *Biogeosciences Discuss.*, doi:10.5194/bgd-4-4101-2007, 2007.

Engel, A., Händel, N., Wohlers, J., Lunau, M., Grossart, H. P., Sommer, U. and Riebesell, U.: Effects of sea surface warming on the production and composition of dissolved organic matter during phytoplankton blooms: Results from a mesocosm study, *J. Plankton Res.*, 33(3), 357–372, doi:10.1093/plankt/fbq122, 2011.

Engel, A., Borchard, C., Piontek, J., Schulz, K. G., Riebesell, U. and Bellerby, R.: CO₂ increases ¹⁴C primary production in an Arctic plankton community, *Biogeosciences*, 10(3), 1291–1308, doi:10.5194/bg-10-1291-2013, 2013.

Evans, C., Archer, S.D., Jacquet, S. and Wilson, W.H. 2003. Direct estimates of the contribution of viral lysis and microzooplankton grazing to the decline of a *Micromonas* spp. population. *Aquat. Microb. Ecol.* 30: 207–219, doi:10.3354/ame030207 2003.

Evans, C and Brussaard, C.P.D.: Regional Variation in Lytic and Lysogenic Viral Infection in the Southern Ocean and Its Contribution to Biogeochemical Cycling, *Appl. Environ. Microbiol.*, 78(18), 6741-6748, 2012.

Feng, Y., Leblanc, K., Rose, J. M., Hare, C. E., Zhang, Y., Lee, P. A., Wilhelm, S. W., DiTullio, G. R., Rowe, J. M., Sun, J., Nemcek, N., Gueguen, C., Passow, U., Benner, I., Hutchins, D. A. and Brown, C.:

Effects of increased pCO₂ and temperature on the North Atlantic spring bloom. I. The phytoplankton community and biogeochemical response, , 388, 13–25, 2009.

Field, C. B., Behrenfeld, M. J., Randerson, J. T. and Falkowski, P.: Primary Production of the Biosphere: Integrating Terrestrial and Oceanic Components, *Science* 281(5374), 237–240, doi:10.1126/science.281.5374.237, 1998.

Flynn, K. J., Blackford, J. C., Baird, M. E., Raven, J. A., Clark, D. R., Beardall, J., Brownlee, C., Fabian, H. and Wheeler, G. L.: Letter. Changes in pH at the exterior surface of plankton with ocean acidification, *Nat. Clim. Chang.*, 2(7), 510–513, doi:10.1038/nclimate1696, 2012.

Fu, F. X., Warner, M. E., Zhang, Y., Feng, Y. and Hutchins, D. A.: Effects of increased temperature and CO₂ on photosynthesis, growth, and elemental ratios in marine *Synechococcus* and *Prochlorococcus* (Cyanobacteria), *J. Phycol.*, 43(3), 485–496, doi:10.1111/j.1529-8817.2007.00355.x, 2007.

Del Giorgio, P. A. and Duarte, C. M.: Respiration in the open ocean., *Nature*, 420(6914), 379–384, doi:10.1038/nature01165, 2002.

Grob, C., Hartmann, M., Zubkov, M. V. and Scanlan, D. J.: Invariable biomass-specific primary production of taxonomically discrete picoeukaryote groups across the Atlantic Ocean, *Environ. Microbiol.*, 13(12), 3266–3274, doi:10.1111/j.1462-2920.2011.02586.x, 2011.

Gustafson Jr, D. E., Stoecker, D. K., Johnson, M. D., Heukelem, W. F., and Sneider, K.: Cryptophyte algae are robbed of their organelles by the marine ciliate *Mesodinium rubrum*, *Nature*, 405, 1049–1052, doi:10.1038/35016570, 2000.

Hasegawa, T., Koike, I., and Mukai.: Fate of food nitrogen in marine copepods. *Mar. Ecol. Prog. Ser.* 210, 167–174, 2001.

Hein, M. and Sand-Jensen, K.: CO₂ increases oceanic primary production, *Nature*, 388(6642), 526–527, 1997.

Hornick et al. Effect of ocean acidification on bacterial dynamics during a low productive late summer situation in the Baltic Sea *Biogeosciences*, (in prep.) 2016.

Hutchins, D. A.: CO₂ control of *Trichodesmium*, *Limnol. Oceanogr.*, 52(4), 2007.

IPCC: IPCC Fourth Assessment Report: Climate Change 2007.

Jansson, A., Norkko, J. and Norkko, A.: Effects of Reduced pH on *Macoma balthica* Larvae from a System with Naturally Fluctuating pH-Dynamics, *PLoS One*, 8(6), doi:10.1371/journal.pone.0068198, 2013.

Kimmance, S. A. and Brussaard, C. P. D.: Estimation of viral-induced phytoplankton mortality using the, in *Manual of Aquatic Viral Ecology*, pp. 65–73., 2010.

Klaveness, D.: Biology and ecology of the Cryptophyceae: status and challenges., *Biol Ocean.*, 6, 257–270, 1989.

- Kulinski, K. and Pempkowiak, J.: The carbon budget of the Baltic Sea, *Biogeosciences Discuss.*, 8, 4841–4869, 2011.
- Kuosa, H.: Picoplanktonic algae in the northern Baltic Sea: seasonal dynamics and flagellate grazing, *Mar. Ecol. Prog. Ser.*, 73(2-3), 269–276, doi:10.3354/meps073269, 1991.
- Kuosa, H. and Kivi, K.: Bacteria and heterotrophic flagellates in the pelagic carbon cycle in the northern Baltic Sea, *Mar. Ecol. Prog. Ser.*, 53(1975), 93–100, doi:10.3354/meps053093, 1989.
- Landry, M. R. and Hassett, R. P.: Estimating the grazing impact of marine micro-zooplankton, *Mar. Biol.*, 67(3), 283–288, doi:10.1007/BF00397668, 1982.
- Larsen, J. B., Larsen, A., Thyrraug, R., Bratbak, G. and Sandaa, R. A.: Response of marine viral populations to a nutrient induced phytoplankton bloom at different pCO₂ levels, *Biogeosciences*, 5, 523–533, doi:10.5194/bg-5-523-2008, 2008.
- Lee, S. and Fuhrman, J.A., Relationships between Biovolume and Biomass of Naturally Derived Marine Bacterioplankton, *Appl. Environ. Microbiol.* 53(6), 1298-1303, 1987
- Leonardos, N. and Geider, R. J.: Elevated atmospheric carbon dioxide increases organic carbon fixation by *Emiliania huxleyi* (Haptophyta), under nutrient-limited high-light conditions, *J. Phycol.*, 41(6), 1196–1203 [online] Available from: <http://dx.doi.org/10.1111/j.1529-8817.2005.00152.x>, 2005.
- Li, W. K. W., McLaughlin, F. A., Lovejoy, C. and Carmack, E. C.: Smallest algae thrive as the Arctic Ocean freshens., *Science*, doi:10.1126/science.1179798, 2009.
- Lischka, S., Bach, L.T., Schulz, K.G., and Riebesell, U.: Micro- and mesozooplankton community response to increasing levels of fCO₂ in the Baltic Sea: insights from a large-scale mesocosm experiment, *Biogeosciences*, 2015
- Lønborg, C., Middelboe, M. and Brussaard, C. P. D.: Viral lysis of *Micromonas pusilla*: Impacts on dissolved organic matter production and composition, *Biogeochemistry*, 116(1-3), 231–240, doi:10.1007/s10533-013-9853-1, 2013.
- Low-Décarie, E., Fussmann, G. F. and Bell, G.: Aquatic primary production in a high-CO₂ world, *Trends Ecol. Evol.*, 29(4), 223–232, doi:10.1016/j.tree.2014.02.006, 2014.
- Lu, Z., Jiao, N. and Zhang, H.: Physiological changes in marine picocyanobacterial *Synechococcus* strains exposed to elevated CO₂ partial pressure, *Mar. Biol. Res.*, 2(6), 424–430, doi:10.1080/17451000601055419, 2006.
- Maat, D. S., Crawford, K. J., Timmermans, K. R. and Brussaard, C. P. D.: Elevated CO₂ and phosphate limitation favor *Micromonas pusilla* through stimulated growth and reduced viral impact, *Appl. Environ. Microbiol.*, 80(10), 3119–3127, 2014.
- Marchant, H.J. and Scott F.J: Uptake of sub-micrometre particles and dissolved organic material by Antarctic choanoflagellates, *Mar. Ecol. Prog. Ser.*, 92, 59-64, 1993.

Marie, D., Brussaard, C. P. D., Thyrhaug, R., Bratbak, G. and Vault, D.: Enumeration of marine viruses in culture and natural samples by flow cytometry, *Appl. Environ. Microbiol.*, 65(1), 45–52, 1999.

Meakin, N. G. and Wyman, M.: Rapid shifts in picoeukaryote community structure in response to ocean acidification., *ISME J.*, doi:10.1038/ismej.2011.18, 2011.

Merkouriadi, I. and Leppäranta, M.: Long-term analysis of hydrography and sea-ice data in Tvärminne, Gulf of Finland, Baltic Sea, *Clim. Change*, 124(4), 849–859, doi:10.1007/s10584-014-1130-3, 2014.

Meyer, J. and Riebesell, U.: Reviews and Syntheses: Responses of coccolithophores to ocean acidification: a meta-analysis, *Biogeosciences*, 12(6), 1671–1682, doi:10.5194/bg-12-1671-2015, 2015.

Middelboe, M. and Lyck, P. G.: Regeneration of dissolved organic matter by viral lysis in marine microbial communities, *Aquat. Microb. Ecol.*, 27(2), 187–194, doi:10.3354/ame027187, 2002.

Mojica, K. D. A. and Brussaard, C. P. D.: Factors affecting virus dynamics and microbial host–virus interactions in marine environments, *FEMS Microbiol. Ecol.*, 89(3), 495–515, doi:10.1111/1574-6941.12343, 2014.

Mojica, K. D. A., Evans, C. and Brussaard, C. P. D.: Flow cytometric enumeration of marine viral populations at low abundances, *Aquat. Microb. Ecol.*, 71(3), 203–209, doi:10.3354/ame01672, 2014.

Mojica, K. D. A., van de Poll, W. H., Kehoe, M., Huisman, J., Timmermans, K. R., Buma, A. G. J., van der Woerd, H. J., Hahn-Woernle, L., Dijkstra, H. A. and Brussaard, C. P. D.: Phytoplankton community structure in relation to vertical stratification along a north-south gradient in the Northeast Atlantic Ocean, *Limnol. Oceanogr.*, 60(5), 1498–1521, doi:10.1002/lno.10113, 2015.

Mojica, K. D. A., Huisman, J., Wilhelm, S. W. and Brussaard, C. P. D.: Latitudinal variation in virus-induced mortality of phytoplankton across the North Atlantic Ocean, *ISME J* [online] Available from: <http://dx.doi.org/10.1038/ismej.2015.130>, 2016.

Møller Eva Friis: Production of dissolved organic carbon by sloppy feeding in the copepods *Acartia tonsa*, *Centropages typicus*, and *Temora longicornis*, *Limnol. Oceanogr.*, 52(1), 79-84 doi: 10.4319/lo.2007.52.1.0079, 2007.

Nausch, M., Bach, L., Czerny, J., Godstein, J., Grossart, H.-P., Hellemann, D., Hornick, T., Achterberg, E., Schulz, K.G and Riebesell, U.: Effects of CO₂ perturbation on phosphorus pool sizes and uptake in a mesocosm experiment during a low productive summer season in the northern Baltic Sea, *Biogeosciences Discuss.*, 12, 17543-17593, doi:10.5194/bgd-12-17543-2015, 2015.

Parada, V., Herndl, G. and Weinbauer, M. :Viral burst size of heterotrophic prokaryotes in aquatic systems. *J. Mar. Biol. Assoc. U. K.*, 86, 613-621. doi:10.1017/S002531540601352X, 2006.

Paul, A. J., Bach, L. T., Boxhammer, T., Czerny, J., Hellemann, D., Trense, Y., Nausch, M., Sswat, M., Riebesell, U., Road, M., Lismore, E. and Way, E.: Effect of elevated CO₂ on organic matter pools and fluxes in a summer , post spring-bloom Baltic Sea plankton community, *Biogeosciences* , 1–60, 2015.

Paulino, A. I., Egge, J. K. and Larsen, A.: Effects of increased atmospheric CO₂ on small and intermediate sized osmotrophs during a nutrient induced phytoplankton bloom, *Biogeosciences Discuss.*, 4(6), 4173–4195, doi:10.5194/bgd-4-4173-2007, 2007.

Pfeil, B., Olsen, A., Bakker, D. C. E., Hankin, S., Koyuk, H., Kozyr, A., Malczyk, J., Manke, A., Metzl, N., Sabine, C. L., Akl, J., Alin, S. R., Bates, N., Bellerby, R. G. J., Borges, A., Boutin, J., Brown, P. J., Cai, W. J., Chavez, F. P., Chen, A., Cosca, C., Fassbender, A. J., Feely, R. A., González-Dávila, M., Goyet, C., Hales, B., Hardman-Mountford, N., Heinze, C., Hood, M., Hoppema, M., Hunt, C. W., Hydes, D., Ishii, M., Johannessen, T., Jones, S. D., Key, R. M., Körtzinger, A., Landschützer, P., Lauvset, S. K., Lefèvre, N., Lenton, A., Lourantou, A., Merlivat, L., Midorikawa, T., Mintrop, L., Miyazaki, C., Murata, A., Nakadate, A., Nakano, Y., Nakaoka, S., Nojiri, Y., Omar, A. M., Padin, X. A., Park, G. H., Paterson, K., Perez, F. F., Pierrot, D., Poisson, A., Ríos, A. F., Santana-Casiano, J. M., Salisbury, J., Sarma, V. V. S. S., Puhe, J., and Ulrich, B.: Global climate change and human impacts on forest ecosystems: postglacial development, present situation and future trends in Central Europe, Springer Science & Business Media, 2012.

Piontek, J., Händel, N., Langer, G., Wohlers, J., Riebesell, U. and Engel, A.: Effects of rising temperature on the formation and microbial degradation of marine diatom aggregates, *Aquat. Microb. Ecol.*, 54, 305–318, doi:10.3354/ame01273, 2009.

Qiu, B. and Gao, K.: Effects of CO₂ enrichment on the bloom-forming cyanobacterium *Microcystis aeruginosa* (Cyanophyceae): Physiological responses and relationships with the availability of dissolved inorganic carbon, *J. Phycol.*, 38(4), 721–729, doi:10.1046/j.1529-8817.2002.01180.x, 2002.

Raven, J. A.: The twelfth Tansley Lecture. Small is beautiful: The picophytoplankton, *Funct. Ecol.*, doi:10.1046/j.1365-2435.1998.00233.x, 1998.

Riebesell, U.: Sinking of diatoms *Mar. Ecol. Prog. Ser.*, 54: 109-119, 1989

Riebesell, U. and Tortell, P. D.: Effects of ocean acidification on pelagic organisms and ecosystems BT - Ocean Acidification, in *Ocean Acidification*, pp. 99–121, OUP Oxford. [online] Available from: http://books.google.com/books?hl=en&lr=&id=8yjNFxkALjIC&oi=fnd&pg=PA99&dq=effects+of+ocean+acidification+on+pelagic+organisms&ots=NfuXHN4IZ_&sig=FAEmNm76r7VSMadLGjwQfFMidNM\ npapers2://publication/uuid/BEF2E67A-2360-42F4-9276-478DCFBC4E42, 2011.

Riebesell, U., Körtzinger, A. and Oschlies, A.: Sensitivities of marine carbon fluxes to ocean change., *Proc. Natl. Acad. Sci. U. S. A.*, 106(49), 20602–20609, doi:10.1073/pnas.0813291106, 2009.

Riemann, L., Leitet, C., Pommier, T., Simu, K., Holmfeldt, K., Larsson, U. and Hagström, Å.: The Native Bacterioplankton Community in the Central Baltic Sea Is Influenced by Freshwater Bacterial Species , *Appl. Environ. Microbiol.*, 74(2), 503–515, doi:10.1128/AEM.01983-07, 2008.

Rose, J. M., Feng, Y., Gobler, C. J., Gutierrez, R., Harel, C. E., Leblancl, K. and Hutchins, D. A.: Effects of increased pCO₂ and temperature on the North Atlantic spring bloom. II. Microzooplankton abundance and grazing, *Mar. Ecol. Prog. Ser.*, 388, 27–40, doi:10.3354/meps08134, 2009.

Sarmiento, J.L, Hughes, T.M.C., Stouffer, R.J and Manabe, S.: Simulated response of the ocean carbon cycle to anthropogenic climate warming, *Nature* 393, 245–249, 1998.

Schaum, E., Rost, B., Millar, A. J. and Collins, S.: Variation in plastic responses of a globally distributed picoplankton species to ocean acidification, , doi:10.1038/NCLIMATE1774, 2012.

- Schlitzer, R., Schneider, B., Schuster, U., Sieger, R., Skjelvan, I., Steinhoff, T., Suzuki, T., Takahashi, T., Tedesco, K., Telszewski, M., Thomas, H., Tilbrook, B., Tjiputra, J., Vandemark, D., Veness, T., Wanninkhof, R., Watson, A. J., Weiss, R., Wong, C. S. and Yoshikawa-Inoue, H.: A uniform, quality controlled Surface Ocean CO₂ Atlas (SOCAT), *Earth Syst. Sci. Data*, 5(1), 125–143, doi:10.5194/essd-5-125-2013, 2013.
- Sheik, A. R., Brussaard, C. P. D., Lavik, G., Lam, P., Musat, N., Krupke, A., Littmann, S., Strous, M. and Kuypers, M. M. M.: Responses of the coastal bacterial community to viral infection of the algae *Phaeocystis globosa*, *ISME J.*, 8(1), 212–25, doi:10.1038/ismej.2013.135, 2014.
- Sherr, E.B., D.A. Caron, and B. F. Sherr.: Staining of heterotrophic protists for visualization via epifluorescence microscopy, in *Current Methods in Aquatic Microbial Ecology*, edited by and J. C. P. Kemp, B. Sherr, E. Sherr, pp. 213–228, Lewis Publ., N.Y., 1993.
- Sommer, U., Stibor, H., Katechakis, A., Sommer, F. and Hansen, T.: Pelagic food web configurations at different levels of nutrient richness and their implications for the ratio fish production:primary production, *Hydrobiologia*, 484(1-3), 11–20, doi:10.1023/A:1021340601986, 2002.
- Spilling, K., Paul, A.J., Virkkala, N., Hastings, T., Lischka, S., Stuhr, A., Bermudez, R., Czerny, J., Schulz, K.G., Ludwig, A. and Riebesell, U.: Ocean acidification decreases plankton respiration: evidence from a mesocosm experiment, *Biogeosciences*, (in prep.)2016
- Suffrian, K., Simonelli, P., Nejstgaard, J. C., Putzeys, S., Carotenuto, Y. and Antia, A. N.: Microzooplankton grazing and phytoplankton growth in marine mesocosms with increased CO₂ levels, *Biogeosciences*, 5, 1145–1156, 2008.
- Suttle, C. A.: Viruses in the sea., *Nature*, 437(7057), 356–361, doi:10.1038/nature04160, 2005.
- Toggweiler, J.R. and Russell, J.: Ocean circulation in a warming climate, *Nature* 451, 286–288, 2008.
- Tortell, P. D., DiTullio, G. R., Sigman, D. M. and Morel, F. M. M.: CO₂ effects on taxonomic composition and nutrient utilization in an Equatorial Pacific phytoplankton assemblage, *Mar. Ecol. Prog. Ser.*, 236, 37–43, 2002.
- Traving, S. J., Clokie, M. R. J. and Middelboe, M.: Increased acidification has a profound effect on the interactions between the cyanobacterium *Synechococcus* sp. WH7803 and its viruses, *FEMS Microbiol. Ecol.*, 87(1), 133–141, doi:10.1111/1574-6941.12199, 2014.
- Turley, C. and Boot, K.: UNEP emerging issues: Environmental consequences of ocean acidification: A threat to food security, *United Nations Environ. Program.*, 2010.
- Veldhuis, M. J. W. and Kraay, G. W.: Phytoplankton in the subtropical Atlantic Ocean: Towards a better assessment of biomass and composition, *Deep. Res. Part I Oceanogr. Res. Pap.*, 51(4), 507–530, doi:10.1016/j.dsr.2003.12.002, 2004.
- Veldhuis, M. J. W., Timmermans, K. R., Croot, P. and Van Der Wagt, B.: Picophytoplankton; A comparative study of their biochemical composition and photosynthetic properties, *J. Sea Res.*, 53(1-2 SPEC. ISS.), 7–24, doi:10.1016/j.seares.2004.01.006, 2005.

Waite, A, Fisher, A, Thompson, P., Harrison, P.: Sinking rate versus cell volume relationships illuminate sinking rate control mechanisms in marine diatoms *Mar. Ecol. Prog. Ser.*, 157, 97-108, 1997

Waterbury JB, Watson SW, V. & F.: Biological and ecological characterization of the marine unicellular cyanobacterium *Synechococcus*., in *Photosynthetic Picoplankton*, edited by E. Platt, T. and Li, W., pp. 71–120., *Can. Bull. Fish. Aquat. Sci.* 214., 1986.

Weinbauer, M. G.: Ecology of prokaryotic viruses, *FEMS Microbiol. Rev.*, 28(2), 127–181, doi:10.1016/j.femsre.2003.08.001, 2004.

Weinbauer, M. G. and Suttle, C. A.: Potential significance of lysogeny to bacteriophage production and bacterial mortality in coastal waters of the Gulf of Mexico, *Appl. Environ. Microbiol.*, 62(12), 4374–4380, 1996.

Weinbauer, M. G., Mari, X. and Gattuso, J.-P.: Effect of ocean acidification on the diversity and activity of heterotrophic marine microorganisms, in *Ocean acidification*, pp. 83–98., 2011.

Wilhelm, S. W. and Suttle, C. A.: Viruses and Nutrient Cycles in the Sea aquatic food webs, *Bioscience*, 49(10), 781–788, doi:10.2307/1313569, 1999.

Wilhelm, S. W., Brigden, S. M. and Suttle, C. A.: A dilution technique for the direct measurement of viral production: A comparison in stratified and tidally mixed coastal waters, *Microb. Ecol.*, 43(1), 168–173, doi:10.1007/s00248-001-1021-9, 2002.

Winget, D. M., Williamson, K. E., Helton, R. R. and Wommack, K. E.: Tangential flow diafiltration: An improved technique for estimation of virioplankton production, *Aquat. Microb. Ecol.*, 41(3), 221–232, doi:10.3354/ame041221, 2005.

Wohlers, J., Engel, A., Zöllner, E., Breithaupt, P., Jürgens, K., Hoppe, H.-G., Sommer, U. and Riebesell, U.: Changes in biogenic carbon flow in response to sea surface warming., *Proc. Natl. Acad. Sci. U. S. A.*, 106(17), 7067–7072, doi:10.1073/pnas.0812743106, 2009.

Wohlers-Zöllner, J., Breithaupt, P., Walther, K., Jürgens, K. and Riebesell, U.: Temperature and nutrient stoichiometry interactively modulate organic matter cycling in a pelagic algal-bacterial community, *Limnol. Oceanogr.*, 56(2), 599–610, doi:10.4319/lo.2011.56.2.0599, 2011.

Wolf-Gladrow, D. and Riebesell, U.: Diffusion and reactions in the vicinity of plankton: A refined model for inorganic carbon transport, *Mar. Chem.*, 59(1-2), 17–34, doi:10.1016/S0304-4203(97)00069-8, 1997.

Wommack, K.E. and Colwell, R.R.: Virioplankton: viruses in aquatic ecosystems. *Microbiol. Mol. Biol. Rev.* 64, 69–114, 2000.

Zondervan, I., Rost, B. and Riebesell, U.: Effect of CO₂ concentration on the PIC/POC ratio in the coccolithophore *Emiliana huxleyi* grown under light-limiting conditions and different daylengths, *J. Exp. Mar. Bio. Ecol.*, 272(1), 55–70 [online] Available from: <http://www.sciencedirect.com/science/article/B6T8F-45D8N98-3/2/28501cce2a3ebd671b67516eeb41dac9>, 2002.