

1  
2 Supporting Information for

3 **Source, composition, and environmental implication of neutral**  
4 **carbohydrates in sediment cores of subtropical reservoirs, South**  
5 **China**

6 Dandan Duan<sup>1,2</sup>, Dainan Zhang<sup>1,2</sup>, Yu Yang<sup>1</sup>, Jingfu Wang<sup>3</sup>, Jing'an Chen<sup>3</sup>, Yong Ran<sup>1\*</sup>

7 <sup>1</sup>State Key Laboratory of Organic Geochemistry, Guangzhou Institute of Geochemistry, Chinese Academy of Sciences,  
8 Guangzhou, Guangdong 510640, China

9 <sup>2</sup>University of Chinese Academy of Sciences, Beijing 100049, China

10 <sup>3</sup>State Key Laboratory of Environmental Geochemistry, Institute of Geochemistry, Chinese Academy of Sciences, Guiyang  
11 55002, China

12 **Contents of this file**

13 Figures S1 to S5


14 Tables S1 to S4

15 **Supplemental data**

16 Table S1 lists Rock-Eval parameters, original and corrected  $\delta^{13}\text{C}$ , Cu and Zn concentrations, C/N ratios, and MAS. And  
17 Table S2, S3, and S4 list concentrations of neutral carbohydrates, correlations among neutral sugars and heavy metals, and  
18 correlations among T<sub>5</sub>, Rock-Eval parameters, monosaccharides, original and corrected  $\delta^{13}\text{C}$ , and diagenetic parameters in the  
19 sediment cores, respectively.


20 Table S1 illustrates physicochemical properties in water column. Figure S2 shows the sources of neutral sugars. Figure  
21 S3, S4, and S5 show vertical profiles of diagnostic parameters of neutral sugars, PCA analyses and annual daylight during  
22 60 years, respectively.

28  
29  
30




31  
32  
33

**Figure S1.** Physiochemical properties of water in LA and XFJ reservoirs



36 **Figure S2.** Plot of weight % xylose<sub>b</sub> against % (Fucose + Rhamnose)<sub>b</sub> in the sediments of three reservoirs




48  
49

50 **Figure S3.** Vertical profiles of ratios and parameters of carbohydrates in sediment cores from three reservoirs  
51  
52  
53

54

55



56

57


58

59

**Figure S4.** Principal component analysis of parameters in LA reservoirs.

60 Note: Only one principal component was extracted by the PCA analyses in ZT samples

61



**Table S1.** Summary of OM parameters, heavy metal concentrations, carbon isotopic values, and mass accumulation rates.

Depth (cm)	S1 (mg HC/g TOC)	S2 (mg HC/g TOC)	S3 (mg HC/g TOC)	RC (%)	S2/RC	TOC (%)	HI	OI	Cu (mg/kg)	Zn (mg/kg)	$\delta^{13}\text{C}$ (‰)	c $\delta^{13}\text{C}$ (‰)	C/N	MAR g/cm <sup>2</sup> / <sub>a</sub>
<b>ZT</b>														
4	1.03	6.94	6.85	2.05	3.36	2.98	233	230	36.85	132	-21.8	-19.94	7.21	0.18
8	0.75	5.62	6.25	1.86	3.01	2.64	213	237	35.82	112	-21.9	-20.27	9.34	0.18
10	0.58	4.29	5.95	1.68	2.55	2.32	185	256	35.59	114	-21.8	-20.27	8.28	0.28
12	0.47	3.69	5.60	1.36	2.71	1.92	192	292	33.55	107	-21.9	-20.51	6.79	0.25
14	0.40	3.05	5.46	1.40	2.18	1.89	161	289	30.45	94.82	-22.0	-20.80	5.73	0.20
16	0.24	1.47	3.87	0.76	1.93	1.05	140	369	25.34	93.48	-21.9	-20.94	3.82	0.20
18	0.16	1.31	3.73	0.52	2.52	0.78	168	478	27.75	93.34	-21.7	-21.08	3.51	0.12
20	0.16	1.11	5.08	0.68	1.63	0.97	114	524	23.37	82.96	-21.6	-21.47	4.25	0.06
22	0.16	1.23	4.51	0.69	1.78	0.97	127	465	25.58	92.29	-21.7	-21.73	4.35	0.04
24	0.13	1.14	3.67	0.64	1.78	0.88	130	417	25.27	99.99	-22.1		4.14	0.03
26	0.15	1.10	3.07	0.60	1.83	0.82	134	374	22.71	93.90	-22.2		4.69	
28	0.15	1.13	2.93	0.59	1.92	0.81	140	362	24.56	97.36	-22.2		4.63	
<b>LA</b>														
2	1.18	7.77	9.52	2.27	3.42	3.40	229	280	49.79	148.63	-26.4	-24.58	11.03	0.12
4	0.85	5.61	9.05	1.87	3	2.78	202	326	43.62	142.65	-26.3	-24.55	9.15	0.10
6	1.00	6.77	9.45	2.17	3.12	3.20	212	295	41.94	139.89	-26.2	-24.72	9.92	0.09
8	1.32	9.45	11.71	2.94	3.21	4.31	219	272	44.33	139.48	-26.4	-25.03	14.68	0.11
10	0.69	5.10	9.98	2.06	2.48	2.94	173	339	43.02	124.43	-26.3	-25.06	8.28	0.11
12	0.62	4.50	9.76	1.87	2.41	2.68	168	364	44.69	120.66	-26.0	-24.86	9.06	0.12
14	0.51	3.51	8.77	1.53	2.29	2.21	159	397	39.90	118.70	-25.8	-24.79	6.57	0.11
16	0.46	3.17	8.20	1.48	2.14	2.10	151	390	39.99	112.07	-25.3	-24.53	7.84	0.10
18	0.56	3.91	8.43	1.67	2.34	2.38	164	354	42.04	117.89	-25.6	-24.87	10.01	0.12
20	0.50	3.65	7.80	1.59	2.30	2.26	162	345	40.63	121.79	-25.0	-24.35	7.87	0.17
22	0.44	3.23	7.11	1.49	2.17	2.08	155	342	40.21	126.66	-24.5	-23.95	8.41	0.19
24	0.31	2.17	3.70	1.04	2.09	1.41	154	262	25.02	83.65	-24.8	-24.40	5.76	0.11
26	0.26	1.87	2.82	0.78	2.40	1.08	173	261	18.22	76.58	-24.1	-23.88	4.62	0.07

28	0.24	1.80	2.62	0.75	2.40	1.03	175	254	18.21	74.21	-24.4	-24.38	4.14	0.03
30	0.23	1.63	2.55	0.71	2.30	0.98	166	260	18.03	75.17	-24.2		4.12	0.02
32	0.22	1.64	2.44	0.67	2.45	0.93	176	262	18.84	90.02	-24.4		6.40	0.03
34	0.21	1.47	2.36	0.64	2.30	0.88	167	268	25.88	107.49	-25.4		10.64	
<b>XFJ</b>														
2	0.17	1.24	4.24	0.36	3.44	0.64	194	662	33.85	129.74	-27.2	-25.46	2.60	0.19
4	0.14	1.04	3.77	0.29	3.59	0.53	196	711	28.73	116.89	-27.1	-25.46	2.30	0.17
6	0.13	0.95	4.03	0.29	3.28	0.53	179	760	20.50	91.88	-26.7	-25.25	2.54	0.33
8	0.11	0.87	3.96	0.26	3.35	0.50	174	792	22.44	97.93	-25.7	-24.20	2.53	1.07
10	0.10	0.80	4.05	0.24	3.33	0.49	164	827	22.48	98.08	-24.4	-22.95	2.79	0.46
12	0.10	0.73	4.15	0.23	3.17	0.47	155	883	19.62	88.10	-25.0	-23.69	2.62	0.35
14	0.11	0.86	4.62	0.31	2.77	0.57	151	811	19.99	97.34	-24.8	-23.53	2.94	0.32
16	0.13	0.97	4.82	0.35	2.77	0.62	156	777	18.04	89.81	-25.3	-24.14	3.14	0.23
18	0.15	1.11	5.45	0.43	2.58	0.75	148	727	17.60	82.97	-25.3	-24.22	3.41	0.14
20	0.19	1.42	6.67	0.61	2.33	0.99	143	674	19.04	88.02	-25.1	-24.20	4.46	0.09
22	0.28	2.18	8.56	0.99	2.20	1.50	145	571	21.77	95.35	-25.1	-24.58	6.40	0.08
24	0.31	2.49	11.36	1.13	2.20	1.76	141	645	20.40	92.27	-24.4	-23.97	6.96	0.09
26	0.33	2.66	7.39	1.22	2.18	1.76	151	420	15.99	93.11	-23.4	-22.95	10.11	0.05
28	0.29	2.45	5.93	1.07	2.29	1.54	159	385	16.18	100.11	-23.1	-23.04	8.66	0.07
30	0.29	2.47	5.74	1.07	2.31	1.53	161	375	15.09	95.72	-23.5	-23.49	9.57	0.13
32	0.28	2.37	6.13	1.06	2.24	1.52	156	403	14.60	73.40	-23.5		8.06	0.08
34	0.32	2.78	6.35	1.14	2.44	1.64	170	387	16.96	84.21	-23.9		8.25	

NOTE: cδ<sup>13</sup>C is the corrected results for Suess effect.

89

90

91

92

93

94

95

96

97

98

**Table S2.** Concentrations (nmol/TOCmg and mg/g) of neutral carbohydrates in sediment cores from reservoirs

Depth (cm)	Monosaccharide concentrations										Total TCHO					
	Glucose		Galactose		Mannose		Arabinose		Rhamnose		Fucose		Xylose			
	nmol/ TOC mg	(mg/ g)	nmol/ TOC mg	(mg/ g)	nmol/ TOC mg	(mg/ g)	nmol/ TOC mg	(mg/ g)	nmol/ TOC mg	(mg/ g)	nmol/ TOC mg	(mg/ g)	nmol/ TOC mg	(mg/ g)	nmol/ TOC mg	(mg/ g)
<b>ZT</b>																
2	269	1.44	165	0.89	152	0.82	173	0.77	119	0.65	75	0.37	93	0.42	1046	5.36
4	285	1.36	157	0.75	150	0.71	177	0.70	123	0.59	69.9	0.30	103	0.41	1065	4.82
10	283	1.19	160	0.67	145	0.60	176	0.61	114	0.48	53.9	0.21	96	0.33	1029	4.09
12	294	1.11	175	0.66	152	0.58	186	0.58	120	0.46	56.2	0.19	97.8	0.31	1081	3.89
14	304	1.04	189	0.64	160	0.55	195	0.55	125	0.43	58.5	0.18	99.6	0.28	1133	3.67
16	327	0.62	262	0.50	235	0.44	217	0.34	162	0.31	66.7	0.11	123	0.19	1392	2.51
18	341	0.48	275	0.39	245	0.34	185	0.22	195	0.28	108	0.14	146	0.17	1497	2.02
20	274	0.48	243	0.42	239	0.42	161	0.24	164	0.29	87.2	0.14	130	0.19	1299	2.18
22	282	0.49	229	0.40	234	0.41	159	0.23	158	0.28	81.4	0.13	129	0.19	1274	2.13
24	293	0.47	216	0.34	244	0.39	154	0.20	165	0.26	77.3	0.11	130	0.17	1280	1.94
26	400	0.59	272	0.40	337	0.50	169	0.21	184	0.28	80.2	0.11	125	0.15	1569	2.24
28	377	0.55	259	0.38	312	0.46	190	0.23	190	0.28	49.0	0.07	152	0.18	1530	2.15
<b>LA</b>																
2	222	1.36	196	1.20	151	0.92	137	0.70	108	0.67	73.5	0.41	91.6	0.47	979	5.73
4	268	1.34	227	1.14	164	0.82	184	0.77	133	0.67	93.5	0.43	139.1	0.58	1209	5.75
6	253	1.46	171	0.99	144	0.83	131	0.63	91.9	0.54	68.1	0.36	78.3	0.38	937	5.19
8	171	1.33	106	0.82	89	0.69	88	0.57	67.3	0.53	43.1	0.30	84.9	0.55	649	4.79
10	441	2.34	163	0.87	144	0.76	137	0.60	104	0.56	66.1	0.32	215.8	0.95	1271	6.4
12	225	1.09	164	0.79	148	0.72	123	0.49	80.3	0.39	55.0	0.24	54.6	0.22	850	3.94
14	227	0.91	164	0.65	160	0.64	135	0.45	98.5	0.40	64.0	0.23	94.7	0.31	943	3.59
16	260	0.98	168	0.64	172	0.65	117	0.37	59.5	0.23	42.1	0.15	20.0	0.06	838	3.08
18	209	0.90	159	0.68	141	0.60	124	0.44	107	0.46	63.8	0.25	95.0	0.34	898	3.67
20	240	0.98	174	0.71	158	0.64	136	0.46	117	0.48	68.5	0.25	119.9	0.41	1012	3.93

22	261	0.98	186	0.70	158	0.59	138	0.43	123	0.47	73.8	0.25	95.0	0.30	1035	3.72
24	360	0.91	256	0.65	218	0.55	179	0.38	141	0.36	88.0	0.20	101.3	0.21	1344	3.26
26	423	0.82	311	0.61	270	0.53	232	0.38	202	0.40	118.2	0.21	164.8	0.27	1721	3.22
28	477	0.89	340	0.63	300	0.56	265	0.41	209	0.39	120.4	0.20	254.2	0.39	1965	3.47
30	477	0.84	319	0.56	307	0.54	265	0.39	202	0.36	104.1	0.17	230.7	0.34	1905	3.2
32	472	0.79	153	0.26	142	0.24	141	0.20	87.6	0.15	42.3	0.06	232.9	0.33	1271	2.03
34	123.4	0.20	55.1	0.09	58.8	0.09	35.5	0.05	26.9	0.04	13.4	0.02	16.8	0.02	330	0.51
<b>XFJ</b>																
2	380	0.44	370	0.43	334	0.38	240	0.23	199	0.23	153	0.16	192	0.18	1868	2.05
4	363	0.35	379	0.36	324	0.31	253	0.20	186	0.18	148	0.13	154	0.12	1806	1.65
6	350	0.33	321	0.31	317	0.30	220	0.17	136	0.13	116	0.10	85	0.07	1544	1.41
8	334	0.30	299	0.27	291	0.26	182	0.14	76.8	0.07	70.9	0.06	9.5	0.01	1263	1.11
10	341	0.30	283	0.25	320	0.28	241	0.18	179	0.16	122	0.10	185	0.14	1672	1.41
12	320	0.27	308	0.26	330	0.28	248	0.17	191	0.16	138	0.11	187	0.13	1721	1.38
14	271	0.28	228	0.23	249	0.26	194	0.17	146	0.15	106	0.10	141	0.12	1335	1.31
16	208	0.23	136	0.15	128	0.14	109	0.10	86.0	0.10	61.2	0.06	148	0.14	876	0.92
18	202	0.27	80.9	0.11	43.6	0.06	54.9	0.06	49.8	0.07	33.8	0.04	194	0.22	658	0.83
20	301.3	0.54	144.5	0.26	81.4	0.15	106.8	0.16	101.5	0.18	58.7	0.10	111.9	0.17	906	1.56
22	243.5	0.66	116.0	0.32	74.3	0.20	81.0	0.18	66.0	0.18	43.5	0.11	94.3	0.21	719	1.86
24	107.9	0.34	43.2	0.14	10.7	0.03	25.8	0.07	22.3	0.07	11.7	0.03	60.9	0.16	283	0.84
26	338.0	1.07	113.5	0.36	110.3	0.35	92.1	0.24	68.2	0.22	34.0	0.10	83.8	0.22	840	2.56
28	264.3	0.73	105.9	0.29	60.4	0.17	70.7	0.16	64.4	0.18	27.1	0.07	72.0	0.17	665	1.77
30	247.0	0.68	88.9	0.24	88.5	0.24	70.0	0.16	51.8	0.14	24.7	0.06	57.6	0.13	629	1.65
32	204.5	0.56	82.6	0.23	49.1	0.13	50.5	0.12	53.6	0.15	22.0	0.05	106.4	0.24	569	1.48
34	320.5	0.95	95.6	0.28	34.7	0.10	72.9	0.18	47.1	0.14	19.6	0.05	76.9	0.19	667	1.89

100  
101  
102  
103  
104  
105  
106  
107

**Table S3.** Correlation among neutral sugars and heavy metals in sediment cores of three reservoirs**Pearson Correlations**

	Glucose	Galactose	Mannose	Arabinose	Rhamnose	Fucose	Xylose	Cu	Zn
<b>ZT</b>									
Glucose	1	0.978**	0.948**	0.992**	0.983**	0.897**	0.976**	0.949**	0.861**
Galactose		1	0.943**	0.989**	0.984**	0.927**	0.968**	0.921**	0.843**
Mannose			1	0.925**	0.960**	0.905**	0.933**	0.837**	0.885**
Arabinose				1	0.981**	0.900**	0.979**	0.952**	0.838**
Rhamnose					1	0.957**	0.991**	0.943**	0.885**
Fucose						1	0.942**	0.883**	0.857**
Xylose							1	0.957**	0.867**
Cu								1	0.868**
Zn									1
<b>LA</b>									
Glucose	1	0.718**	0.737**	0.765**	0.717**	0.723**	0.868**	0.554*	0.504*
Galactose		1	0.969**	0.982**	0.943**	0.977**	0.573*	0.695**	0.655**
Mannose			1	0.952**	0.897**	0.924**	0.535*	0.709**	0.606**
Arabinose				1	0.959**	0.983**	0.673**	0.676**	0.652**
Rhamnose					1	0.978**	0.710**	0.622**	0.602*
Fucose						1	0.651**	0.692**	0.690**
Xylose							1	0.350	0.372
Cu								1	0.937**
Zn									1
	Glucose	Galactose	Mannose	Arabinose	Rhamnose	Fucose	Xylose	Cu	Zn
<b>XFJ</b>									
Glucose	1	0.404	0.022	0.466	0.493*	-0.055	0.503*	-0.379	-0.126
Galactose		1	0.787**	0.923**	0.816**	0.800**	-0.046	0.552*	0.656**
Mannose			1	0.830**	0.631**	0.821**	-0.346	0.525*	0.642**
Arabinose				1	0.866**	0.795**	-0.022	0.396	0.552*
Rhamnose					1	0.779**	0.358	0.305	0.465

Fucose					1	-0.086	0.722**	0.715**
Xylose						1	-0.260	-0.262
Cu							1	0.863**
Zn								1
<b>XFJ (0-16 cm)</b>								
Glucose	1	0.967**	0.898**	0.868**	0.719*	0.826*	0.254	0.934**
Galactose		1	0.938**	0.894**	0.710*	0.846**	0.173	0.904**
Mannose			1	0.954**	0.740*	0.855**	0.173	0.783*
Arabinose				1	0.886**	0.947**	0.408	0.815*
Rhamnose					1	0.970**	0.777*	0.732*
Fucose						1	0.615	0.804*
Xylose							1	0.361
Cu								1
Zn								

\*\*. Correlation is significant at the 0.01 level (2-tailed).

\*. Correlation is significant at the 0.05 level (2-tailed).

109  
110**Table S4.** Correlation among neutral sugars (TCHO), hydrogen index (HI), S2 fraction (S2), five-moving average temperature ( $T_5$ ), total nitrogen (TN), total phosphorus (TP), Cu, Zn,  $\delta^{13}\text{C}$ , % (Fucose+Rhamnose), deoxy S/C5, C6/C5, Yield (%), and % Glucose in sediment cores of the three reservoirs

Pearson Correlations																						
	$T_5$	HI	S2	TP	TN	TCHO	Glucose	Glaetose	Mannose	Arabinose	Rhamnose	Fucose	Xylose	Cu	Zn	$\delta^{13}\text{C}$	$c\delta^{13}\text{C}$	% (Fucose+Rhamnose) <sub>b</sub>	deoxy S/C5	C6/C5	yield (%)	% Glu
<b>ZT (0-20 cm)</b>																						
T <sub>5</sub>	1	0.835*	0.950*	0.950*	0.843*	0.970**	0.962**	0.966**	0.954**	0.967**	0.962**	0.890**	0.953**	0.883**	0.849**	-0.542	0.909**	-0.004	-0.590	-0.892**	-0.657	0.962**
HI		1	.922**	0.846*	0.586	0.886**	0.883**	0.862**	0.840**	0.866**	0.900**	0.872**	0.886**	0.960**	0.933**	-0.343	0.951**	0.277	-0.357	-0.774*	-0.781*	0.883**
S2			1	0.925*	0.735*	0.986**	0.964**	0.974**	0.981**	0.960**	0.995**	0.965**	0.985**	0.936**	0.945**	-0.339	0.949**	0.170	-0.452	-0.849**	-0.814*	0.964**
TP				1	0.749*	0.966*	0.990**	0.939**	0.918**	0.983**	0.944**	0.814*	0.960**	0.943**	0.813*	-0.568	0.917**	-0.090	-0.703	-0.981**	-0.769*	0.990**
TN					1	0.792*	0.781*	0.851**	0.793*	0.815*	0.756*	.662	0.710*	0.629	0.683	-0.649	0.716*	-0.283	-0.648	-0.722*	-0.325	0.781*
TCHO						1	0.992**	0.991**	0.986**	0.992**	0.994**	0.921**	0.991**	0.934*	0.903**	-0.457	0.942**	0.028	-0.582	-0.917**	-0.785*	0.992**
Glucose							1	0.975**	0.958**	0.997**	0.976*	0.873**	0.981**	0.953*	0.875**	-0.518	0.945**	-0.034	-0.650	-0.957**	-0.788*	1.000**
Glaetose								1	0.988**	0.985**	0.982*	0.910**	0.966*	0.899*	0.912**	-0.480	0.937**	-0.027	-0.597	-0.890**	-0.724*	0.975**
Mannose									1	0.965**	0.988**	0.943**	0.977*	0.874*	0.902**	-0.378	0.907**	0.051	-0.521	-0.856**	-0.760*	0.958**
Arabinose										1	0.974**	0.867**	0.975*	0.934**	0.875**	-0.543	0.942**	-0.078	-0.674	-0.954**	-0.755*	0.997**
Rhamnose											1	0.955**	0.994**	0.928**	0.913**	-0.393	0.934**	0.122	-0.499	-0.879**	-0.797*	0.976**
Fucose												1	0.934**	0.846*	0.904**	-0.164	0.854**	0.375	-0.227	-0.703	-0.779*	0.873**
Xylose													1	0.936*	0.883**	-0.391	0.922**	0.106	-0.526	-0.906**	-0.832*	0.981**
Cu														1	0.900**	-0.408	0.962**	0.127	-0.525	-0.896**	-0.854**	0.953**
Zn															1	-0.236	0.960**	0.183	-0.372	-0.725*	-0.769*	0.875**
$\delta^{13}\text{C}$																1	-0.449	0.608	0.821*	0.656	-0.040	-0.518
$c\delta^{13}\text{C}$																	1	0.765*	0.243	-0.310	-0.034	
% (Fucose+Rhamnose) <sub>b</sub>																		1	0.808*	0.273	-0.650	
deoxy S/C5																			1	0.713*	-0.957**	
C6/C5																				1	-0.788*	
yield (%)																					1	
% Glu																						1

LA (0-22 cm, the sample of 8-10 cm is excluded)

T <sub>5</sub>	1	0.907 <sup>*</sup>	0.778 <sup>*</sup>	0.420	0.461	0.944**	0.820**	0.910**	0.827**	0.923**	0.885**	0.915**	0.808**	0.724*	0.948**	-0.620	0.184	0.378	0.256	-0.493	0.244	0.820**
HI	1	0.944 <sup>*</sup>	0.703 <sup>*</sup>	0.467	0.917**	0.931**	0.853**	0.834**	0.862**	0.789**	0.845**	0.736*	0.766**	0.940**	-0.720*	-0.031	0.198	0.076	-0.418	-0.079	0.931**	
S2	1	0.680 <sup>*</sup>	0.386	0.762 <sup>*</sup>	0.848**	0.653*	0.647*	0.690*	0.631	0.656*	0.683*	0.702*	0.827**	0.707*	-0.226	0.132	-0.083	-0.382	-0.369	0.848**		
TP	1	0.494	0.582	0.795**	0.494	0.590	0.536	0.363	0.507	0.341	0.288	0.564	-0.589	-0.227	0.000	-0.039	-0.142	-0.241	0.795**			
TN	1	0.475	0.500	0.439	0.587	0.503	0.297	0.419	0.306	0.244	0.417	-0.763*	-0.442	-0.023	0.031	-0.200	0.068	.500				
TCHO	1	0.904**	0.964**	0.884**	0.985**	0.920**	0.980**	0.805**	0.716*	0.965**	-0.643*	0.161	0.191	0.119	-0.520	0.306	0.904**					
Glucose		1	0.859**	0.860**	0.867**	0.700*	0.821**	.613	.620	0.906**	-0.726*	-0.036	0.121	-0.034	-0.254	0.024	1.000**					
Glactose			1	0.948**	0.963**	0.853**	0.947**	0.650*	0.771**	0.910**	-0.634*	0.231	0.116	0.111	-0.344	0.390	0.859**					
Mannose				1	0.877**	0.685*	0.831**	.465	0.771**	0.820**	-0.758*	0.039	0.013	0.073	-0.144	0.246	0.860**					
Arabinose					1	0.894**	0.975**	0.783**	0.677*	0.919**	-0.667*	0.158	0.151	0.075	-0.499	0.381	0.867**					
Rhamnose						1	0.959**	0.906**	0.639*	0.905**	-0.369	0.344	0.283	0.255	-0.761*	0.426	0.700*					
Fucose							1	0.822**	0.661*	0.935**	-0.521	0.301	0.223	0.196	-0.602	0.440	0.821**					
Xylose								1	.471	0.802**	-0.384	0.107	0.348	0.188	-0.871**	0.218	.613					
Cu									1	0.707*	-0.629	-0.035	-0.206	-0.153	-0.251	-0.061	.620					
Zn										1	-0.572	0.200	0.276	0.146	-0.518	0.197	0.906**					
$\delta^{13}\text{C}$											1	0.550	0.228	0.316	0.080	0.201	-0.726*					
c $\delta^{13}\text{C}$												1	0.481	0.542	-0.142	0.637*	.036					
% (Fucose+Rhamnose)	b												1	0.850**	-0.213	0.228	.121					
deoxy S/C5														1	-0.194	0.380	-.034					
C6/C5															1	-0.252	-.254					
yield (%)																1	.024					
% Glu																		1				
<b>XFJ (0-16 cm)</b>																						
T <sub>5</sub>	1	0.852 <sup>*</sup>	0.308	0.179	0.532	0.751 <sup>*</sup>	0.751*	0.859**	0.769*	0.770*	.570	0.726*	0.024	0.752*	0.736*	-0.773*	-0.720*	0.107	0.876**	0.256	0.721*	0.751*
HI	1	0.509	0.463	0.652	0.753 <sup>*</sup>	0.880**	0.915**	0.766*	0.709*	0.482	0.639	-0.023	0.858**	0.804*	-0.879**	-0.810*	-0.114	0.750 <sup>*</sup>	0.401	0.670	0.880**	
S2	1	0.678	0.960 <sup>*</sup>	0.416	0.561	0.435	0.159	0.213	0.353	0.370	0.392	0.625	0.681	-0.713*	-0.726*	0.163	0.024	-0.116	-0.015	0.561		
TP	1	0.658	-0.040	0.263	0.158	-0.101	-0.147	-0.242	-0.164	-0.269	0.268	0.321	-0.570	-0.589	-0.401	-0.060	0.354	-0.305	0.263			
TN	1	0.500	0.639	0.573	0.285	0.319	0.390	0.460	0.290	0.699	0.744*	-0.853**	-.863**	0.127	0.242	0.005	0.118	0.639				

TCHO	1	0.927**	0.928**	0.924**	0.970**	0.915**	0.973**	0.496	0.886**	0.848**	-0.620	-0.538	0.417	0.743 <sup>*</sup>	-0.088	0.876**	0.927**
Glucose		1	0.967**	0.898**	0.868**	0.719*	0.826*	.254	0.933**	0.895**	-0.766*	-0.685	0.101	0.728 <sup>*</sup>	0.202	0.735 <sup>*</sup>	1.000**
Glactose			1	0.938**	0.894**	0.710*	0.846**	0.173	0.904**	0.845**	-0.795*	-0.716*	0.090	0.853**	0.258	0.829 <sup>*</sup>	0.967**
Mannose				1	0.954**	0.740*	0.855**	0.173	0.783*	0.712*	-0.562	-0.468	0.142	0.888**	0.216	0.915**	0.898**
Arabinose					1	0.886**	0.947**	0.408	0.815*	0.776*	-0.500	-0.407	0.392	0.802 <sup>*</sup>	-0.046	0.930**	0.868**
Rhamnose						1	0.970**	0.777*	0.732*	0.724*	-0.385	-0.321	0.739 <sup>*</sup>	0.524	-0.472	0.793 <sup>*</sup>	0.719 <sup>*</sup>
Fucose							1	0.615	0.804*	0.778*	-0.550	-0.484	0.596	0.703	-0.270	0.865**	0.826 <sup>*</sup>
Xylose								1	0.362	0.401	-0.007	0.006	0.907**	-0.109	-0.874**	0.304	0.254
Cu									1	0.983**	-0.717*	-0.631	0.165	0.582	0.098	0.681	0.933**
Zn										1	-0.690	-0.612	0.213	0.510	0.032	0.589	0.895**
$\delta^{13}\text{C}$											1	0.991**	0.052	-0.642	-0.307	-0.420	-0.766 <sup>*</sup>
$c\delta^{13}\text{C}$												1	0.043	-0.584	-0.276	-0.326	-0.685
% (Fucose+Rhamnose) <sub>b</sub>													1	0.017	-0.920**	0.334	0.101
deoxy S/C5														1	0.370	0.824 <sup>*</sup>	0.728 <sup>*</sup>
C6/C5															1	0.001	0.202
yield (%)																1	0.735 <sup>*</sup>
% Glu																	1

111 \*\*. Correlation is significant at the 0.01 level (2-tailed).

112 \*. Correlation is significant at the 0.05 level (2-tailed).

113