Biogeosciences Discuss., https://doi.org/10.5194/bg-2018-1-AC4, 2018 © Author(s) 2018. This work is distributed under the Creative Commons Attribution 4.0 License.



BGD

Interactive comment

Interactive comment on "Ocean acidification and nutrient limitation synergistically reduce growth and photosynthetic performances of a green tide alga *Ulva linza*" by Guang Gao et al.

Guang Gao et al.

xjtlsx@126.com

Received and published: 21 April 2018

This manuscript details the results of a classical pCO2 x Nutrients experiment with seaweeds. In that respect its novelty relays in the distinction between N and P limitation, while most of the phenomena concerning pCO2 x N has been described before in Ulva sp. (eg. Gordillo et al. 2001 Planta and Gordillo et al. 2003 Planta).

Response: We agree with these comments. Gordillo et al (2001, 2003) did excellent work on the interaction of CO2 and N. Another novel point of our study is that we used diluted natural seawater as nutrient limiting condition rather than natural seawater to mimic the situation in seaweed cultivation areas.



Discussion paper



Main comments A major concern is about net photosynthesis. As it is measured (O2 evolution), changes can derive either from photosynthesis or from respiration. Since respiration of seaweeds is commonly affected by pCO2 (Iñiguez et al. 2015 Polar Biol.; Iñiguez et al. 2016 Mar Biol) even in Ulva (e.g. Gordillo et al. 2003 Planta) and also by nutrients, authors must show respiration rates along with the net or gross photosynthesis. Otherwise, not much can be said about the effect of pCO2 and nutrients on photosynthetic O2 evolution.

Response: We totally agree with these comments. We measured dark respiration rate, but did not represent it as neither pCO2 nor nutrient affected it, indicating that changes of O2 evolution derived from photosynthesis rather than respiration. The data of dark respiration have been added to the text. Please see lines 259-260.

Line 304. The 'pigment economy' phenomenon occurring in algae at high pCO2 was first described in Gordillo et al. (1999 J appl. Phycol) and described for Ulva using exactly the same name by Gordillo et al. 2003 (Planta), so credit must be given to those authors.

Response: We agree with these comments and the text has been corrected to "This phenomenon of 'pigment economy' has also been found in the previous studies regarding Ulva species (Gordillo et al., 2003; Gao et al., 2016)." at lines 330-332.

Minor comments

Methods Incubation setup needs more detail. What type of recipient was used for adult thalli? At what density? Was the bubbling enough to make them move or were they settling on the bottom? Incubation light need more detail. What source of light was used (fluorescent tubes of daylight type?). Also how was the irradiance measured? (type of sensor, air or underwater?, lambda range?PAR?)

Response: We appreciate these comments. The thalli were grown in 1-L balloon flasks containing 900 mL of media with the density less than 0.1 g L-1. The cultures were bub-

BGD

Interactive comment

Printer-friendly version

Discussion paper



bled with ambient or CO2-enriched air at a rate of 300 mL min-1 to make the thalli roll up and down. Daylight fluorescent tubes (21W, Philips) were used and light density was measured by a Quantum Scalar Laboratory (QSL) radiometer (QSL-2100, Biospherical Instruments, Inc., USA) that detects photosynthetically active radiation (400-700 nm). Please see section 2.1.

53. 'also' instead of 'only'

Response: Corrected.

148-150. Sentence is nonsensical, please rephrase.

Response: It has been corrected to "The measuring light was 0.01 μ mol photons m-2 s-1 and actinic light was set as the same as the growth light (300 μ mol photons m-2 s-1)" at lines 167-169. 164. Units needed (nm)

Response: Corrected.

Tables 4 to 7 can be combined and look like table 2, so the information is not scattered.

Response: Tables 4 to 7 has been combined into a table, termed table 4.

Fig.2. The horizontal bar means significant differences between LC and HC, but that is hard to believe for some of the treatment at least like LNHP in (a), and HNHP and LNHP in (b). Please check your post-hoc comparisons. It is also highly convenient you mention the number of replicates (n) in the figure legends.

Response: The real indication of horizontal bars is that longer bars represent insignificant differences and shorter bars represent significant differences. We have realized that it is a little confusing. We have removed the longer horizontal bars to make it clear.

Interactive comment on Biogeosciences Discuss., https://doi.org/10.5194/bg-2018-1, 2018.

BGD

Interactive comment

Printer-friendly version



