

## ***Interactive comment on “Artificial Radionuclides in Squid from northwestern Pacific in 2011 following the Fukushima accident” by Wen Yu et al.***

### **Anonymous Referee #1**

Received and published: 29 May 2018

General comments; Temporal change of radionuclides by the Fukushima NPP accident is larger than the ones of released events, therefore it is difficult to adapt the Concentration Ratio (CR). On the other hands, the CR is useful to compare the Fukushima Dai-ichi NPP accident with other previous release events at the specific period. Even if the public did not eat seafood affected by the Fukushima Dai-ichi NPP accident, the authors quantitatively showed that dose rate by the Fukushima Dai-ichi NPP accident, included the Ag-110m data, should be quite smaller than the one by natural radionuclides, Po-210. Therefore, this paper is suitable for the publication of the Biogeosciences with following minor revisions.

[Printer-friendly version](#)

[Discussion paper](#)



Specific comments; Line 30 ; Radionuclides released to the North Pacific due to atmospheric deposition and direct discharge. The authors should describe the transport process in more detail by referring Aoyama et al. (2016).

Line 108 ; Explanation is needed for “DCF”.

Line 146 ; I understand that there is no CF data for Ag-110m in squid. On the other hand, IAEA. Technical Reports Series No.422 show the high CF for marine organism. These information is useful for the discussion.

Line 157 ;  $^{137}\text{Cs}/^{134}\text{Cs}$  -> Cs-137

---

Interactive comment on Biogeosciences Discuss., <https://doi.org/10.5194/bg-2018-133>, 2018.

BGD

Interactive  
comment

Printer-friendly version

Discussion paper

