

Interactive comment on “Reviews and syntheses: How do abiotic and biotic processes respond to climatic variations at the Nam Co catchment (Tibetan Plateau)?” by Sten Anslan et al.

Sten Anslan et al.

f.nieberding@tu-braunschweig.de

Received and published: 11 December 2019

This is the correctly formated reference list from the previous author comment. We are very sorry for any inconveniences.

References:

Antonelli, A., Kissling, W. D., Flantua, S. G. A., Bermúdez, M. A., Mulch, A., Muellner-Riehl, A. N., Kreft, H., Linder, H. P., Badgley, C., Fjeldså, J., Fritz, S. A., Rahbek, C., Herman, F., Hooghiemstra, H., and Hoorn, C.: Geological and climatic influences on mountain biodiversity, *Nature Geosci.*, 11, 718–725, doi:10.1038/s41561-018-0236-z,

[Printer-friendly version](#)

[Discussion paper](#)



2018.

Cao, J., Adamowski, J. F., Deo, R. C., Xu, X., Gong, Y., and Feng, Q.: Grassland Degradation on the Qinghai-Tibetan Plateau: Reevaluation of Causative Factors, *Rangeland Ecology & Management*, 72, 988–995, doi:10.1016/j.rama.2019.06.001, 2019.

Chen, J. and Yang, Y.: Seed Plants in Nam Co Basin, Tibet, Di 1 ban, Qi xiang chu ban she, Beijing, 77 pp., 2011.

Clewing, C., Albrecht, C., and Wilke, T.: A complex system of glacial sub-refugia drives endemic freshwater biodiversity on the Tibetan Plateau, *PloS one*, 11, e0160286, 2016.

Deng, T., Wang, X., Fortelius, M., Li, Q., Wang, Y., Tseng, Z. J., Takeuchi, G. T., Saylor, J. E., Säilä, L. K., and Xie, G.: Out of Tibet: Pliocene woolly rhino suggests high-plateau origin of Ice Age megaherbivores, *Science (New York, N.Y.)*, 333, 1285–1288, doi:10.1126/science.1206594, 2011.

Deng, T., Wu, F., Zhou, Z., and Su, T.: Tibetan Plateau: An evolutionary junction for the history of modern biodiversity, *Sci. China Earth Sci.*, 411, 62, doi:10.1007/s11430-019-9507-5, 2019.

Dorji, T., Hopping, K. A., Wang, S., Piao, S., Tarchen, T., and Klein, J. A.: Grazing and spring snow counteract the effects of warming on an alpine plant community in Tibet through effects on the dominant species, *Agricultural and Forest Meteorology*, 263, 188–197, doi:10.1016/j.agrformet.2018.08.017, 2018.

Dorji, T., Totland, O., Moe, S. R., Hopping, K. A., Pan, J., and Klein, J. A.: Plant functional traits mediate reproductive phenology and success in response to experimental warming and snow addition in Tibet, *Global Change Biol.*, 19, 459–472, doi:10.1111/gcb.12059, 2013.

Ebersbach, J., Schnitzler, J., Favre, A., and Muellner-Riehl, A. N.: Evolutionary radiations in the species-rich mountain genus *Saxifraga* L, *BMC evolutionary biology*, 17,

BGD

Interactive comment

Printer-friendly version

Discussion paper



Favre, A., Päckert, M., Pauls, S. U., Jähnig, S. C., Uhl, D., Michalak, I., and Muellner-Riehl, A. N.: The role of the uplift of the Qinghai-Tibetan Plateau for the evolution of Tibetan biotas, *Biological reviews of the Cambridge Philosophical Society*, 90, 236–253, doi:10.1111;brv.12107, 2015.

Harris, R. B.: Rangeland degradation on the Qinghai-Tibetan plateau: A review of the evidence of its magnitude and causes, *Journal of Arid Environments*, 74, 1–12, doi:10.1016/j.jaridenv.2009.06.014, 2010.

He, D., Chen, Y., Liu, C., Tao, J., Ding, C., and Chen, Y.: Comparative phylogeography and evolutionary history of schizothoracine fishes in the Changtang Plateau and their implications for the lake level and Pleistocene climate fluctuations, *Ecology and evolution*, 6, 656–674, 2016.

Hoorn, C., Mosbrugger, V., Mulch, A., and Antonelli, A.: Biodiversity from mountain building, *Nature Geosci*, 6, doi:10.1038/ngeo1742, 2013.

Johansson, U. S., Alström, P., Olsson, U., Ericson, P. G. P., Sundberg, P., and Price, T. D.: Build-up of the Himalayan avifauna through immigration: a biogeographical analysis of the *Phylloscopus* and *Seicercus* warblers, *Evolution*, 61, 324–333, 2007.

Kong, P., Na, C., Brown, R., Fabel, D., Freeman, S., Xiao, W., and Wang, Y.: Cosmogenic ^{10}Be and ^{26}Al dating of paleolake shorelines in Tibet, *Journal of Asian Earth Sciences*, 41, 263–273, doi:10.1016/j.jseaes.2011.02.016, 2011.

Lehmkuhl, F., Klinge, M., and Lang, A.: Late Quaternary glacier advances, lake level fluctuations and aeolian sedimentation in Southern Tibet, *Zeitschrift für Geomorphologie Supp. Bd.*, 126, 183–218, 2002.

Lei, F., Qu, Y., and Song, G.: Species diversification and phylogeographical patterns of birds in response to the uplift of the Qinghai-Tibet Plateau and Quaternary glaciations, *Current Zoology*, 60, 149–161, 2014.

Interactive comment

Printer-friendly version

Discussion paper



Li, B., Jing, K., Zhang, Q., Yang, Y., Yin, Z., and Wang, F.: Formation and Evolution of the Drainage Systems in Xizang Area, Beijing, 9 pp., 1981.

BGD

Li, Q.: Spatial variability and long-term change in pollen diversity in Nam Co catchment (central Tibetan Plateau): Implications for alpine vegetation restoration from a paleoecological perspective, *Sci. China Earth Sci.*, 61, 270–284, doi:10.1007/s11430-017-9133-0, 2018.

Interactive comment

LópezáR Pujol, J., Zhang, F.áR M., Sun, H.áR Q., Ying, T.áR S., and Ge, S.: Centres of plant endemism in China: places for survival or for speciation?, *J. Biogeogr.*, 38, 1267–1280, 2011.

Ma, Y., Wang, Y., Wu, R., Hu, Z., Yang, K., Li, M., Ma, W., Zhong, L., Sun, F., Chen, X., Zhu, Z., Wang, S., and Ishikawa, H.: Recent advances on the study of atmosphere-land interaction observations on the Tibetan Plateau, *Hydrol. Earth Syst. Sci.*, 13, 1103–1111, doi:10.5194/hess-13-1103-2009, 2009.

Miehe, G., Bach, K., Miehe, S., Kluge, J., Yongping, Y., La Duo, Co, S., and Wesche, K.: Alpine steppe plant communities of the Tibetan highlands, *Applied Vegetation Science*, 14, 547–560, doi:10.1111/j.1654-109X.2011.01147.x, 2011.

Miehe, G., Miehe, S., Kaiser, K., Jianquan, L., and Zhao, X.: Status and Dynamics of the Kobresia pygmaea Ecosystem on the Tibetan Plateau, *AM-BIO: A Journal of the Human Environment*, 37, 272–279, doi:10.1579/0044-7447(2008)37[272:SADOTK]2.0.CO;2, 2008.

Miehe, G., Schleuss, P.-M., Seeber, E., Babel, W., Biermann, T., Braendle, M., Chen, F., Coners, H., Foken, T., Gerken, T., Graf, H.-F., Guggenberger, G., Hafner, S., Holzapfel, M., Ingrisch, J., Kuzyakov, Y., Lai, Z., Lehnert, L., Leuschner, C., Li, X., Liu, J., Liu, S., Ma, Y., Miehe, S., Mosbrugger, V., Noltie, H. J., Schmidt, J., Spielvogel, S., Unteregelsbacher, S., Wang, Y., Willinghöfer, S., Xu, X., Yang, Y., Zhang, S., Opgenoorth, L., and Wesche, K.: The Kobresia pygmaea ecosystem of the Tibetan

Printer-friendly version

Discussion paper



highlands - Origin, functioning and degradation of the world's largest pastoral alpine ecosystem: Kobresia pastures of Tibet, *The Science of the total environment*, 648, 754–771, doi:10.1016/j.scitotenv.2018.08.164, 2019.

Mosbrugger, V., Favre, A., Muellner-Riehl, A., Päckert, M., and Mulch, A.: Cenozoic evolution of geo-biodiversity in the Tibeto-Himalayan region, 429 pp., 2018.

Nölling, J.: Satellitenbildgestützte Vegetationskartierung von Hochweidegebieten des Tibetischen Plateaus auf Grundlage von plotbasierten Vegetationsaufnahmen mit multivariater statistischer Analyse: Ein Beitrag zum Umweltmonitoring, Diplomarbeit, Fachbereich Geographie, Universität Marburg, Marburg, 159 pp., 2006.

Oheimb, P. V. von, Albrecht, C., Riedel, F., Du, L., Yang, J., Aldridge, D. C., Bößneck, U., Zhang, H., and Wilke, T.: Freshwater biogeography and limnological evolution of the tibetan plateau - insights from a plateau-wide distributed gastropod taxon (*radix* spp.), *PloS one*, 6, doi:10.1371/journal.pone.0026307, 2011.

Ohtsuka, T., Hirota, M., Zhang, X., Shimono, A., Senga, Y., Du, M., Yonemura, S., Kawashima, S., and Tang, Y.: Soil organic carbon pools in alpine to nival zones along an altitudinal gradient (4400–5300m) on the Tibetan Plateau, *Polar Science*, 2, 277–285, doi:10.1016/j.polar.2008.08.003, 2008.

Päckert, M., Martens, J., Sun, Y.-H., and Tietze, D. T.: Evolutionary history of passerine birds (Aves: Passeriformes) from the Qinghai–Tibetan plateau: From a pre-Quaternary perspective to an integrative biodiversity assessment, *Journal of Ornithology*, 156, 355–365, 2015.

R Core Team: R: A Language and Environment for Statistical Computing, Vienna, Austria: <https://www.R-project.org/>, 2019.

Renner, S. S.: Available data point to a 4-km-high Tibetan Plateau by 40 Ma, but 100 molecular-clock papers have linked supposed recent uplift to young node ages, *J. Biogeogr.*, 43, 1479–1487, doi:10.1111/jbi.12755, 2016.

Printer-friendly version

Discussion paper



Schlütz, F., Miehe, G., and Lehmkuhl, F.: Zur Geschichte des größten alpinen Ökosystems der Erde: Palynologische Untersuchungen zu den Kobresia-Matten SE-Tibets, Reinhardt Tüxen gesellschaft, Hannover, 19, 14 pp., 2007.

Smith, J. R., Letten, A. D., Ke, P.-J., Anderson, C. B., Hendershot, J. N., Dhami, M. K., Dlott, G. A., Grainger, T. N., Howard, M. E., Morrison, B.M.L., Routh, D., San Juan, P. A., Mooney, H. A., Mordecai, E. A., Crowther, T. W., and Daily, G. C.: A global test of ecoregions, doi:10.1038/s41559-018-0709-x, 2018.

Su, T., Farnsworth, A., Spicer, R. A., Huang, J., Wu, F.-X., Liu, J., Li, S.-F., Xing, Y.-W., Huang, Y.-J., Deng, W.-Y.-D., Tang, H., Xu, C.-L., Zhao, F., Srivastava, G., Valdes, P. J., Deng, T., and Zhou, Z.-K.: No high Tibetan Plateau until the Neogene, *Science advances*, 5, eaav2189, doi:10.1126/sciadv.aav2189, 2019.

Voelker, G., Semenov, G., Fadeev, I. V., Blick, A., and Drovetski, S. V.: The biogeographic history of *Phoenicurus* redstarts reveals an allopatric mode of speciation and an out-of-Himalayas colonization pattern, *Systematics and Biodiversity*, 13, 296–305, 2015.

Wang, G., Wang, Y., Li, Y., and Cheng, H.: Influences of alpine ecosystem responses to climatic change on soil properties on the Qinghai–Tibet Plateau, China, *CATENA*, 70, 506–514, doi:10.1016/j.catena.2007.01.001, 2007.

Wang, L. and Yi, C.: Properties and periglacial processes in alpine meadow soils, western Nyainqntanglha Mountains, Tibet, *Quaternary International*, 236, 65–74, doi:10.1016/j.quaint.2010.06.003, 2011.

Wang, X., Wang, Y., Li, Q., Tseng, Z. J., Takeuchi, G. T., Deng, T., Xie, G., Chang, M.-m., and Wang, N.: Cenozoic vertebrate evolution and paleoenvironment in Tibetan Plateau: Progress and prospects, *Gondwana Research*, 27, 1335–1354, 2015.

Interactive comment

Printer-friendly version

Discussion paper



Interactive
comment

Wang, Y., Lehnert, L. W., Holzapfel, M., Schultz, R., Heberling, G., Görzen, E., Meyer, H., Seeber, E., Pinkert, S., Ritz, M., Fu, Y., Ansorge, H., Bendix, J., Seifert, B., Miché, G., Long, R.-J., Yang, Y.-P., and Wesche, K.: Multiple indicators yield diverging results on grazing degradation and climate controls across Tibetan pastures, *Ecological Indicators*, 93, 1199–1208, doi:10.1016/j.ecolind.2018.06.021, 2018.

Wang, Y. and Wesche, K.: Vegetation and soil responses to livestock grazing in Central Asian grasslands: a review of Chinese literature, *Biodivers Conserv*, 25, 2401–2420, doi:10.1007/s10531-015-1034-1, 2016.

Wickham, H.: tidyverse: Easily Install and Load the 'Tidyverse': <https://CRAN.R-project.org/package=tidyverse>, 2017.

Yang, S., Dong, H., and Lei, F.: Phylogeography of regional fauna on the Tibetan Plateau: a review, *Progress in Natural Science*, 19, 789–799, 2009.

Yu, F.-H., Li, P.-X., Li, S.-L., and He, W.-M.: Kobresia tibetica tussocks facilitate plant species inside them and increase diversity and reproduction, *Basic and Applied Ecology*, 11, 743–751, doi:10.1016/j.baae.2010.09.005, 2010.

Zhang, P., Chen, Y.-Q., Zhou, H., Liu, Y.-F., Wang, X.-L., Papenfuss, T. J., Wake, D. B., and Qu, L.-H.: Phylogeny, evolution, and biogeography of Asiatic Salamanders (Hynobiidae), *Proceedings of the National Academy of Sciences*, 103, 7360–7365, 2006.

Zhou, H., Zhao, X., Tang, Y., Gu, S., and Zhou, L.: Alpine grassland degradation and its control in the source region of the Yangtze and Yellow Rivers, China, *Grassland Science*, 51, 191–203, doi:10.1111/j.1744-697X.2005.00028.x, 2005.

Zhu, D., Xitao, Z., Xiangang, M., Zhonghai, W. U., Zhenhan, W. U., Xiangyang, F., Zhaogang, S., Qisheng, L. I.U., and Meiling, Y.: Quaternary Lake Deposits of Nam Co, Tibet, with a Discussion of the Connection of Nam Co with Ring Co-Jiuru Co, *Acta Geologica Sinica - English Edition*, 76, 283–291, doi:10.1111/j.1755-6724.2002.tb00544.x,

[Printer-friendly version](#)

[Discussion paper](#)



2002.

BGD

Interactive comment on Biogeosciences Discuss., <https://doi.org/10.5194/bg-2019-50>, 2019.

Interactive
comment

[Printer-friendly version](#)

[Discussion paper](#)

