

SUPPLEMENTARY MATERIAL FOR:

Do Loop Current Eddies stimulate productivity in the Gulf of Mexico?

Pierre Damien^(1,2), Julio Sheinbaum⁽¹⁾, Orens Pasqueron de Fommervault⁽¹⁾, Julien Jouanno⁽³⁾, Lorena Linacre⁽⁴⁾, Olaf Duteil⁽⁵⁾

⁽¹⁾ Departamento de Oceanografía Física, Centro de Investigación Científica y de Educación Superior de, Ensenada, México,

⁽²⁾ University of California, Los Angeles, CA

⁽³⁾ LEGOS, Université de Toulouse, IRD, CNRS, CNES, UPS, Toulouse, France,

⁽⁴⁾ Departamento de Oceanografía Biológica, Centro de Investigación Científica y de Educación Superior de Ensenada, México,

⁽⁵⁾ GEOMAR Helmholtz Centre for Ocean Research, Kiel, Germany.

Corresponding author: Pierre Damien (pdamien@ucla.edu)

This supporting information provides one figure made from the model outputs. It is not essential for the understanding of the manuscript but provides substantial information.




Figure SM 1: Seasonal cycle of nitrate trend terms in the (left column) LCEs core and in the (right column) background GoM.

The trend induced by (a and b) horizontal advection and the (c and d) lateral mixing are represented. Isopycnals anomalies (gray contours) and the depth of the mixed layer (black line) are superimposed.