

Response to reviews of manuscript “Excess radiation exacerbates drought stress impacts on stomatal conductance along aridity gradients” bg-2022-50

Response to reviewer#1

Dear Reviewer,

We would like to thank you for the thoughtful and valuable comments and suggestions on our manuscript entitled “Excess radiation exacerbates drought stress impacts on stomatal conductance along aridity gradients” (bg-2022-50). We have carefully revised our manuscript to take account of your comments and suggestions. Meanwhile, we have rephrased our manuscript title as “Excess radiation exacerbates drought stress impacts on canopy conductance along aridity gradients”.

Here are the point-to-point responses (responses in upright Roman in black font) to the comments (original queries in Italic in blue font). The changed figures and tables are presented in the Appendix 1 and Appendix 2 (listed at the end of the “Response to reviewer#1”).

General comments:

I) I think this paper would greatly benefit from the inclusion of a more open, thorough and detailed description of the raw bulk leaf d18O, LA and SLA data obtained in the different regions, including additional figures depicting this basic information. Readers interested in the oxygen isotope composition of plants in general will surely want to see the raw leaf d18O data, as well as more detailed data on the d18O composition of rainfall water in the different regions (amount-weighted annual averages, range of values, etc). These data were used to estimate D18Oenrichment in the different sampling sites, so it is important to report these basic raw data as well. I would also like to see the averages, ranges of values, standard deviations, etc of the leaf d18O, SLA and LA values of the different grass species sampled in each region, as well as a listing of grass species names in each plateau. The detailed species listing could be included as Supporting Information material, but it is still important to provide this basic information for each plateau/climate region separately. Ideally, all this important descriptive information could be synthesized in 1 or 2 additional figures (or tables) that should be provided at the beginning of the Results section. Also, please briefly comment in the Discussion how your leaf d18O and D18Oenrichment range of values compares to other datasets previously published in the literature, especially for arid and semiarid grasslands (in both China and elsewhere across world dryland ecosystems).

Response: Thank you very much for your valuable comments. Major revisions have been made as follows:

(1) The patterns of raw leaf $\delta^{18}\text{O}$ and $\Delta^{18}\text{O}$ at species level along aridity gradient were added as an additional figure in “Supplementary 1” (Please see **Appendix 1**,

Fig.S2). Meanwhile, characteristics (e.g. values of average, maximum, minimum, standard deviation and coefficient of variation of co-occurring species) of leaf $\delta^{18}\text{O}$ and $\Delta^{18}\text{O}$ at species level for sampling sites in Loess (LP), Inner Mongolia (MP), and Tibetan (TP) Plateau were added as an additional Table in “Supplementary 1” (Please see **Appendix 1, Table S2**). The values $\Delta^{18}\text{O}$ of each community and amount weighted $\delta^{18}\text{O}$ of precipitation have been listed in Table S1 (Please see **Appendix 1, Table S1**). Patterns of community LA and SLA among transects have been presented in Fig.1 (Please see **Appendix 1, Fig.1**).

(2) Information of coexisting species in each community have been listed in “Supplementary 2” (Please see **Appendix 2**”).

(3) In “Discussion” section, we compared the community $\Delta^{18}\text{O}$ with a study conducted in arid and semiarid grassland: “The community $\Delta^{18}\text{O}$ ranges from 26.82‰ to 34.60‰ in Loess Plateau (LP), 32.28‰ to 36.17‰ in Inner Mongolia Plateau (MP), and 31.52‰ to 42.34‰ in Tibetan Plateau (TP) (Fig.2a, Table S1). Compared to a previous study conducted in a temperate grassland (mean annual precipitation was 753 mm) (28.2‰~30.53‰) (Hirl et al. 2021), the community $\Delta^{18}\text{O}$ in this study was relative high. It indicated that the canopy conductance (G_s), presented by community $1/\Delta^{18}\text{O}$, was relative low in this study.”.

2) The paper would also benefit from a more open acknowledgement that rainwater $d^{18}\text{O}$ is only a (reasonable) proxy of topsoil water $d^{18}\text{O}$, which is the real source of water used by most grass species. Evaporative isotopic enrichment of soil water in upper soil layers during prolonged rainless periods in dryland ecosystems usually results in heavy enrichment in the ^{18}O in the remaining soil water used by plants. Longer rainless periods and heavier evaporative enrichment of soil water in the drier sites along the aridity gradient could be also contributing to the reported patterns, but this question is not addressed in the paper. I would appreciate the inclusion of a few sentences in the Discussion to address this caveat of the study. Despite this criticism, I admit that the approach used by the authors to estimate $D^{18}\text{O}$ enrichment is legitimate, in the absence of data on culm water isotopic composition in each species (which I am assuming is not available). However, the readers should be aware that interspecific differences in rooting and water acquisition depth and phenology among coexisting grass species can lead to substantial differences in the isotopic composition of their water sources, which cannot be detected with the approach used in the present study (even though they will certainly affect the real $d^{18}\text{O}$ and $D^{18}\text{O}$ values of the different species). This should also be mentioned and discussed in the paper.

Response: Thanks very much for your comments and suggestions. We respond these comments from three aspects.

(1) In section “**4 Discussion**”, we clarified that “Interspecific differences in rooting and water acquisition depth and phenology among coexisting species can lead to substantial differences in the $\delta^{18}\text{O}$ of their water sources (Moreno-Gutierrez *et al.*

2012). Previous studies found that the water uptake depths of co-occurring species in grassland are commonly occurred in shallow soil layers throughout dry and wet periods (Bachmann et al. 2015; Hirl et al. 2019; Prieto et al. 2018). The differences in water acquisition depth could be ruled out as a major source of interspecific variation in leaf $\delta^{18}\text{O}$ (Prieto *et al.* 2018)."

(2) In "**2 Materials and methods**" section, we clarified that: "Generally, data on long-term stem water isotopic composition in each species were not available. As precipitation was the only or mainly source water in dryland ecosystems, we assumed the amount-weighted $\delta^{18}\text{O}$ of precipitation during growing season can reflect the $\delta^{18}\text{O}$ of source water (Guerrieri *et al.* 2019; Maxwell *et al.* 2018). $\delta^{18}\text{O}$ of monthly precipitation at each site was simulated using longitude, latitude, and elevation according to (Bowen *et al.* 2005)."

(3) In section "**4 Discussion**", we also clarified that: "However, soil evaporation always exhibited increasing trends with the increasing aridity, and usually resulted in heavy enrichment in $\delta^{18}\text{O}$ in the remaining soil water used by plants (Lyu *et al.* 2021). Longer rainless periods and heavier evaporative enrichment of soil water along the aridity gradient could be also contributing to the decreasing trend of community $1/\Delta^{18}\text{O}$. Our results may overestimate the decreasing trend of G_s along the aridity gradient."

3) Important data are missing from the M&M section, including the elevation/altitude, mean annual rainfall $d^{18}\text{O}$, mean annual VPD, and LMA, LA (average, range of values) of the 3 different plateaus. This important information could be provided by adding additional panels to Figure 1. Please also add an additional panel for mean annual temperature (the one shown is for mean summer temperature). In panel f, please enhance the scale and resolution of the Y axis, as some of the drier sites in the Tibetan Plateau appear to have extremely low precipitation values that are hard to interpret in the graph.

Response: Thank you very much for your comments and suggestions. We respond these comments from three aspects:

(1) Values of longitude, latitude, altitude, mean annual and growing season values of abiotic variables (e.g. temperature, precipitation, VPD and soil moisture), $\delta^{18}\text{O}$ of precipitation, and community $\Delta^{18}\text{O}$ for sampling sites along the aridity gradient were added in Table S1 (Please see **Appendix 1, Table S1**).

(2) Values of average, maximum, minimum, standard deviation and coefficient of variation of geographic and climatic information for transects were presented in Table S2 (Please see **Appendix 1, Table S2**).

(3) Changes in growing season climatic variables and community properties (leaf area and specific leaf area) among three transects were added as Figure 1 (Please see **Appendix 1, Figure 1**). Changes in mean annual precipitation, VPD, solar radiation,

and temperature among three transects were added as Figure S2 (Please see **Appendix 1, Figure S2**).

(4) I would recommend the authors to discuss the influence of temperature on leaf $\delta^{18}\text{O}$ and $D\delta^{18}\text{O}$ enrichment data much more in depth, according to earlier findings of Brent Helliker and collaborators, which I think are very relevant here (Helliker & Richter 2008 *Nature*, Song *et al.*, 2011 *New Phytologist*).

Response: Thank you very much for your comment. We discussed the effect of temperature on $\Delta^{18}\text{O}$ in section “4.4 Using community-weighted $1/\Delta^{18}\text{O}$ as an indicator of canopy conductance” :

“The decreasing trend of community $\Delta^{18}\text{O}$ along aridity may originated from temperature and VPD through their effects on evaporation and isotopic exchange between water and organic molecules (Barbour & Farquhar 2000; Helliker & Richter 2008; Song *et al.* 2011). For example, the equilibrium fractionation factor for water evaporation is depend on temperature (Bottinga & Craig 1968). Temperature and VPD gradients between leaf and ambient air influence the evaporative gradient from leaf to air (Helliker & Richter 2008; Song *et al.* 2011). In addition, biochemical ^{18}O -fractionation during cellulose synthesis is sensitive to temperature, and the proportion of oxygen in cellulose derived from source water was humidity-sensitive (Hirl *et al.* 2021).

The potential effects of temperature and VPD on $\Delta^{18}\text{O}$ via evaporation and isotopic exchange between water and organic molecules could be ruled out in this study. The growing season temperature variation was small along three transects ($LP=3.3\text{ }^{\circ}\text{C}$, $MP=4.9\text{ }^{\circ}\text{C}$, and $TP=3.8\text{ }^{\circ}\text{C}$) (Table S1). However, the range of community $\Delta^{18}\text{O}$ was $7.78\text{\textperthousand}$ in LP, $3.89\text{\textperthousand}$ in MP, and $6.17\text{\textperthousand}$ in TP (Table S1, Fig.2a). Previous studies demonstrated that the sensitivity of temperature to $\Delta^{18}\text{O}$ was approximately $0.23\text{\textperthousand}/^{\circ}\text{C}$ (Helliker & Richter 2008; Song *et al.* 2011). It seems that the changes in temperature was not a main contributor to the large variability in community $\Delta^{18}\text{O}$. Meanwhile, positive relationship between community $1/\Delta^{18}\text{O}$ and temperature was observed in LP ($P<0.05$), and negative relationship between community $1/\Delta^{18}\text{O}$ and VPD was observed in TP (Table 1). However, partial correlation analyses showed that community $1/\Delta^{18}\text{O}$ was not related to temperature ($P>0.05$) and VPD after controlling for G_s (Data were not shown). It indicated that the variability in community $1/\Delta^{18}\text{O}$ was mainly determined from G_s .”

Specific comments:

1) L83-90: Some of the references cited in this section may not be very adequate if they refer to the $\delta^{18}\text{O}$ of tree rings, which is a more complicated process influenced by other factors (post-photosynthetic and photosynthate transport processes, ligning synthesis, etc). I would recommend to cite here only papers dealing specifically with the $\delta^{18}\text{O}$ and/or $D\delta^{18}\text{O}$ enrichment of bulk leaves, which is the topic of the present paper (e.g. see Ramirez *et al* 2009 *Plant Cell Environ* or the work by Margaret

(Barbour, Regina Hirl or Cabrera-Bosquet and Araus). Also, some of the references cited in this section appear to be missing from the References section (Levesque, Keitel?).

Response: Thank you very much for your comments and suggestions. We rechecked the cited reference, corrected and rephrased this section as: “Given that leaf $\delta^{18}\text{O}$ at species level was affected by the leaf water evaporation process, variability in g_s should show up in leaf $\delta^{18}\text{O}$ (Barbour 2007; Barbour & Farquhar 2000; Farquhar *et al.* 1998). Negative relationship between $\Delta^{18}\text{O}$ and g_s has been observed at species (Barbour & Farquhar 2000; Cabrera-Bosquet *et al.* 2011; Grams *et al.* 2007; Moreno-Gutierrez *et al.* 2012) and canopy scales (Cabrera *et al.* 2021; Hirl *et al.* 2021), and among communities along soil (Ramirez *et al.* 2009) and climate (Keitel *et al.* 2006) gradients. Consequently, we selected $1/\Delta^{18}\text{O}$ was used as a proxy for g_s in this study.”

*2) Lines 266-274: this section dealing with the relationships between SLA and leaf oxygen isotopes is very confusing and hard to interpret. Please try to better clarify the nature of this relationship in the different plateaus, preferably illustrating it with some additional graphs ($1/\Delta^{18}\text{O}$ enrichment vs SLA plots?). To the best of my knowledge, this relationship was first examined in depth by Prieto *et al* 2018 (Functional Ecology) in dry grassland species, so it would be interesting to compare and discuss the patterns encountered in both studies.*

Response: Thank you very much for your comment. We respond these comments from two aspects:

(1) This paragraph has been corrected and rephrased as: “Our preliminary study demonstrated that g_s was significantly affected by LA at species level in TP (Wang & Wen 2022). However, the effect of community LA on G_s was weak ($P=0.061$) (Fig.S5a), and variability in G_s along an aridity gradient was controlled by specific leaf area (SLA) (Table 1, Fig.S5b). This highlighted the difference in the biological drivers of g_s at leaf and canopy scales. Contrary to the results of the dry grassland species in Mediterranean (Prieto *et al.* 2018) and karst communities in subtropical regions (Wang *et al.* 2021), community $1/\Delta^{18}\text{O}$ significantly decreased with SLA in this study (Table S1, Fig.S5). It indicated that the traditional leaf economic spectrum theory may not existed at community level in TP due to the multiple environmental stressors. SLA generally decreases with increasing solar radiation, and increases with temperature and water availability (Poorter *et al.* 2009). In this study, community SLA was negatively related to soil moisture, and positively related to maximum temperature (Table S5). It indicated that changes of community SLA was mainly controlled by maximum temperature. However, the direct effect of SLA on G_s in the structural equation was not significant (Fig.5c). This effect may be obscured by drought stress.”

(2) Meanwhile, relationship between community $1/\Delta^{18}\text{O}$ and LA and SLA have been added as Figure S5 (Please see **Appendix 1, Figure S5**).

3) L226: “and viceversa” is confusing and hard to interpret, please elaborate and explain what you mean here.

Response: Corrected and rephrased as: “In addition, a global meta-analysis demonstrated that ecosystem conductance was mainly limited by low SM in xeric sites, and by VPD in mesic sites (Novick et al. 2016).”

4) L269-270: I don’t understand the term “high heat capacity” used in this sentence, please clarify.

Response: This sentence has been deleted.

5) L16: this sentence is confusing and difficult to understand, please rephrase and clarify what you mean here.

Response: Corrected and rephrased as: “The G_s of TP was less than that of the other two plateaus due to the low temperature and high radiation.”

(6) L51: I think this sentence is inaccurate, as it is indeed possible to measure the leaf gas exchange rates of whole canopies using the appropriate methods (e.g. see Liberati et al 2021 Global Change Biology).

Response: This sentence has been deleted.

7) L78-79: Please rephrase and clarify your second hypothesis, it is difficult to understand.

Response: Thank you very much for your comment. We respond to this comment from three aspects.

(1) We clarified that “However, previous studies showed that the direction and intensity of solar radiation and temperature on g_s strongly depend on their distribution range and the relationship with aridity. For example, the response of g_s to solar radiation and temperature generally shows an increasing trend up to optimum values (Xu et al. 2021), while excess radiation (Costa et al. 2015; Doupis et al. 2020; Zeuthen et al. 1997) and high temperature associated high VPD or low SM (Seneviratne et al. 2010) would suppress g_s. ”

(2) We added the basic climatic context for the three grassland transect in the last paragraph of “**1 Instruction**” section: “The grassland transect span gradients of precipitation, SM, VPD, solar radiation, and temperature, provide an ideal platform for exploration of interactive effects of multiple stressors and biotic factors on G_s (Table S1). In addition, the three grassland transects experienced with different solar radiation and temperature conditions at a given aridity, due to the difference in the geographical location of the three plateaus. The order of mean annual temperature and solar radiation is LP>MP>TP and LP<MP<TP, respectively.”

(3) We rephrased the second hypothesis as: “high solar radiation and low temperatures will jointly suppress Gs at a given aridity among transects.”.

Appendix 1




Figure 1. Comparison of aridity (a), growing season precipitation (b), soil moisture (SM) (c), vapor pressure deficit (VPD) (d), solar radiation (SR) (e), temperature (f), maximum temperature (Temp_{max}) (g), and community leaf area (h) and specific leaf area (SLA) (i) among transects. LP: Loess Plateau; MP, Inner Mongolia Plateau; TP, Tibet Plateau. Lowercase letters indicate significant differences among transects ($P<0.05$). Error bars indicate standard error of the mean.




Figure 2. Patterns of $1/\Delta^{18}\text{O}$ (a) along aridity gradient within transects, and among (b) transects. Different letters indicate significant differences ($P < 0.001$) among transects and grassland types. $\Delta^{18}\text{O}$, ^{18}O enrichment of leaf organic matter above source water; LP, Loess Plateau; MP, Inner Mongolia Plateau; TP, Tibet Plateau.




Figure 3. Patterns of the intercept obtained from standardized major axis analysis (SMA) among transects. VPD, vapor pressure deficit; SR, solar radiation; Temp_{max}, maximum temperature. LP, Loess Plateau; MP, Inner Mongolia Plateau; TP, Tibet Plateau. Shaded area represents the 95% confidence interval of the SMA intercept.




Figure 4. Structural equation models of abiotic factors explaining $1/\Delta^{18}\text{O}$ in Loess Plateau (LP) (a), Inner Mongolia Plateau (MP) (b) and Tibet Plateau (TP) (c). $\Delta^{18}\text{O}$, ^{18}O enrichment of leaf organic matter above source water; Temp_{max}: maximum temperature; SR, solar radiation; SM, soil moisture; VPD, vapor pressure deficit. Solid and dashed arrows represent significant and non-significant relationships in a fitted SEM, respectively. ***, $P<0.001$; **, $P<0.01$; *, $P<0.05$.




Figure 5. Structural equation models of abiotic and biotic factors explaining $1/\Delta^{18}\text{O}$ in Loess Plateau (LP) (a), Inner Mongolia Plateau (MP) (b) and Tibet Plateau (TP) (c). $\Delta^{18}\text{O}$, ^{18}O enrichment of leaf organic matter above source water; Temp_{max} : maximum temperature; SR, solar radiation; SM, soil moisture; VPD, vapor pressure deficit. LA, log-transformed leaf area; SLA, log-transformed specific leaf area. Solid and dashed arrows represent significant and non-significant relationships in a fitted SEM, respectively. ***, $P<0.001$; **, $P<0.01$; *, $P<0.05$.

Table 1 Pearson's coefficients among community $1/\Delta^{18}\text{O}$ and environmental factors and plant properties.

	Loess Plateau	Inner Mongolia Plateau	Tibet Plateau
Aridity	-0.848**	-0.843**	-0.773**
SM	0.719*	0.707*	0.659*
VPD	-0.554	-0.384	-0.912**
SR	-0.639*	-0.728*	-0.850*
Temp _{mean}	0.641*	0.303	-0.670*
Temp _{max}	0.678*	0.038	-0.852**
LA	0.757*	0.913**	0.610
SLA	-0.519	-0.576	-0.648*

**, $P<0.01$; *, $P<0.05$. SM, soil moisture; VPD, vapor pressure deficit; SR, total solar radiation; Temp_{mean}, mean temperature; Temp_{max}, maximum temperature; LA, log-transformed leaf area; SLA, log-transformed specific leaf area.

Table S1 Geographic and climatic information, $\delta^{18}\text{O}$ of precipitation, and community $\Delta^{18}\text{O}$ for sampling sites in Loess (LP), Inner Mongolia (MP), and Tibetan (TP).

Site	Plateau.																		
	Longitude (°E)	Latitude (°N)	Elevation (m)	Aridity	Temperature (°C)		Temp _{max} (°C)	Precipitation (mm)		Solar radiation (kJ m ⁻² day ⁻¹)		VPD (kPa)		SM (m ³ m ⁻³)		$\delta^{18}\text{O}_P$ (‰)		$\Delta^{18}\text{O}$ (‰)	
					Year	GSW		Year	GS	Year	GS	Year	GS	Year	GS	Year	GS		
LP01	113.36	36.29	804	0.57	11.85	18.19	29.6	599	546	12.95	15.60	4.78	7.53	0.16	-8.70	-6.92	26.82±0.84		
LP02	112.29	35.99	894	0.60	9.96	17.60	29.2	549	501	13.31	16.04	3.57	7.41	0.17	-8.80	-6.86	28.78±1.73		
LP03	111.64	35.99	833	0.64	10.66	18.61	30	520	475	12.69	15.65	4.04	8.59	0.13	-8.70	-6.79	30.30±1.77		
LP04	110.18	36.07	966	0.63	10.72	18.03	29.9	519	478	14.25	17.02	4.52	8.45	0.15	-9.10	-7.09	29.68±1.00		
LP05	109.24	36.74	1268	0.65	9.50	16.99	28.7	492	458	15.34	18.28	4.13	8.00	0.12	-9.20	-7.18	27.64±0.96		
LP06	107.92	36.93	1383	0.68	7.46	15.71	27.8	424	394	15.32	18.31	2.53	6.44	0.12	-8.60	-6.74	28.75±1.39		
LP07	107.19	37.58	1535	0.75	5.23	15.61	27.6	340	311	15.62	18.97	1.88	7.51	0.07	-7.70	-6.01	32.42±0.86		
LP08	105.78	37.42	1293	0.85	5.87	16.94	28.8	222	211	15.53	18.95	2.01	8.71	0.10	-6.80	-5.08	30.77±1.95		
LP09	104.92	37.44	1378	0.87	7.56	16.50	28.1	196	183	15.49	18.74	3.99	9.44	0.10	-6.30	-4.69	32.00±2.38		
LP10	104.44	37.46	1714	0.87	7.71	15.31	26.8	189	179	15.56	18.77	4.75	9.06	0.10	-6.70	-4.83	34.60±1.39		
Trend					0.009	0.035	0.024	<0.001	<0.001	0.012	0.005	0.445	0.058	0.007	<0.001	<0.001			
NM01	123.51	44.59	144	0.68	5.10	16.60	29.6	425	410	13.67	17.28	1.11	6.98	0.17	-9.20	-7.14	32.54±0.90		
NM02	121.04	44.52	269	0.73	5.80	16.66	30	393	378	14.73	18.44	2.56	8.59	0.11	-9.60	-7.52	32.49±0.71		
NM03	120.33	45.11	660	0.71	3.72	13.60	27.4	387	372	14.94	18.81	2.30	6.74	0.15	-10.60	-8.36	32.28±0.65		
NM04	118.36	44.77	1019	0.71	0.56	12.03	26.2	345	320	15.09	19.20	1.11	5.96	0.14	-11.40	-8.84	34.23±0.39		
NM05	116.52	44.26	1129	0.77	1.17	12.27	26.2	283	267	15.21	19.35	1.53	6.50	0.11	-11.40	-8.67	34.22±1.52		
NM06	116.67	43.55	1272	0.73	0.16	11.74	25.4	321	304	15.34	19.31	1.03	5.95	0.11	-11.60	-8.80	33.00±0.79		
NM07	117.68	44.51	1024	0.73	1.96	12.10	26.3	319	298	14.88	18.99	1.70	5.94	0.14	-11.30	-8.56	34.31±0.37		
NM08	114.89	44.01	1101	0.83	0.10	12.94	27.4	228	219	15.36	19.53	1.33	7.67	0.09	-10.40	-7.87	36.17±0.29		
NM09	113.50	43.84	1022	0.86	2.47	14.20	28.3	199	190	15.59	19.76	2.49	9.00	0.06	-9.00	-7.16	35.59±0.63		
NM10	112.15	43.63	955	0.88	3.69	14.87	30.1	183	169	15.35	19.57	2.96	9.46	0.06	-8.40	-6.48	35.56±0.21		
Trend					0.626	0.995	0.450	<0.001	<0.001	0.026	0.018	0.104	0.015	<0.001	0.134	0.101			
TP01	95.45	31.46	4104	0.40	0.41	5.70	17.2	606	572	17.76	19.94	1.71	2.61	0.19	-16.40	-14.22	31.53±1.35		

TP02	93.53	31.85	4509	0.37	-1.50	3.14	15.4	593	560	17.57	20.02	1.72	2.17	0.21	-17.70	-15.86	32.25±1.65
TP03	92.01	31.64	4587	0.61	-4.37	4.40	17	430	414	18.62	20.91	1.06	3.39	0.26	-18.00	-16.50	34.00±0.17
TP04	90.74	31.38	4617	0.65	-6.76	5.89	17.8	426	414	18.99	21.41	0.34	4.27	0.17	-18.40	-16.57	39.17±1.41
TP05	89.72	31.54	4588	0.67	-3.06	6.93	19.2	426	412	18.80	21.27	1.51	4.94	0.15	-18.20	-16.39	37.77±0.51
TP06	87.82	31.87	4570	0.79	-2.57	6.77	19.2	286	261	19.27	22.01	2.18	5.50	0.15	-16.50	-14.99	39.07±1.32
TP07	85.84	31.92	4938	0.90	-3.77	3.74	17.6	125	95	19.28	22.22	2.49	4.70	0.13	-15.20	-13.71	35.54±0.74
TP08	83.34	32.41	4578	0.94	-3.90	5.71	20.1	75	62	18.99	22.08	2.32	5.77	0.11	-14.40	-12.85	38.56±1.43
TP09	81.23	32.30	4558	0.92	-3.49	5.29	19.3	102	89	19.41	22.50	2.37	5.45	0.07	-15.10	-12.78	36.99±0.51
TP10	80.15	32.48	4328	0.93	-1.27	6.73	21.5	89	78	19.86	23.12	3.10	6.33	0.09	-14.70	-12.41	42.34±0.60
Trend				0.356	0.360	0.006	<0.001	<0.001	<0.001	<0.001	0.069	<0.001	0.006	0.027	0.039		

Temp_{max}, maximum temperature ; VPD, vapor deficit pressure; SM, soil moisture; δ¹⁸O_P, the δ¹⁸O of precipitation; GSW, growing season. Trend indicates variation in variables along the aridity gradient.

Table S2 Differences in climatic variables among three transects.

	Transect	Period	Mean	Standard deviation	Minimum	Maximum	P value
Aridity	LP		0.71	0.12	0.57	0.87	
	MP		0.76	0.07	0.68	0.88	0.693
	TP		0.72	0.21	0.37	0.94	
Precipitation	LP		405	157	189	599	
	MP	Year	308	84	183	425	0.329
	TP		316	208	75	606	
Soil moisture	LP	Growin	374	141	179	546	
	MP	g	293	82	169	410	0.408
	TP	season	296	204	62	572	
Vapor Pressure deficit	LP		3.62a	1.10	1.88	4.78	
	MP	Year	1.81b	0.71	1.03	2.96	<0.001
	TP		1.88b	0.79	0.34	3.10	
Solar radiation	LP		14.61	1.19	12.69	15.62	
	MP	Year	15.02	0.54	13.67	15.59	<0.001
	TP		18.86a	0.72	17.57	19.86	
Temperature	LP		17.63c	1.41	15.60	18.97	
	MP	Growin	19.02	0.72	17.28	19.76	<0.001
	TP	g season	21.55a	1.04	19.94	23.12	
Maximum temperature	LP		8.65c	2.21	5.23	11.85	
	MP	Year	2.47b	2.04	0.10	5.80	<0.001
	TP		-3.03a	1.96	-6.76	0.41	
	LP		16.95c	1.16	15.31	18.61	
	MP	Growin	13.70	1.84	11.74	16.66	<0.001
	TP	g season	5.43a	1.30	3.14	6.93	
	LP		28.65a	1.06	26.80	30.00	
	MP		27.69a	1.73	25.40	30.10	<0.001
	TP		18.43	1.76	15.40	21.50	

LP: Loess Plateau; MP, Inner Mongolia Plateau; TP, Tibet Plateau. Lowercase letters indicate significant differences among transects (P<0.05).

Table S3 Characteristics of leaf $\delta^{18}\text{O}$ and $\Delta^{18}\text{O}$ at species level for sampling sites in Loess (LP), Inner Mongolia (MP), and Tibetan (TP) Plateau.

Sites	Number	Leaf $\delta^{18}\text{O}$					$\Delta^{18}\text{O}$				
		Mean	Max	Min	STD	CV	Mean	Max	Min	STD	CV
LP01	25	19.70	26.12	14.70	2.86	0.15	26.79	33.18	21.69	2.92	0.11
LP02	33	22.72	28.13	14.97	2.81	0.12	29.64	35.10	21.96	2.83	0.10
LP03	25	23.43	28.31	17.69	2.96	0.13	30.44	35.20	24.37	2.87	0.09
LP04	28	22.84	31.46	18.59	3.61	0.16	29.99	38.66	25.70	3.63	0.12
LP05	41	21.01	31.46	15.70	3.27	0.16	28.15	38.66	22.85	3.29	0.12
LP06	33	20.90	30.01	16.48	3.34	0.16	27.88	38.89	23.16	3.39	0.12
LP07	33	24.73	31.23	18.33	3.20	0.13	30.79	36.24	24.58	3.07	0.10
LP08	19	27.43	32.96	20.25	3.27	0.12	32.58	37.99	25.21	3.09	0.09
LP09	27	26.51	35.35	19.58	4.35	0.16	31.37	39.99	24.15	4.24	0.14
LP10	15	25.73	32.68	22.04	3.48	0.14	30.43	37.31	26.76	3.47	0.11
LP	279	22.69	35.35	12.07	4.42	0.19	32.29	43.89	21.69	4.4	0.14
MP01	18	23.04	29.24	17.42	3.57	0.15	30.61	36.58	24.68	3.87	0.13
MP02	37	23.48	28.73	18.69	2.26	0.10	31.18	36.44	25.87	2.21	0.07
MP03	30	23.54	30.97	19.31	2.71	0.12	31.95	39.55	27.80	2.82	0.09
MP04	17	22.85	28.10	17.46	3.25	0.14	31.83	37.13	26.41	3.26	0.10
MP05	13	26.54	31.73	22.60	2.59	0.10	35.27	40.62	31.12	2.66	0.08
MP06	22	25.85	32.65	21.14	3.25	0.13	34.62	41.68	28.42	3.47	0.10
MP07	15	24.03	27.40	21.24	2.27	0.09	32.76	36.14	29.92	2.29	0.07
MP08	22	27.59	31.71	21.71	3.05	0.11	35.57	39.73	29.65	3.08	0.09
MP09	17	28.23	31.56	23.18	2.36	0.08	35.41	39.57	30.37	2.22	0.06
MP10	12	29.16	32.33	21.36	2.90	0.10	36.13	41.23	30.04	2.65	0.07
MP	203	25.07	32.65	17.42	3.46	0.14	33.17	41.68	24.68	3.42	0.1
TP01	59	18.45	27.91	12.07	3.79	0.21	33.51	42.07	26.49	4.40	0.13
TP02	38	18.86	27.91	13.12	4.15	0.22	34.85	42.07	29.31	4.27	0.12
TP03	15	18.63	25.90	14.16	4.25	0.23	35.00	42.07	28.22	4.41	0.13
TP04	19	20.28	25.90	14.16	3.90	0.19	36.93	42.07	28.22	4.11	0.11
TP05	19	19.72	25.90	14.90	2.60	0.13	36.34	41.29	31.71	2.34	0.06
TP06	13	19.38	25.24	12.07	3.19	0.16	34.84	41.29	26.49	3.62	0.10
TP07	21	20.06	30.81	13.73	4.12	0.21	34.28	43.74	27.70	3.63	0.11
TP08	9	23.88	26.37	21.27	2.03	0.09	37.06	39.16	34.47	1.99	0.05
TP09	9	24.62	29.61	19.05	3.11	0.13	37.83	42.89	32.19	3.15	0.08
TP10	3	29.09	30.95	27.40	1.78	0.06	42.00	43.89	40.29	1.80	0.04
TP	205	19.72	30.95	12.07	4.13	0.21	35.08	43.89	26.49	4.15	0.12
Three Plateau	687	22.69	35.35	12.07	4.42	0.19	32.29	43.89	21.69	4.4	0.14

Table S4 Results of standardized major axis (SMA) line-fitting for the relationship between canopy stomatal conductance (using $1/\Delta^{18}\text{O}$ as proxy) and aridity.

		Intercept	slope	r^2	P
Loess Plateau	Estimate	0.047	-0.196		
	Lower	0.043	-0.027	0.68	0.003
	Upper	0.052	-0.014		
Inner Mongolia Plateau	Estimate	0.044	-0.020		
	Lower	0.040	-0.027	0.72	0.002
	Upper	0.049	-0.014		
Tibet Plateau	Estimate	0.038	-0.015		
	Lower	0.034	-0.022	0.60	0.008
	Upper	0.042	-0.011		

Different letters indicate significant differences ($P < 0.001$) among transects in intercepts and slopes.

Table S5 Pearson coefficients for correlations among canopy stomatal conductance (Gs) and environmental factors and plant properties.

Transect	Variables	Gs	Aridity	Precipitation	SM	VPD	SR	MAT	MATMAX	LA	SLA
Loess Plateau	Gs	1									
	Aridity	-0.848**	1								
	Precipitation	0.856**	-.997**	1							
	SM	0.719*	-.781**	.795**	1						
	VPD	-0.554	0.616	-0.563	-0.251	1					
	SR	-0.639*	0.810**	-.827**	-.851**	0.217	1				
	Temp _{mean}	0.641*	-0.665*	.710*	.766**	0.074	-.849**	1			
	Temp _{max}	0.678*	-0.698*	.737*	.751*	-0.026	-.795**	.980**	1		
	LA	.757*	-.881**	.863**	0.567	-.751*	-.637*	0.425	0.481	1	
	SLA	-0.519	0.460	-0.454	-0.499	0.356	0.422	-0.433	-0.483	-0.533	1
Inner Mongolia Plateau	Gs	1									
	Aridity	-.843**	1								
	Precipitation	.919**	-.945**	1							
	SM	.707*	-.941**	.877**	1						
	VPD	-0.384	.736*	-0.490	-.741*	1					
	SR	-.728*	.725*	-.846**	-.751*	0.196	1				
	Temp _{mean}	0.303	-0.002	0.298	-0.009	.647*	-0.615	1			
	Temp _{max}	0.038	0.270	0.018	-0.235	.814**	-0.386	.943**	1		
	LA	.913**	-.721*	.875**	0.625	-0.218	-.731*	0.434	0.189	1	
	SLA	-0.576	.803**	-0.627	-.681*	.849**	0.310	0.397	0.628	-0.410	1
Tibetan Plateau	Gs	1									
	Aridity	-.773**	1								
	Precipitation	.675*	-.978**	1							
	SM	.659*	-.787**	.795**	1						
	VPD	-.912**	.931**	-.868**	-.820**	1					
	SR	-.850**	.963**	-.936**	-.801**	.943**	1				

								1
Temp _{mean}	-.670*	0.325	-0.189	-0.454	0.622	0.393		
Temp _{max}	-.852**	.795**	-.740*	-.795**	.935**	.832**	.760*	1
LA	0.610	-0.620	0.504	0.219	-0.624	-.658*	-0.401	-0.536
SLA	-.648*	0.558	-0.486	-.779**	.715*	0.516	.724*	.729* -0.078
								1

**, P<0.01; *, P<0.05. gs, stomatal conductance; SM, soil moisture; VPD, vapor pressure deficit; SR, total solar radiation; Temp_{mean}, mean temperature; Temp_{max}, maximum temperature; LA, log-transformed leaf area; SLA, log-transformed specific leaf area.




Figure S1. Comparison of annual mean precipitation (mm) (a), vapor pressure deficit (VPD) (b), total solar radiation (TSR) (c), and air temperature (°C) (d) among three transects. LP: Loess Plateau; MP, Inner Mongolia Plateau; TP, Tibetan Plateau. Lowercase letters indicate significant differences among transects ($P < 0.05$). Error bars indicate standard error of the mean.




Figure S2. Patterns of leaf $\delta^{18}\text{O}$ and $\Delta^{18}\text{O}$ at species level along aridity gradient in Loess (LP), Inner Mongolia (MP), and Tibetan (TP), Plateau. m , slope of the linear regression; b , intercept of the linear regression.




Figure S3. Hypothetical structural equation models of abiotic factors explaining $1/\Delta^{18}\text{O}$ in Loess Plateau (LP) (a), Inner Mongolia Plateau (MP) (b) and Tibet Plateau (TP) (c). $\Delta^{18}\text{O}$, ^{18}O enrichment of leaf organic matter above source water; Temp_{\max} : maximum temperature; SR, solar radiation; SM, soil moisture; VPD, vapor pressure deficit.




Figure S4. Hypothetical structural equation models of abiotic and biotic factors explaining $1/\Delta^{18}\text{O}$ in Loess Plateau (LP) (a), Inner Mongolia Plateau (MP) (b) and Tibet Plateau (TP) (c). $\Delta^{18}\text{O}$, ^{18}O enrichment of leaf organic matter above source water; Temp_{\max} : maximum temperature; SR, solar radiation; SM, soil moisture; VPD, vapor pressure deficit. LA, log-transformed leaf area; SLA, log-transformed specific leaf area.




Figure S5. Relationship between community $1/\Delta^{18}\text{O}$ and log-transformed leaf area (LA) (a) and specific leaf area (SLA) (b).

Appendix 2 Information of coexisting species in each community in Loess Plateau (LP), Inner Mongolia Plateau (MP), and Tibet Plateau (TP).

Transect	Site	Species	Genus	Family
LP	1	<i>Allium tenuissimum</i>	<i>Allium</i>	Amaryllidaceae
LP	1	<i>Artemisia annua</i>	<i>Artemisia</i>	Compositae
LP	1	<i>Artemisia scoparia</i>	<i>Artemisia</i>	Compositae
LP	1	<i>Bothriochloa ischaemum</i>	<i>Bothriochloa</i>	Poaceae
LP	1	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
LP	1	<i>Cirsium arvense</i>	<i>Cirsium</i>	Compositae
LP	1	<i>Cleistogenes hackelii</i>	<i>Cleistogenes</i>	Poaceae
LP	1	<i>Cynanchum thesioides</i>	<i>Cynanchum</i>	Apocynaceae
LP	1	<i>Erigeron canadensis</i>	<i>Erigeron</i>	Compositae
LP	1	<i>Heteropappus altaicus</i>	<i>Heteropappus</i>	Compositae
LP	1	<i>Lespedeza bicolor</i>	<i>Lespedeza</i>	Fabaceae
LP	1	<i>Leymus chinensis</i>	<i>Leymus</i>	Poaceae
LP	1	<i>Medicago ruthenica</i>	<i>Medicago</i>	Fabaceae
LP	1	<i>Polygala tenuifolia</i>	<i>Polygala</i>	Polygalaceae
LP	1	<i>Rubia cordifolia</i>	<i>Rubia</i>	Rubiaceae
LP	1	<i>Salix gordejevii</i>	<i>Salix</i>	Salicaceae
LP	1	<i>Ulmus pumila</i>	<i>Ulmus</i>	Ulmaceae
LP	1	<i>Vicia amoena</i>	<i>Vicia</i>	Fabaceae
LP	1	<i>Viola philippica</i>	<i>Viola</i>	Violaceae
LP	1	<i>Youngia japonica</i>	<i>Youngia</i>	Compositae
LP	1	<i>Ziziphus jujuba</i>	<i>Ziziphus</i>	Rhamnaceae
LP	1			Scrophulariaceae
LP	2	<i>Heteropappus altaicus</i>	<i>Heteropappus</i>	Compositae
LP	2	<i>Agropyron cristatum</i>	<i>Agropyron</i>	Poaceae
LP	2	<i>Anemone chinensis</i>	<i>Anemone</i>	Ranunculaceae
LP	2	<i>Artemisia lavandulifolia</i>	<i>Artemisia</i>	Asteraceae
LP	2	<i>Astragalus scaberrimus</i>	<i>Astragalus</i>	Fabaceae
LP	2	<i>Bothriochloa ischaemum</i>	<i>Bothriochloa</i>	Poaceae
LP	2	<i>Caragana sinica</i>	<i>Caragana</i>	Fabaceae
LP	2	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
LP	2	<i>Cleistogenes hackelii</i>	<i>Cleistogenes</i>	Poaceae
LP	2	<i>Cleistogenes songorica</i>	<i>Cleistogenes</i>	Poaceae
LP	2	<i>Dianthus chinensis</i>	<i>Dianthus</i>	Caryophyllaceae
LP	2	<i>Echinops sphaerocephalus</i>	<i>Echinops</i>	Compositae
LP	2	<i>Gueldenstaedtia verna</i>	<i>Gueldenstaedtia</i>	Fabaceae
LP	2	<i>Incarvillea sinensis</i>	<i>Incarvillea</i>	Bignoniaceae
LP	2	<i>Lespedeza davurica</i>	<i>Lespedeza</i>	Fabaceae
LP	2	<i>Lespedeza juncea</i>	<i>Lespedeza</i>	Fabaceae
LP	2	<i>Patrinia scabiosifolia</i>	<i>Patrinia</i>	Caprifoliaceae
LP	2	<i>Periploca sepium</i>	<i>Periploca</i>	Apocynaceae
LP	2	<i>Plantago depressa</i>	<i>Plantago</i>	Plantaginaceae
LP	2	<i>Poa annua</i>	<i>Poa</i>	Poaceae
LP	2	<i>Polygala tenuifolia</i>	<i>Polygala</i>	Polygalaceae
LP	2	<i>Potentilla supina</i>	<i>Potentilla</i>	Rosaceae
LP	2	<i>Rosa xanthina</i>	<i>Rosa</i>	Rosaceae

LP	2	<i>Rubia cordifolia</i>	Rubia	Rubiaceae
LP	2	<i>Saussurea japonica</i>	Saussurea	Compositae
LP	2	<i>Scorzonera sinensis</i>	Scorzonera	Compositae
LP	2	<i>Setaria viridis</i>	Setaria	Poaceae
LP	2	<i>Themeda triandra</i>	Themeda	Poaceae
LP	2	<i>Thymus mongolicus</i>	Thymus	Lamiaceae
LP	2	<i>Tripolium pannonicum</i>	Tripolium	Compositae
LP	2	<i>Viola philippica</i>	Viola	Violaceae
LP	2	<i>Ziziphus jujuba</i>	Ziziphus	Rhamnaceae
LP	3	<i>Agropyron cristatum</i>	Agropyron	Poaceae
LP	3	<i>Artemisia leucophylla</i>	Artemisia	Compositae
LP	3	<i>Astragalus scaberrimus</i>	Astragalus	Fabaceae
LP	3	<i>Bothriochloa ischaemum</i>	Bothriochloa	Poaceae
LP	3	<i>Bupleurum chinense</i>	Bupleurum	Apiaceae
LP	3	<i>Carex korshinskyi</i>	Carex	Cyperaceae
LP	3	<i>Cleistogenes hackelii</i>	Cleistogenes	Poaceae
LP	3	<i>Cleistogenes songorica</i>	Cleistogenes	Poaceae
LP	3	<i>Echinops sphaerocephalus</i>	Echinops	Compositae
LP	3	<i>Heteropappus altaicus</i>	Heteropappus	Compositae
LP	3	<i>Lespedeza davurica</i>	Lespedeza	Fabaceae
LP	3	<i>Poa annua</i>	Poa	Poaceae
LP	3	<i>Poa sphondyloides</i>	Poa	Poaceae
LP	3	<i>Polygala tenuifolia</i>	Polygala	Polygalaceae
LP	3	<i>Potentilla discolor</i>	Potentilla	Rosaceae
LP	3	<i>Potentilla tanacetifolia</i>	Potentilla	Rosaceae
LP	3	<i>Selaginella tamariscina</i>	Selaginella	Selaginellaceae
LP	3	<i>Serratula centauroides</i>	Serratula	Compositae
LP	3	<i>Stipa sibirica</i>	Stipa	Poaceae
LP	3	<i>Themeda triandra</i>	Themeda	Poaceae
LP	3	<i>Tripolium pannonicum</i>	Tripolium	Compositae
LP	3	<i>Viola philippica</i>	Viola	Violaceae
LP	3	<i>Vitex negundo</i>	Vitex	Lamiaceae
LP	3	<i>Wikstroemia chamaedaphne</i>	Wikstroemia	Thymelaeaceae
LP	3	<i>Ziziphus jujuba</i>	Ziziphus	Rhamnaceae
LP	4	<i>Agropyron cristatum</i>	Agropyron	Poaceae
LP	4	<i>Agropyron desertorum</i>	Agropyron	Poaceae
LP	4	<i>Artemisia annua</i>	Artemisia	Compositae
LP	4	<i>Artemisia argyi</i>	Artemisia	Compositae
LP	4	<i>Artemisia argyi</i>	Artemisia	Compositae
LP	4	<i>Artemisia dalailamae</i>	Artemisia	Compositae
LP	4	<i>Astragalus melilotoides</i>	Astragalus	Fabaceae
LP	4	<i>Astragalus scaberrimus</i>	Astragalus	Fabaceae
LP	4	<i>Bothriochloa ischaemum</i>	Bothriochloa	Poaceae
LP	4	<i>Carex korshinskyi</i>	Carex	Cyperaceae
LP	4	<i>Cleistogenes hackelii</i>	Cleistogenes	Poaceae
LP	4	<i>Gueldenstaedtia verna</i>	Gueldenstaedtia	Fabaceae
LP	4	<i>Heteropappus altaicus</i>	Heteropappus	Compositae
LP	4	<i>Ixeris polyccephala</i>	Ixeris	Compositae
LP	4	<i>Lespedeza bicolor</i>	Lespedeza	Fabaceae

LP	4	Poa annua	Poa	Poaceae
LP	4	Polygala sibirica	Polygala	Polygalaceae
LP	4	Polygala tenuifolia	Polygala	Polygalaceae
LP	4	Potentilla discolor	Potentilla	Rosaceae
LP	4	Potentilla tanacetifolia	Potentilla	Rosaceae
LP	4	Rosa xanthina	Rosa	Rosaceae
LP	4	Scorzoneroides sinensis	Scorzoneroides	Compositae
LP	4	Vicia amoena	Vicia	Fabaceae
LP	4	Viola philippica	Viola	Violaceae
LP	4	Wikstroemia chamaedaphne	Wikstroemia	Thymelaeaceae
LP	4	Yulania denudata	Yulania	Magnoliaceae
LP	4	Ziziphus jujuba	Ziziphus	Rhamnaceae
LP	5	Artemisia annua	Artemisia	Compositae
LP	5	Artemisia argyi	Artemisia	Compositae
LP	5	Artemisia frigida	Artemisia	Compositae
LP	5	Artemisia japonica	Artemisia	Compositae
LP	5	Artemisia scoparia	Artemisia	Compositae
LP	5	Astragalus scaberrimus	Astragalus	Fabaceae
LP	5	Bothriochloa ischaemum	Bothriochloa	Poaceae
LP	5	Caragana microphylla	Caragana	Fabaceae
LP	5	Carduus nutans	Carduus	Compositae
LP	5	Cirsium arvense	Cirsium	Compositae
LP	5	Cleistogenes hackelii	Cleistogenes	Poaceae
LP	5	Cleistogenes serotina	Cleistogenes	Poaceae
LP	5	Cynanchum thesioides	Cynanchum	Apocynaceae
LP	5	Dracocephalum moldavica	Dracocephalum	Lamiaceae
LP	5	Eragrostis pilosa	Eragrostis	Poaceae
LP	5	Erigeron annuus	Erigeron	Compositae
LP	5	Glycyrrhiza uralensis	Glycyrrhiza	Fabaceae
LP	5	Gueldenstaedtia verna	Gueldenstaedtia	Fabaceae
LP	5	Incarvillea sinensis	Incarvillea	Bignoniaceae
LP	5	Ixeris polyccephala	Ixeris	Compositae
LP	5	Kalimeris hispida	Kalimeris	Compositae
LP	5	Koeleria pyramidata	Koeleria	Poaceae
LP	5	Lespedeza davurica	Lespedeza	Fabaceae
LP	5	Lespedeza juncea	Lespedeza	Fabaceae
LP	5	Leymus chinensis	Leymus	Poaceae
LP	5	Oxytropis myriophylla	Oxytropis	Fabaceae
LP	5	Poa annua	Poa	Poaceae
LP	5	Poa sphondyloides	Poa	Poaceae
LP	5	Polygala sibirica	Polygala	Polygalaceae
LP	5	Potentilla supina	Potentilla	Rosaceae
LP	5	Potentilla tanacetifolia	Potentilla	Rosaceae
LP	5	Rubia cordifolia	Rubia	Rubiaceae
LP	5	Sibbaldianthe bifurca	Sibbaldianthe	Rosaceae
LP	5	Sonchus arvensis	Sonchus	Compositae
LP	5	Taraxacum mongolicum	Taraxacum	Compositae
LP	5	Tripolium pannonicum	Tripolium	Compositae
LP	5	Viola philippica	Viola	Violaceae

LP	5	<i>Ziziphus jujuba</i>	<i>Ziziphus</i>	Rhamnaceae
LP	6	<i>Allium senescens</i>	<i>Allium</i>	Liliaceae
LP	6	<i>Anemone chinensis</i>	<i>Anemone</i>	Ranunculaceae
LP	6	<i>Artemisia argyi</i>	<i>Artemisia</i>	Compositae
LP	6	<i>Artemisia japonica</i>	<i>Artemisia</i>	Compositae
LP	6	<i>Astragalus scaberrimus</i>	<i>Astragalus</i>	Fabaceae
LP	6	<i>Carduus nutans</i>	<i>Carduus</i>	Compositae
LP	6	<i>Cleistogenes hackelii</i>	<i>Cleistogenes</i>	Poaceae
LP	6	<i>Cleistogenes serotina</i>	<i>Cleistogenes</i>	Poaceae
LP	6	<i>Echinops sphaerocephalus</i>	<i>Echinops</i>	Compositae
LP	6	<i>Elymus dahuricus</i>	<i>Elymus</i>	Poaceae
LP	6	<i>Imperata cylindrica</i>	<i>Imperata</i>	Poaceae
LP	6	<i>Kalimeris hispida</i>	<i>Kalimeris</i>	Compositae
LP	6	<i>Lappula myosotis</i>	<i>Lappula</i>	Boraginaceae
LP	6	<i>Leontopodium leontopodinum</i>	<i>Leontopodium</i>	Compositae
LP	6	<i>Lespedeza bicolor</i>	<i>Lespedeza</i>	Fabaceae
LP	6	<i>Linum usitatissimum</i>	<i>Linum</i>	Linaceae
LP	6	<i>Medicago ruthenica</i>	<i>Medicago</i>	Fabaceae
LP	6	<i>Patrinia heterophylla</i>	<i>Patrinia</i>	Caprifoliaceae
LP	6	<i>Phlomoides umbrosa</i>	<i>Phlomoides</i>	Lamiaceae
LP	6	<i>Phragmites australis</i>	<i>Phragmites</i>	Poaceae
LP	6	<i>Poa sphondyloides</i>	<i>Poa</i>	Poaceae
LP	6	<i>Polygala tenuifolia</i>	<i>Polygala</i>	Polygalaceae
LP	6	<i>Potentilla chinensis</i>	<i>Potentilla</i>	Rosaceae
LP	6	<i>Potentilla sericea</i>	<i>Potentilla</i>	Rosaceae
LP	6	<i>Ranunculus japonicus</i>	<i>Ranunculus</i>	Ranunculaceae
LP	6	<i>Rubia cordifolia</i>	<i>Rubia</i>	Rubiaceae
LP	6	<i>Setaria viridis</i>	<i>Setaria</i>	Poaceae
LP	6	<i>Sibbaldianthe bifurca</i>	<i>Sibbaldianthe</i>	Rosaceae
LP	6	<i>Sonchus arvensis</i>	<i>Sonchus</i>	Compositae
LP	6	<i>Stipa bungeana</i>	<i>Stipa</i>	Poaceae
LP	6	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
LP	6	<i>Taraxacum mongolicum</i>	<i>Taraxacum</i>	Compositae
LP	6	<i>Tripolium pannonicum</i>	<i>Tripolium</i>	Compositae
LP	7	<i>Agropyron cristatum</i>	<i>Agropyron</i>	Poaceae
LP	7	<i>Artemisia argyi</i>	<i>Artemisia</i>	Compositae
LP	7	<i>Artemisia scoparia</i>	<i>Artemisia</i>	Compositae
LP	7	<i>Astragalus adsurgens</i>	<i>Astragalus</i>	Fabaceae
LP	7	<i>Astragalus galactites</i>	<i>Astragalus</i>	Fabaceae
LP	7	<i>Astragalus melilotoides</i>	<i>Astragalus</i>	Fabaceae
LP	7	<i>Astragalus propinquus</i>	<i>Astragalus</i>	Fabaceae
LP	7	<i>Bassia scoparia</i>	<i>Bassia</i>	Amaranthaceae
LP	7	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
LP	7	<i>Cleistogenes hackelii</i>	<i>Cleistogenes</i>	Poaceae
LP	7	<i>Cleistogenes songorica</i>	<i>Cleistogenes</i>	Poaceae
LP	7	<i>Convolvulus arvensis</i>	<i>Convolvulus</i>	Convolvulaceae
LP	7	<i>Gueldenstaedtia verna</i>	<i>Gueldenstaedtia</i>	Fabaceae
LP	7	<i>Haplophyllum dauricum</i>	<i>Haplophyllum</i>	Rutaceae
LP	7	<i>Heteropappus altaicus</i>	<i>Heteropappus</i>	Compositae

LP	7	<i>Ixeris polyccephala</i>	<i>Ixeris</i>	Compositae
LP	7	<i>Koeleria pyramidata</i>	<i>Koeleria</i>	Poaceae
LP	7	<i>Lespedeza bicolor</i>	<i>Lespedeza</i>	Fabaceae
LP	7	<i>Leymus chinensis</i>	<i>Leymus</i>	Poaceae
LP	7	<i>Medicago ruthenica</i>	<i>Medicago</i>	Fabaceae
LP	7	<i>Medicago sativa</i>	<i>Medicago</i>	Fabaceae
LP	7	<i>Melilotus albus</i>	<i>Melilotus</i>	Leguminosae
LP	7	<i>Polygonum sibiricum</i>	<i>Polygonum</i>	Polygonaceae
LP	7	<i>Scorzonera sinensis</i>	<i>Scorzonera</i>	Compositae
LP	7	<i>Setaria viridis</i>	<i>Setaria</i>	Poaceae
LP	7	<i>Sibbaldianthe bifurca</i>	<i>Sibbaldianthe</i>	Rosaceae
LP	7	<i>Sonchus arvensis</i>	<i>Sonchus</i>	Compositae
LP	7	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
LP	7	<i>Stipa splendens</i>	<i>Stipa</i>	Poaceae
LP	7	<i>Suaeda glauca</i>	<i>Suaeda</i>	Amaranthaceae
LP	7	<i>Taraxacum mongolicum</i>	<i>Taraxacum</i>	Compositae
LP	7	<i>Thermopsis lanceolata</i>	<i>Thermopsis</i>	Fabaceae
LP	8	<i>Allium tenuissimum</i>	<i>Allium</i>	Amaryllidaceae
LP	8	<i>Alopecurus aequalis</i>	<i>Alopecurus</i>	Poaceae
LP	8	<i>Artemisia scoparia</i>	<i>Artemisia</i>	Compositae
LP	8	<i>Astragalus galactites</i>	<i>Astragalus</i>	Fabaceae
LP	8	<i>Astragalus propinquus</i>	<i>Astragalus</i>	Fabaceae
LP	8	<i>Bassia dasypylla</i>	<i>Bassia</i>	Amaranthaceae
LP	8	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
LP	8	<i>Cleistogenes hackelii</i>	<i>Cleistogenes</i>	Poaceae
LP	8	<i>Convolvulus ammannii</i>	<i>Convolvulus</i>	Convolvulaceae
LP	8	<i>Echinochloa crus-galli</i>	<i>Echinochloa</i>	Poaceae
LP	8	<i>Eragrostis pilosa</i>	<i>Eragrostis</i>	Poaceae
LP	8	<i>Peganum harmala</i>	<i>Peganum</i>	Nitrariaceae
LP	8	<i>Reaumuria soongarica</i>	<i>Reaumuria</i>	Tamaricaceae
LP	8	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
LP	8	<i>Tragus racemosus</i>	<i>Tragus</i>	Poaceae
LP	8	<i>Tribulus terrestris</i>	<i>Tribulus</i>	Zygophyllaceae
LP	8	<i>Zygophyllum mucronatum</i>	<i>Zygophyllum</i>	Zygophyllaceae
LP	9	<i>Allium mongolicum</i>	<i>Allium</i>	Amaryllidaceae
LP	9	<i>Allium polyrhizum</i>	<i>Allium</i>	Amaryllidaceae
LP	9	<i>Artemisia annua</i>	<i>Artemisia</i>	Compositae
LP	9	<i>Artemisia argyi</i>	<i>Artemisia</i>	Compositae
LP	9	<i>Artemisia capillaris</i>	<i>Artemisia</i>	Compositae
LP	9	<i>Artemisia scoparia</i>	<i>Artemisia</i>	Compositae
LP	9	<i>Asparagus cochinchinensis</i>	<i>Asparagus</i>	Asparagaceae
LP	9	<i>Astragalus galactites</i>	<i>Astragalus</i>	Fabaceae
LP	9	<i>Caragana stenophylla</i>	<i>Caragana</i>	Fabaceae
LP	9	<i>Chloris virgata</i>	<i>Chloris</i>	Poaceae
LP	9	<i>Cleistogenes hackelii</i>	<i>Cleistogenes</i>	Poaceae
LP	9	<i>Convolvulus ammannii</i>	<i>Convolvulus</i>	Convolvulaceae
LP	9	<i>Convolvulus arvensis</i>	<i>Convolvulus</i>	Convolvulaceae
LP	9	<i>Convolvulus tragacanthoides</i>	<i>Convolvulus</i>	Convolvulaceae
LP	9	<i>Echinochloa crus-galli</i>	<i>Echinochloa</i>	Poaceae

LP	9	<i>Euphorbia humifusa</i>	<i>Euphorbia</i>	Euphorbiaceae
LP	9	<i>Heteropappus altaicus</i>	<i>Heteropappus</i>	Compositae
LP	9	<i>Reaumuria soongarica</i>	<i>Reaumuria</i>	Tamaricaceae
LP	9	<i>Salsola collina</i>	<i>Salsola</i>	Amaranthaceae
LP	9	<i>Salsola passerina</i>	<i>Salsola</i>	Amaranthaceae
LP	9	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
LP	9	<i>Suaeda glauca</i>	<i>Suaeda</i>	Amaranthaceae
LP	9	<i>Tribulus terrestris</i>	<i>Tribulus</i>	Zygophyllaceae
LP	9	<i>Zygophyllum mucronatum</i>	<i>Zygophyllum</i>	Zygophyllaceae
LP	10	<i>Heteropappus altaicus</i>	<i>Heteropappus</i>	Compositae
LP	10	<i>Lepidium apetalum</i>	<i>Lepidium</i>	Brassicaceae
LP	10	<i>Saussurea japonica</i>	<i>Saussurea</i>	Compositae
LP	10	<i>Alopecurus aequalis</i>	<i>Alopecurus</i>	Poaceae
LP	10	<i>Artemisia ordosica</i>	<i>Artemisia</i>	Compositae
LP	10	<i>Reaumuria soongarica</i>	<i>Reaumuria</i>	Tamaricaceae
LP	10	<i>Eragrostis pilosa</i>	<i>Eragrostis</i>	Poaceae
LP	10	<i>Allium polyrhizum</i>	<i>Allium</i>	Amaryllidaceae
LP	10	<i>Suaeda glauca</i>	<i>Suaeda</i>	Amaranthaceae
LP	10	<i>Alopecurus aequalis</i>	<i>Alopecurus</i>	Poaceae
LP	10	<i>Chenopodium album</i>	<i>Chenopodium</i>	Amaranthaceae
LP	10	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
LP	10	<i>Artemisia capillaris</i>	<i>Artemisia</i>	Compositae
LP	10	<i>Salsola passerina</i>	<i>Salsola</i>	Amaranthaceae
LP	10	<i>Cleistogenes hackelii</i>	<i>Cleistogenes</i>	Poaceae
MP	1	<i>Heteropappus altaicus</i>	<i>Heteropappus</i>	Compositae
MP	1	<i>Echinochloa crus-galli</i>	<i>Echinochloa</i>	Poaceae
MP	1	<i>Setaria viridis</i>	<i>Setaria</i>	Poaceae
MP	1	<i>Incarvillea sinensis</i>	<i>Incarvillea</i>	Bignoniaceae
MP	1	<i>Artemisia ordosica</i>	<i>Artemisia</i>	Compositae
MP	1	<i>Chloris virgata</i>	<i>Chloris</i>	Poaceae
MP	1	<i>Chenopodium glaucum</i>	<i>Chenopodium</i>	Amaranthaceae
MP	1	<i>Bassia scoparia</i>	<i>Bassia</i>	Amaranthaceae
MP	1	<i>Lactuca sativa</i>	<i>Lactuca</i>	Compositae
MP	1	<i>Phragmites australis</i>	<i>Phragmites</i>	Poaceae
MP	1	<i>Medicago sativa</i>	<i>Medicago</i>	Fabaceae
MP	1	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
MP	1	<i>Calystegia pellita</i>	<i>Calystegia</i>	Convolvulaceae
MP	1	<i>Polygonum sibiricum</i>	<i>Polygonum</i>	Polygonaceae
MP	1	<i>Leymus chinensis</i>	<i>Leymus</i>	Poaceae
MP	1	<i>Artemisia sphaerocephala</i>	<i>Artemisia</i>	Compositae
MP	1	<i>Aeluropus littoralis</i>	<i>Aeluropus</i>	Poaceae
MP	1	<i>Medicago sativa</i>	<i>Medicago</i>	Fabaceae
MP	2	<i>Adenophora stricta</i>	<i>Adenophora</i>	Campanulaceae
MP	2	<i>Agropyron cristatum</i>	<i>Agropyron</i>	Poaceae
MP	2	<i>Allium anisopodium</i>	<i>Allium</i>	Amaryllidaceae
MP	2	<i>Allium ramosum</i>	<i>Allium</i>	Amaryllidaceae
MP	2	<i>Amethystea caerulea</i>	<i>Amethystea</i>	Lamiaceae
MP	2	<i>Anemarrhena asphodeloides</i>	<i>Anemarrhena</i>	Asparagaceae
MP	2	<i>Artemisia desertorum</i>	<i>Artemisia</i>	Compositae

MP	2	<i>Artemisia lavandulifolia</i>	Artemisia	Asteraceae
MP	2	<i>Artemisia sieversiana</i>	Artemisia	Compositae
MP	2	<i>Artemisia sphaerocephala</i>	Artemisia	Compositae
MP	2	<i>Atraphaxis manshurica</i>	Atraphaxis	Polygonaceae
MP	2	<i>Carex pediformis</i>	Carex	Cyperaceae
MP	2	<i>Chenopodium acuminatum</i>	Chenopodium	Amaranthaceae
MP	2	<i>Chloris virgata</i>	Chloris	Poaceae
MP	2	<i>Cleistogenes hackelii</i>	Cleistogenes	Poaceae
MP	2	<i>Clematis hexapetala</i>	Clematis	Ranunculaceae
MP	2	<i>Corispermum mongolicum</i>	Corispermum	Amaranthaceae
MP	2	<i>Cynanchum thesioides</i>	Cynanchum	Apocynaceae
MP	2	<i>Dysphania aristata</i>	Dysphania	Amaranthaceae
MP	2	<i>Enneapogon desvauxii</i>	Enneapogon	Poaceae
MP	2	<i>Ephedra sinica</i>	Ephedra	Ephedraceae
MP	2	<i>Eriochloa villosa</i>	Eriochloa	Poaceae
MP	2	<i>Erodium stephanianum</i>	Erodium	Geraniaceae
MP	2	<i>Euphorbia humifusa</i>	Euphorbia	Euphorbiaceae
MP	2	<i>Glycyrrhiza uralensis</i>	Glycyrrhiza	Fabaceae
MP	2	<i>Iris tenuifolia</i>	Iris	Iridaceae
MP	2	<i>Lespedeza davurica</i>	Lespedeza	Fabaceae
MP	2	<i>Medicago ruthenica</i>	Medicago	Fabaceae
MP	2	<i>Phragmites australis</i>	Phragmites	Poaceae
MP	2	<i>Salsola collina</i>	Salsola	Amaranthaceae
MP	2	<i>Serratula centauroides</i>	Serratula	Compositae
MP	2	<i>Setaria viridis</i>	Setaria	Poaceae
MP	2	<i>Stipa capillata</i>	Stipa	Poaceae
MP	2	<i>Stipa sibirica</i>	Stipa	Poaceae
MP	2	<i>Thalictrum squarrosum</i>	Thalictrum	Ranunculaceae
MP	2	<i>Tribulus terrestris</i>	Tribulus	Zygophyllaceae
MP	3	<i>Allium tenuissimum</i>	Allium	Amaryllidaceae
MP	3	<i>Anemarrhena asphodeloides</i>	Anemarrhena	Asparagaceae
MP	3	<i>Artemisia annua</i>	Artemisia	Compositae
MP	3	<i>Artemisia lavandulifolia</i>	Artemisia	Asteraceae
MP	3	<i>Astragalus adsurgens</i>	Astragalus	Fabaceae
MP	3	<i>Astragalus propinquus</i>	Astragalus	Fabaceae
MP	3	<i>Carex korshinskyi</i>	Carex	Cyperaceae
MP	3	<i>Cleistogenes hackelii</i>	Cleistogenes	Poaceae
MP	3	<i>Convolvulus arvensis</i>	Convolvulus	Convolvulaceae
MP	3	<i>Eriochloa villosa</i>	Eriochloa	Poaceae
MP	3	<i>Erodium stephanianum</i>	Erodium	Geraniaceae
MP	3	<i>Euphorbia humifusa</i>	Euphorbia	Euphorbiaceae
MP	3	<i>Gerbera anandria</i>	Gerbera	Compositae
MP	3	<i>Heteropappus altaicus</i>	Heteropappus	Compositae
MP	3	<i>Leontopodium leontopodinum</i>	Leontopodium	Compositae
MP	3	<i>Lespedeza davurica</i>	Lespedeza	Fabaceae
MP	3	<i>Lespedeza juncea</i>	Lespedeza	Fabaceae
MP	3	<i>Leymus chinensis</i>	Leymus	Poaceae
MP	3	<i>Linum stellatum</i>	Linum	Linaceae
MP	3	<i>Miscanthus sacchariflorus</i>	Miscanthus	Poaceae

MP	3	<i>Polygala tenuifolia</i>	<i>Polygala</i>	Polygalaceae
MP	3	<i>Polygonum divaricatum</i>	<i>Polygonum</i>	Polygonaceae
MP	3	<i>Potentilla betonicifolia</i>	<i>Potentilla</i>	Rosaceae
MP	3	<i>Potentilla verticillaris</i>	<i>Potentilla</i>	Rosaceae
MP	3	<i>Salsola collina</i>	<i>Salsola</i>	Amaranthaceae
MP	3	<i>Sanguisorba officinalis</i>	<i>Sanguisorba</i>	Rosaceae
MP	3	<i>Serratula centauroides</i>	<i>Serratula</i>	Compositae
MP	3	<i>Stipa sibirica</i>	<i>Stipa</i>	Poaceae
MP	3	<i>Thalictrum petaloideum</i>	<i>Thalictrum</i>	Ranunculaceae
MP	4	<i>Agropyron cristatum</i>	<i>Agropyron</i>	Poaceae
MP	4	<i>Allium bidentatum</i>	<i>Allium</i>	Amaryllidaceae
MP	4	<i>Anemarrhena asphodeloides</i>	<i>Anemarrhena</i>	Asparagaceae
MP	4	<i>Bassia prostrata</i>	<i>Bassia</i>	Amaranthaceae
MP	4	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
MP	4	<i>Cleistogenes hackelii</i>	<i>Cleistogenes</i>	Poaceae
MP	4	<i>Dysphania aristata</i>	<i>Dysphania</i>	Amaranthaceae
MP	4	<i>Iris tenuifolia</i>	<i>Iris</i>	Iridaceae
MP	4	<i>Koeleria pyramidata</i>	<i>Koeleria</i>	Poaceae
MP	4	<i>Lappula myosotis</i>	<i>Lappula</i>	Boraginaceae
MP	4	<i>Leymus chinensis</i>	<i>Leymus</i>	Poaceae
MP	4	<i>Medicago ruthenica</i>	<i>Medicago</i>	Fabaceae
MP	4	<i>Potentilla acaulis</i>	<i>Potentilla</i>	Rosaceae
MP	4	<i>Salsola collina</i>	<i>Salsola</i>	Amaranthaceae
MP	4	<i>Scorzoneroides sinensis</i>	<i>Scorzoneroides</i>	Compositae
MP	4	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
MP	4	<i>Veratrum nigrum</i>	<i>Veratrum</i>	Melanthiaceae
MP	5	<i>Allium anisopodium</i>	<i>Allium</i>	Amaryllidaceae
MP	5	<i>Agropyron cristatum</i>	<i>Agropyron</i>	Poaceae
MP	5	<i>Cymbalaria daurica</i>	<i>Cymbalaria</i>	Orobanchaceae
MP	5	<i>Chenopodium glaucum</i>	<i>Chenopodium</i>	Amaranthaceae
MP	5	<i>Chenopodium acuminatum</i>	<i>Chenopodium</i>	Amaranthaceae
MP	5	<i>Artemisia frigida</i>	<i>Artemisia</i>	Compositae
MP	5	<i>Bassia prostrata</i>	<i>Bassia</i>	Amaranthaceae
MP	5	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
MP	5	<i>Cleistogenes hackelii</i>	<i>Cleistogenes</i>	Poaceae
MP	5	<i>Allium tenuissimum</i>	<i>Allium</i>	Amaryllidaceae
MP	5	<i>Leymus chinensis</i>	<i>Leymus</i>	Poaceae
MP	5	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
MP	5	<i>Salsola collina</i>	<i>Salsola</i>	Amaranthaceae
MP	6	<i>Agropyron cristatum</i>	<i>Agropyron</i>	Poaceae
MP	6	<i>Cleistogenes squarrosa</i>	<i>Cleistogenes</i>	Poaceae
MP	6	<i>Ephedra sinica</i>	<i>Ephedra</i>	Ephedraceae
MP	6	<i>Sibbaldianthe bifurca</i>	<i>Sibbaldianthe</i>	Rosaceae
MP	6	<i>Allium condensatum</i>	<i>Allium</i>	Amaryllidaceae
MP	6	<i>Artemisia annua</i>	<i>Artemisia</i>	Compositae
MP	6	<i>Chenopodium glaucum</i>	<i>Chenopodium</i>	Amaranthaceae
MP	6	<i>Artemisia frigida</i>	<i>Artemisia</i>	Compositae
MP	6	<i>Bassia prostrata</i>	<i>Bassia</i>	Amaranthaceae
MP	6	<i>Thermopsis lanceolata</i>	<i>Thermopsis</i>	Fabaceae

MP	6	<i>Koeleria pyramidata</i>	<i>Koeleria</i>	Poaceae
MP	6	<i>Gueldenstaedtia verna</i>	<i>Gueldenstaedtia</i>	Fabaceae
MP	6	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
MP	6	<i>Allium tenuissimum</i>	<i>Allium</i>	Amaryllidaceae
MP	6	<i>Iris tenuifolia</i>	<i>Iris</i>	Iridaceae
MP	6	<i>Leymus chinensis</i>	<i>Leymus</i>	Poaceae
MP	6	<i>Allium ramosum</i>	<i>Allium</i>	Amaryllidaceae
MP	6	<i>Stipa sibirica</i>	<i>Stipa</i>	Poaceae
MP	6	<i>Poa annua</i>	<i>Poa</i>	Poaceae
MP	6	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
MP	6	<i>Axyris amaranthoides</i>	<i>Axyris</i>	Amaranthaceae
MP	6	<i>Salsola collina</i>	<i>Salsola</i>	Amaranthaceae
MP	7	<i>Agropyron cristatum</i>	<i>Agropyron</i>	Poaceae
MP	7	<i>Scutellaria scordifolia</i>	<i>Scutellaria</i>	Lamiaceae
MP	7	<i>Astragalus melilotoides</i>	<i>Astragalus</i>	Fabaceae
MP	7	<i>Cymbalaria daurica</i>	<i>Cymbalaria</i>	Orobanchaceae
MP	7	<i>Euphorbia fischeriana</i>	<i>Euphorbia</i>	Euphorbiaceae
MP	7	<i>Koeleria pyramidata</i>	<i>Koeleria</i>	Poaceae
MP	7	<i>Astragalus galactites</i>	<i>Astragalus</i>	Fabaceae
MP	7	<i>Allium bidentatum</i>	<i>Allium</i>	Amaryllidaceae
MP	7	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
MP	7	<i>Cleistogenes hackelii</i>	<i>Cleistogenes</i>	Poaceae
MP	7	<i>Allium tenuissimum</i>	<i>Allium</i>	Amaryllidaceae
MP	7	<i>Iris tenuifolia</i>	<i>Iris</i>	Iridaceae
MP	7	<i>Leymus chinensis</i>	<i>Leymus</i>	Poaceae
MP	7	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
MP	7	<i>Anemarrhena asphodeloides</i>	<i>Anemarrhena</i>	Asparagaceae
MP	8	<i>Heteropappus altaicus</i>	<i>Heteropappus</i>	Compositae
MP	8	<i>Agropyron cristatum</i>	<i>Agropyron</i>	Poaceae
MP	8	<i>Cymbalaria daurica</i>	<i>Cymbalaria</i>	Orobanchaceae
MP	8	<i>Artemisia annua</i>	<i>Artemisia</i>	Compositae
MP	8	<i>Chenopodium acuminatum</i>	<i>Chenopodium</i>	Amaranthaceae
MP	8	<i>Allium polystachys</i>	<i>Allium</i>	Amaryllidaceae
MP	8	<i>Artemisia frigida</i>	<i>Artemisia</i>	Compositae
MP	8	<i>Asparagus schoberioides</i>	<i>Asparagus</i>	Asparagaceae
MP	8	<i>Bassia prostrata</i>	<i>Bassia</i>	Amaranthaceae
MP	8	<i>Astragalus galactites</i>	<i>Astragalus</i>	Fabaceae
MP	8	<i>Allium bidentatum</i>	<i>Allium</i>	Amaryllidaceae
MP	8	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
MP	8	<i>Cleistogenes hackelii</i>	<i>Cleistogenes</i>	Poaceae
MP	8	<i>Allium tenuissimum</i>	<i>Allium</i>	Amaryllidaceae
MP	8	<i>Iris tenuifolia</i>	<i>Iris</i>	Iridaceae
MP	8	<i>Leymus chinensis</i>	<i>Leymus</i>	Poaceae
MP	8	<i>Allium ramosum</i>	<i>Allium</i>	Amaryllidaceae
MP	8	<i>Convolvulus ammannii</i>	<i>Convolvulus</i>	Convolvulaceae
MP	8	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
MP	8	<i>Neopallasia pectinata</i>	<i>Neopallasia</i>	Compositae
MP	8	<i>Salsola collina</i>	<i>Salsola</i>	Amaranthaceae
MP	9	<i>Artemisia argyi</i>	<i>Artemisia</i>	Compositae

MP	9	<i>Scorzonera sinensis</i>	<i>Scorzonera</i>	Compositae
MP	9	<i>Eragrostis pilosa</i>	<i>Eragrostis</i>	Poaceae
MP	9	<i>Tribulus terrestris</i>	<i>Tribulus</i>	Zygophyllaceae
MP	9	<i>Allium polyrhizum</i>	<i>Allium</i>	Amaryllidaceae
MP	9	<i>Asparagus schoberioides</i>	<i>Asparagus</i>	Asparagaceae
MP	9	<i>Peganum harmala</i>	<i>Peganum</i>	Nitrariaceae
MP	9	<i>Iris lactea</i>	<i>Iris</i>	Iridaceae
MP	9	<i>Corispermum mongolicum</i>	<i>Corispermum</i>	Amaranthaceae
MP	9	<i>Allium bidentatum</i>	<i>Allium</i>	Amaryllidaceae
MP	9	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
MP	9	<i>Cleistogenes songorica</i>	<i>Cleistogenes</i>	Poaceae
MP	9	<i>Caragana stenophylla</i>	<i>Caragana</i>	Fabaceae
MP	9	<i>Convolvulus ammannii</i>	<i>Convolvulus</i>	Convolvulaceae
MP	9	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
MP	9	<i>Salsola collina</i>	<i>Salsola</i>	Amaranthaceae
MP	10	<i>Setaria viridis</i>	<i>Setaria</i>	Poaceae
MP	10	<i>Tribulus terrestris</i>	<i>Tribulus</i>	Zygophyllaceae
MP	10	<i>Asparagus schoberioides</i>	<i>Asparagus</i>	Asparagaceae
MP	10	<i>Corispermum mongolicum</i>	<i>Corispermum</i>	Amaranthaceae
MP	10	<i>Allium bidentatum</i>	<i>Allium</i>	Amaryllidaceae
MP	10	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
MP	10	<i>Cleistogenes songorica</i>	<i>Cleistogenes</i>	Poaceae
MP	10	<i>Iris tenuifolia</i>	<i>Iris</i>	Iridaceae
MP	10	<i>Caragana stenophylla</i>	<i>Caragana</i>	Fabaceae
MP	10	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
MP	10	<i>Salsola collina</i>	<i>Salsola</i>	Amaranthaceae
TP	1	<i>Allium przewalskianum</i>	<i>Allium</i>	Amaryllidaceae
TP	1	<i>Allium ramosum</i>	<i>Allium</i>	Amaryllidaceae
TP	1	<i>Anaphalis xylohriza</i>	<i>Anaphalis</i>	Compositae
TP	1	<i>Androsace tapete</i>	<i>Androsace</i>	Primulaceae
TP	1	<i>Androsace umbellata</i>	<i>Androsace</i>	Primulaceae
TP	1	<i>Arenaria brevipetala</i>	<i>Arenaria</i>	Caryophyllaceae
TP	1	<i>Artemisia argyi</i>	<i>Artemisia</i>	Compositae
TP	1	<i>Aster tataricus</i>	<i>Aster</i>	Compositae
TP	1	<i>Astragalus propinquus</i>	<i>Astragalus</i>	Fabaceae
TP	1	<i>Calamagrostis lahulensis</i>	<i>Calamagrostis</i>	Poaceae
TP	1	<i>Caragana sinica</i>	<i>Caragana</i>	Fabaceae
TP	1	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
TP	1	<i>Chenopodium glaucum</i>	<i>Chenopodium</i>	Amaranthaceae
TP	1	<i>Elymus dahuricus</i>	<i>Elymus</i>	Poaceae
TP	1	<i>Eragrostis pilosa</i>	<i>Eragrostis</i>	Poaceae
TP	1	<i>Euphorbia stracheyi</i>	<i>Euphorbia</i>	Euphorbiaceae
TP	1	<i>Gentiana scabra</i>	<i>Gentiana</i>	Gentianaceae
TP	1	<i>Gentiana straminea</i>	<i>Gentiana</i>	Gentianaceae
TP	1	<i>Gentiana szechenyii</i>	<i>Gentiana</i>	Gentianaceae
TP	1	<i>Gentianopsis paludosa</i>	<i>Gentianopsis</i>	Gentianaceae
TP	1	<i>Geranium wilfordii</i>	<i>Geranium</i>	Geraniaceae
TP	1	<i>Gueldenstaedtia verna</i>	<i>Gueldenstaedtia</i>	Fabaceae
TP	1	<i>Gueldenstaedtia verna</i>	<i>Gueldenstaedtia</i>	Fabaceae

TP	1	<i>Heracleum hemsleyanum</i>	<i>Heracleum</i>	Apiaceae
TP	1	<i>Heteropappus altaicus</i>	<i>Heteropappus</i>	Compositae
TP	1	<i>Incarvillea sinensis</i>	<i>Incarvillea</i>	Bignoniaceae
TP	1	<i>Iris tectorum</i>	<i>Iris</i>	Iridaceae
TP	1	<i>Kobresia littledalei</i>	<i>Kobresia</i>	Cyperaceae
TP	1	<i>Leontopodium leontopodinum</i>	<i>Leontopodium</i>	Compositae
TP	1	<i>Phlomis younghusbandii</i>	<i>Phlomis</i>	Lamiaceae
TP	1	<i>Plantago depressa</i>	<i>Plantago</i>	Plantaginaceae
TP	1	<i>Poa annua</i>	<i>Poa</i>	Poaceae
TP	1	<i>Polygonum divaricatum</i>	<i>Polygonum</i>	Polygonaceae
TP	1	<i>Potentilla chinensis</i>	<i>Potentilla</i>	Rosaceae
TP	1	<i>Potentilla multifida</i>	<i>Potentilla</i>	Rosaceae
TP	1	<i>Potentilla saundersiana</i>	<i>Potentilla</i>	Rosaceae
TP	1	<i>Przewalskia tangutica</i>	<i>Przewalskia</i>	Solanaceae
TP	1	<i>Scorzonera sinensis</i>	<i>Scorzonera</i>	Compositae
TP	1	<i>Scrophularia ningpoensis</i>	<i>Scrophularia</i>	Scrophulariaceae
TP	1	<i>Sibbaldianthe bifurca</i>	<i>Sibbaldianthe</i>	Rosaceae
TP	1	<i>Silene gallica</i>	<i>Silene</i>	Caryophyllaceae
TP	1	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
TP	1	<i>Stipa purpurea</i>	<i>Stipa</i>	Poaceae
TP	1	<i>Taraxacum mongolicum</i>	<i>Taraxacum</i>	Compositae
TP	1	<i>Vicia amoena</i>	<i>Vicia</i>	Fabaceae
TP	2	<i>Anaphalis xylohriza</i>	<i>Anaphalis</i>	Compositae
TP	2	<i>Artemisia argyi</i>	<i>Artemisia</i>	Compositae
TP	2	<i>Aster souliei</i>	<i>Aster</i>	Compositae
TP	2	<i>Aster tataricus</i>	<i>Aster</i>	Compositae
TP	2	<i>Astragalus strictus</i>	<i>Astragalus</i>	Fabaceae
TP	2	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
TP	2	<i>Elsholtzia densa</i>	<i>Elsholtzia</i>	Lamiaceae
TP	2	<i>Eragrostis alta</i>	<i>Eragrostis</i>	Poaceae
TP	2	<i>Euphorbia fischeriana</i>	<i>Euphorbia</i>	Euphorbiaceae
TP	2	<i>Geranium wilfordii</i>	<i>Geranium</i>	Geraniaceae
TP	2	<i>Gueldenstaedtia verna</i>	<i>Gueldenstaedtia</i>	Fabaceae
TP	2	<i>Heracleum hemsleyanum</i>	<i>Heracleum</i>	Apiaceae
TP	2	<i>Kobresia pygmaea</i>	<i>Kobresia</i>	Cyperaceae
TP	2	<i>Lancea tibetica</i>	<i>Lancea</i>	Phrymaceae
TP	2	<i>Lasiocaryum densiflorum</i>	<i>Lasiocaryum</i>	Boraginaceae
TP	2	<i>Persicaria vivipara</i>	<i>Persicaria</i>	Polygonaceae
TP	2	<i>Phlomoides rotata</i>	<i>Phlomoides</i>	Lamiaceae
TP	2	<i>Poa annua</i>	<i>Poa</i>	Poaceae
TP	2	<i>Polygonum sibiricum</i>	<i>Polygonum</i>	Polygonaceae
TP	2	<i>Potentilla anserina</i>	<i>Potentilla</i>	Rosaceae
TP	2	<i>Potentilla parvifolia</i>	<i>Potentilla</i>	Rosaceae
TP	2	<i>Potentilla saundersiana</i>	<i>Potentilla</i>	Rosaceae
TP	2	<i>Przewalskia tangutica</i>	<i>Przewalskia</i>	Solanaceae
TP	2	<i>Sibbaldianthe bifurca</i>	<i>Sibbaldianthe</i>	Rosaceae
TP	2	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
TP	2	<i>Taraxacum mongolicum</i>	<i>Taraxacum</i>	Compositae
TP	2	<i>Urtica hyperborea</i>	<i>Urtica</i>	Urticaceae

TP	3	<i>Astragalus propinquus</i>	<i>Astragalus</i>	Fabaceae
TP	3	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
TP	3	<i>Eragrostis alta</i>	<i>Eragrostis</i>	Poaceae
TP	3	<i>Kobresia pygmaea</i>	<i>Kobresia</i>	Cyperaceae
TP	3	<i>Lancea tibetica</i>	<i>Lancea</i>	Phrymaceae
TP	3	<i>Leontopodium leontopodinum</i>	<i>Leontopodium</i>	Compositae
TP	3	<i>Poa annua</i>	<i>Poa</i>	Poaceae
TP	3	<i>Potentilla anserina</i>	<i>Potentilla</i>	Rosaceae
TP	3	<i>Potentilla saundersiana</i>	<i>Potentilla</i>	Rosaceae
TP	3	<i>Saussurea japonica</i>	<i>Saussurea</i>	Compositae
TP	3	<i>Sibbaldianthe bifurca</i>	<i>Sibbaldianthe</i>	Rosaceae
TP	3	<i>Taraxacum mongolicum</i>	<i>Taraxacum</i>	Compositae
TP	4	<i>Astragalus arnoldii</i>	<i>Astragalus</i>	Fabaceae
TP	4	<i>Callianthemum pimpinelloides</i>	<i>Callianthemum</i>	Ranunculaceae
TP	4	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
TP	4	<i>Eragrostis alta</i>	<i>Eragrostis</i>	Poaceae
TP	4	<i>Euphorbia fischeriana</i>	<i>Euphorbia</i>	Euphorbiaceae
TP	4	<i>Heteropappus boweri</i>	<i>Heteropappus</i>	Compositae
TP	4	<i>Kobresia pygmaea</i>	<i>Kobresia</i>	Cyperaceae
TP	4	<i>Leontopodium leontopodinum</i>	<i>Leontopodium</i>	Compositae
TP	4	<i>Oxytropis stracheyana</i>	<i>Oxytropis</i>	Fabaceae
TP	4	<i>Pedicularis alaschanica</i>	<i>Pedicularis</i>	Scrophulariaceae
TP	4	<i>Poa setulosa</i>	<i>Poa</i>	Poaceae
TP	4	<i>Przewalskia tangutica</i>	<i>Przewalskia</i>	Solanaceae
TP	4	<i>Rhodiola smithii</i>	<i>Rhodiola</i>	Crassulaceae
TP	4	<i>Saussurea japonica</i>	<i>Saussurea</i>	Compositae
TP	4	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
TP	4	<i>Taraxacum mongolicum</i>	<i>Taraxacum</i>	Compositae
TP	5	<i>Arenaria edgeworthiana</i>	<i>Arenaria</i>	Caryophyllaceae
TP	5	<i>Astragalus adsurgens</i>	<i>Astragalus</i>	Fabaceae
TP	5	<i>Astragalus tribulifolius</i>	<i>Astragalus</i>	Fabaceae
TP	5	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
TP	5	<i>Carex littledalei</i>	<i>Carex</i>	Cyperaceae
TP	5	<i>Dolomiaea souliei</i>	<i>Dolomiaea</i>	Compositae
TP	5	<i>Dracocephalum heterophyllum</i>	<i>Dracocephalum</i>	Lamiaceae
TP	5	<i>Eragrostis pilosa</i>	<i>Eragrostis</i>	Poaceae
TP	5	<i>Heteropappus boweri</i>	<i>Heteropappus</i>	Compositae
TP	5	<i>Kobresia pygmaea</i>	<i>Kobresia</i>	Cyperaceae
TP	5	<i>Leontopodium leontopodinum</i>	<i>Leontopodium</i>	Compositae
TP	5	<i>Poa annua</i>	<i>Poa</i>	Poaceae
TP	5	<i>Potentilla chinensis</i>	<i>Potentilla</i>	Rosaceae
TP	5	<i>Potentilla supina</i>	<i>Potentilla</i>	Rosaceae
TP	5	<i>Rhodiola smithii</i>	<i>Rhodiola</i>	Crassulaceae
TP	5	<i>Sibbaldianthe bifurca</i>	<i>Sibbaldianthe</i>	Rosaceae
TP	5	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
TP	5	<i>Stipa purpurea</i>	<i>Stipa</i>	Poaceae
TP	5	<i>Youngia japonica</i>	<i>Youngia</i>	Compositae
TP	6	<i>Astragalus adsurgens</i>	<i>Astragalus</i>	Fabaceae
TP	6	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae

TP	6	<i>Dracocephalum heterophyllum</i>	<i>Dracocephalum</i>	Lamiaceae
TP	6	<i>Heteropappus boweri</i>	<i>Heteropappus</i>	Compositae
TP	6	<i>Incarvillea lutea</i>	<i>Incarvillea</i>	Bignoniaceae
TP	6	<i>Lagotis brachystachya</i>	<i>Lagotis</i>	Plantaginaceae
TP	6	<i>Oxytropis microphylla</i>	<i>Oxytropis</i>	Fabaceae
TP	6	<i>Przewalskia tangutica</i>	<i>Przewalskia</i>	Solanaceae
TP	6	<i>Rhodiola smithii</i>	<i>Rhodiola</i>	Crassulaceae
TP	6	<i>Sibbaldia parviflora</i>	<i>Sibbaldia</i>	Rosaceae
TP	6	<i>Sibbaldianthe bifurca</i>	<i>Sibbaldianthe</i>	Rosaceae
TP	6	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
TP	6	<i>Stipa purpurea</i>	<i>Stipa</i>	Poaceae
TP	7	<i>Androsace tapete</i>	<i>Androsace</i>	Primulaceae
TP	7	<i>Arenaria brevipetala</i>	<i>Arenaria</i>	Caryophyllaceae
TP	7	<i>Astragalus propinquus</i>	<i>Astragalus</i>	Fabaceae
TP	7	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
TP	7	<i>Eragrostis pilosa</i>	<i>Eragrostis</i>	Poaceae
TP	7	<i>Kalimeris hispida</i>	<i>Kalimeris</i>	Compositae
TP	7	<i>Kobresia pygmaea</i>	<i>Kobresia</i>	Cyperaceae
TP	7	<i>Lagotis brachystachya</i>	<i>Lagotis</i>	Plantaginaceae
TP	7	<i>Lasiocaryum densiflorum</i>	<i>Lasiocaryum</i>	Boraginaceae
TP	7	<i>Leontopodium leontopodinum</i>	<i>Leontopodium</i>	Compositae
TP	7	<i>Lepidium capitatum</i>	<i>Lepidium</i>	Brassicaceae
TP	7	<i>Poa annua</i>	<i>Poa</i>	Poaceae
TP	7	<i>Polygonum sibiricum</i>	<i>Polygonum</i>	Polygonaceae
TP	7	<i>Potentilla parvifolia</i>	<i>Potentilla</i>	Rosaceae
TP	7	<i>Potentilla plumosa</i>	<i>Potentilla</i>	Rosaceae
TP	7	<i>Pycnophlinthus uniflora</i>	<i>Pycnophlinthus</i>	Brassicaceae
TP	7	<i>Sibbaldia parviflora</i>	<i>Sibbaldia</i>	Rosaceae
TP	7	<i>Sibbaldianthe bifurca</i>	<i>Sibbaldianthe</i>	Rosaceae
TP	7	<i>Stipa purpurea</i>	<i>Stipa</i>	Poaceae
TP	7	<i>Taraxacum mongolicum</i>	<i>Taraxacum</i>	Compositae
TP	8	<i>Artemisia desertorum</i>	<i>Artemisia</i>	Compositae
TP	8	<i>Astragalus propinquus</i>	<i>Astragalus</i>	Fabaceae
TP	8	<i>Astragalus tribulifolius</i>	<i>Astragalus</i>	Fabaceae
TP	8	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
TP	8	<i>Heteropappus boweri</i>	<i>Heteropappus</i>	Compositae
TP	8	<i>Oxytropis microphylla</i>	<i>Oxytropis</i>	Fabaceae
TP	8	<i>Poa annua</i>	<i>Poa</i>	Poaceae
TP	8	<i>Ptilotrichum canescens</i>	<i>Ptilotrichum</i>	Brassicaceae
TP	8	<i>Stipa capillata</i>	<i>Stipa</i>	Poaceae
TP	9	<i>Artemisia desertorum</i>	<i>Artemisia</i>	Compositae
TP	9	<i>Astragalus hendersonii</i>	<i>Astragalus</i>	Fabaceae
TP	9	<i>Carex korshinskyi</i>	<i>Carex</i>	Cyperaceae
TP	9	<i>Oxytropis glacialis</i>	<i>Oxytropis</i>	Fabaceae
TP	9	<i>Oxytropis microphylla</i>	<i>Oxytropis</i>	Fabaceae
TP	9	<i>Ptilotrichum canescens</i>	<i>Ptilotrichum</i>	Brassicaceae
TP	9	<i>Sibbaldianthe bifurca</i>	<i>Sibbaldianthe</i>	Rosaceae
TP	9	<i>Stipa tianschanica</i>	<i>Stipa</i>	Poaceae
TP	10	<i>Stipa tianschanica</i>	<i>Stipa</i>	Poaceae

TP	10	Ajania fruticulosa	Ajania	Compositae
TP	10	Oxytropis microphylla	Oxytropis	Fabaceae