

## ***Interactive comment on “Estimating global gross primary productivity using chlorophyll fluorescence and a data assimilation system with the BETHY-SCOPE model” by Alexander J. Norton et al.***

**Anonymous Referee #1**

Received and published: 12 July 2018

### GENERAL

This paper tries to improve global GPP simulations by updating model parameters through a data assimilation system. With this system, the model improves simulations of global SIF compared with satellite data. SIF and GPP are jointly connected for plant photosynthesis. The improved SIF-related parameters are expected to improve GPP. Different from previous studies, which assumed linear relations between SIF and GPP, this work connects these two variables through a dynamic vegetation model. Such approach is an important step to assimilate satellite-based SIF data for global

C1

GPP simulations. From this aspect, this paper well fits the scope of Biogeosciences. However, based on the outcome of this work, I think the SIF information is NOT used effectively and the related mechanisms are NOT well explored.

The focus of this work seems to improve SIF simulations, instead of the GPP. The data assimilation system helps reduce SIF biases, mainly by changing  $V_{\text{cmax}}$  and  $C_{\text{ab}}$ , in subtropical and tropical regions. The resultant GPP simulation, however, does not show a reasonable improvement. Instead, global GPP widely increases (Figure 8) especially over subtropical regions where the original model is not bad (Figure 11). The authors claimed that the ratios of subtropics to tropics have improved. However, in my opinion, this is only because the tropical values are not improved while the subtropical ones are worsened. As a result, the major weakness of this work is that the assimilated SIF information is not effective to improve GPP simulations.

Another weakness is that the SIF-GPP relations are not well explained and the causes of changes are not explored. The authors presented a detailed explanation of the data assimilation system. However, the relationship between SIF and GPP is not explained. It is unclear how the GPP and SIF are parameterized in the model and how they are connected. Such missing makes it difficult to understand why  $C_{\text{ab}}$  and  $V_{\text{cmax}}$  show opposite changes for most PFTs, and why LUE and APAR show opposite changes following the posterior parameters. This is the information supposed to make this work outstanding from the previous studies using linear GPP-SIF relations, but the authors failed to present.

### SPECIFIC

Figure numbers should be clear. Both figures in main text and supplement share the same numbers. For example, there are two Figure 1 (pages 11 and 35)

Page 6 Line 18: “Close similarities”, how to quantify that?

Page 8 Line 23: “we are neither over-fitting or under-fitting the data”, how do you know

C2

about this?

Page 9 Lines 10-12: "observations outside of the optimization period from September-December 2014" Generally, the calibration is performed using earlier data and validation is performed in later period.

Page 9 Line 23: "FLUXCOM GPP" the FLUXCOM provides up to six different version of GPP. Which one is used here?

Page 10 Line 31: "significant underestimation of observed SIF over the northern hemisphere, particularly during northern summer" Is this the reason why you try to improve the simulations with 'updated' seasonal cycle?

Page 11 Line 5: how to define and quantify "mismatch"?

Page 13 Line 18: "a sine function". How do you know this sine function works fine everywhere globally? How to determine the peak of this sine function? Do you have any references? In the later analyses, we can seem different seasonal cycles at different locations. For example, Figure S10 shows that observed SIF peaks in August instead of June.

Page 15 Line 17: "the number of unknowns. sensitivity" removing sensitivity.

Page 15 Lines 3-7: Here, changes of Vcmax are derived based on data assimilation system. However, this does not mean the derived parameters are correct. You should compare the parameters with available literatures to know whether these changes are reasonable or acceptable in reality. In addition, the relation between SIF and Vcmax is less clear than photosynthesis. Do GPP and SIF share the same relationships to Vcmax?

Page 16 Line 6: "less then half a standard deviation". Should be "than".

Page 16 Line 24: "The spatial patterns of posterior GPP and the changes following the SIF assimilation" What's the reason for GPP changes? How GPP and SIF are

C3

connected?

Figure 11: The tropical GPP is not improved while the subtropical GPP is worse.

Table A1: How the numbers in the column of 'change' are calculated? For example, Vcmax of TmpDec changes from 35 to 55, but the change is only 2.9. It seems that Cab is reduced by one order for most PFTs. Please find some observations to support the Cab ranges.

---

Interactive comment on Biogeosciences Discuss., <https://doi.org/10.5194/bg-2018-270>, 2018.

C4