

Dear Editor and Reviewers,

We would like to thank both reviewers who have provided a detailed review of our manuscript and provided valuable comments and suggestions, which have helped us improving our manuscript. We have done our best to account for all the comments and have responded individually to each of them below (our responses are written in blue for clarity). The major changes of the manuscript include:

- A reorganization and simplification of the ms (e.g., moved some text from the results and discussion to the method section, removed redundant sentences)
- We have toned down the statement about the N-fertilisation contribution to the chlorophyll-a standing stocks in relation to climate change
- We have updated the Seal population model from Hammil et al. 2017 to Rossi et al. 2021 as the new model was published while our manuscript was under review. Note that new model has marginally changed our results and claims. The main change is that we did not need to extrapolate seal abundance of Age1+ for 2017 and 2018

We hope that our response and modification to the manuscript will satisfy the reviewers and editor so that our manuscript will be recommended for publication.

Best Regards,

Emmanuel

REVIEWER #1

The present paper investigates the decadal increase of Chl around Sable Island (on the Scotian Shelf in eastern Canada) related with an increase in the island grey seal population. It addresses interactions between biological, chemical, and physical processes associated to an island mass effect and fits perfectly well within the scope of BG. The increase in grey seal population to explain the positive trend in phytoplankton biomass is a particularly interesting way to investigate. The inclusion of additional optical parameters is also very valuable, as well as the seal haul modeling and evaluation of Chl standing stock which allow an in-depth investigation of the hypothesis that this island fertilization and Chl trends are induced by the seal populations. This study deserves to be published after the consideration of the following points. The major point is that the result section needs to be restructured as there are many back and forth in the writing. The hypothesis and informations provided by using adg and bbp, and how their change can be interpreted regarding chla, clearly need to be stated in the introduction. I would also strongly suggest the authors to moderate their statement about the fact that the increase in Seal population is THE explanation for the increase in Chl as 1) figure 8 and 9 are not convincing and rather suggest the strong influence of complementary forcing and 2) few/no other

dynamic processes specifically related to the IME have been studied in depth in this region. Although the increase in seal populations is a very plausible and convincing part of the explanation, other processes with a significant impact in the decadal Chl increase seem to be at stake. These statements need to be mitigated.

We sincerely thank the reviewer for the supportive comments and suggestions about re-organising the manuscript and moderating our statements. We have taken great care to address the comments to the best of our ability.

In the abstract (Line 14, 24...) and later along the draft there is a confusion when using the terminology "island mass effect (IME)". Here it sounds as the processes inducing the Chl increase. However according to literature (Doty and Ogury, 1956 for instance), IME refers as the biological enhancement itself, induced by the presence of islands. So, please correct that point along the draft.

Thank you for the comments, we have corrected the interpretation of IME

Lines 63,81, 225, 238, 268 and after: use "chl-a"

We have made the modification. Note that "chl-a" refers to the concentration of chlorophyll-a, when discussing the standing stocks of chlorophyll-a, we kept the term "chlorophyll-a".

Check the intermittent use of present vs past tense

Tense of verbs has been carefully checked.

Figure 2, B1 and B2: please modify the x-axis from week number to the corresponding month. A) it will be easier for the reader to follow (especially as it is not usual weeks but 8-days values) B) it will be consistent with the time axes of the other figures.

X-axis of figures B1 and B2 have been modified to corresponding month

Abstract:

Line 3: remove "a detailed". Only part of the processes likely involved in the Chl increase is investigated here.

Done

Line 4-5: Please, shortly explain the interest of using bbp and adg.

Text added

Line 5: replace "the possible mechanisms" by "some possible..."

Text replaced

Line 6: Please precise “8-day climatology” (and hereafter in the manuscript)

Done

Line 23: I wouldn't mentioned “a top-down control” as it is about nutrient supply (so a bottom up process) even though it originates from seal.

Text has been deleted

Line 24-25 and in the conclusion: the authors can't assert “Our findings challenge the idea that the IME is restricted to islands with strong bathymetric slope located in oligotrophic waters of mid-latitudes and tropics, and demonstrate that enhanced marine production can occur in other oceanic regions “ as there is an extensive literature of IME taking place in mesotrophic environment such as in the Kerguelen /Crozet islands, the Marquesas islands, the Galapagos, the Gilbert Islands .

Thank you for this pertinent comment, we have modified the text to acknowledge that most studies mentioned above took place in oceanic basin while our study took place on a continental shelf with a much shallower surrounding bathymetry (i.e., mean of 60m) than in previous studies.

Introduction:

Line 30: cf above about the def of IME

The words “due to” have been replaced as “known as” to account for the reviewer's comment.

Line 31-2: please change “results from Or land drainage” to “results from a large range of processes among which...”. There are other processes such as atmospheric deposition, human activity inputs....

Change has been made

Line 36-37: and in mesotrophic environment ...

Text added

Line 52: how marine mammals can supply nutrients through atmospheric deposition?

According to Theobald et al. (2006), as quoted in their study: “Large colonies of wild animals can emit significant quantities of ammonia (NH_3) into the atmosphere as a result of the decomposition of excreta and other waste products”, which is deposited downwind of the colonies in the adjacent waters.

Line 58: same comment as Line 6 in the abstract

The term “8-day” has been added before “climatologies”

Line 61 : “to examine SOME of the possible mechanisms”.

Text added

Line 63-65: the explanation about why using bbp and adg (and how interpret their change according to chl-a) should be provided earlier after the first^t sentence of this paragraph, when DOM and backscattering are mentioned (and should be added in the abstract)

We have added text to the abstract and modified the introduction to explain the use of bbp and adg in the first sentence of the paragraph where these two terms appear.

Line 64: define DOM.

Acronym has been replaced by name

2.2 Satellite and environmental datasets:

L 113: “large coccolithophore blooms occasionnaly..” Is there any reference to this? Please, shortly explain why you want to remove it from your analyze. Also, the sentence after is not clear.

We found one peer-reviewed article about the significant coccolithophore blooms that occurred in 2003 and 2010: Timothy S. Moore, Mark D. Dowell, Bryan A. Franz. (2012). Detection of coccolithophore blooms in ocean color satellite imagery: A generalized approach for use with multiple sensors. *Remote Sensing of Environment*, 117, 249-263. doi:10.1016/j.rse.2011.10.001, as well as media release, see for instance: <https://www.iirs.gov.in/Sable-Island>, <https://www.dal.ca/news/2012/10/19/unlocking-sable-islands-scientific-secrets.html> and <https://visibleearth.nasa.gov/images/67082/phytoplankton-bloom-off-nova-scotia>

We removed these bbp data from the time series, as it was much higher than the other data in the bbp climatology and time series, and it impacted all further calculations by greatly altering the mean (e.g. in 2010, surrounding Sable Island bbp exceeded 0.03 m^-1; the second-highest bbp value in the time series is below 0.01). We removed full images rather than using a threshold in order to compare the same imagery between regions. As the corresponding adg and chl-a were not significantly impacted, we decided to leave these data in.

2.3 Climatology...

Section title: add “8day “climatology

Title of section has been updated

Line 129: “SI”

Text corrected

Figure 2: In the legend: correct “SB” with “SI”

Legend updated

Overall, it is extremely difficult to make the link between the figure and the text. See complementary comments below in section 3.1

Thank you for the comments, we have made an effort to better evidence the link between the text and the figures. We have added references to the figure in the text when deemed appropriate

Line 148: What do you mean by “to obtain detailed maps of the chl-a in the SOM5”? do you mean THE SOM5 chla map (not a plural) in Figure 3?

We have removed the term “detailed maps of chl-a” as it did not accurately express our thoughts and updated the text.

Line 156-8: Is the 2011 unusual bloom removed from all the manuscript analysis or just for the 5-year trends analysis? If it is only removed for the trend analysis, how does it influence the interpretation with/from the other analysis?

The unusual blooms that occurred in 2003 and 2010 were removed from all the study analysis, including the SOM and time series analysis.

2.4 Chlorophyll-a concentrations....

Line 185: add ")" after Figure 3

Closing bracket added

While maps in (a) and histogram in (b) are clearly presented and can be easily understood as their interpretation is close to those of the usual clustering or EOF, this is not the case of the grey path. Thus, please further explain how to understand/interpret the path and the location of the numbers along it.

We have added explanation to the legend in Figure 3 and we have also updated the Figure 3 by replacing the month number by the month abbreviation as we think it will avoid confusion between node number and month of the year.

2.5.1 Decadal change in grey seal abundance...

I went through the publication of Hammill et al 2017 and den Heyer et al. 2020. Finally, it is unclear what numbers in the present paper in Table A1 come from observations or are derived from modeling. Please clarify.

While our manuscript was under review, a new seal model was published. The seal abundance represents age 1+ seals and comes from the model which is fit to pup counts to estimates annual abundance. The new seal abundance, and all the derived results have been updated in the study,

without significant change to the findings. Note that the number of seals is now slight higher than in the original study. Table 1 represent 5-year average of annual seal abundance

If the seal trend is derived from modelling and follows a “regular” curve as in Hammill et al 2017, I guess it explains why there was no interest in showing a trend derived from annual average instead of the 5 year mean. It may deserve to be mentioned.

We have added text to reflect the reviewer's comment. Note that Line 417 of the manuscript, we discuss the annual increase of seal, which is of 5% as described in Rossi et al. 2021.

Line 213-Equation 1: why illustrating the equation with P4 instead of P1 which would be more logical?

We have used parameters rather than number of seal from a given population to illustrate the Seal Model and the parameters for each period are summarized in table A1. The period used does not change the shape of the curve, only the abundance of seals such that any period could have been selected.

2.5.2 From seal population...

Line 233-234: “The release of N...” What does this sentence provide? Rather move in the discussion section if relevant (for instance line 459)

We thank the reviewer for pointing this, we have moved the sentence to the discussion.

Line 238-239: “chl-a multiply by the SOM5 area” : you mean the surface plume around the island delimited by the 1 mg.m-3 isocontour? please clarify

We have updated the text in the method section (Lines 152 and 197) to provide an accurate definition of the SOM5 plume used in the rest of the study.

Line 241: what is “HL2”?

HL02 is an oceanographic station located to the south-east of Halifax, Nova Scotia. We removed the term “HL02” from the main text. Readers can refer to Casault et al. 2020 to have additional information on the station.

3.1 Evidence of enhanced chl-a...

The first paragraph should be moved to the introduction. It does not present ongoing results.

Overall, this section is very hard to follow, because a) showing the time series of all the boxes makes impossible to distinguish the results from each other (except if you can spend 20 minutes on it). This figure needs to be rethought, perhaps by averaging some boxes together showing the std around them, b) the text back and forth from average pattern in optical properties to boxes patterns, then average patterns again. It is the same for the hydrodynamic section. It is about the Labrador current Line 299 to 301, then KE (by the way, why talking about KE as you don't use this information later), then back to the Labrador current Line 303. The main patterns then the boxes again.

At the end of this section it is extremely hard to remember/understand what are the take-home messages. This section needs to be rewritten and clarified.

Thank you for the comments, we have modified the figure 3 to make it clearer by regrouping the small boxes that have similar patterns. We have also rewritten this section to emphasize the message and have a better flow for the reader. We have added subsections for the control boxes (the 3 large boxes) and for the small boxes that help with identifying the IME. In fact, we used the small boxes to demonstrate the IME leeward of Sable Island, as the SI box initially chosen did not demonstrate a chl-a or seasonal patterns different from the two control boxes. This is explained by the fact that averaging satellite-derived chl-a data in a large box subjectively chosen smoothed the signal. To evidence a possible IME, in an objective manner, without a priori knowledge of the area impacted by it, we decided to compute the signal in small boxes as to identify where the IME occurs. We did that exercise for the 3 bio-optical properties to ensure that the chl-a signal observed was due to biological production and not contamination by other components such as dissolved organic matter. Once the IME was proven, we used a SOM approach to have a better idea of its extent, but also to look at its change with time (season and decades).

Added comments:

Line 272-275: it is written that the NE box exhibits the highest chl-a while Figure 2 shows equivalent or stronger bloom in 5 boxes around Sable island.

Here we meant that NE has the highest Chl-a of the 3 control boxes, we have modified the text to reflect this.

Line 283: it is stated “. Backscattering magnitude is related to abundance and inversely related to particle size (Slade and Boss, 2015) and here the timing of maximum backscattering is consistent with the time of year when large phytoplankton such as diatoms and dinoflagellates reach their minimum abundance, while small flagellates are most abundant.” In the abstract Line 64 you mention bbp to “indicates the presence of mineral particles due to resuspension”, as in section 3.2.1. Therefore, what is the causal link here with the dinoflagellates?

We have added text to the statement. In fact, in deep (> 100m) open waters, away from terrigenous inputs, backscattering is driven by phytoplankton and not mineral particles, such that changes in bbp can be explained by changes in phytoplankton cell size distribution and abundance. However, we have removed the statement as we have no evidence that the backscattering coefficient is driven by phytoplankton only.

Line 295: “.. without obvious enhanced chl-a” I didn’t understand this part of the sentence as Fig 2 shows chl-a is enhanced compared to SW box, and even to NE box for boxes 8-12. What did you mean?

Thank you for the comments, we have updated the text, and in particular the statement “for the remainder of the year”, as a clear increase of chl-a, as pointed out by the reviewer, is visible early in mid-to late fall.

Line 299-301: the depth-averaged Labrador current is provided and this value is used to say that there is a decrease close to SI, but it is compared with surface value. Why don’t you use the same consistent

data set (ie OSCAR) to illustrate the current weakening? Also, as it would be useful at least in the appendix to illustrate that point with a seasonal map.

We have modified the text to emphasize the OSCAR dataset, and added maps in the SI, while we have also kept the information on the kinetic energy from Brickman et al. 2012 as it provides information on mixing.

Line 308-9: "However ..." you can't completely discard this hypothesis, as finer scale dynamics than those modeled in Zhai et al 2011 could be at stake, especially considering the small size of SI and the complicated bathymetry and induced dynamics on the shelf.

Thank you for the comment, we discarded the statement.

Lines 310-14: the cause and effect links between the different sentences are unclear.

We agree with the reviewer and we have simplified the sentence and moved it to the previous paragraph.

3.2 Timing of biomass.

Title and Line 331: this is chl-a, not biomass

Title has been updated

Line 317 to 321: " Self-organizing 1999)" should be removed/moved to the SOM methodological section.

We have moved the text to the method section.

Line 324: be more explicit about the fact that "The largest extent of the plume when defined with a 1 mg.m-3 contour occurred" It need to be state asap as with a higher magnitude contour the plume would have been highlighted by node 7, corresponding to the spring bloom.

We believe that the threshold used is independent of the node and the season as the SOM approach evidence a plume of high chl-a around SI that occurs in node #5. Outside of the spring bloom period (i.e., node #7 as pointed out by the reviewer), the largest extent of the plume occurs in Winter (i.e., node #5) with chl-a that are higher than the surroundings. Therefore, changing the threshold for this node, would just change the surface area of the plume but would not change the interpretation of the node #5 (for instance, selecting #7).

Line 332: "the hypothesis of the IME" see above about the def of the IME

Thank you for the comment, we have corrected the text.

Line 335: not clear

We have updated the sentence and made it clearer.

Table 1&2: should appear after being cited in the text. Also, in the legend, it is stated that it is a linear regression of annual chl-a. Therefore, what does it mean “vs time in years”?

A linear regression is done on a dependent variable Y against the dependent variable X, on our case, the dependent variable is time expressed in year, we think that it is accurate to cite both variables.

Line 336: “the annual seasonal trend” is it annual or seasonal? Unclear

We have updated the text to make the term clear.

Line 336: “calculated for the SW and NE and SOM5” what do you mean by SOM5? Average within the area delimited by the isocontour= 1 mg.m-3 on SOM5 map? Please clarify

The definition of the SOM5 region is given in the method section, Lines 152 and 197 of the updated manuscript.

In this paragraph, please gather results about adg first, then bbp. It goes back and forth and it is hard to follow.

Thank you for the comment, we have modified the text to group the discussion on each property

Line 344: You propose an explanation of the adg increase, and what about for bbp?

What is also unclear is why a significant positive trend in adg while chl-a doesn't show a trend suggests that chl is not contaminated by adg? I would have rather expected that showing the same trend (or no trend) between the 2 parameters would mean no contamination.

When using band ratio algorithms, such as OC3, the presence of adg, which does not covary with phytoplankton concentration (i.e., case 2 waters) will artificially increase satellite derived chl-a due to its high absorption in the blue channel (443/490), which mimic phytoplankton absorption (see for instance Darecki and Stramski 2004, Remote Sensing of Environment). If both properties would increase in tandem, it would be difficult to conclude that the increase in chl-a would be reflecting an increase in phytoplankton biomass or just contamination of the ocean colour signal by adg.

Is the section related to Table 1 and the annual trend really noteworthy? It may be more impacting to directly present the seasonal trend after the SOM section which also provides seasonal information's to simplify the take-home message.

We have removed Table 1 and the text about the annual trend as suggested by the reviewer to simplify the text and get directly to the seasonal trends.

Line 345 “in winter” (no THE between)

Text corrected

Line 348-50: what does the adg high increase for both NE and SOM5 region suggest?

While in the SOM5 the increase could likely be due to the increase in N-release by seals, in particular close to the islands, it is difficult to elaborate for the NE box without an in-depth analysis, which is out of scope of the study. We have added a sentence to state that explanations about the increase in adg in NEb is out of scope of the study and would require further study.

Lines 351-53: is it necessary to describe everything from the figure. Rather focus on the take home message which is diluted. What do we need to remember in winter from the chla, adg and bbp relationships, and what do we learn from the SOM5 vs control boxes.

We do think that every panels needs to be discussed if it is included in the figure. The figure provide a visual that supports Table 1 (previously Table 2). The figure shows both the trends and the magnitude of Chl-a and Adg in the winter, particularly the very high winter Chl-a at SOM5, and also emphasizes the departure from these trends seen in bbp. The magnitude of bbp is high for SOM5, but not significantly changing. The figure also shows that Chl-a at SOM5 is often higher than the spring bloom.

Figure 5 should be shown in this section rather than section 3.2.1. By the way there is a misfit between the text which relates to chl standing stock (defined in section 2.5.2), while Fig 5 is chl-a purely.

We have moved the figure to the proper section. We agree with the reviewer about the chl-a standing stocks. These values represent a single number that integrate the surface area and depth. We think that it is important to show the figure in chl-a (mg m-3) to emphasize the increase in size and chl-a concentration of the plume. We have moved the reference to Figure 5 earlier in the sentence when introducing the averaging of chl-a

3.2.1 Simultaneous increase in ...

Explanations/hypothesis from lines 364 to 381 should be provided adequately before, in sections 3.1 and 3.2. It would again avoid the need to go back and forth which would fluidify the reading and help understand earlier the relationships/hypothesis between chla vs adg and bbp

We have moved the text to section 3.1 and 3.2 to increase the fluidity of the manuscript as suggested by the reviewer.

Line 376-78: hyp 2 is discarded, but then to what the adg increase is related to?

This is a good point, we can only speculate that the increase in adg would be related to 1) the increase in chl a, 2) increase of transport of detritus/gelbstoff. The causes of the increase in gelbstoff on the scotia shelf is not the scope of the study.

Line 370: "shoaling" of what? Of the mixed layer depth? Of nutrients? Unclear

We meant shoaling of nutrients, text has been added.

Line 376: what is “slope waters”? you mean uplift of isopycnnes when the flow encounters the island? Vertical mixing from what? Seasonal convection? Horizontal mixing or advection (from where)? Please clarify

The slope waters designate the water mass that is located on the continental slope and advected on the Scotian Shelf from the deep basin, we have added text and references to clarify this.

Trying to synthetize: the winter time Chl increase can be related to biomass increase thanks to nutrient supply a) from the ocean (induced by the ocean dynamics or seals), and/or b) from land (which can be detected by adg), and/or c) related to particle resuspension (related to bbp).

Yes, this is the hypothesis we have stated and confirmed/inferred using the satellite time series.

You can't definitely discard potential impact of changes in ocean dynamics as they are never explicitly investigated (and this is not the topic of the paper). First, regional dynamics can be partly responsible for SI Chl-a increase as an increase is also observed in the control boxes. Local processes could even enhancement nutrient uplift (for instance stronger currents could uplift more nutrient from the bottom), stronger EKE could have the same impact. What about nutrient advection from the Gully MPA? Please, be less affirmative. Investigating the seal population is very interesting, you do not need to overconclude about the physical processes.

Thank you for pointing this out. We have toned down our conclusion and added text to list possible other mechanisms. We acknowledge that there is an overall increase of chl-a in winter on the Scotian Shelf, although the mechanisms are not fully understood, however, what is striking is the rate of increase of chl-a in the plume located leeward of SI, which is twice as high as the surrounding area. For this reason, we do think that the increase of seal population and associated N fertilization contribute to that increase at a level of XX percents.

We doubt that the increase in nutrients around SI would be due to nutrient advection from the Gully MPA as Strain & Yeats (2005, Nutrients in the gully, Scotian shelf, Canada, Atmosphere-Ocean, 43:2, 145-161, DOI: 10.3137/ao.430203) showed that, while nutrients in the Gully are higher than in their surroundings, they remained trapped within the canyon with limited overflow.

Line 382-4: if there is a continuous decrease in nitrate since 2012 how is the Chl increase in the control boxes can be explained?

Nutrients are not a limiting factor on the Scotian Shelf, only during the spring bloom such that high biomass cannot be sustained all year long. Despite an overall decrease in nutrients, chl-a has not been decreasing but we are observing changes in community structure with an increase in the abundance of flagellates (manuscript in preparation).

Line 388-396, and last sentence: move/adapt to the introduction section. Here, directly present your own results and gather with section 3.2.2 (finally, section 3.2.1 as presented here would be removed)

Thank you for the suggestion, we have included some of the text in the introduction section and we have removed section 3.2.1.

3.2.2 Seal abundance...

Line 403-420: in the text it is referred to as “normalized chla” while in Fig 7 legend it is Chla, which can even be interpreted as standing stock. Please homogenize.

We use the “Normalised chl-a” term as we focused on the seasonal cycle of chl-a independently of the concentration to simplify the figure. We have now changed the figure and added a scale on the right side of the figure for chl-a in the NE such that the term “normalized” can be removed.

Here again there are back and forth: you start with changes in P1 and P4, then compare with NE box, then go back to results in SOM5 in agreement with decadal trend, talk about seal and go back again to SOM5 results.

Thank you for suggesting the change to improve the clarity of the manuscript. We have updated the paragraph to group the discussion on each variable/period.

Figure 8 should be in the text and not at the end (ditto later for Fig 9)

We have change the position of the Figure 8 compare to the text. Note that the final position of the figure relative to the text will be determine in the final version of the manuscript (proofread) with a two columns lay out (see biogeosciences article format)

Part of the text at the beginning of page 19 should be moved/combined to the methodological section. He would help to focus on the main results. This paragraph (more than a page is far too long).

We have removed some of the text to avoid redundancy with the method section and added some of the information in the method. The paragraph has been shortened to only focus on the results.

Line 433: what are the significance associated with the pearson coef?

We have added the p-value associated with the correlation coefficient. For $r^2 = 0.54$ we found a p-value of $2.4e-4$ and for $r^2 = 0.86$ we computed a p-value of $5.9e-9$

Line 435: I don't understand how it can be concluded that half of the Chl standing stock increase between P1 and P4 comes from the seal N-release according to Figure 8 where the model is far far below the satellite derived Chl standing stock.

When the difference between P4 and P1 is calculated for the satellite observations, several values are negative, such that the annual sum is lowered, for a total of 757 tonnes, while the value for the model over the entire year is 311 tonnes or about half. However, when focusing only on the winter period (i.e., breeding season) the contribution by seal fertilization is about 20%, perhaps in better visual agreement with the figure. We have updated the text to reflect this.

Line 438: “could support PART (OR HALF) OF the observed plume

We have re-written this paragraph, including this sentence to account for the reviewer's comment above.

Line 450: go to line after “necessary”

Done

3.2.3 Synchronized decadal...

This section is not very convincing. Fig 9 shows a far stronger trend of climate forcing than seal fertilization while in the text it is highlighted.” This is another striking finding that advocates for the impact of seal fertilization of the nearby ocean as no other mechanisms have supported the strong increase of chl-a in this region ». Not finding the explanation (as once again physical processes haven’t been investigated in depth) does mean that seal fertilization is the main cause. Figure 8 and 9 rather suggest that seal abundance is part of the explanation, not THE explanation

We agree with the reviewer that our message was overstated and we have moderated it to conclude that the contribution by seal to the chl-a increase was non-negligible but not the main cause.

What about the significance of the correlation coefficient Line 491, calculated with 4 points (if related to Fig 9).

Thank you for noting this, the p-value for this relationship is 0.1, which is therefore inconclusive. We have added the p-value to the text.

Conclusion

Line 502 and 525: see one of my first remarks about mesotrophic IME in literature

We have modified the text: we have deleted the statement about the novelty of finding IMW in mesotrophic environment.

Line 505-506: provide the causal link when you state that there is also a winter increase in adg and bbp as in chl.

Given that our study is restricted to satellite data, it is challenging to elaborate on the processes that explain the increase in adg and bbp, while the increase in Seal feces could explain the increase in adg, we cannot not assert it without in situ measurements. This is the same for the increase in bbp. At this stage we could only speculate.

First paragraph: do not repeat the factual results on chla, adg and bbp trends. Rather report the take home message about seasonal increase over the last decades and to what it can be (or not) related to by investigating adg and bbp in parallel

Paragraph 2: here again, this is not because adg and bbp didn’t explained the chl increase that “the only drastic change that has occurred is the increase in seal population”

We have toned down our statement as suggested by the reviewer.

Last paragraph: you state line 529 that the N release can support the chla standing stock of 254 tonnes in winter. Not convincing from Fig 8 and 9. This statement need to be mitigated. It is a convincing PART of the explanation

Figure 8 shows the difference between P1 and P4 such that is reduces the contribution from seal fertilization. If we account for P4 alone, the possible chla standing stocks is therefore 254 tonnes. It has emphasized that the contribution by seals is only a part of the explanation to the chl-a increase.
